

THE
REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR
1949

(New Annual Series, No. 29)
TABLES. PART I. MEDICAL



LONDON: HIS MAJESTY'S STATIONERY OFFICE
1951

PRICE 7s. 6d. NET

Cancer Registration in England and Wales

AN ENQUIRY INTO TREATMENT AND ITS RESULTS

By PERCY STOCKS, C.M.G., M.D., F.R.C.P.

Cancer kills in a single year nearly as many people as our army lost in officers and men in World War II. The object of the registration and follow up scheme described in this booklet by the Chief Medical Statistician of the General Register Office is to get much more exact information than we now have about the results of treatment.

(Studies in Population and Medical Subjects : No. 3) 2s. By post 2s. 2d.

The first two issues in the series were:—

Regional and Local Differences in Cancer Death Rates

(No. 1) 1s. (1s. 2d.)


Sickness in the Population of England & Wales

(No. 2) 1s. (1s. 2d.)

Obtainable from

HIS MAJESTY'S STATIONERY OFFICE

*at the addresses shown on page four of the cover,
or through any bookseller.*




22500767355

THE
REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR
1949

(New Annual Series, No. 29)

TABLES. PART I. MEDICAL



LONDON: HIS MAJESTY'S STATIONERY OFFICE
1951

WELLCOME INSTITUTE LIBRARY	
Cpll	swelMOmed
Call	scr
No.	WA

TABLE OF CONTENTS

Part I. Medical

	Page
Explanatory Notes	vi.
Table 1. Estimated Population by Sex and Age, 1949. [England and Wales	1
Table 2. Estimated resident civilian Population by [Sex and Age, Mid-year, 1949, England and Wales, Geographical Regions ; Aggregates of County Boroughs, other Urban Districts and Rural Districts	2
Table 3. Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1949. England and Wales	3
Table 4. Deaths Registered and Death Rates in each [Quarter, 1841-1949. England and Wales	5
Table 5. Death Rates at All Ages in Age Groups, Infant Mortality, and Mortality Ratios, 1841-1949. England and Wales	6
Table 6. Deaths by Cause and Sex at All Ages, 1939-1949. England and Wales	9
Table 7. Crude Death Rates by Sex from Certain Causes at All Ages, 1939-1949. England and Wales	28
Table 8. Comparative Mortality Indexes (Base year 1938) by Sex for Certain Causes, 1941-1949. England and Wales	40
Table 9. Comparative Mortality Indexes (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1949. England and Wales	44
Table 10. Crude Death Rates from the principal Epidemic Diseases and from certain other causes ; Infant Mortality and Maternal Mortality ; 1948 and 1949. England and Wales, Metropolitan Boroughs, County Boroughs and Administrative Counties	45
Table 11. Deaths of Infants under One Year from Certain Causes, 1939-1949. England and Wales	52
Table 12. Infant Mortality from Certain Causes, 1939-1949. England and Wales	53
Table 13. Deaths at Various Periods in the First Year [of Life, 1949, and the Four Quarters thereof. England and Wales and Geographical Regions	54
Table 13a. Deaths from Certain Causes at Various Periods in the First Year of Life, 1949. England and Wales	55
Table 14. Suspended.	
Table 15. Infant Mortality from Certain Causes, 1949. England and Wales and Geographical Regions	56
Table 16. Deaths at Various Periods in the First Year of Life by Legitimacy. Death Rates per 1,000 related Live Births, 1949. England and Wales, Geographical Regions, London and Metropolitan Boroughs, County Boroughs and aggregates of Urban and Rural Districts	58

		Page
Table 17.	Civilian Population, Births, Deaths and Infant Mortality, 1949. England and Wales, Geographical Regions and All Administrative Areas	66
Table 18.	Stillbirths by Sex and Legitimacy, 1949. England and Wales, Geographical Regions; London and Metropolitan Boroughs, County Boroughs ; Aggregates of Urban and Rural Districts in each Administrative County	117
Table 19.	Deaths by Sex at each year of Age (with Marital Condition), 1949. England and Wales	120
Table 19a.	Constructed Analysis of 1949 Deaths by Age and Marital condition. England and Wales	122
Table 20.	Deaths at Different Ages, 1949. England and Wales, Geographical Regions ; London and Metropolitan Boroughs, County Boroughs ; Aggregates of Urban and Rural Districts in each Administrative County	123
Table 21.	Causes of Death at Different Age periods, 1949 (excluding non-civilians). England and Wales	140
Table 21a.	Causes of Death of non-civilians at Different Age periods, 1949. England and Wales	175
Table 22.	Causes of Death of Children under Five at Different Age periods, 1949. England and Wales	178
Table 23.	Deaths by Month of Occurrence and by Cause, 1949. England and Wales... ..	182
Table 23a.	Deaths by Month of Occurrence, by Sex and Age, 1949. England and Wales	199
Table 24.	Causes of Death by Sex at Different Periods of Life (Classified in accordance with the Abridged List), 1949. England and Wales, Geographical Regions ; London and Metropolitan Boroughs, County Boroughs ; Aggregates of Urban and Rural Districts in each Administrative County	200
Table 24a.	Causes of Death by Sex (Classified in accordance with the Supplementary Abridged List), 1949. England and Wales, Geographical Regions; London and Metropolitan Boroughs, County Boroughs and Administrative Counties	291
Table 25.	Violent Deaths by Sex and Age and form of Violence, 1949. England and Wales (a) Total civilian. (b) Occupational civilian. (c) Non-civilian.	302
Table 26.	Notifications of Certain Infectious Diseases. Case Rates per 1,000 Population, 1939-1949. England and Wales and certain Aggregates	309
Table 27.	Seasonal Incidence of Certain Infectious Diseases, 1949. England and Wales	312
Table 28.	Cases of Certain Infectious Diseases Notified, 1939-1949. England and Wales	313
Table 28a.	Cases of Certain Infectious Diseases Notified, by Sex and Age, 1949. England and Wales, Geographical Regions	314
Table 29.	Cases of Certain Infectious Diseases Notified, 1949. England and Wales, Geographical Regions and all Administrative Areas	321
Table 30.	Air Temperature, Rainfall and Sunshine, 1949. England and Wales	353
Table 31.	Metereological Elements, Greenwich, 1900-1949	354
Table 32.	Quarterly Metereological Elements, Greenwich, 1949	356

	Page
Appendix A. Death Rates per Million in England and Wales based upon the Sex and age distribution of the population of Great Britain in the year of experience	357
Appendix 2. Estimated resident civilian Population by Sex and Age, Mid-year, 1949. England and Wales, Standard Regions.	358
Appendix 13. Deaths at Various Periods in the First Year of Life, 1949. England and Wales, Standard Regions	359
Appendix 15. Infant Mortality from Certain Causes, 1949. England and Wales, Standard Regions	360
Appendix 16. Deaths at Various Periods in the First Year of Life by Legitimacy. Death-rates per 1,000 related Live Births, 1949. England and Wales, Standard Regions	362
Appendix 17. Civilian population, Births, Deaths and Infant Mortality, 1949. England and Wales, Standard Regions	363
Appendix 18. Stillbirths by Sex and Legitimacy, 1949. England and Wales, Standard Regions	364
Appendix 20. Deaths at Different Ages, 1949. England and Wales, Standard Regions	365
Appendix 24. Causes of Death by Sex at Different Periods of Life, 1949 (Classified in accordance with the Abridged List). Standard Regions	366
Appendix 24A. Causes of Death by Sex, 1949. (Classified in accordance with the Supplementary Abridged List). England and Wales, Standard Regions	371
Appendix 28A. Cases of Certain Infectious Diseases Notified, by Sex and Age, 1949. England and Wales, Standard Regions ...	372
Appendix 29. Cases of Certain Infectious Diseases Notified, 1949. England and Wales, Standard Regions	379
Appendix Y. Estimated Resident Civilian Population, 1949, of areas as constituted after change of boundary during the year ...	380

EXPLANATORY NOTES

1. New or Recent Changes in Presentation

(a) *Standard Regions*

In Tables 2, 13, 15-18, 20, 24, 24A, 28A and 29 of the present volume the Geographical Regions remain the same as in previous years. In addition, similar tables based on the new constitution of Regions introduced in 1946 and known as "*Standard Regions*" are to be found in the Appendix. Standard Regions will displace the Geographical Regions in the main tables as from 1950.

The constitutions of the Geographical Regions and of the Standard Regions are set out on page *viii*.

(b) *Births*

Table 17. Birth rate areal comparability factors have been introduced in this volume (see also Notes 8 and 5 below). A column showing the numbers of stillbirths in each area has also been introduced.

(c) *Deaths*

In general the mortality of civilians is distinguished from that of non-civilians (see also Notes 2 and 3 below).

Table 17. Death rate areal comparability factors, suspended during 1940-47 on account of disturbances of the sex-age composition of local populations, were resumed in 1948 (see also Note 5 below). A column showing the numbers of neo-natal deaths (deaths under 4 weeks) in each area has been introduced in this volume.

(d) *New Tables*

Table 2 which was suspended in 1939 was reintroduced in 1948.

A new table (23A), showing civilian deaths by month of occurrence, sex and age, was introduced in 1947.

2. Populations

The national and local estimates of civilian populations in 1949 (Tables 1, 2 and 17) are derived from the National Register and Food Office records and other sources of information. The national estimate of the total population including the Armed Forces at home and overseas is given in Table 1. The estimates of civilian resident populations include members of the Merchant Navy at home and overseas.

3. Deaths

Except in Tables 23 and 23A, the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and date of registration being usually only a day or two. In Tables 23 and 23A, the deaths are classified by calendar months of occurrence.

Except in Tables 3, 4, 20, 21A and 25 (c) the deaths recorded are those of civilians only. In Tables 20 (England and Wales only), 21A and 25 (c) non-civilians deaths are recorded separately and in Tables 3 and 4 the numbers refer to civilian and non-civilian deaths combined.

Deaths of civilians are classified according to the area of usual residence of the deceased.

Non-civilian deaths are not classified by areas.

4. Causes of Death

Except in Appendices B and C (see Note 1d), the classification of causes of death is that prescribed in the International List (Fifth Revision 1938)* operating from the year 1940 in accordance with the international agreement. The Detailed List is used in Tables 6-12, 13A, 15, 21-23 and 25, the main divisions and lettered sub-divisions being international while the numbered sub-divisions are extensions adopted by the Registrar General. The divisions of the International Intermediate List are indicated by the italic numbers in brackets shown in col. 1 of Table 6. The Abridged List used for separate areas in Table 24 is a modification of the International Abridged List adopted by the Registrar General in consultation with the Ministry of Health and is extended by the Supplementary Abridged List in Table 24A.

Where more than one cause of death is mentioned on the Medical Certificate, the choice of the assigned cause since 1940 has been determined in the main from the statement of the certifier instead of by arbitrary rules of precedence.

Records of the years 1931-1939 appearing in the present volume have been adjusted so as to correspond as far as possible with the present principles of cause assignment.

5. Death Rates

The death rates for 1940 to 1949 (except Infant and Maternal Mortality) are derived from civilian deaths and populations (*see* Note 2 on page vi).

The crude death rates for local areas in Table 17 (col. 12) are not validly comparable by reason of the fact that the areal populations on which they are based may be of widely differing sex-age constitutions. With a view to eliminating this element of variation, a comparability factor is provided in column 13 of the table for each area and this, when multiplied by the crude death rate of the area, produces an adjusted rate which may be regarded as comparable from a mortality point of view with the corresponding adjusted rate for any other area or with the crude death rate for England and Wales as a whole (where the comparability factor is unity). A guide to the relative incidence of mortality in different areas is provided by column 14 which expresses each local adjusted rate as a ratio of the national rate. For a fuller description of the comparability factor, reference should be made to the Statistical Review, Text 1938/1939, page 5.

Infant Mortality rates are based upon the combined births of the associated and preceding year to which they relate and Maternal Mortality rates upon live and still-births occurring in the calendar year except in the case of deaths from Abortion which are based on the estimated number of women aged 15-45. (See also Note 7 below).

6. Standard Mortality Comparisons

The method of calculating the Comparative Mortality Index as used in Tables 3, 5, 8 and 9 was explained in the Appendix to Part I of the Registrar General's Statistical Review for 1941. An alternative notation of the formula will be found on page vi. of Part I of the Review for 1942.

7. Births and Birth Rates

The births recorded are those occurring in the calendar year.

In Table 17 births are allocated to the area of usual residence of the mother.

The birth rates of Table 17 have been calculated upon estimates of civilians only. For the country as a whole the ratio of estimated civilian population to total population is 0.9844 by which the live birth rates of Table 17 may be multiplied to produce rates approximately comparable with those of years prior to 1940.

The birth rate areal comparability factors and the ratios of the local adjusted birth rates to the national rate shown in Cols. 9 and 10 of Table 17 serve a similar purpose to those shown for death rates, as explained in Note 5 above.

8. Notification of Infectious Diseases

Tables 26 and 28 (from the year 1944 only), and Tables 28A and 29 are based on notifications corrected for subsequent amendments of diagnosis by the Notifying Medical Practitioner or by the Medical Superintendent of the Infectious Diseases Hospital.

*See Manual of the International List of Causes of Death (Fifth Revision 1938) obtainable from H.M. Stationery Office, Kingsway, London, W.C. Price 3/6 net.

9. Changes of Boundaries

Areas in respect of which boundaries have changed during the year are distinguished in Table 17 by the symbol* denoting alteration (*see also Appendix Y*).

No populations of areas were affected by changes of boundaries in 1949.

10. Significance Indication

Rates based upon less than 20 births or deaths are distinguished by italic type as a warning to the user that the smallness of the experience may affect their significance.

11. Regions

The constitution of the Regional Divisions of England and Wales used in this volume is as follows :—

<i>Greater London.</i> The aggregate of the City of London and of the Boroughs and County districts falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946. <i>South East.</i> Bedfordshire. Berkshire. Buckinghamshire. Essex. Hertfordshire. Kent. London. Middlesex. Oxfordshire. Southampton. Surrey. Sussex, East. Sussex, West. Wight, Isle of.	<i>North I.</i> Durham. Northumberland. <i>North II.</i> Cumberland. Westmorland. Yorkshire, E. Riding. Yorkshire, N. Riding. <i>North III.</i> Yorkshire, W. Riding. York, C.B. <i>North IV.</i> Cheshire. Lancashire. <i>Midland I.</i> Gloucestershire. Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.	<i>Midland II.</i> Derbyshire. Leicestershire. Northamptonshire. Nottinghamshire. Peterborough, Soke of <i>East.</i> Cambridgeshire. Ely, Isle of Huntingdonshire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Norfolk. Rutlandshire. Suffolk, East. Suffolk, West. <i>South West.</i> Cornwall. Devonshire. Dorsetshire. Somersetshire. Wiltshire.	<i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire. <i>Wales II.</i> Anglesey. Caernarvonshire Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.
--	--	---	--

The constitution of the Standard Regions of England and Wales used in the Appendix to this volume is as follows :—

REGION I. <i>Northern.</i> Cumberland. Durham. Northumberland. Westmorland. Yorkshire, North Riding. REGION II. <i>East and West Ridings.</i> Yorkshire, East Riding. Yorkshire, West Riding. REGION III. <i>North Midland.</i> Derbyshire, Part of ¹ . Leicestershire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Northamptonshire. Peterborough, Soke of. Nottinghamshire. Rutlandshire.	REGION IV. <i>Eastern.</i> Bedfordshire. Cambridgeshire. Ely, Isle of. Essex, Part of ² . Hertfordshire, Part of ³ . Huntingdonshire. Norfolk. Suffolk, East. Suffolk, West. REGION V. <i>London and South Eastern.</i> Essex, Part of ⁴ . Hertfordshire, Part of ⁵ . Kent. London. Middlesex. Surrey. Sussex, East. Sussex, West.	REGION VI. <i>Southern.</i> Berkshire. Buckinghamshire. Dorsetshire. Oxfordshire. Southampton. Wight, Isle of. REGION VII. <i>South Western.</i> Cornwall. Devonshire. Gloucestershire. Somersetshire. Wiltshire. REGION VIII. <i>Wales.</i> Anglesey. Brecknockshire. Caernarvonshire. Cardiganshire.	Carmarthenshire. Denbighshire. Flintshire. Glamorganshire. Merionethshire. Monmouthshire. Montgomeryshire. Pembrokeshire. Radnorshire. REGION IX. <i>Midland.</i> Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire. REGION X. <i>North Western.</i> Cheshire. Derbyshire, Part of ⁶ . Lancashire.
--	--	---	--

- 1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.
- 2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D. and Chigwell U.D.
- 3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.
- 4. All areas stated in 2 above.
- 5. All areas stated in 3 above.
- 6. All areas stated in 1 above.

CORRIGENDA

Statistical Review, 1947. Tables Part I. Medical.

- Page 26. 195 (ba) Anaesthetic accidents. Col. 1940, Females, *for 1 read 2*.
 195 (bb) Other accidents included under 195 (b). Col. 1947, Females,
for 3 read 2.
- Page 153. 195 (ba) Anaesthetic accidents. *for 35 read 25, 35*.
 195 (bb) Other accidents due to medical or surgical intervention, *omit 25*.

Statistical Review, 1948. Tables Part I. Medical.

- Page 25. 165 (82) Infanticide, Col. 1948, Females *for 21 read 22*.
- Page 26. 166 Homicide by firearms, Col. 1948, Females, *for 13 read 12*.
- Page 29. 33 (a) 1 Influenza with pneumonic complications, Col. 1948, Males, *for 22 read 15*.
 33 (b) 1 Influenza with non-respiratory complications, Col. 1948, Males,
for 11 read 8.
- Page 44. For C.M.Is. for periods 1931-40, 1936-40 and years 1940 to 1944, *see page 44 of this volume*.
- Page 52. Haemolytic diseases of newborn (161 e : 1), 1948, *for 0·26 read 0·71*.
 Melæna neonatorum (161 d), 1948, *for 0·71 read 0·26*.
- Page 56. Cong. hydrocephalus, spina bifida (157 a, b), Wales II, Total under 1
 year, *for 2·69 read 1·69*.
- Page 64. Greater London, Col. 8, *for 17·1 read 17·2*.
 North Col. 8, *for 19·0 read 18·8*.
- Page 81. Oxfordshire, Col. 13, *for 1·06 read 0·98*.
 Col. 14, *for 0·93 read 0·86*.
 Admin. County, Col. 13, *for 1·05 read 0·93*.
 Col. 14, *for 0·97 read 0·86*.
- Page 82. Oxfordshire, Rural Districts, Col. 13, *for 1·12 read 0·93*.
 Col. 14, *for 0·98 read 0·81*.
- Page 151. Col. 166, By firearms, Females,
 All ages, *for 13 read 12*.
 0-, *for 1 read —*.
 Footnote,* 165, Infanticide, Females, *for 21 read 22*.
- Page 284. 165 Infanticide ¹, Females,
 All ages, *for 21 read 22*.
 Under 1 year, *for 21 read 22*.
 166 Homicide by firearms, Females,
 All ages, *for 13 read 12*.
 Under 1 year, *for 1 read —*.
 Footnote ¹, *for gunshot, 1 M., read gunshot, 1 M., 1 F.*
- Page 338. Temperature of, Air—
 Year, *for 51·8, +3·1, +2·4, read 51·5, +2·8, +2·1*.
 1st Qtr., *for 44·1, +2·8, +4·3, read 44·1, +5·2, +4·3*.
 2nd Qtr., *for 54·8, +2·4, +1·9, read 54·5, +2·1, +1·6*.
 3rd Qtr., *for 60·8, +1·0, +0·4, read 61·0, +1·2, +0·6*.
 4th Qtr., *for 46·6, +2·9, +2·1, read 46·6, +2·9, +2·2*.
 Temperature of, Air Daily Range—
 3rd Qtr., *for 16·9, - 3·1, read 16·9, - 2·8*.
 4th Qtr., *for 12·3, +0·6, read 12·2, +0·5*.

TABLE 1.—Estimated Population, Total and Civilian, by Sex and Age, 1949. } **England and Wales.**

(Figures given to nearest thousand.)

Note.— The total population includes the Armed Forces and Merchant Seamen at home and abroad. It excludes non-civilians of Foreign Countries, Dominions, etc. temporarily in this country.

Age	Total Population (Mid-year 1949)			Civilian Population (Mid-year 1949)		
	Persons.	Males.	Females.	Persons.	Males.	Females.
All Ages	43,785	21,239	22,546	43,100	20,580	22,520
0—	731	375	356	731	375	356
1—	780	399	381	780	399	381
2—	862	442	420	862	442	420
3—	665	341	324	665	341	324
4—	663	341	322	663	341	322
0—	3,701	1,898	1,803	3,701	1,898	1,803
5—	2,976	1,519	1,457	2,976	1,519	1,457
10—	2,820	1,433	1,387	2,820	1,433	1,387
15—	2,842	1,436	1,406	2,534	1,137	1,397
20—	3,076	1,558	1,518	2,896	1,389	1,507
25—	3,554	1,781	1,773	3,472	1,702	1,770
30—	2,962	1,477	1,485	2,916	1,433	1,483
35—	3,440	1,712	1,728	3,402	1,675	1,727
40—	3,380	1,680	1,700	3,361	1,661	1,700
45—	3,094	1,498	1,596	3,084	1,488	1,596
50—	2,707	1,252	1,455	2,706	1,251	1,455
55—	2,394	1,083	1,311	2,393	1,082	1,311
60—	2,123	944	1,179	2,123	944	1,179
65—	1,803	783	1,020	1,803	783	1,020
70—	1,389	593	796	1,389	593	796
75—	884	364	520	884	364	520
80—	435	163	272	435	163	272
85 & over	205	65	140	205	65	140

TABLE 2.—Estimated resident civilian Population by Sex and Age, Mid-year, 1949. } **England and Wales; Geographical Regions; Aggregates of County Boroughs, other Urban Districts and Rural Districts.**

(Figures given to nearest thousand.)

				All ages.	0—	5—	15—	25—	35—	45—	55—	65 and over.
ENGLAND AND WALES { M				20,580	1,898	2,952	2,526	3,135	3,336	2,739	2,026	1,968
F				22,520	1,803	2,844	2,904	3,253	3,427	3,051	2,490	2,748
Regional Summary												
South-East { M				6,955	636	960	817	1,078	1,174	929	690	671
F				7,866	605	924	993	1,157	1,235	1,066	879	1,007
Greater London { M				3,933	355	509	460	651	698	537	385	338
F				4,426	337	494	571	686	723	614	483	518
Remainder of South East { M				3,022	281	451	357	427	476	392	305	333
F				3,440	268	430	422	471	512	452	396	489
North { M				6,465	600	947	810	975	1,030	868	640	595
F				7,035	569	916	918	999	1,060	971	788	814
North I { M				1,108	104	167	155	168	167	142	105	100
F				1,146	98	162	166	165	167	151	120	117
North II { M				650	62	103	85	95	99	82	62	62
F				694	59	98	94	96	100	90	74	83
North III { M				1,719	158	244	210	263	278	236	172	158
F				1,850	150	236	235	264	282	260	207	216
North IV { M				2,988	276	433	360	449	486	408	301	275
F				3,345	262	420	423	474	511	470	387	398
Midland { M				3,873	368	567	482	616	633	507	358	342
F				4,090	349	546	540	610	619	543	425	458
Midland I { M				2,563	245	381	316	415	420	331	234	221
F				2,712	233	367	359	412	409	354	277	301
Midland II { M				1,310	123	186	166	201	213	176	124	121
F				1,378	116	179	181	198	210	189	148	157
East { M				965	89	139	125	139	147	121	96	109
F				1,008	84	133	132	140	145	128	111	135
South West { M				1,064	95	155	127	143	160	144	114	126
F				1,208	91	147	146	159	175	164	144	182
Wales { M				1,258	110	184	165	184	192	170	128	125
F				1,313	105	178	175	188	193	179	143	152
Wales I { M				910	81	133	121	135	139	123	93	85
F				934	77	129	128	137	138	127	99	99
Wales II { M				348	29	51	44	49	53	47	35	40
F				379	28	49	47	51	55	52	44	53
Density Summary of all Areas outside Greater London												
County Boroughs { M				6,203	592	904	769	970	987	823	604	554
F				6,869	562	880	911	999	1,020	931	761	805
Other Urban Districts { M				6,519	600	960	790	960	1,041	873	646	649
F				7,161	571	922	904	1,008	1,080	973	800	903
Rural Districts.... { M				3,925	351	579	507	554	610	506	391	427
F				4,064	333	548	518	560	604	533	446	522

TABLE 3.—Deaths, Death Rates, Mortality Comparisons and } England and Wales.
Infant Mortality, 1841-1949.

Notes: (a) The Comparative Mortality Index expresses the mortality of each year or period as a ratio to that of 1938 adopted as the base, after adjustment for sex and age differences in the populations exposed to risk.
(b) The ratio of male to female mortality has likewise been adjusted for age differences in the male and female populations.
(c) See Explanatory notes on page vi.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	2·270	2·121	2·437	1·090	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	2·222	2·086	2·374	1·098	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	2·247	2·136	2·371	1·125	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	2·173	2·087	2·269	1·155	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	2·007	1·928	2·095	1·158	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	1·938	1·869	2·013	1·169	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	1·642	1·595	1·693	1·194	128	—	—
1911-1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	1·470	1·450	1·492	1·247	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	1·192	1·163	1·224	1·254	72	70	130
1931-1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11·5	1·087	1·074	1·101	1·307	59	57	95
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	2·179	2·038	2·336	1·096	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	2·360	2·204	2·534	1·088	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	2·276	2·139	2·429	1·099	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	2·177	2·041	2·329	1·095	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	2·253	2·134	2·385	1·116	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	2·242	2·138	2·358	1·132	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	2·220	2·130	2·321	1·150	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	2·130	2·047	2·221	1·160	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	2·018	1·936	2·110	1·152	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	1·997	1·921	2·081	1·164	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	1·993	1·914	2·079	1·161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	1·885	1·825	1·951	1·178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	1·716	1·668	1·768	1·191	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	1·572	1·525	1·622	1·198	117	113	224
1911-1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	1·495	1·464	1·528	1·226	110	105	210
1916-1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	1·450	1·443	1·456	1·282	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	1·220	1·186	1·255	1·240	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	1·167	1·142	1·194	1·268	68	65	119
1931-1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	1·104	1·080	1·129	1·276	62	60	103
1936-1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	1·070	1·067	1·074	1·337	55	54	86
1941-1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	0·956	0·982	0·929	1·414	50	48	71
1898	552,141	283,981	268,160	17·5	18·6	16·5	1·860	1·796	1·931	1·171	160	—	—
1899	581,799	299,472	282,327	18·2	19·4	17·2	1·955	1·889	2·028	1·176	163	—	—
1900	587,830	303,823	284,007	18·2	19·5	17·1	1·965	1·908	2·028	1·189	154	—	—
1901	551,585	285,618	265,967	16·9	18·1	15·8	1·811	1·764	1·862	1·192	151	—	—
1902	535,538	277,216	258,322	16·3	17·4	15·2	1·748	1·702	1·798	1·196	133	—	—
1903	514,628	266,290	248,338	15·5	16·5	14·4	1·655	1·612	1·702	1·196	132	—	—

* For the years 1915-20 and from 3rd September, 1939, the mortality rates for males and from 1st June, 1941, for females, are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.
† Based on related live births from 1931.

TABLE 3—continued.

Period.	Deaths.			Crude rates per 1,000 living.			Comparative Mortality Indexes (Base year 1938 taken as unity.)			Adjusted Ratio of Male to Female Mortality.	Deaths of Infants under 1 year per 1,000 Live births.†		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1904	549,784	283,206	266,578	16.3	17.4	15.3	1.733	1.680	1.790	1.185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	1.637	1.586	1.692	1.189	128	—	—
1906	531,281	274,233	257,048	15.5	16.5	14.5	1.649	1.606	1.696	1.197	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	1.621	1.568	1.678	1.192	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	1.580	1.539	1.625	1.204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	1.571	1.517	1.630	1.192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	1.445	1.406	1.487	1.207	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	1.530	1.496	1.568	1.209	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	1.428	1.388	1.472	1.211	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	1.455	1.428	1.484	1.228	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	1.470	1.439	1.503	1.224	105	100	207
1915*	562,253	292,381	269,872	15.7	17.7	14.0	1.595	1.578	1.613	1.260	110	105	203
1916*	508,217	265,030	243,187	14.3	16.7	12.5	1.457	1.455	1.459	1.300	91	87	183
1917*	498,922	262,215	236,707	14.2	17.1	12.1	1.432	1.456	1.405	1.348	96	90	201
1918*	611,861	314,704	297,157	17.3	20.1	15.2	1.713	1.724	1.695	1.310	97	91	186
1919*	504,203	258,089	246,114	14.0	15.7	12.6	1.421	1.401	1.442	1.267	89	84	173
1920*	466,130	240,302	225,828	12.4	13.5	11.5	1.270	1.253	1.289	1.249	80	76	156
1921	458,629	234,291	224,338	12.1	12.9	11.3	1.233	1.202	1.266	1.234	83	79	158
1922	486,780	247,221	239,559	12.7	13.5	12.0	1.293	1.254	1.336	1.228	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	1.159	1.129	1.191	1.245	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	1.211	1.175	1.250	1.239	75	73	133
1925	472,841	240,875	231,966	12.1	12.9	11.4	1.202	1.171	1.236	1.250	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	1.136	1.110	1.164	1.259	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	1.203	1.173	1.234	1.261	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	1.121	1.101	1.142	1.276	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	1.292	1.256	1.331	1.256	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	1.084	1.070	1.099	1.291	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	1.154	1.127	1.183	1.270	66	64	109
1932	484,129	245,715	238,414	12.0	12.7	11.4	1.119	1.093	1.147	1.272	64	62	112
1933	496,465	250,625	245,840	12.3	12.9	11.7	1.132	1.100	1.166	1.262	63	61	106
1934	476,810	242,855	233,955	11.8	12.5	11.1	1.068	1.049	1.089	1.283	59	58	96
1935	477,401	243,458	233,943	11.7	12.5	11.1	1.051	1.035	1.068	1.297	57	56	89
1936	495,764	253,319	242,445	12.1	12.9	11.4	1.073	1.061	1.087	1.311	59	57	88
1937	509,574	260,057	249,517	12.4	13.2	11.7	1.086	1.073	1.100	1.312	58	56	88
1938	478,996	246,898	232,098	11.6	12.5	10.8	1.000	1.000	1.000	1.343	53	52	81
1939*	499,902	255,879	244,023	12.1	13.0	11.3	1.022	1.016	1.028	1.339	51	49	90
1940*	581,537	303,089	278,448	14.4	16.1	12.9	1.171	1.187	1.156	1.382	57	55	82
1941*	535,180	281,035	254,145	13.5	15.7	11.8	1.070	1.096	1.043	1.406	60	59	82
1942*	480,137	251,333	228,804	12.3	14.4	10.7	0.942	0.967	0.916	1.416	51	49	75
1943*	501,412	259,206	242,206	13.0	15.3	11.3	0.957	0.978	0.944	1.397	49	48	71
1944*	492,176	257,705	234,471	12.7	15.3	10.8	0.918	0.952	0.894	1.433	45	44	69
1945*	488,108	252,078	236,030	12.6	15.0	10.8	0.893	0.920	0.875	1.416	46	44	65
1946*	492,090	252,380	239,710	12.0	13.4	10.9	0.881	0.889	0.875	1.378	43	42	60
1947*	517,615	267,714	249,901	12.3	13.5	11.3	0.906	0.921	0.892	1.389	41	40	58
1948*	469,898	242,899	226,999	11.0	11.9	10.1	0.801	0.815	0.789	1.409	34	33	45
1949*	510,736	260,686	250,050	11.8	12.6	11.1	0.856	0.863	0.851	1.396	32	32	45

*† See footnotes on first page of this Table.

TABLE 4.—Deaths Registered and Death Rates in each } England and Wales.
Quarter, 1841-1949.

See Explanatory notes on page vi.

Period.	Quarter ended							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1841-1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1937	82,071	60,887	51,741	65,358	81,645	57,638	48,560	61,674
1938	71,021	61,737	52,875	61,265	66,876	57,451	49,670	58,101
1939*	77,818	61,965	53,077	63,019	76,467	58,609	50,223	58,724
1940*	106,418	61,968	58,818	75,885	98,765	57,738	52,915	69,030
1941*	92,512	74,816	53,495	60,212	86,125	65,370	47,841	54,809
1942*	79,361	61,033	50,768	60,171	71,901	55,904	46,568	54,431
1943*	70,927	59,074	51,146	78,059	66,651	53,837	47,323	74,395
1944*	76,492	60,836	55,876	64,501	69,547	54,712	51,378	58,834
1945*	81,476	57,767	50,215	62,620	76,267	53,205	46,942	59,616
1946*	79,012	58,323	51,737	63,308	76,215	55,585	48,672	59,238
1947*	93,626	60,774	50,218	63,096	88,110	57,241	46,881	57,669
1948*	69,356	57,223	52,059	64,261	63,272	53,034	49,489	61,204
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
	Deaths: Persons.				Annual Death Rates per 1,000 persons living.			
1841-1850	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-1860	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921-1930	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	15·8	11·6	9·8	12·0
1937	163,716	118,525	100,301	127,032	16·2	11·6	9·7	12·3
1938	137,897	119,188	102,545	119,366	13·6	11·6	9·9	11·5
1939*	154,285	120,574	103,300	121,743	15·1	11·7	9·9	11·8
1940*	205,183	119,706	111,733	144,915	20·6	11·9	10·8	14·1
1941*	178,637	140,186	101,336	115,021	18·4	14·2	10·1	11·5
1942*	151,262	116,937	97,336	114,602	15·8	12·0	9·8	11·6
1943*	137,578	112,911	98,469	152,454	14·5	11·7	10·1	15·7
1944*	146,039	115,548	107,254	123,335	15·3	12·0	11·0	12·7
1945*	157,743	110,972	97,157	122,236	16·5	11·5	10·0	12·6
1946*	155,227	113,908	100,409	122,546	15·4	11·2	9·7	11·9
1947*	181,736	118,015	97,099	120,765	17·6	11·3	9·2	11·4
1948*	132,626	110,258	101,545	125,469	12·4	10·3	9·4	11·7
1949*	161,265	119,972	101,190	128,309	15·2	11·2	9·3	11·8

*See Note to Table 3.

**TABLE 5.—Death Rates per 1,000 Living
in Age Groups, Infant Mortality and
Mortality Ratios, 1841-1949.** } **England and Wales.**

Notes: (a) The Mortality Ratio expresses the all ages mortality of each year (or period) as a ratio to that of the preceding year (or period) after adjustment for sex and age differences in the populations exposed to risk.
(b) See Explanatory notes on page vi.

PERSONS

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live births†
1841-1850	—	66.0	9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860	0.979	67.6	8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870	1.011	68.6	7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880	0.967	63.4	6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890	0.924	56.8	5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	0.965	57.7	4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910	0.847	46.0	3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*	0.896	34.6	3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930	0.811	22.7	2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	0.912	16.9	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1841-1845	—	63.6	8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850	1.083	68.7	9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-1855	0.964	68.9	8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860	0.956	66.9	8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865	1.035	69.1	8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870	0.995	68.1	7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875	0.990	64.9	6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-1880	0.959	61.9	6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885	0.948	56.6	5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890	0.989	56.9	4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895	0.998	57.8	4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	0.946	57.6	4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905	0.910	50.2	3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910	0.916	41.7	3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	127.0	262.4	117
1911-1915*	0.951	37.5	3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-1920*	0.970	31.4	3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925	0.841	24.4	2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930	0.957	20.8	2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	0.946	18.1	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.1	49.0	119.3	255.7	62
1936-1940*	0.969	15.6	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-1945*	0.893	14.0	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1916*	0.914	29.5	3.26	2.21	3.17	4.35	5.11	7.20	12.5	25.4	58.5	133.3	282.2	91
1917*	0.983	29.1	3.25	2.20	3.38	4.49	5.26	7.21	12.0	24.7	56.5	130.5	263.9	96
1918*	1.196	36.5	5.70	3.73	6.11	9.29	12.4	10.1	14.2	25.1	55.1	117.5	225.8	97
1919*	0.830	29.6	3.55	2.28	3.49	4.73	6.37	7.20	11.6	23.7	54.6	130.6	264.0	89
1920*	0.894	32.6	3.29	1.97	2.81	3.61	4.42	6.14	10.4	21.2	48.2	113.1	220.8	80
1921	0.970	28.7	2.76	1.79	2.77	3.39	3.93	5.82	10.0	21.1	49.0	116.7	242.3	83
1922	1.049	27.0	2.56	1.79	2.63	3.47	4.08	6.07	10.6	22.7	53.9	129.4	255.7	77
1923	0.896	21.7	2.26	1.64	2.53	3.20	3.67	5.51	9.82	21.1	49.0	116.0	238.3	69
1924	1.045	22.4	2.31	1.66	2.53	3.28	3.68	5.68	10.1	21.9	52.4	123.3	251.8	75
1925	0.993	22.7	2.48	1.66	2.59	3.20	3.60	5.50	10.1	21.3	51.2	123.4	268.1	75
1926	0.945	21.1	2.40	1.49	2.43	3.04	3.46	5.31	9.57	20.5	48.6	115.4	254.3	70
1927	1.058	21.3	2.34	1.54	2.48	3.15	3.58	5.65	10.2	21.5	52.2	124.8	281.2	70
1928	0.932	19.6	2.34	1.60	2.50	3.09	3.43	5.23	9.62	20.3	48.9	112.6	258.0	65
1929	1.153	23.9	2.47	1.70	2.61	3.28	3.65	5.74	10.9	22.8	56.2	136.5	312.3	74
1930	0.839	18.2	2.29	1.54	2.45	3.00	3.36	4.95	9.43	20.0	47.2	111.8	238.1	60
1931	1.064	19.9	2.14	1.47	2.50	3.10	3.36	5.45	9.80	20.6	50.8	123.9	268.2	66
1932	0.970	19.0	2.07	1.39	2.39	3.02	3.21	4.79	9.33	20.1	49.8	121.9	264.6	64
1933	1.011	17.9	2.20	1.43	2.41	3.09	3.34	5.15	9.89	20.4	49.5	123.8	266.2	63
1934	0.944	17.5	2.44	1.43	2.28	2.85	3.10	4.60	9.19	19.7	47.9	113.2	236.4	59
1935	0.983	16.1	2.04	1.32	2.07	2.72	2.99	4.49	8.99	19.6	47.5	114.6	245.4	57
1936	1.022	17.0	1.99	1.21	1.95	2.69	2.82	4.39	9.09	20.1	48.5	118.3	265.5	59
1937	1.012	16.7	1.87	1.18	1.97	2.66	2.89	4.47	9.23	20.6	49.0	120.0	271.7	58
1938	0.921	15.3	1.87	1.19	1.86	2.49	2.65	4.05	8.47	19.0	45.5	110.6	240.0	53
1939*	1.022	13.7	1.48	1.03	1.75	2.45	2.60	3.94	8.56	19.7	47.2	119.0	260.6	51
1940*	1.147	15.6	1.96	1.40	2.54	3.50	3.44	4.92	10.1	22.6	52.3	130.1	278.7	57
1941*	0.914	16.4	2.06	1.37	2.59	3.55	3.53	4.62	8.97	19.8	46.5	114.3	247.2	60
1942*	0.880	14.0	1.50	1.04	1.91	3.02	2.92	3.87	7.82	17.8	42.4	102.6	216.8	51
1943*	1.016	14.0	1.40	1.04	1.88	3.02	2.97	3.95	8.02	18.0	43.1	106.4	220.2	49
1944*	0.959	13.3	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	100.3	196.5	45
1945*	0.973	12.3	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46
1946*	0.987	11.9	0.86	0.76	1.33	2.07	2.10	3.15	7.25	17.4	41.3	102.4	214.5	43
1947*	1.028	12.1	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	0.884	8.7	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.069	7.7	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32

*Civilian mortality only in 1915-20 and from 3rd September, 1939, for males, and from 1st June, 1941 for females.

†Based on related live births from 1931.

TABLE 5—continued.

MALES

Period.	Mortality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841–1850	—	71.2	9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851–1860	0.984	72.4	8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861–1870	1.024	73.5	8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871–1880	0.977	68.4	6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881–1890	0.924	61.6	5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891–1900	0.969	62.7	4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901–1910	0.853	50.0	3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911–1920*	0.909	37.8	3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921–1930	0.802	25.1	2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931–1940*	0.923	18.8	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1841–1845	—	68.7	8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846–1850	1.081	73.7	9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851–1855	0.970	73.9	8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856–1860	0.954	17.5	8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861–1865	1.046	74.1	8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866–1870	1.002	72.9	7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871–1875	0.996	69.9	7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876–1880	0.961	67.1	6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881–1885	0.946	61.3	5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886–1890	0.992	61.9	4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891–1895	0.997	62.9	4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896–1900	0.954	62.4	4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901–1905	0.914	54.7	3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906–1910	0.914	45.4	3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911–1915*	0.960	40.9	3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916–1920*	0.986	34.4	3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921–1925	0.822	27.0	2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926–1930	0.962	23.1	2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931–1935	0.946	20.1	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936–1940*	0.988	17.5	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941–1945*	0.920	15.5	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1916*	0.922	32.5	3.34	2.20	3.40	6.86	7.21	8.63	14.4	29.6	66.8	148.1	309.2	102
1917*	1.001	31.8	3.30	2.17	3.64	7.88	8.53	9.14	14.1	29.2	66.2	147.2	286.5	108
1918*	1.184	38.9	5.53	3.48	6.20	13.8	19.6	12.6	16.4	29.3	64.4	132.1	234.4	108
1919*	0.813	32.8	3.54	2.25	3.56	5.54	8.14	8.63	13.3	27.2	62.6	145.5	277.6	100
1920*	0.894	36.2	3.34	1.91	2.93	3.94	4.74	7.03	12.1	24.5	55.6	125.1	235.2	90
1921	0.960	31.9	2.81	1.76	2.84	3.57	4.21	6.53	11.4	24.4	55.8	128.7	262.8	93
1922	1.043	29.8	2.62	1.74	2.69	3.76	4.35	6.90	12.0	26.0	61.0	143.5	271.7	87
1923	0.900	24.0	2.34	1.64	2.57	3.47	3.97	6.31	11.2	24.2	55.6	129.5	262.9	78
1924	1.041	24.8	2.40	1.65	2.57	3.50	3.89	6.47	11.6	25.1	59.6	136.9	273.4	85
1925	0.996	24.9	2.54	1.68	2.63	3.35	3.83	6.32	11.6	24.7	58.7	138.8	292.0	84
1926	0.948	23.3	2.52	1.52	2.48	3.16	3.64	6.05	11.0	23.6	55.9	131.1	284.3	79
1927	1.056	23.7	2.45	1.57	2.54	3.36	3.76	6.54	11.9	24.9	59.9	139.8	312.2	79
1928	0.938	21.9	2.43	1.68	2.62	3.23	3.62	5.95	11.2	23.6	56.5	128.0	290.9	74
1929	1.141	26.2	2.61	1.74	2.69	3.48	3.86	6.70	12.9	26.3	64.1	151.5	343.6	83
1930	0.852	20.4	2.41	1.57	2.57	3.24	3.52	5.66	11.2	23.4	55.2	126.6	263.5	68
1931	1.052	22.4	2.29	1.46	2.60	3.31	3.46	5.76	11.6	23.9	58.7	138.4	295.9	74
1932	0.970	21.0	2.20	1.45	2.54	3.24	3.33	5.33	10.8	23.4	57.9	138.0	289.7	73
1933	1.007	19.9	2.27	1.49	2.56	3.27	3.49	5.74	11.7	23.8	56.6	139.4	286.3	71
1934	0.954	19.3	2.49	1.45	2.38	3.07	3.19	5.14	10.9	23.4	55.4	129.3	256.4	66
1935	0.986	17.9	2.14	1.35	2.14	2.88	3.10	5.02	10.8	23.3	55.2	131.8	268.9	64
1936	1.025	19.1	2.12	1.29	2.06	2.87	2.94	4.91	10.8	24.2	56.3	137.3	291.8	66
1937	1.011	18.6	1.98	1.23	2.12	2.81	3.02	5.03	11.1	24.9	57.1	138.5	292.3	65
1938	0.932	17.1	1.93	1.28	2.01	2.73	2.83	4.57	10.2	23.1	53.7	130.1	263.6	60
1939*	1.016	15.2	1.65	1.08	1.87	2.64	2.74	4.42	10.3	24.3	55.4	139.1	280.8	56
1940*	1.168	17.5	2.12	1.48	2.76	4.80	4.08	5.84	12.5	28.3	61.3	151.8	303.2	64
1941*	0.923	18.2	2.25	1.50	2.94	5.57	4.64	5.64	11.0	25.1	55.2	134.6	258.8	67
1942*	0.882	15.6	1.68	1.16	2.12	4.75	3.85	4.67	9.58	22.4	51.2	120.7	232.9	57
1943*	1.011	15.6	1.61	1.10	2.12	5.04	4.04	4.76	9.95	22.8	51.4	122.6	234.1	55
1944*	0.973	14.8	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	0.966	13.7	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51
1946*	0.966	13.4	0.97	0.86	1.52	2.66	2.24	3.55	8.94	22.3	49.7	117.4	232.3	48
1947*	1.036	13.5	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.9	52.5	125.9	266.5	46
1948*	0.885	9.7	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.059	8.7	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.6	53.2	120.7	249.0	36

* Civilian mortality only in 1915-20 and from 3rd September, 1939.

† Based on related live births from 1931.

TABLE 5—continued.

FEMALES

Period.	Mor- tality Ratio.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over.	Deaths under 1 year per 1,000 live births†
1841–1850	—	61.1	8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851–1860	0.974	62.7	8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861–1870	0.999	63.7	7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871–1880	0.957	58.3	6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881–1890	0.923	51.9	5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891–1900	0.961	52.8	4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901–1910	0.841	41.9	3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911–1920	0.881	31.4	3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921–1930	0.820	20.2	2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931–1940	0.900	14.9	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1841–1845	—	58.6	8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846–1850	1.085	63.6	9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851–1855	0.958	63.8	8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856–1860	0.959	62.3	8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861–1865	1.024	64.2	8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866–1870	0.989	63.3	7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871–1875	0.984	60.0	6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876–1880	0.957	56.8	5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881–1885	0.950	51.9	5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886–1890	0.986	52.0	4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891–1895	0.999	52.8	4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896–1900	0.938	52.7	4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901–1905	0.906	45.8	3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906–1910	0.917	38.0	3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911–1915	0.942	34.0	3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916–1920	0.953	28.4	3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921–1925	0.862	21.8	2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926–1930	0.951	18.5	2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931–1935	0.946	16.0	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936–1940	0.951	13.7	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941–1945*	0.865	12.3	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1916	0.904	26.5	3.18	2.22	2.98	3.40	4.05	6.10	10.7	21.6	51.8	123.4	268.4	80
1917	0.963	26.3	3.19	2.23	3.18	3.43	3.92	5.85	10.1	20.7	48.8	119.3	252.2	85
1918	1.206	34.1	5.87	3.98	6.04	7.90	9.80	8.49	12.3	21.4	47.8	107.8	221.3	86
1919	0.851	26.4	3.56	2.32	3.42	4.27	5.41	6.14	10.1	20.5	48.3	120.8	257.0	78
1920	0.894	28.9	3.25	2.02	2.69	3.34	4.17	5.37	8.95	18.2	42.3	105.2	213.6	69
1921	0.982	25.5	2.70	1.82	2.69	3.24	3.70	5.20	8.76	18.2	43.6	108.9	232.3	72
1922	1.055	24.1	2.51	1.83	2.56	3.22	3.85	5.34	9.35	19.7	48.3	120.2	248.0	66
1923	0.891	19.4	2.17	1.63	2.50	2.95	3.42	4.81	8.53	18.2	43.6	107.3	226.5	60
1924	1.050	19.9	2.21	1.67	2.49	3.07	3.51	4.99	8.70	19.1	46.7	114.5	241.6	65
1925	0.989	20.4	2.41	1.65	2.54	3.06	3.42	4.79	8.65	18.3	45.2	113.5	256.8	66
1926	0.942	18.8	2.28	1.46	2.38	2.92	3.31	4.66	8.25	17.6	42.7	105.4	240.2	61
1927	1.060	18.9	2.23	1.52	2.42	2.95	3.44	4.89	8.78	18.5	45.9	115.2	262.3	60
1928	0.925	17.3	2.24	1.53	2.38	2.96	3.26	4.61	8.21	17.3	42.7	102.6	242.9	56
1929	1.165	21.6	2.33	1.66	2.53	3.09	3.46	4.93	9.05	19.6	49.9	126.7	298.2	65
1930	0.826	16.0	2.18	1.51	2.34	2.76	3.21	4.35	7.90	16.9	40.7	102.2	226.5	51
1931	1.076	17.4	1.99	1.47	2.40	2.90	3.27	4.51	8.27	17.6	44.4	114.4	255.3	57
1932	0.970	16.8	1.94	1.33	2.24	2.81	3.10	4.34	8.02	17.1	43.2	111.4	253.0	56
1933	1.016	15.8	2.12	1.38	2.27	2.91	3.20	4.65	8.35	17.4	43.8	113.5	256.9	54
1934	0.934	15.6	2.39	1.40	2.18	2.64	3.02	4.13	7.69	16.5	41.7	102.8	227.1	52
1935	0.981	14.2	1.94	1.29	1.99	2.57	2.88	4.04	7.48	16.4	41.2	103.4	234.4	50
1936	1.018	14.9	1.86	1.13	1.84	2.52	2.71	3.94	7.60	16.5	42.2	106.2	253.2	51
1937	1.012	14.7	1.75	1.13	1.83	2.52	2.77	3.98	7.67	16.9	42.5	108.2	261.9	50
1938	0.909	13.4	1.80	1.09	1.71	2.25	2.49	3.59	6.97	15.5	38.8	98.1	228.9	46
1939	1.028	12.1	1.31	0.97	1.64	2.27	2.47	3.51	7.05	15.7	40.5	106.2	251.1	44
1940	1.124	13.6	1.80	1.31	2.32	2.87	2.94	4.14	8.04	17.7	45.0	116.4	267.5	49
1941*	0.902	14.5	1.86	1.24	2.28	2.81	2.85	3.77	7.26	15.4	39.5	101.5	241.7	52
1942*	0.878	12.3	1.31	0.91	1.73	2.41	2.41	3.22	6.37	13.9	35.4	91.0	209.2	44
1943*	1.031	12.4	1.18	0.98	1.69	2.36	2.45	3.32	6.43	13.9	36.4	95.9	213.5	43
1944*	0.947	11.7	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	89.7	188.8	40
1945*	0.979	10.8	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40
1946*	1.000	10.3	0.75	0.67	1.17	1.78	1.99	2.79	5.82	13.3	34.6	92.4	206.2	37
1947*	1.019	10.6	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	0.885	7.6	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.079	6.7	0.57	0.49	0.96	1.43	1.65	2.48	5.39	12.8	35.5	95.8	217.5	28

* Civilian mortality only from 1st June, 1941.

† Based on related live births from 1931.

TABLE 6.—Deaths by Cause and Sex at All Ages, } England and Wales.
1939-1949.

(Excluding non-civilian males on and after 3rd September, 1939, and females on and after 1st June, 1941).

See Explanatory notes on page vi.

Inter-national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
	ALL CAUSES ... {M F	255043 244023	294196 278448	270344 254090	242089 228568	249620 241911	246894 234156	245436 235838	249452 239602	265739 249852	241674 226971	259942 250031
1-44	I.—Infective and Parasitic Diseases {M F	24770 19096	29655 22386	27659 21948	22052 16216	25981 21013	20326 14839	19300 14153	19403 14722	19265 14250	16791 11712	17892 13062
1-26	Diseases due to bacteria ... {M F	17485 13135	19654 14962	20289 16124	16940 12808	16973 12339	15585 11459	14955 11059	14240 10408	14426 10745	13595 9685	12530 8437
1 (1)	Typhoid fever ... {M F	46 44	47 31	40 42	36 26	22 30	23 19	12 17	13 22	17 8	20 18	10 9
2 (1)	Paratyphoid fevers ... {M F	9 13	22 27	20 44	12 7	6 9	3 6	3 12	9 7	2 2	2 8	5 8
3 (2)	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
4 (17)	Cholera ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
5 (17)	Undulant fever (brucellosis) ... {M F	2 4	2 2	6 1	5 1	— 1	2 5	2 1	4 2	3 2	2 2	3 —
6 (17)	Cerebro-spinal (meningo- coccal) meningitis ... {M F	289 214	1380 1079	1127 938	620 523	432 314	327 243	306 221	259 230	287 236	160 136	154 133
7 (17)	Malignant pustule and anthrax ... {M F	6 2	5 1	6 1	2 1	4 —	3 1	— —	1 —	2 —	— 1	2 —
8 (3)	Scarlet fever ... {M F	89 92	76 76	61 70	48 52	63 66	51 54	33 49	18 23	17 25	16 21	10 8
9 (4)	Whooping cough ... {M F	539 690	326 352	1013 1370	356 443	492 622	459 595	293 396	354 454	386 519	336 412	238 289
10 (5)	Diphtheria ... {M F	1098 1032	1241 1225	1314 1308	889 918	671 677	433 475	343 351	205 250	124 118	78 77	45 39
11 (17)	Erysipelas ... {M F	127 121	102 111	86 102	76 64	57 65	58 61	41 78	42 40	27 34	27 24	27 27
12 (17)	Tetanus ... {M F	62 23	91 18	79 20	66 29	61 24	55 33	55 24	41 22	49 22	48 21	61 18
13-22	Tuberculosis (all forms) ... {M F	14905 10692	16028 11843	16248 12025	14572 10571	14932 10329	13929 9782	13697 9767	13145 9243	13389 9686	12785 8880	11879 7842
13 (6)	Respiratory system ... {M F	12683 8840	13730 9740	13698 9641	12268 8462	12819 8263	11958 7857	11755 7913	11415 7593	11678 8075	11313 7485	10612 6776
	(a) With mention of occupational ease of lung {M F	132 9	147 2	151 4	144 5	153 —	148 —	166 5	194 2	234 3	278 5	262 9
	(b) Without mention of occupational disease of lung {M F	12546 8829	13575 9738	13541 9636	12118 8452	12663 8261	11802 7855	11585 7908	11218 7590	11442 8070	11031 7478	10345 6765
	(c) Unspecified site {M F	5 2	8 —	6 1	6 5	3 2	8 2	4 —	3 1	2 2	4 2	5 2
14 (7)	Meninges and central nervous system ... {M F	863 816	922 929	1150 1170	970 955	918 973	862 885	856 916	790 797	784 749	647 665	558 533
15 (7)	Intestines and periton- eum ... {M F	341 321	356 401	389 381	378 406	299 361	285 305	276 270	231 206	203 242	168 201	146 148
16 (7)	Vertebral column ... {M F	257 155	222 150	178 157	228 162	206 164	172 150	169 127	167 149	137 115	136 114	109 101
17 (7)	Other bones and joints {M F	141 90	138 84	136 105	149 89	129 73	117 76	110 70	65 47	67 48	66 50	38 20
18 (7)	Skin and subcutaneous cellular tissue ... {M F	18 17	19 38	21 27	18 30	26 30	14 29	18 41	16 25	9 18	10 7	5 8
19 (7)	Lymphatic system ... {M F	23 29	35 37	52 51	43 51	48 43	41 47	43 28	28 29	29 29	29 28	21 36
20 (7)	Genito-urinary system ... {M F	205 108	229 127	213 128	196 128	188 122	209 134	201 130	157 113	186 114	183 108	208 93

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
21 (7)	Tuberculosis of other organs ... {M	13	24	21	18	17	22	10	17	26	33	23
	... {F	19	10	18	16	26	16	17	17	25	20	17
	(a) Addison's disease ... {M	9	14	13	12	10	16	5	12	16	13	18
	specified as tuber- {F	11	7	8	9	17	11	10	8	20	15	10
	(b) Other sites included {M	4	10	8	6	7	6	5	5	10	20	5
	under 21 ... {F	8	3	10	7	9	5	7	9	5	5	7
22 (7)	Disseminated tuberculosis {M	361	353	390	304	282	249	259	259	270	200	159
	{F	297	327	347	272	274	283	255	267	271	202	110
	(a) Acute generalised miliary tuberculosis {M	35	71	72	59	56	76	53	52	68	37	32
	{F	32	62	93	82	63	69	64	66	71	45	16
	(b) Chronic generalised tuberculosis ... {M	1	4	2	3	3	5	5	4	8	3	2
	... {F	1	3	4	1	—	3	1	4	5	8	2
	(c) Not distinguished as acute or chronic {M	325	278	316	242	223	168	201	203	194	160	125
	... {F	264	262	250	189	211	211	190	197	195	149	92
23 (17)	Leprosy ... {M	1	3	2	3	2	1	—	—	1	—	—
	{F	—	—	—	—	—	—	—	—	—	—	—
24 (8)	Purulent infection and septicæmia ... {M	289	300	260	226	198	220	152	131	105	109	93
	... {F	196	191	198	170	191	177	139	111	91	84	62
	(a) Septicæmia ... {M	236	250	215	190	159	183	124	100	88	91	75
	{F	166	164	171	150	158	142	118	92	80	69	48
	(b) Pyæmia ... {M	51	43	41	32	35	34	26	25	15	9	10
	{F	26	23	23	17	31	32	19	16	10	14	12
	(c) Gas gangrene ... {M	2	3	4	3	2	2	1	1	1	3	7
	{F	1	2	3	3	—	2	1	2	—	1	2
	(d) Generalised infection by bacillus coli {M	—	4	—	1	2	1	1	5	1	6	1
	... {F	3	2	1	—	2	1	1	1	1	—	—
25 (17)	Gonococcal infections ... {M	23	31	27	29	33	21	18	18	17	12	3
	{F	12	6	5	3	11	8	4	4	2	1	2
26 (17)	Other bacterial diseases (dysentery excepted) {M	—	—	—	—	—	—	—	—	—	—	—
	... {F	—	—	—	—	—	—	—	—	—	—	—
27 (9)	Dysentery ... {M	62	95	178	106	48	78	86	72	47	34	25
	{F	33	86	148	91	73	72	70	42	30	27	15
	(a) Bacillary dysentery {M	36	70	128	72	30	50	57	30	28	18	17
	{F	27	69	115	58	57	52	56	22	20	16	8
	(b) Amoebic dysentery ... {M	7	4	11	6	5	2	4	13	11	7	5
	{F	2	—	2	1	1	1	—	—	1	4	3
	(c) Other protozoal dysentery ... {M	1	—	—	—	—	2	—	—	—	—	—
	... {F	—	—	—	1	—	—	—	—	—	—	—
	(d) Other or unspecified forms of dysentery {M	18	21	39	28	13	24	25	29	8	9	3
	{F	4	17	31	31	15	19	14	20	9	7	4
28-29	Diseases due to protozoa {M	22	39	18	13	13	7	20	21	15	10	7
	{F	1	5	1	1	1	1	—	—	2	1	1
28 (10)	Malaria ... {M	20	39	18	13	12	6	16	16	11	9	5
	{F	—	5	—	1	—	1	—	—	1	1	—
29 (17)	Other diseases due to parasitic protozoa except spirochætes {M	2	—	—	—	1	1	4	5	4	1	2
	{F	1	—	1	—	1	—	—	—	1	—	1
30-32	Diseases due to spirochætes ... {M	2406	2313	2233	2105	1941	1764	1691	1720	1598	1449	1452
	... {F	929	930	924	848	880	825	729	745	730	647	644
30 (11)	Syphilis ... {M	2383	2284	2206	2080	1918	1739	1659	1707	1582	1434	1413
	{F	911	914	908	824	863	814	719	736	720	642	642
	(a) Locomotor ataxia (tabes dorsalis) ... {M	361	332	303	241	251	221	219	178	164	111	114
	... {F	76	88	97	58	60	53	53	54	44	32	20
	(b) General paralysis of the insane ... {M	562	556	571	503	415	365	324	314	283	205	162
	... {F	183	195	184	166	159	133	133	127	116	66	65
	(c) Aneurysm of aorta ... {M	688	678	654	634	600	575	588	666	676	643	683
	{F	311	279	286	277	298	338	260	292	333	316	349
	(d) Other forms of syphilis ... {M	772	718	678	702	652	578	528	549	459	475	454
	... {F	341	352	341	323	346	290	273	263	227	228	208
	(da) Congenital syphilis ... {M	77	86	72	77	97	87	66	79	49	47	42
	... {F	71	71	76	71	86	59	78	69	46	42	34

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
30 (11)	(db, dc, dd) Other or unspecified syphilis {M F	695 270	632 281	606 265	625 252	555 260	491 231	462 195	470 194	410 181	428 186	412 174
31 (17)	Relapsing fever ... {M F	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
32 (17)	Other diseases due to spirochætes ... {M F	23 18	29 15	27 16	25 24	23 17	25 11	32 10	13 9	16 10	15 5	39 2
	(a) Spirochætosis ictero-hæmorrhagica (Weil's disease) {M F	14 1	18 —	15 —	13 2	9 5	17 3	23 2	8 2	12 4	13 3	36 1
	(b) Other diseases included under 32 ... {M F	9 17	11 15	12 16	12 22	14 12	8 8	9 8	5 7	4 6	2 2	3 1
33-38	Diseases due or attributed to filterable viruses ... {M F	4397 4738	7099 6144	4509 4465	2438 2189	6570 7442	2457 2267	2091 1987	2864 3252	2704 2462	1202 1061	3381 3675
33 (12)	Influenza ... {M F	3827 4192	6175 5245	3387 3479	1798 1584	5867 6709	2018 1858	1390 1279	2460 2812	1700 1603	674 564	2669 2989
	(a) With respiratory complications specified {M F	2730 2851	4581 3616	2348 2300	1159 937	4318 4685	1383 1244	937 819	1744 1903	1190 1086	443 364	1879 2025
	(1) With pneumonic complications ... {M F	1825 1762	2712 1952	1514 1341	781 598	2754 2793	915 756	633 483	1161 1241	788 654	313 234	1209 1282
	(2) With other respiratory complications ... {M F	905 1089	1869 1664	834 959	378 339	1564 1892	468 488	304 336	583 662	402 432	130 130	670 743
	(b) Without respiratory complications specified {M F	1097 1341	1594 1629	1039 1179	639 647	1549 2024	635 614	453 460	716 909	510 517	231 200	790 964
	(1) With non-respiratory complications {M F	757 909	1056 1053	708 760	461 463	910 1201	447 406	318 330	493 629	331 346	170 148	539 612
	(2) Without stated complications ... {M F	340 432	538 576	331 419	178 184	639 823	188 208	135 130	223 280	179 171	61 52	251 352
34 (13)	Smallpox ... {M F	— —	— —	— —	— —	— —	— 3	— —	6 5	11 4	— —	1 4
35 (14)	Measles ... {M F	156 147	423 432	632 510	246 212	369 400	118 125	376 352	108 95	338 306	162 164	152 155
36 (17)	Acute poliomyelitis and polioencephalitis ... {M F	83 60	94 65	99 56	67 56	41 47	58 39	71 55	55 61	407 281	140 99	359 292
	(1) Acute poliomyelitis {M F	53 42	62 45	74 38	41 35	29 32	46 29	43 41	39 45	283 201	95 70	235 197
	(2) Acute polioencephalitis ... {M F	30 18	32 20	25 18	26 21	12 15	12 10	28 14	16 16	124 80	45 29	124 95
37 (17)	Acute infectious encephalitis (lethargic or epidemic) {M F	298 272	373 351	347 354	296 288	256 235	225 189	220 238	210 222	220 205	193 180	171 189
	(a) Acute lethargic (or epidemic) encephalitis {M F	21 16	21 26	12 23	11 16	10 8	6 8	12 19	14 16	34 39	47 33	31 33
	(b) Sequelæ of encephalitis lethargica ... {M F	112 110	179 177	191 171	169 160	158 146	140 104	141 147	160 153	144 115	95 97	91 103
	(c) Unspecified encephalitis lethargica ... {M F	165 146	173 148	144 160	116 112	88 81	79 77	67 72	36 53	42 51	51 50	49 53
38 (17)	Other diseases due to viruses ... {M F	33 67	34 51	44 66	31 49	37 51	38 53	34 63	25 57	28 63	33 54	29 46
	(a) Yellow fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(b) Rabies ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Herpes zoster ... {M F	22 57	15 28	25 48	20 41	22 43	18 41	26 55	19 53	19 56	25 50	20 36
	(d) German measles ... {M F	1 2	14 18	4 4	3 —	3 1	4 4	3 4	— 1	3 1	2 —	1 1
	(e) Varicella ... {M F	10 8	5 5	14 14	8 8	12 7	16 8	5 4	6 3	6 6	6 4	7 7
	(f) Other diseases included under 38 ... {M F	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 2
39 (15)	Typhus and typhus-like diseases (Rickettsioses) ... {M F	— —	— —	1 —	3 —	1 —	— —	— —	— —	1 —	1 —	— —
	(a) Louse borne exanthematic typhus ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(b, c) Other or unspecified typhus-like diseases {M F	— —	— —	1 —	3 —	1 —	— —	— —	— —	1 —	1 —	— —

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
40-42	Diseases due to helminths {M F	7 21	17 19	13 13	10 11	10 5	7 7	13 10	10 8	12 11	11 17	6 9
40 (16)	Ankylostomiasis ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
41 (16)	Hydatid disease ... {M F	7 18	14 14	12 9	8 9	8 2	7 7	11 9	7 7	9 8	8 11	6 9
	(a) Hydatid disease of liver ... {M F	4 11	8 7	3 6	2 8	5 1	2 6	9 6	4 6	5 7	6 4	5 5
	(b) Hydatid disease of other or unspecified organs {M F	3 7	6 7	9 3	6 1	3 1	5 1	2 3	3 1	4 1	2 7	1 4
42 (16)	Other diseases due to helminths ... {M F	— 3	3 5	1 4	2 2	2 3	— —	2 1	3 1	3 3	3 6	— —
43 (17)	Mycoses ... {M F	55 37	61 37	79 52	68 45	61 33	48 30	45 28	48 25	39 36	30 23	37 28
44 (17)	Other infective or parasitic diseases ... {M F	336 202	377 203	339 221	369 223	364 240	380 228	399 270	428 242	423 234	459 251	454 253
	(a) Venereal diseases (other than syphilis and gonorrhœa) {M F	1 1	3 —	— 1	3 —	1 1	2 —	— 2	1 1	1 —	— —	— —
	(b) Pernicious lympho-granulomatosis (Hodgkin's disease) {M F	332 196	367 199	318 210	356 214	349 225	369 218	378 249	413 228	409 226	441 237	451 246
	(c) Mumps ... {M F	2 5	5 1	17 10	8 5	6 5	4 4	2 5	3 3	1 —	9 7	— 3
	(d) Other diseases included under 44 ... {M F	1 —	2 3	4 —	2 4	8 9	5 6	19 14	11 10	12 8	9 7	3 4
45-57	II.—Cancer and other Tumours ... {M F	33038 36479	34061 36931	34427 36743	34919 37392	35813 38207	35738 38042	37146 38798	38049 39517	39638 40068	40966 40548	41732 40962
45-55	Cancer and other malignant tumours ... {M F	32077 35056	33135 35605	33486 35488	34011 36128	34952 36862	34881 36807	36258 37495	37120 38287	38748 38901	40026 39406	40772 39891
45 (18)	Buccal cavity & pharynx {M F	2432 561	2451 548	2298 525	2261 514	2186 548	2153 536	2003 526	1869 527	1796 508	1719 484	1627 532
	(a) Lips ... {M F	235 23	196 20	214 14	220 29	219 28	206 20	180 18	191 18	150 19	139 13	160 19
	(b) Tongue ... {M F	812 122	863 139	764 137	779 139	734 166	756 156	656 146	602 123	615 135	581 137	499 156
	(c) Other or unspecified parts of buccal cavity and pharynx {M F	1385 416	1392 389	1320 374	1262 346	1233 354	1191 360	1167 362	1076 386	1031 354	999 334	968 357
46 (19)	Digestive organs and peritoneum ... {M F	18977 16927	19600 17191	19471 17161	19413 17055	19723 17447	19818 17478	20417 17947	20361 18289	20631 18463	20970 18481	20629 18545
	(a) Œsophagus ... {M F	1561 722	1630 691	1572 690	1584 681	1511 766	1509 687	1489 779	1439 824	1548 804	1501 810	1439 786
	(b) Stomach and duodenum ... {M F	7190 5860	7455 5947	7343 5837	7151 5586	7100 5745	7384 5848	7631 5896	7587 6190	7851 6243	8202 6246	8096 6157
	(c) Intestines other than duodenum or rectum {M F	4260 5420	4468 5500	4383 5552	4432 5453	4634 5668	4534 5750	4768 5818	4790 5989	4791 6095	4660 5903	4591 6016
	(d) Rectum ... {M F	3469 2096	3539 2250	3649 2309	3698 2442	3776 2437	3730 2360	3902 2489	3829 2464	3784 2529	3901 2552	3762 2609
	(e) Liver and biliary passages ... {M F	1244 1595	1231 1576	1192 1573	1249 1625	1368 1587	1287 1606	1257 1543	1219 1419	1147 1375	1103 1393	1050 1375
	(f) Pancreas ... {M F	1123 1037	1119 1002	1164 980	1146 1056	1201 1051	1251 1023	1232 1180	1344 1220	1379 1182	1449 1325	1514 1363
	(g) Peritoneum ... {M F	130 197	158 225	168 220	153 211	133 193	122 203	138 240	152 181	127 232	152 246	173 233
	(h) Other or unspecified digestive organs {M F	— —	— —	— —	— 1	— —	1 1	— 2	1 2	4 3	2 6	4 6
47 (20)	Respiratory system ... {M F	4691 1433	4948 1451	5168 1426	5596 1525	6094 1581	6431 1640	6898 1758	7686 1821	8603 2019	9465 2158	10163 2232
	(a) Larynx and trachea ... {M F	940 284	901 271	908 271	838 259	858 287	821 282	822 281	867 265	798 289	868 292	836 287
	(b) Lung and pleura ... {M F	3751 1149	4047 1180	4260 1155	4758 1266	5236 1294	5610 1358	6076 1477	6818 1556	7805 1730	8597 1866	9327 1945
	(c) Unspecified respiratory organs ... {M F	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —

TABLE 6—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
48 (21)	Uterus F		4356	4402	4528	4575	4554	4333	4370	4287	4269	4321	4247
	(a) Specified as cervix* F		1800	1856	1905	1884	1932	1784	1814	1768	1837	1873	2138
	(b) Other or unspeci- F		2556	2546	2623	2691	2622	2549	2556	2519	2432	2448	2109
	fied* F												
49 (23)	Other female genital organs		2160	2253	2287	2363	2480	2556	2528	2510	2659	2691	2775
50 (22)	Breast {M		53	58	63	60	90	60	68	69	70	64	78
 {F		6980	7058	6956	7203	7320	7306	7291	7711	7738	7843	7875
51 (23)	Male genital organs ... M		2339	2444	2584	2776	2727	2532	2686	2944	3165	3132	3308
	(a) Scrotum M		47	54	54	56	50	41	33	47	37	40	28
	(b) Prostate M		1961	2082	2188	2388	2386	2189	2372	2585	2800	2781	2963
	(c) Other or unspeci- M		331	308	342	332	291	302	281	312	328	311	317
	fied*												
52 (23)	Urinary organs ... {M		1420	1449	1612	1623	1746	1629	1758	1809	1909	2069	2179
 {F		829	809	796	907	936	920	914	1013	1001	1093	1085
53 (23)	Skin (scrotum excepted) {M		563	580	597	549	626	557	589	534	555	540	524
 {F		420	440	425	457	468	468	479	426	456	429	465
54 (23)	Brain and other parts of {M		370	393	426	429	439	408	477	457	556	614	677
	the nervous system ... {F		299	302	291	300	318	327	363	371	387	390	464
	(a) Glioma (not speci- {M		231	278	294	323	311	293	341	330	393	469	505
	fied as benign) ... {F		189	205	200	222	219	226	251	240	282	277	349
	(b) Sarcoma (of brain, {M		65	33	40	22	30	20	38	20	28	30	23
	etc.) {F		64	29	32	23	16	24	20	25	19	20	27
	(c) Other or unspeci- {M		74	82	92	84	98	95	98	107	135	115	149
	fied cancer included {F		46	68	59	55	83	77	92	106	86	93	88
	under 54*												
55 (23)	Other or unspecified organs {M		1232	1212	1267	1304	1321	1293	1362	1391	1463	1453	1587
 {F		1091	1151	1093	1229	1210	1243	1319	1332	1401	1516	1671
	(a) Adrenal glands ... {M		28	29	26	32	37	23	33	38	33	44	31
 {F		19	24	26	24	19	33	28	29	31	24	46
	(b) Bones {M		478	452	490	514	529	476	498	483	474	440	488
 {F		357	403	392	456	456	439	418	424	392	422	458
	(c) Thyroid gland ... {M		70	70	76	84	69	82	82	67	89	76	82
 {F		205	200	210	213	201	212	225	223	231	231	254
	(d) Others included {M		656	661	675	674	686	712	749	803	867	893	986
	under 55 {F		510	524	465	536	534	559	648	656	747	839	913
	(1) Nose or nasal {M		4	10	18	8	16	16	11	15	16	17	13
	cavity {F		9	7	8	5	8	12	12	10	8	10	14
	(2) Others included {M		652	651	657	666	670	696	738	788	851	876	973
	under 55(d) ... {F		501	517	457	531	526	547	636	646	739	829	899
56 (24)	Non-malignant tumours {M		323	352	355	350	344	371	360	351	353	388	403
 {F		819	787	745	790	883	770	778	733	721	687	650
	(a) Ovaries F		219	179	183	206	190	207	198	168	175	126	141
	(b) Uterus F		320	334	286	292	394	304	269	250	194	218	186
	(c) Other female genital organs F		16	11	6	16	12	9	14	7	6	5	8
	(d) Brain and other parts {M		87	90	102	81	99	98	101	119	129	125	125
	of the nervous system {F		97	102	113	111	128	106	140	131	154	148	161
	(e) Other and unspeci- {M		236	262	253	269	245	273	259	232	224	263	278
	fied organs {F		167	161	157	165	159	144	157	177	192	190	154
57 (24)	Tumours of undetermined {M		638	574	586	558	517	486	528	578	537	552	557
	nature {F		604	539	510	474	462	465	525	497	446	455	421
	(a) Ovaries F		6	8	11	9	3	3	5	7	2	4	4
	(b) Uterus F		2	2	4	8	3	4	3	2	4	1	1
	(c) Other female genital organs F		2	6	5	1	—	1	5	3	3	—	1
	(d) Brain and other parts {M		488	432	386	392	370	354	391	439	413	449	443
	of the nervous system {F		476	406	378	337	355	351	393	368	355	353	340
	(e) Other and unspeci- {M		150	142	200	166	147	132	137	139	124	103	114
	fied organs {F		118	117	112	119	101	106	119	117	82	97	75
58-71	III.—Rheumatism and {M		3404	3487	3233	2845	2676	2552	2560	2266	2242	2014	2054
	Other General Dis- {F		6939	6915	6142	5666	5702	5223	5279	4928	4970	4633	4733
	eases*												
58 (25)	Rheumatic fever ... {M		427	349	298	218	254	290	256	174	188	206	154
 {F		527	491	333	275	399	328	284	188	206	240	174

* For full title according to the detailed International List see Table 21.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
58 (25)	(a) Acute rheumatic pericarditis ... {M	33	27	24	19	15	22	25	23	14	18	19
	... {F	47	40	23	21	19	30	33	21	18	20	14
	(b) Acute rheumatic endocarditis ... {M	205	199	176	117	167	180	157	98	118	120	90
	... {F	269	284	198	168	248	208	158	107	128	137	97
	(c) Acute rheumatic myocarditis ... {M	62	48	46	27	24	26	26	21	20	17	8
	... {F	62	70	41	32	43	26	36	21	33	31	22
	(d) Other diseases in-cluded under 58 ... {M	127	75	52	55	48	62	48	32	36	51	37
	... {F	149	97	71	54	89	64	57	39	27	52	41
59 (26)	Chronic rheumatism and other rheumatic diseases {M	498	509	546	512	472	463	485	436	426	386	428
	... {F	1245	1393	1261	1135	1202	1127	1170	1124	1069	1052	1140
	(a) Rheumatoid arthritis {M	315	331	365	376	321	320	321	288	287	247	286
	... {F	981	1122	1002	916	953	895	945	856	834	854	910
	(b) Other chronic articular rheumatism ... {M	144	111	125	108	120	102	124	122	111	118	127
	... {F	172	204	192	175	185	192	179	228	206	172	208
	(c) Other forms of chronic rheumatism ... {M	39	67	56	28	31	41	40	26	28	21	15
	... {F	92	67	67	44	64	40	46	40	29	26	22
60 (26)	Gout ... {M	62	47	44	41	25	30	34	23	34	21	14
	... {F	10	11	12	4	7	5	3	6	5	4	4
61 (27)	Diabetes mellitus ... {M	1887	2043	1811	1626	1519	1407	1364	1257	1164	1048	1102
	... {F	3273	3303	3043	2796	2777	2643	2662	2437	2364	2204	2342
62 (29)	Diseases of the pituitary gland ... {M	13	16	21	15	20	11	22	13	15	21	19
	... {F	29	22	35	25	38	29	35	28	42	37	31
	(1) Hyperpituitarism ... {M	6	7	9	8	9	3	10	2	5	7	9
	... {F	15	7	12	7	13	8	9	8	12	17	9
	(2) Hypopituitarism {M	6	5	9	6	9	5	11	10	9	14	8
	... {F	8	12	22	17	22	19	25	16	25	19	21
	(3) Other diseases in-cluded under 62 ... {M	1	4	3	1	2	3	1	1	1	—	2
	... {F	6	3	1	1	3	2	1	4	5	1	1
63 (28)	Diseases of the thyroid and parathyroid glands ... {M	224	225	195	158	139	102	135	114	129	104	117
	... {F	1530	1406	1118	1069	987	831	820	862	921	777	767
	(a) Simple goitre ... {M	19	18	19	12	12	5	16	16	16	17	16
	... {F	105	128	103	112	86	82	75	82	80	73	87
	(b) Exophthalmic goitre {M	173	163	138	113	107	84	90	75	75	65	79
	... {F	1206	1022	817	752	715	573	563	590	616	550	504
	(c) Myxœdema and cretinism ... {M	29	36	31	27	18	11	23	21	33	17	20
	... {F	210	243	179	195	170	161	174	177	205	132	158
	(d) Other diseases of the thyroid gland ... {M	2	7	6	5	1	1	5	1	3	3	2
	... {F	6	13	16	5	13	14	4	8	14	12	12
	(e) Diseases of the parathyroid glands ... {M	1	1	1	1	1	1	1	1	2	2	—
	... {F	3	—	3	5	3	1	4	5	6	10	6
64 (29)	Diseases of the thymus (in-cluding status lymphaticus) {M	84	109	97	64	66	63	51	51	47	36	23
	... {F	61	58	49	54	45	27	31	27	33	28	7
65 (29)	Diseases of the adrenal glands (not specified as tuberculous) {M	85	75	86	72	54	51	61	60	62	41	58
	... {F	124	114	153	154	110	97	105	88	125	96	101
	(a) Addison's disease, not specified as tuberculous {M	77	66	75	63	49	40	51	46	42	28	43
	... {F	117	108	136	137	100	82	99	81	107	79	76
	(b) Other diseases in-cluded under 65 ... {M	8	9	11	9	5	11	10	14	20	13	15
	... {F	7	6	17	17	10	15	6	7	18	17	25
66 (29)	Other general diseases ... {M	67	78	85	103	86	99	119	118	161	142	128
	... {F	98	76	88	120	108	114	148	154	187	175	154
	(a) Osteomalacia ... {M	2	2	2	2	2	5	4	3	5	7	4
	... {F	9	8	7	14	7	13	8	8	9	12	10
	(b) Other diseases in-cluded under 66 ... {M	65	76	83	101	84	94	115	115	156	135	124
	... {F	89	68	81	106	101	101	140	146	178	163	144
	(1) "Pink" disease ... {M	21	23	22	28	20	28	24	19	58	44	36
	... {F	33	26	25	22	29	22	24	29	45	27	30
	(2) Idiopathic steatorrhœa ... {M	16	14	31	40	32	23	39	33	35	23	18
	... {F	18	11	26	28	33	32	38	51	26	36	22
	(3) Other diseases in-cluded under 66(b) {M	28	39	30	33	32	43	52	63	63	68	70
	... {F	38	31	30	56	39	47	78	66	107	100	92

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
67-71	Vitamin deficiency diseases {M F	57 42	36 41	50 50	36 34	41 29	36 22	33 21	20 14	16 18	9 20	11 13
67 (30)	Scurvy ... {M F	4 3	3 2	7 4	6 7	8 9	3 5	2 3	5 2	5 4	3 3	6 1
	(a) Infantile scurvy (Barlow's disease) ... {M F	2 2	2 —	2 2	1 3	3 3	3 1	— 3	2 1	2 2	2 —	2 —
	(b) Other forms of scurvy ... {M F	2 1	1 2	5 2	5 4	5 6	— 4	2 —	3 1	3 2	1 3	4 1
68 (30)	Beri-beri ... {M F	2 —	— 1	1 —	2 1	3 1	1 1	1 2	— —	1 —	1 3	1 2
69 (30)	Pellagra ... {M F	1 8	3 7	1 13	6 4	5 2	— 7	2 4	1 2	2 1	1 3	— 2
70 (30)	Rickets ... {M F	49 30	30 26	39 29	20 17	18 13	29 5	20 7	10 6	5 11	2 5	3 4
71 (30)	Other vitamin deficiency diseases ... {M F	1 1	— 5	2 4	2 5	7 4	3 4	8 5	4 4	3 2	2 6	1 4
72-76	IV.—Diseases of the Blood and Blood- forming Organs {M F	1678 2300	1806 2554	1854 2725	1875 2533	1833 2459	1717 2342	1878 2602	1647 2293	1743 2291	1690 2092	1752 2233
72 (32)	Hæmorrhagic conditions {M F	115 122	139 140	138 149	126 111	114 91	111 115	106 97	85 89	91 111	94 93	80 73
	(a) Primary purpura ... {M F	78 116	109 136	112 149	98 111	83 90	78 114	81 97	63 89	60 111	76 93	62 73
	(b) Hæmophilia ... {M F	37 6	30 4	26 —	28 —	31 1	33 1	25 —	22 —	31 —	17 —	18 —
	(c) Other diseases cluded under 72 in- {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
73 (31)	Anæmias ... {M F	880 1494	1000 1702	1088 1907	1035 1730	946 1645	865 1467	968 1690	679 1324	758 1317	670 1135	643 1185
	(a) Pernicious anæmia ... {M F	708 1214	817 1349	885 1535	828 1409	751 1295	690 1137	775 1324	494 976	528 954	437 771	415 796
	(b) Other hyperchromic anæmias ... {M F	13 20	10 28	20 32	12 25	13 21	7 28	16 20	12 19	12 23	15 25	7 28
	(c) Hypochromic anæmias ... {M F	22 46	19 77	24 58	13 56	24 50	13 59	25 85	25 75	27 85	27 99	35 90
	(d) Other anæmias cluded under 73 in- {M F	137 214	154 248	159 282	182 240	158 279	155 243	152 261	148 254	191 255	191 240	186 271
74 (32)	Leukæmias and aleukæmias ... {M F	545 489	547 503	497 465	566 521	616 531	617 568	661 628	759 660	748 704	806 683	905 798
	(a) Leukæmia ... {M F	533 485	534 483	479 455	545 504	594 506	585 544	623 599	719 620	711 658	755 648	855 756
	(b) Aleukæmia ... {M F	12 4	13 20	18 10	21 17	22 25	32 24	38 29	40 40	37 46	51 35	50 42
75 (32)	Diseases of the spleen {M F	110 157	88 160	106 163	100 126	116 150	79 148	102 147	86 177	93 125	87 143	84 124
	(a) Splenic anæmia ... {M F	67 107	49 102	56 107	52 70	66 85	41 86	54 77	40 95	46 62	28 73	31 59
	(b) Banti's disease ... {M F	28 39	27 45	37 46	40 46	36 50	30 43	37 58	38 64	32 55	47 56	40 50
	(c) Other diseases cluded under 75 in- {M F	15 11	12 13	13 10	8 10	14 15	8 19	11 12	8 18	15 8	12 14	13 15
76 (32)	Other diseases of the blood and blood-forming organs {M F	28 38	32 49	25 41	48 45	41 42	45 44	41 40	38 43	53 34	33 38	40 53
	(a) Agranulocytosis ... {M F	18 24	14 38	14 24	21 29	14 26	16 21	19 25	10 15	18 8	11 22	11 26
	(b) Erythrocytosis ... {M F	9 14	18 11	10 16	26 15	25 15	28 21	22 15	27 26	33 26	19 16	27 24
	(c) Hæmoglobinæmia ... {M F	1 —	— —	— —	— 1	— —	1 —	— —	— —	— —	1 —	— —
	(d) Other diseases cluded under 76 in- {M F	— —	— —	1 1	1 —	2 1	— 2	— —	1 2	2 —	2 —	2 3

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
77-79	V.—Chronic Poisoning and Intoxication ... {M ... {F	88 61	97 66	92 55	66 26	54 17	52 18	43 13	49 12	50 24	41 21	34 24
77 (33)	Alcoholism (ethylysm) ... {M ... {F	72 53	85 59	70 42	49 18	48 14	42 14	35 12	39 10	40 19	32 14	26 24
78 (34)	Lead poisoning ... {M ... {F	12 3	8 4	9 —	11 1	3 —	5 —	3 —	7 —	5 1	1 1	3 —
	(a) Specified as occupa- tional ... {M ... {F	10 —	6 3	9 —	8 —	3 —	4 —	3 —	6 —	5 —	1 —	2 —
	(b) Not specified as occupational ... {M ... {F	2 3	2 1	— —	3 1	— —	1 —	— —	1 —	— 1	— 1	1 —
79 (34)	Chronic poisoning by other mineral and organic substances {M ... {F	4 5	4 3	13 13	6 7	3 3	5 4	5 1	3 2	5 4	8 6	5 —
	(a) Occupational poison- ing (not lead) ... {M ... {F	— —	2 1	10 10	6 6	1 3	3 4	3 —	1 1	— —	3 1	— —
	(b) Poisoning by narcotic and soporific drugs ... {M ... {F	4 5	2 2	3 2	— 1	2 —	2 —	2 1	1 1	4 4	4 2	3 —
	(ba) Narcotics... {M ... {F	3 4	2 1	1 2	— —	2 —	2 —	1 1	— 1	2 —	1 —	— —
	(bb) Soporifics... {M ... {F	1 1	— 1	2 —	— 1	— —	— —	1 —	1 —	2 4	3 2	3 —
	(c) Other non-occupa- tional chronic poisoning {M ... {F	— —	— —	— 1	— —	— —	— —	— —	1 —	1 —	1 3	2 —
	(d) Unspecified (chronic) poisoning ... {M ... {F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
80-89	VI.—Diseases of the Nervous System and Sense Organs {M ... {F	26409 31270	27727 33286	25730 31438	25157 31323	24947 31723	25842 32649	26140 33412	26571 34791	28391 37067	25471 34370	27831 37406
80 (40)	Encephalitis (non- epidemic) ... {M ... {F	159 113	165 147	137 103	168 117	161 108	150 133	171 126	153 97	149 95	144 94	131 93
	(a) Intra-cranial abscess {M ... {F	99 49	76 58	67 33	81 55	76 48	91 58	84 48	80 38	76 43	79 37	77 38
	(b) Other diseases in- cluded under 80 ... {M ... {F	60 64	89 89	70 70	87 62	85 60	59 75	87 78	73 59	73 52	65 57	54 55
81 (35)	Meningitis (non-meningo- coccal) ... {M ... {F	473 343	445 372	464 352	400 344	377 300	393 283	326 267	308 188	316 243	257 180	244 175
82 (36)	Diseases of the medulla and spinal cord ... {M ... {F	486 426	573 434	460 409	454 343	455 389	485 352	458 359	449 334	464 394	411 314	467 366
	(1) Motor neurone disease ... {M ... {F	289 221	316 225	277 209	274 209	280 238	313 207	315 211	316 221	304 246	324 190	335 251
	(2) Sub-acute combined degeneration ... {M ... {F	37 63	47 59	36 44	34 31	35 35	34 46	33 53	24 31	29 34	17 27	19 27
	(3) Myelitis of unstated origin ... {M ... {F	74 67	113 76	80 81	70 62	71 55	64 54	46 51	62 33	50 57	31 46	53 46
	(4) Other diseases in- cluded under 82 ... {M ... {F	86 75	97 74	67 75	76 41	69 61	74 45	64 44	47 49	81 57	39 51	60 42
83 (37)	Intra-cranial lesions of vascular origin ... {M ... {F	21726 26940	22912 28712	20955 27154	20898 27405	20800 28059	21820 28957	22363 29722	22891 31419	24718 33506	22524 31349	24808 34428
	(a) Cerebral hæmorrhage {M ... {F	13615 17124	14131 18084	13143 17272	13010 17464	13009 18018	13637 18386	13846 18709	14072 19785	14544 20346	13132 18933	14031 20096
	(b, c) Cerebral embolism, thrombosis and softening {M ... {F	7271 8840	7795 9513	6947 8835	7127 9016	7061 9003	7409 9615	7793 10107	8093 10712	9454 12234	8703 11562	10066 13400
	(d) Hemiplegia and other paralyses of unstated origin {M ... {F	831 958	969 1102	852 1032	757 901	722 1020	765 933	709 886	714 911	689 905	671 836	695 917
	(e) Other intra-cranial effusions ... {M ... {F	9 18	17 13	13 15	4 24	8 18	9 23	15 20	12 11	31 21	18 18	16 15
84 (38)	Mental disorders and deficiency ... {M ... {F	348 516	369 595	470 529	334 408	269 349	303 389	279 376	264 363	273 399	237 338	218 308
	(a) Mental deficiency ... {M ... {F	81 82	116 123	139 128	115 96	108 112	128 124	113 119	132 115	122 140	121 130	82 98
	(b) Schizophrenia (dementia præcox) ... {M ... {F	39 28	39 39	103 52	64 48	47 33	37 33	41 28	30 47	48 44	20 32	27 33

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
84 (38)	(c) Manic-depressive psychosis ... {M ... {F	3 6	2 8	8 8	5 4	7 8	3 3	4 9	7 13	5 11	11 8	2 11
	(d) Other mental disorders included under 84 {M ... {F	225 400	212 425	220 341	150 260	107 196	135 229	121 220	95 188	98 204	85 168	107 166
85 (39)	Epilepsy ... {M ... {F	835 732	921 807	940 802	795 761	746 624	658 647	628 597	659 580	654 578	511 460	483 440
86 (40)	Convulsions in children under 5 years of age {M ... {F	480 325	516 337	520 337	423 294	352 232	317 202	262 186	225 148	203 141	138 109	86 71
87 (40)	Other diseases of the nervous system ... {M ... {F	1178 1348	1199 1443	1223 1341	1116 1258	1123 1236	1097 1245	1113 1391	1129 1303	1115 1377	885 1248	1057 1316
	(a) Chorea ... {M ... {F	15 53	15 48	12 43	13 29	13 36	12 25	9 32	14 30	9 22	6 18	4 13
	(b) Neuritis (non-rheumatic) ... {M ... {F	41 56	40 50	50 46	44 35	48 53	32 32	32 32	42 38	50 40	34 43	55 47
	(c) Paralysis agitans ... {M ... {F	622 636	596 702	585 589	541 564	573 580	587 636	630 733	609 681	614 732	495 682	588 784
	(d) Disseminated sclerosis ... {M ... {F	382 503	448 536	432 513	409 504	379 469	371 474	363 497	362 446	333 478	277 427	319 404
	(e) Other diseases included under 87 ... {M ... {F	118 100	100 107	144 150	109 126	110 98	95 78	79 97	102 108	109 105	73 78	91 68
	(1) Convulsions of undetermined origin (ages 5 and over) {M ... {F	4 3	3 7	3 5	3 3	4 2	4 —	— 3	1 —	1 1	2 1	— —
	(2) Other diseases included under 87 (e) {M ... {F	114 97	97 100	141 145	106 123	106 96	91 78	79 94	101 108	108 104	71 77	91 68
88 (41)	Diseases of the organs of vision ... {M ... {F	26 38	40 40	29 52	22 38	23 28	31 38	17 23	21 37	14 26	18 27	18 28
89 (41)	Diseases of the ear and of the mastoid antrum ... {M ... {F	698 489	587 399	532 359	547 355	641 398	588 403	523 365	472 322	485 308	346 251	319 181
	(a) Otitis, etc., (without mention of mastoid disease.)* {M ... {F	393 263	304 212	307 223	295 191	359 244	325 197	287 192	284 185	272 183	231 179	245 131
	(b) Diseases of the mastoid antrum ... {M ... {F	305 226	283 187	225 136	252 164	282 154	263 206	236 173	188 137	213 125	115 72	74 50
90-103	VII.—Diseases of the Circulatory System ... {M ... {F	63804 71636	73926 78034	67118 68978	64723 66102	66295 69129	69482 69890	70674 73279	74422 76427	82383 81632	76868 76907	86906 89611
90-95	Heart diseases ... {M ... {F	61208 64686	65872 70388	59811 62037	57506 59115	58799 61646	61510 62333	62696 65273	65784 67591	72630 71940	67455 67283	76263 77996
90 (42)	Pericarditis ... {M ... {F	181 103	214 144	170 138	153 103	142 120	151 146	171 89	167 99	150 119	174 118	194 128
	(a) Chronic pericarditis specified as rheumatic {M ... {F	10 7	12 8	9 7	13 13	19 19	12 19	5 10	13 6	9 14	17 16	6 15
	(b) Other pericarditis included under 90 ... {M ... {F	171 96	202 136	161 131	140 90	123 101	139 127	166 79	154 93	141 105	157 102	188 113
91 (46)	Acute endocarditis ... {M ... {F	499 530	480 450	460 474	439 513	451 489	386 435	335 318	283 273	303 246	284 214	243 210
	(a, b) Acute or sub-acute bacterial endocarditis {M ... {F	462 490	453 432	441 457	419 493	436 468	374 423	328 309	272 266	297 236	279 204	233 204
	(c) Other acute and sub-acute endocarditis ... {M ... {F	37 40	27 18	19 17	20 20	15 21	12 12	7 9	11 7	6 10	5 10	10 6
92 (43)	Chronic affections of the valves and endocardium {M ... {F	7872 10020	8385 10766	7767 9639	7350 9191	7012 9155	7190 9142	6815 8943	6400 8337	6327 8203	5615 7624	5850 7946
	(a) Aortic valvular disease (without mitral disease) {M ... {F	1556 811	1560 818	1462 749	1285 678	1241 652	1159 622	1103 565	1067 577	1051 537	912 530	1037 545
	(b) Other specified valvular dis. (inc. sequelæ of rheumatic fever)* {M ... {F	3709 5885	4164 6622	4051 6080	3888 5830	3676 5935	3916 5937	3793 5944	3583 5631	3714 5682	3423 5465	3531 5817
	(1) Mitral valve disease ... {M ... {F	3231 5176	3498 5626	3409 5191	3179 4808	2989 4978	3175 4955	3031 4899	2771 4701	2959 4772	2691 4510	2738 4814
	(2) Other diseases included under 92 (b) {M ... {F	478 709	666 996	642 889	709 1022	687 957	741 982	762 1045	812 930	755 910	732 955	793 1003
	(c) Unspecified valvular lesions or endocarditis {M ... {F	2607 3324	2661 3326	2254 2810	2177 2683	2095 2568	2115 2583	1919 2434	1750 2129	1562 1984	1280 1629	1282 1584

* For full title according to the detailed International List see Table 21.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
93 (44)	Diseases of the myocardium ... {M 38098 41694 37376 35261 35775 36843 37122 38392 42038 36171 40547 ... {F 44534 49186 42860 40415 42525 42686 45005 46668 49704 44023 51836											
	(a) Acute myocarditis ... {M 103 116 98 97 85 71 94 85 100 102 92 ... {F 92 92 72 63 97 74 81 91 116 98 114											
	(b) Chronic myocarditis {M 324 414 383 380 279 327 288 322 271 233 183 specified as rheumatic {F 592 693 573 515 495 441 414 445 380 319 283											
	(c) Myocardial degen- {M 33049 35890 32424 30762 31416 32437 32809 34233 37941 32851 37153 eration, etc.* ... {F 38802 42537 37484 35810 37594 37964 40309 42100 45348 40287 47981											
	(1) Cardio-vascular {M 11192 11703 11011 10662 10911 11543 12100 13172 15020 13628 15435 degeneration ... {F 11170 11802 10935 10971 11416 11977 13089 14447 16148 15059 18339											
	(2) Myocardial degen- {M 752 729 488 415 393 411 324 313 307 237 220 eration described {F 1104 1099 769 688 619 566 528 490 434 373 459 as fatty											
	(3) Other myocardial {M 21105 23458 20925 19685 20112 20483 20385 20748 22614 18986 21498 degeneration ... {F 26528 29636 25780 24151 25559 25421 26692 27163 28766 24855 29183											
	(d) Myocarditis not dis- {M 4622 5274 4471 4022 3995 4008 3931 3752 3726 2985 3119 tinguished as acute {F 5048 5864 4731 4027 4339 4207 4201 4032 3860 3319 3458 or chronic											
94 (45)	Diseases of the coronary {M 11919 12319 11706 12235 13511 15110 16514 18800 21982 23649 27555 arteries, angina pectoris {F 5925 6311 5940 6356 6975 7629 8498 9780 11186 12991 15367											
	(a) Diseases of the {M 10242 10648 10173 10845 12137 13697 15143 17518 20808 22620 26562 coronary arteries ... {F 5241 5605 5266 5732 6378 6949 7881 9183 10640 12456 14847											
	(b) Angina pectoris with- {M 1677 1671 1533 1390 1374 1413 1371 1282 1174 1029 993 out mention of {F 684 706 674 624 597 680 617 597 546 535 520 coronary disease											
95 (46)	Other diseases of the heart {M 2639 2780 2332 2068 1908 1830 1739 1742 1830 1562 1874 ... {F 3574 3531 2986 2537 2382 2295 2420 2434 2482 2313 2509											
	(a) Functional heart dis. {M 1052 1105 919 913 886 853 790 940 1004 903 1039 (without organic {F 1933 1837 1559 1466 1400 1407 1498 1597 1622 1531 1668 lesion)*											
	(b) Heart dis. specified as {M 37 88 70 28 29 28 25 43 79 87 87 rheumatic but other- {F 59 130 111 63 54 44 42 85 120 127 137 wise ill-defined											
	(c) Other diseases in- {M 1550 1587 1343 1127 993 949 924 759 747 572 748 cluded under 95 ... {F 1582 1564 1316 1008 928 844 880 752 740 655 704											
96 (48)	Aneurysm (except of heart {M 137 120 130 122 120 128 123 132 152 172 180 and aorta) ... {F 112 138 150 192 180 165 146 185 166 194 215											
97 (47)	Arteriosclerosis* ... {M 5658 5919 5337 5228 5280 5542 5497 5914 6612 5883 6573 ... {F 4912 5363 4913 4900 5118 5087 5518 6057 6423 5925 7090											
98 (47)	Gangrene ... {M 384 447 352 296 234 279 278 266 239 244 206 ... {F 390 370 332 252 249 249 240 210 252 213 203											
99 (48)	Other diseases of the {M 198 183 142 174 152 170 199 169 201 194 234 arteries ... {F 135 175 142 143 133 127 158 151 147 172 204											
100 (48)	Diseases of the veins ... {M 306 279 223 207 255 278 272 282 252 292 398 ... {F 521 612 464 429 468 470 525 558 542 560 690											
	(a) Varices ... {M 133 130 103 101 122 116 128 110 88 88 111 ... {F 237 288 238 231 251 244 251 245 249 229 251											
	(b) Other diseases of the {M 173 149 120 106 133 162 144 172 164 204 287 veins ... {F 284 324 226 198 217 226 274 313 293 331 439											
101 (48)	Diseases of the lymphatic {M 29 26 39 34 37 31 22 27 23 17 18 system ... {F 28 36 18 26 31 25 15 20 20 17 16											
102 (48)	High blood pressure {M 879 1072 1074 1144 1407 1533 1575 1838 2270 2593 3022 (idiopathic) ... {F 850 945 910 1035 1290 1419 1396 1643 2132 2534 3179											
103 (48)	Other diseases of the cir- {M 5 8 10 12 11 11 12 10 4 18 12 culatory system ... {F 2 7 12 10 14 15 8 12 10 9 18											
104-114	VIII.—Diseases of the {M 34072 46863 37118 30906 34812 31119 32214 31447 35549 29263 33655 Respiratory System ... {F 27437 36952 29559 22282 27488 21807 23367 23010 25191 19443 24650											
104 (52)	Diseases of the nasal fossæ {M 140 141 106 129 122 109 94 74 83 62 61 and annexa ... {F 68 91 67 63 85 80 70 60 55 64 53											
105 (52)	Diseases of the larynx ... {M 109 102 90 76 76 67 58 58 55 71 58 ... {F 71 96 63 58 50 43 48 39 45 36 20											
106 (49)	Bronchitis ... {M 17213 25591 18898 15863 17716 16306 17616 16883 19178 15827 18446 ... {F 14210 20634 15122 10964 13670 10850 12017 11312 12291 9083 11987											
	(a) Acute Bronchitis ... {M 3009 5571 3814 3288 3835 3019 3240 2934 3385 2196 2655 ... {F 3651 6229 4661 3257 4485 2941 3453 3186 3552 2150 3061											

* For full title according to the detailed International List see Table 21.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
106 (49)	(b) Chronic bronchitis... {M 10173 14776 11337 9706 10784 10594 11523 11481 13160 11681 13519 F 6357 9571 7080 5372 6310 5643 6225 5943 6424 5363 6934											
	(c) Bronchitis not dis- {M 4031 5244 3747 2869 3097 2693 2853 2468 2633 1950 2272 tinguished as acute {F 4202 4834 3381 2335 2875 2266 2339 2183 2315 1570 1992 or chronic											
106 (49)	Bronchitis with the follow- ing as a contributory or secondary cause :—											
	(1) Influenza (33) ... {M 63 182 62 33 216 41 40 F 59 161 66 23 177 30 31											
	(2) Chronic endocarditis, {M 306 385 256 265 256 201 218 etc. (92) ... {F 289 404 292 243 236 214 242											
	(3) Myocardial disease {M 6206 8493 6372 5479 5931 5874 6532 (93) ... {F 5023 6741 4925 3603 4447 3843 4329											
	(4) Arteriosclerosis (97) ... {M 388 496 346 331 317 285 324 F 245 261 217 196 227 173 200								†	†	†	†
	(5) Chronic nephritis {M 73 103 64 40 46 40 50 (131) ... {F 39 95 69 28 35 28 28											
	(6) Without the complica- {M 10177 15932 11798 9715 10950 9865 10452 tions specified* ... {F 8555 12972 9553 6871 8548 6562 7187											
107-109	Pneumonia (all forms) ... {M 12926 16240 14479 11649 13390 11259 10986 10909 12387 9715 10887 F 10444 12767 11807 9034 11248 8671 8904 9251 10272 7901 9894											
	(1) With mention of {M 51 65 20 12 57 22 9 21 6 4 5 influenza ... {F 46 38 25 5 62 20 9 16 7 2 16											
	(2) Without mention of {M 12875 16175 14459 11637 13333 11237 10977 10888 12381 9711 10882 influenza ... {F 10398 12729 11782 9029 11186 8651 8895 9235 10265 7899 9878											
107 (50)	Broncho-pneumonia ... {M 7424 10435 8786 6826 8274 6834 7081 7073 8475 6480 7549 F 6796 8863 8117 5967 7549 5776 6141 6510 7531 5739 7340											
108 (50)	Lobar pneumonia ... {M 4253 4372 4302 3613 3811 3294 2937 2864 2928 2465 2428 F 2707 2820 2752 2266 2673 2021 1979 1981 2021 1567 1787											
109 (50)	Pneumonia (unspecified) ... {M 1249 1433 1391 1210 1305 1131 968 972 984 770 910 F 941 1084 938 801 1026 874 784 760 720 595 767											
110 (51)	Pleurisy ... {M 518 514 567 505 448 401 357 291 306 262 243 F 297 320 308 284 251 217 228 178 175 156 132											
	(a) Empyema ... {M 230 219 273 245 212 208 182 148 148 125 116 F 85 94 100 78 88 92 77 62 67 49 40											
	(b) Other or unspecified {M 288 295 294 260 236 193 175 143 158 137 127 forms* ... {F 212 226 208 206 163 125 151 116 108 107 92											
111 (52)	Congestion, etc., of the {M 649 672 468 422 469 489 419 474 564 533 666 lungs* ... {F 840 894 653 560 619 535 567 642 692 677 852											
	(a) Hæmorrhagic infarc- {M 129 113 126 107 112 166 123 176 223 228 284 tion of lung ... {F 125 154 142 121 130 131 143 205 215 234 312											
	(b) Acute œdema of lung {M 29 71 52 59 44 59 42 48 62 67 71 F 39 61 52 59 42 42 45 41 56 63 54											
	(c) Chronic, etc., con- {M 491 488 290 256 313 264 254 250 279 238 311 gestion of lungs* ... {F 676 679 459 380 447 362 379 396 421 380 486											
112 (52)	Asthma ... {M 1580 2321 1611 1311 1536 1434 1581 1624 1670 1417 1681 With contributory or {F 1276 1846 1323 1139 1349 1198 1323 1317 1430 1264 1425 secondary causes :—											
	(1) Influenza (33) ... {M 13 29 16 5 25 7 8 14 1 1 9 F 6 17 13 5 15 9 3 8 1 4 12											
	(2) Chronic endocarditis {M 27 34 27 13 13 21 22 28 11 17 12 etc. (92) ... {F 23 19 27 22 15 19 16 9 11 8 7											
	(3) Myocardial disease {M 578 749 532 456 529 507 508 548 598 509 576 (93) ... {F 439 641 432 384 449 419 451 458 503 412 427											
	(4) Arteriosclerosis (97) ... {M 6 22 13 15 17 8 19 16 18 13 11 F 10 13 9 4 11 6 3 6 3 11 7											
	(5) Chronic nephritis {M 3 4 9 5 5 2 4 3 3 4 2 (131) ... {F 5 3 6 5 2 3 2 1 6 3 1											
	(6) Without the com- {M 953 1483 1014 817 947 889 1020 1015 1039 873 1071 plications specified† {F 793 1153 836 719 857 742 848 835 906 826 971											

* For full title according to the detailed International List see Table 21. † Discontinued.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
113 (52)	Pulmonary emphysema ... {M F	375 82	614 145	366 101	390 76	454 78	451 75	471 95	462 100	584 105	654 126	820 155
114 (52)	Other diseases of the respiratory system ... {M F	562 149	668 159	533 115	561 104	601 138	603 138	632 115	672 111	722 126	722 136	793 132
	(a) Silicosis and other occupational pneu- {M moconioses F	255 15	325 12	254 6	254 4	313 2	332 3	382 4	391 6	436 6	427 4	522 8
	(b) Other occupational {M respiratory disease ... F	2 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	(c) Gangrene of lung ... {M F	8 4	5 6	8 6	7 4	9 7	7 2	9 1	6 1	3 4	10 1	7 2
	(d) Abscess of lung ... {M F	119 49	84 27	92 35	100 40	91 42	76 42	69 28	83 30	97 31	70 28	51 26
	(e) Other diseases in- {M cluded under 114* ... F	178 81	254 114	179 68	200 56	188 87	188 91	171 82	192 74	186 85	215 103	213 96
	(1) Chronic interstitial {M pneumonia* ... F	162 72	244 105	155 58	182 48	166 74	171 83	155 71	178 63	167 77	191 83	182 79
	(2) Other diseases in- {M clude under 114 (e) F	16 9	10 9	24 10	18 8	22 13	17 8	16 11	14 11	19 8	24 20	31 17
115-129	IX.—Diseases of the {M Digestive System ... F	13010 9986	13376 10263	12883 9833	12130 9338	11872 9348	11768 9149	11933 8859	11601 8747	12025 9019	10100 7510	9836 7478
115 (60)	Diseases of the buccal {M cavity, etc.† ... F	619 583	592 531	481 510	447 445	395 427	357 375	330 316	280 234	252 226	227 221	175 209
	(a) Diseases of the teeth {M and gums ... F	155 101	142 88	131 113	116 94	84 83	86 61	84 62	64 45	59 38	43 39	30 24
	(b) Septic sore throat ... {M F	137 145	171 175	121 143	134 126	118 134	87 114	76 80	62 49	63 66	56 65	28 52
	(1) With mention of {M tonsillectomy ... F	5 5	3 2	2 2	3 4	14 9	5 5	2 2	— 1	2 —	3 1	— —
	(2) Others with men- {M tion of tonsils ... F	63 79	100 91	60 81	74 63	55 73	49 65	44 47	32 25	31 36	31 35	17 33
	(3) Other diseases in- {M cluded under 115(b) F	69 61	68 82	59 60	57 59	49 52	33 44	30 31	30 23	30 30	22 29	11 19
	(c) Other diseases of the {M pharynx and tonsils F	282 267	213 203	192 200	170 180	157 151	153 147	134 123	122 107	101 88	106 78	79 86
	(1) With mention of {M tonsillectomy ... F	40 39	30 29	31 28	42 34	39 37	30 22	29 22	26 19	17 20	30 22	13 13
	(2) Others with men- {M tion of tonsils ... F	134 146	100 111	63 91	69 88	63 71	71 74	61 62	43 57	46 39	51 38	42 42
	(3) Other diseases in- {M cluded under 115(c) F	108 82	83 63	98 81	59 58	55 43	52 51	44 39	53 31	38 29	25 18	24 31
	(d) Other diseases in- {M cluded under 115 ... F	45 70	66 65	37 54	27 45	36 59	31 53	36 51	32 33	29 34	22 39	38 47
116 (60)	Diseases of the œsophagus {M F	42 30	39 35	42 40	33 37	26 35	40 25	26 27	37 43	19 39	46 43	58 53
117 (53)	Ulcer of the stomach or {M duodenum ... F	3916 1116	4443 1299	4333 1141	3697 964	3766 956	3840 1045	3998 1024	3829 990	3754 1102	3683 1069	3811 1118
	(a) Ulcer of the stomach {M F	2606 877	2838 1007	2703 892	2233 767	2314 701	2330 809	2320 729	2242 765	2133 848	2080 790	2074 808
	(b) Ulcer of the {M duodenum ... F	1310 239	1605 292	1630 249	1464 197	1452 255	1510 236	1678 295	1587 225	1621 254	1603 279	1737 310
118 (60)	Other diseases of the {M stomach ... F	338 339	332 327	315 324	299 289	273 287	255 255	247 222	235 216	198 191	166 187	148 172
	(1) Inflammation of the {M stomach ... F	243 279	259 280	244 273	217 224	190 212	178 205	166 183	148 170	120 145	87 143	79 128
	(2) Other diseases in- {M cluded under 118 ... F	95 60	73 47	71 51	82 65	83 75	77 50	81 39	87 46	78 46	79 44	69 44

* Not specified or indicated as occupational.

† For full title according to the detailed International List see Table 21.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
119 & 120 (54 & 55)	Enteritis and diarrhoea ... { M	2358	2349	2559	2665	2601	2666	2908	2685	3273	1900	1672
	... { F	1983	2066	2079	2241	2306	2332	2406	2234	2585	1604	1499
	(a) Without mention of ulceration ... { M	2093	2148	2343	2456	2429	2501	2741	2522	3144	1732	1488
	... { F	1672	1727	1776	1946	1961	2063	2133	1956	2347	1337	1210
	(b) Ulceration of the intestines (except duodenum) { M	265	201	216	209	172	165	167	163	129	168	184
	... { F	311	339	303	295	345	269	273	278	238	267	289
121 (56)	Appendicitis ... { M	1565	1395	1092	1107	987	1027	952	867	855	722	739
	... { F	1157	983	781	820	899	854	751	668	636	535	507
	(1) Without mention of intestinal obstruction { M	1341	1206	929	941	808	833	753	646	611	529	554
	... { F	1051	888	694	703	777	738	647	557	514	431	414
	(2) With mention of intestinal obstruction { M	224	189	163	166	179	194	199	221	244	193	185
	... { F	106	95	87	117	122	116	104	111	122	104	93
122 (57)	Hernia, intestinal obstruction ... { M	1860	2059	2091	2069	2049	1898	1788	2003	1934	1676	1473
	... { F	1793	2212	2387	2135	2055	1951	1785	1982	2034	1628	1534
	(a) Hernia ... { M	957	1115	1095	1069	1102	917	960	1084	936	854	764
	... { F	1042	1301	1501	1273	1212	1089	1047	1167	1149	892	843
	(b) Intestinal obstruction { M	903	944	996	1000	947	981	828	919	998	822	709
	... { F	751	911	886	862	843	862	738	815	885	736	691
	(1) Intussusception ... { M	175	183	182	179	169	196	171	174	189	145	96
	... { F	97	104	108	109	115	106	90	105	111	74	53
	(2) Paralytic ileus without stated cause { M	23	16	11	22	25	10	6	16	9	13	15
	... { F	27	12	6	15	15	11	10	8	5	7	8
	(3) Other etc. forms of intestinal obstruction† { M	705	745	803	799	753	775	651	729	800	664	598
	... { F	627	795	772	738	713	745	638	702	769	655	630
123 (60)	Other diseases of the intestines ... { M	432	427	405	410	366	368	364	347	335	356	353
	... { F	449	459	422	428	423	399	402	442	391	385	427
	(a) Diverticulitis ... { M	290	254	212	244	233	229	236	226	208	251	252
	... { F	300	306	256	260	255	259	275	290	277	271	302
	(b) Other diseases included under 123 { M	142	173	193	166	133	139	128	121	127	105	101
	... { F	149	153	166	168	168	140	127	152	114	114	125
124 (58)	Cirrhosis of the liver ... { M	774	817	662	541	525	485	497	480	527	496	550
	... { F	437	384	332	291	306	277	274	297	315	302	361
	(a) With mention of alcoholism ... { M	107	125	95	62	49	58	45	37	47	41	34
	... { F	49	51	46	14	20	9	11	11	13	10	20
	(b) Without mention of alcoholism ... { M	667	692	567	479	476	427	452	443	480	455	516
	... { F	388	333	286	277	286	268	263	286	302	292	341
125 (59)	Other diseases of the liver { M	119	106	115	111	178	165	173	222	254	198	211
	... { F	95	126	108	143	187	215	242	226	214	216	241
	(a) Acute yellow atrophy* ... { M	29	28	31	32	45	32	35	49	55	58	40
	... { F	34	45	42	57	60	50	55	63	59	61	66
	(b) Other diseases included under 125 ... { M	90	78	84	79	133	133	138	173	199	140	171
	... { F	61	81	66	86	127	165	187	163	155	155	175
126 (59)	Biliary calculi ... { M	325	257	234	224	211	214	207	219	205	216	216
	... { F	821	682	667	615	619	551	580	578	546	539	537
127 (59)	Other diseases of the gall bladder and bile ducts { M	374	308	332	277	287	248	220	189	206	191	205
	... { F	848	835	754	645	616	606	581	581	498	516	550
	(a) Cholecystitis without record of biliary calculi { M	320	261	275	215	220	201	179	155	172	160	169
	... { F	791	757	677	577	525	537	499	517	444	450	482
	(b) Other diseases included under 127 ... { M	54	47	57	62	67	47	41	34	34	31	36
	... { F	57	78	77	68	91	69	82	64	54	66	68
128 (60)	Diseases of the pancreas (other than diabetes) { M	188	155	141	145	108	116	139	133	142	140	172
	... { F	201	205	174	164	133	161	173	182	180	201	233
129 (60)	Peritonitis without stated cause ... { M	100	97	81	105	100	89	84	75	71	83	53
	... { F	134	119	114	121	99	103	76	74	62	64	37
130-139	X.—Diseases of the Urinary and Genital Systems† { M	14165	14867	14317	13723	13422	13166	12983	13032	12909	11819	11895
	... { F	8932	9207	8417	7820	7759	7614	7422	7413	7502	6624	6737
130-132	Nephritis ... { M	7394	7721	7288	6836	6439	6307	6300	6455	6432	5691	5656
	... { F	7368	7705	6943	6459	6396	6301	6168	6207	6207	5389	5517
130 (61)	Acute nephritis ... { M	513	515	437	433	367	411	392	363	346	309	272
	... { F	469	461	440	378	373	353	357	302	288	265	229
131 (61)	Chronic nephritis ... { M	6359	6713	6393	5925	5558	5459	5482	5713	5709	5104	5026
	... { F	6373	6782	6068	5634	5573	5536	5459	5559	5592	4833	4971

* Not associated with pregnancy.

† For full title according to the detailed International List see Table 21.

TABLE 6—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
131 (61)	(a) Secondary to acute nephritis ...	{ M 139 F 164	139 164	169 166	186 184	169 171	181 189	193 205	176 193	182 189	163 184	186 172	176 158
	(b) Arteriosclerotic kidney ...	{ M 3016 F 2851	3016 2851	3899 3815	3605 3402	3414 3157	3247 3126	3138 3100	3191 3152	3469 3250	3605 3458	3198 2940	3210 3185
	(c) Chronic nephritis not otherwise specified ...	{ M 3204 F 3358	3204 3358	2645 2801	2602 2482	2342 2306	2130 2258	2128 2231	2115 2114	2062 2120	1941 1950	1720 1721	1640 1628
132 (61)	Nephritis not stated to be acute or chronic (over 10 years of age)	{ M 522 F 526	522 526	493 462	458 435	478 447	514 450	437 412	426 352	379 346	377 327	278 291	358 317
133 (62)	Other diseases of the kidneys and ureters ...	{ M 528 F 652	528 652	544 649	475 618	525 591	522 573	511 532	496 535	471 524	608 585	489 594	521 608
	(a) Pyelitis, pyelonephritis, pyelocystitis ...	{ M 443 F 575	443 575	470 573	397 543	435 506	429 496	415 436	418 457	378 452	494 505	397 513	421 514
	(b) Other diseases included under 133 ...	{ M 85 F 77	85 77	74 76	78 75	90 85	93 77	96 96	78 78	93 72	114 80	92 81	100 94
134 (63)	Calculi of the urinary passages ...	{ M 280 F 161	280 161	271 150	256 195	239 152	218 172	208 159	228 150	243 154	188 166	207 141	165 125
	(a) Calculi of kidneys and ureters ...	{ M 186 F 139	186 139	192 140	172 178	169 140	159 165	145 145	154 142	184 149	136 153	153 132	135 119
	(b) Calculi of the bladder ...	{ M 87 F 20	87 20	71 8	82 13	66 9	56 7	57 9	72 6	51 3	51 9	49 8	27 3
	(c) Calculi of unstated site ...	{ M 7 F 2	7 2	8 2	2 4	4 3	3 —	6 5	2 2	8 2	1 4	5 1	3 3
135 (64)	Diseases of the bladder ...	{ M 489 F 354	489 354	464 334	438 292	351 227	325 219	362 227	321 220	308 210	303 218	332 186	290 222
	(a) Cystitis ...	{ M 426 F 328	426 328	405 302	362 270	285 190	271 199	275 203	231 183	235 168	226 182	242 145	217 177
	(b) Other diseases of the bladder ...	{ M 63 F 26	63 26	59 32	76 22	66 37	54 20	87 24	90 37	73 42	77 36	90 41	73 45
136 (65)	Diseases of the urethra, urinary abscess, etc. ...	{ M 326 F 4	326 4	301 2	327 9	319 5	288 1	251 4	210 2	202 7	203 6	188 6	169 7
	(a) Stricture of the urethra ...	{ M 304 F —	304 —	277 —	300 3	293 1	255 1	226 1	195 1	188 3	187 3	170 —	161 3
	(b) Other diseases of the urethra, etc. ...	{ M 22 F 4	22 4	24 2	27 6	26 4	33 —	25 3	15 1	14 4	16 3	18 6	8 4
137 (66)	Diseases of the prostate	M 5083	5083	5520	5493	5399	5571	5473	5384	5304	5134	4870	5064
	(a) Hypertrophy†	M 4914	4914	5300	5273	5206	5389	5285	5195	5147	4976	4764	4951
	(b) Others in 137†	M 169	169	220	220	193	182	188	189	157	158	106	113
138 (67)	Diseases of other male genital organs	M 65	65	46	40	54	59	54	44	49	41	42	30
139 (67)	Dis. of F. genital organs ...	F 393	393	367	360	386	398	391	347	311	320	308	258
	(a) Dis. of ovaries, etc.†	F 157	157	160	153	148	148	150	127	92	102	83	76
	(1) Dis. of ovaries ...	F 7	7	11	6	11	8	14	13	6	4	4	10
	(2) Dis. of Fallopian t.	F 121	121	125	118	113	119	117	89	67	82	68	51
	(3) Dis. of parametria	F 29	29	24	29	24	21	19	25	19	16	11	15
	(b) Diseases of the uterus	F 198	198	171	178	193	228	215	192	198	188	206	161
	(c) Diseases of the breast	F 14	14	12	7	16	8	15	6	3	5	7	5
	(d) Other dis. in 139†	F 24	24	24	22	29	14	11	22	18	25	12	16
140–150	XI.—Diseases of Pregnancy, Childbirth, etc.†	F 1997	1997	1640	1677	1669	1613	1486	1257	1205	1058	809	727
140–141	Abortion (all forms) ...	F 354	354	268	325	311	319	312	232	157	140	123	114
140 (70)	Post-abortion infection ...	F 247	247	159	211	237	242	242	173	110	89	87	78
	(a) Spontaneous**	F 167	167	116	145	174	166	168	110	69	53	53	53
	(aa) With pyelitis†	F 6	6	2	4	5	4	4	2	1	1	1	1
	(ab) Without pyelitis†	F 161	161	114	141	169	162	164	108	68	52	52	52
	(b) Abortion induced*	F 80	80	43	66	63	76	74	63	41	36	34	25
	(ba) By woman herself	F 43	43	15	37	27	39	38	26	16	16	21	9
	(bb) By other persons	F 10	10	4	5	12	12	12	21	12	9	6	6
	(bc) By persons unstated	F 27	27	24	24	24	25	24	16	13	11	7	10
141 (69)	Abortion without sepsis† ...	F 107	107	109	114	74	77	70	59	47	51	36	36
	(a) Spontaneous**	F 79	79	76	90	62	64	63	50	42	48	32	34
	(aa.1) With toxæmia with hæm. etc.†	F 4	4	2	9	4	2	4	2	3	6	—	2
	(ab.1) With toxæmia without hæm. etc.†	F 19	19	26	20	20	14	20	15	13	20	11	10
	(aa.2) Others with hæmorrhage, etc.†	F 40	40	25	46	24	32	33	30	20	18	15	12
	(ab.2) Others without hæmorrhage, etc.†	F 16	16	23	15	14	16	6	3	6	4	6	10

* For reasons other than therapeutic. ** therapeutic or of unspecified origin.

† For full title according to the detailed International List see Table 21.

TABLE 6—continued.

Inter-national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
141 (69)	(b) Abortion (non-septic) induced*	F	28	33	24	12	13	7	9	5	3	4	2
	(ba) By woman herself	F	16	20	15	6	7	3	5	1	2	1	1
	(bb) By other persons	F	3	4	2	2	3	2	2	4	1	1	1
	(bc) By persons un-stated	F	9	9	7	4	3	2	2	—	—	2	—
142-150	Maternal causes (excluding abortion)	F	1643	1372	1352	1358	1294	1174	1025	1048	918	686	613
142 (68)	Ectopic gestation ...	F	62	75	63	84	53	44	37	57	40	34	36
143 (68)	Hæmorrhage of pregnancy	F	29	31	36	19	22	18	18	25	15	10	16
	(a) Placenta prævia ...	F	15	20	22	10	11	9	6	15	5	3	6
	(b) Prem. separation**	F	6	6	10	2	8	5	8	7	4	5	5
	(c) Others†	F	8	5	4	7	3	4	4	3	6	2	5
144 (68)	Toxæmias of pregnancy	F	174	134	131	117	102	77	84	97	81	80	57
	(a) Eclampsia ...	F	70	63	60	51	49	49	52	56	48	48	31
	(b) Albuminuria, etc.†	F	23	14	21	28	24	10	11	16	14	18	18
	(c) Ac. yellow atrophy†	F	9	6	9	9	11	8	7	13	7	9	3
	(d) Other†	F	72	51	41	29	18	10	14	12	12	5	5
145 (68)	Other diseases and acc. of pregnancy	F	23	12	18	15	26	30	34	16	24	10	19
146 (72)	Hæm. of childbirth, etc.†	F	267	202	234	209	190	204	176	194	164	122	88
	(a) Placenta prævia***	F	71	67	52	58	47	59	42	48	27	33	16
	(b) Prem. separation of placenta***	F	17	8	13	10	17	7	8	12	14	3	6
	(c) Other hæmorrhages of childbirth	F	13	17	21	11	8	11	8	17	6	6	8
	(d) Other hæmorrhages after childbirth	F	166	110	148	130	118	127	118	117	117	80	58
147 (71)	Infection during childbirth and the puerperium	F	402	339	288	283	275	217	167	154	144	100	84
	(a) General or local with pyelitis†	F	21	11	20	9	10	9	5	2	1	2	2
	(b) do. without pyelitis†	F	227	194	134	146	129	101	76	50	33	31	25
	(c) P. thrombophlebitis	F	67	45	65	64	59	47	47	47	54	29	31
	(d) Puer. embolism, etc.†	F	87	89	69	64	77	60	39	55	56	38	26
148 (72)	Puerperal toxæmias ...	F	304	264	250	293	273	251	237	262	231	169	152
	(a) Puerperal eclampsia	F	149	124	117	122	111	122	104	114	104	67	60
	(b) P. albuminuria, etc.†	F	53	52	63	98	91	83	66	83	73	63	50
	(c) Ac. yellow atrophy†	F	34	24	21	33	43	26	50	41	38	25	25
	(d) Other†	F	68	64	49	40	28	20	17	24	16	14	17
149 (72)	Other acc. of childbirth ...	F	349	293	306	316	335	308	253	233	206	152	152
	(a) Laceration, etc.†	F	195	164	194	175	203	178	159	147	115	78	74
	(b) Other conditions included in 149	F	154	129	112	141	132	130	94	86	91	74	78
150 (72)	Other conditions of childbirth, etc.†	F	33	22	26	22	18	25	19	10	13	9	9
	(a) Mastitis†	F	6	2	6	8	4	6	5	3	3	2	1
	(b) Puerperal psychoses	F	7	9	6	5	4	4	4	1	2	2	—
	(c) Other condns. inc. in 150	F	20	11	14	9	10	15	10	6	8	5	8
151-153	XII.—Diseases of Skin and Cellular Tissue	{M F}	766 577	687 603	689 570	619 536	577 481	542 533	450 440	375 359	345 363	310 291	276 306
151 (73)	Carbuncle, boils ...	{M F}	275 183	264 168	238 161	212 176	167 115	168 126	128 87	94 54	69 42	61 37	58 42
152 (73)	Cellulitis, acute abscess ...	{M F}	221 167	194 184	187 158	170 139	161 134	150 152	111 113	100 79	78 72	83 57	65 57
153 (73)	Other diseases of the skin and cellular tissue ...	{M F}	270 227	229 251	264 251	237 221	249 232	224 255	211 240	181 226	198 249	166 197	153 207
154-156	XIII.—Diseases of the Bones and Organs of Movement	{M F}	506 293	469 282	433 298	479 308	369 278	394 284	319 254	302 215	277 210	282 215	256 225
154 (74)	Osteomyelitis and periostitis ...	{M F}	310 124	239 105	222 111	247 124	179 101	196 105	136 96	116 60	99 56	92 53	70 37
155 (74)	Other diseases of the bones	{M F}	66 61	74 53	60 80	76 63	63 84	64 65	63 56	63 62	73 59	70 67	73 94
156 (74)	Diseases of the joints and other organs of movement	{M F}	130 108	156 124	151 107	156 121	127 93	134 114	120 102	123 93	105 95	120 95	113 94
	(a) Diseases of the joints	{M F}	64 45	76 60	74 49	75 51	62 40	64 49	58 41	45 32	35 32	40 34	29 28
	(b) Diseases of other organs of movement	{M F}	66 63	80 64	77 58	81 70	65 53	70 65	62 61	78 61	70 63	80 61	84 66
	(1) Diseases of muscles ...	{M F}	46 44	59 48	62 46	52 46	47 40	52 53	43 47	60 44	51 46	59 39	54 38
	(2) Other diseases included under 156 (b)	{M F}	20 19	21 16	15 12	29 24	18 13	18 12	19 14	18 17	19 17	21 22	30 28

* For reasons other than therapeutic. ** of placenta and other accidental hæmorrhage. *** (with childbirth).

† For full title according to the detailed International List see Table 21.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
157 (75)	XIV.—Congenital Mal- formations ... { M ... { F	2489 2140	2730 2272	2681 2208	2833 2475	2785 2400	2959 2395	2761 2381	3128 2483	3164 2648	2693 2208	2584 2334
	(a) Congenital hydro- cephalus ... { M ... { F	164 145	184 184	220 163	165 161	165 125	160 124	171 111	169 114	195 157	137 117	139 131
	(b) Spina bifida and meningocele ... { M ... { F	481 698	481 636	441 645	563 850	567 769	528 765	435 676	541 705	409 633	353 511	337 536
	(c) Congenital mal- formation of heart { M ... { F	892 634	956 707	905 701	952 716	912 742	1025 711	949 727	1005 739	1063 855	913 676	841 669
	(d) Monstrosities ... { M ... { F	35 64	33 70	38 58	46 62	43 48	28 65	29 59	47 59	52 63	46 44	32 43
	(e) Congenital pyloric stenosis ... { M ... { F	272 63	284 76	328 61	293 66	269 70	282 59	222 67	252 65	265 71	142 30	152 33
	(f) Cleft palate, harelip { M ... { F	61 62	62 60	39 50	61 40	49 38	49 48	50 31	47 39	46 34	27 38	25 24
	(g) Imperforate anus ... { M ... { F	51 15	45 21	49 15	51 21	42 17	47 19	34 12	45 11	37 16	24 10	24 4
	(h) Cystic disease of kidney ... { M ... { F	84 90	102 96	71 88	88 79	84 85	94 95	86 88	105 109	122 118	122 96	104 110
	(i) Other stated con- genital malformations { M ... { F	425 348	561 407	579 410	591 465	638 490	716 486	761 589	880 607	947 678	891 648	887 737
	(ia) Central nervous system ... { M ... { F	36 34	56 65	55 61	51 54	52 59	51 40	58 59	80 68	58 72	85 57	62 71
	(ib) Circulatory sys- tem ... { M ... { F	71 76	103 81	96 99	114 128	122 124	132 123	133 162	153 161	184 185	164 192	203 254
	(ic) Digestive system { M ... { F	196 152	265 178	293 165	270 190	323 200	369 220	383 239	423 253	460 280	432 273	431 283
	(id) Genito-urinary system ... { M ... { F	59 25	74 30	75 21	83 35	80 38	86 30	96 43	110 42	118 32	101 34	96 44
	(ie) Other malforma- tions inc. under 157 (i) { M ... { F	63 61	63 53	60 64	73 58	61 69	78 73	91 86	114 83	127 109	109 92	95 85
	(j) Congenital mal- formations (unspeci- fied) { M ... { F	24 21	22 15	11 17	23 15	16 16	30 23	24 21	37 35	28 23	38 38	35 47
158-161	XV.—Diseases peculiar to the First Year of Life { M ... { F	8152 5967	8177 5836	7944 5552	8139 5863	7892 5738	8222 6051	7672 5464	9030 6259	9117 6450	7101 4964	6532 4462
158 (76)	Congenital debility ... { M ... { F	639 409	774 495	769 458	619 432	503 350	534 287	405 244	370 252	387 237	188 134	123 68
159 (77)	Premature birth ... { M ... { F	5156 4023	4936 3662	4948 3529	5117 3744	4938 3789	4948 3883	4206 3324	5130 3695	4806 3627	3719 2793	3247 2322
160 (78)	Injury at birth ... { M ... { F	1085 585	1017 603	913 560	1001 659	1008 599	1066 701	1154 668	1397 798	1499 924	1280 740	1193 714
	(a) Intra-cranial or spinal hæmorrhage due to injury at birth { M ... { F	637 316	702 377	622 344	708 405	720 409	771 473	844 471	1027 520	1080 648	923 493	883 496
	(b) Other intra-cranial or spinal injuries at birth { M ... { F	31 10	43 19	41 26	45 23	44 23	58 24	50 21	59 34	67 30	39 23	60 38
	(c) Other birth injuries { M ... { F	417 259	272 207	250 190	248 231	244 167	237 204	260 176	311 244	352 246	318 224	250 180
	(d) Other birth injuries { M ... { F	417 259	272 207	250 190	248 231	244 167	237 204	260 176	311 244	352 246	318 224	250 180
161 (79)	Other diseases peculiar to the first year of life ... { M ... { F	1272 950	1450 1076	1314 1005	1402 1028	1443 1000	1674 1180	1907 1228	2133 1514	2425 1662	1914 1297	1969 1359
	(a) Asphyxia during or after birth, atelectasis { M ... { F	752 546	768 579	699 562	765 528	715 505	860 621	1154 750	1400 975	1502 1074	1277 868	1421 988
	(b) Intoxication due to maternal toxæmia ... { M ... { F	32 15	114 93	140 113	140 135	194 126	201 174	166 113	167 145	148 116	94 64	85 52
	(c) Infections of the newborn ... { M ... { F	55 46	79 63	77 55	86 59	84 59	94 83	76 49	56 39	96 50	50 39	34 21
	(1) Infections of the umbilicus ... { M ... { F	22 18	19 20	23 20	24 20	21 15	19 19	20 16	14 10	29 15	20 19	19 7
	(2) Pemphigus neonatorum ... { M ... { F	21 20	40 33	42 28	44 23	37 32	33 31	21 18	21 19	18 17	11 6	3 4
	(3) Other or unspeci- fied infections in- cluded under 161 (c) { M ... { F	12 8	20 10	12 4	18 16	26 12	42 33	35 15	21 10	49 18	19 14	12 10
	(d) Melæna neonatorum { M ... { F	204 194	243 204	174 146	164 142	157 138	177 110	163 103	149 103	202 143	116 83	104 62
	(e) Other specified dis- eases included under 161 { M ... { F	229 149	246 137	224 129	247 164	293 172	342 192	348 213	361 252	477 279	377 243	325 236
	(1) Hæmolytic dis- eases of newborn ... { M ... { F	211 113	199 118	196 111	241 161	273 157	299 170	311 185	331 228	421 242	339 218	299 221
	(2) Other diseases in- cluded under 161 (e) { M ... { F	18 36	47 19	28 18	6 3	20 15	43 22	37 28	30 24	56 37	38 25	26 15

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
162 (80)	XVI.—Senility, Old Age {M F	6860 10407	7690 11542	7104 10678	6171 9681	6599 10074	6497 9828	6635 10347	6192 9821	5960 9507	4671 7621	4801 8079
	(a) Old age ... {M F	174 300	184 304	162 280	140 275	131 244	162 253	144 282	129 251	154 252	103 178	102 215
	(b) Senility with mention of senile dementia ... {M F	301 433	343 470	315 534	312 527	292 504	302 533	224 515	235 424	207 439	192 338	228 398
	(c) Senility without men- tion of senile demen- tia ... {M F	6385 9674	7163 10768	6627 9864	5719 8879	6176 9326	6033 9042	6267 9550	5828 9146	5599 8816	4376 7105	4471 7466
163-198	XVII.—Deaths from Violence ... {M F	16286 8122	27991 19214	26478 16881	14975 9002	13296 8192	16129 11691	12401 8278	11640 7172	12415 7411	11403 6852	11760 6885
163-164	Suicide ... {M F	3312 1689	2894 1623	2318 1339	2095 1321	2185 1343	2190 1257	2238 1432	2673 1639	2694 1680	2961 1757	3023 1697
163 (81)	Suicide by poisoning ... {M F	1442 1060	1185 1034	893 803	780 805	822 794	889 766	914 866	1054 1006	1156 1113	1398 1205	1369 1158
	(a) By solid or liquid toxic or corrosive sub- stances {M F	278 243	219 271	161 206	133 193	149 173	135 167	170 181	187 219	217 255	264 295	267 306
	(aa) By corrosive sub- stances ... {M F	155 129	116 143	59 106	57 103	70 77	59 70	60 67	67 65	60 80	66 48	51 66
	(ab) By analgesic and narcotic drugs ... {M F	21 31	22 43	25 34	17 36	21 38	15 35	29 41	26 54	54 66	67 113	63 93
	(1) By analgesic drugs ... {M F	18 28	16 39	19 32	10 31	16 36	14 34	23 36	24 52	48 62	62 107	56 88
	(2) By narcotic drugs ... {M F	3 3	6 4	6 2	7 5	5 2	1 1	6 5	2 2	6 4	5 6	7 5
	(ac) By soporific drugs {M F	16 31	22 41	21 27	19 22	18 29	14 34	20 41	27 62	43 76	75 104	85 114
	(ad) By other solid or liquid poisons ... {M F	86 52	59 44	56 39	40 32	40 29	47 28	61 32	67 38	60 33	56 30	68 33
	(b) By poisonous gas ... {M F	1164 817	966 763	732 597	647 612	673 621	754 599	744 685	867 787	939 858	1134 910	1102 852
	(ba) By coal gas ... {M F	1111 811	947 758	719 594	635 612	664 619	750 599	732 683	851 786	919 856	1098 904	1081 852
	(bb) By motor exhaust gases ... {M F	53 6	18 4	11 3	10 —	7 —	4 —	5 1	13 1	19 1	30 4	17 —
	(bc) By other poison- ous gas ... {M F	— —	1 1	2 —	2 —	2 2	— —	7 1	3 —	1 1	6 2	4 —
164 (81)	Other forms of suicide ... {M F	1870 629	1709 589	1425 536	1315 516	1363 549	1301 491	1324 566	1619 633	1538 567	1563 552	1654 539
	(a) By hanging or strangulation ... {M F	564 144	546 161	417 129	411 110	448 122	390 116	483 130	590 167	582 165	589 131	632 143
	(b) By drowning ... {M F	475 312	369 237	295 235	262 237	297 272	305 234	295 267	344 266	301 234	340 251	357 235
	(c) By firearms and explosives ... {M F	237 11	262 21	255 17	237 17	236 11	191 15	184 22	211 10	241 13	205 13	220 10
	(d) By cutting or piercing instruments {M F	364 59	319 59	281 46	220 46	238 57	247 42	222 41	275 55	216 44	187 37	232 38
	(e) By jumping from high places ... {M F	84 61	103 64	71 51	83 55	59 50	65 48	52 61	72 69	70 68	95 61	80 66
	(f) By crushing ... {M F	137 33	97 34	92 39	93 41	77 29	95 30	85 34	122 58	121 33	133 40	125 40
	(fa) On railways ... {M F	126 33	86 32	79 36	86 38	70 28	86 28	80 32	115 56	107 31	120 39	110 38
	(fb) Other suicide by crushing ... {M F	11 —	11 2	13 3	7 3	7 1	9 2	5 2	7 2	14 2	13 1	15 2
	(g) By other or unspeci- fied means ... {M F	9 9	13 13	14 19	9 10	8 8	8 6	3 11	5 8	7 10	14 19	8 7
165-168	Homicide ... {M F	90 104	72 98	72 109	114 126	95 112	68 103	121 131	74 114	84 123	115 102	72 113
165 (82)	Infanticide (Infants under 1 year) ... {M F	25 18	19 15	13 21	29 18	29 23	25 34	36 27	23 27	24 33	32 22	16 13

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
166 (82)	Homicide by firearms ... {M F	5 16	8 23	14 26	16 25	13 24	2 9	15 15	15 15	18 23	9 12	9 7
167 (82)	Homicide by cutting or piercing instruments ... {M F	7 12	14 11	7 18	7 17	9 8	8 13	13 16	3 11	2 7	8 13	5 10
168 (82)	Homicide by other or un- specified means ... {M F	53 58	31 49	38 44	62 66	44 57	33 47	57 73	33 61	40 60	66 55	42 83
169-195	Accidental deaths* ... {M F	12805 6328	13320 6969	13277 6688	10711 5808	9435 5306	9349 5517	8836 5513	8723 5409	9503 5607	8211 4985	8553 5071
169 (84)	Railway accidents† ... {M F	416 36	459 41	456 43	451 48	460 62	471 58	438 67	418 65	454 50	354 65	344 30
170 (83)	Motor vehicle accidents† ... {M F	5080 1558	4623 1395	4792 1600	3421 1211	2604 971	2817 1177	2529 1069	2800 1027	2820 1031	2548 970	2865 924
	(a) Collisions with trains {M F	5 —	3 1	15 2	6 —	15 4	7 1	17 1	9 —	6 2	13 2	7 —
	(b) Collisions with trams {M F	1 —	— —	5 1	5 —	3 —	3 2	— —	1 —	— 1	3 —	3 —
	(c) Other accidents in- cluded under 170 ... {M F	5074 1558	4620 1394	4772 1597	3410 1211	2586 967	2807 1174	2512 1068	2790 1027	2814 1028	2532 968	2855 924
171 (84)	Other road transport accidents† ... {M F	529 122	550 138	477 131	430 129	430 166	387 111	287 120	255 79	257 79	261 80	251 88
	(a) Tramway accidents on roads ... {M F	88 19	139 34	107 38	80 29	81 46	60 32	43 29	30 28	27 15	32 16	17 16
	(b) Other accidents in- cluded under 171 ... {M F	441 103	411 104	370 93	350 100	349 120	327 79	244 91	225 51	230 64	229 64	234 72
172 (84)	Water transport accidents† {M F	168 5	204 4	214 4	142 4	150 5	139 1	151 2	166 5	158 2	131 6	142 9
173 (84)	Air transport accidents† ... {M F	190 7	27 4	6 1	7 —	30 6	31 8	23 1	15 1	50 9	88 19	76 19
174 (84)	Accidents in mines and quarries† ... {M F	823 —	915 —	896 1	836 1	703 1	633 1	546 2	540 6	656 1	466 1	464 —
175 (84)	Agricultural and forestry accidents† ... {M F	70 2	155 9	144 5	175 1	188 20	130 10	152 9	144 10	138 5	137 9	134 7
	(a) Accidents from farm, etc., machinery and vehicles {M F	35 —	78 3	68 4	102 —	109 13	75 7	92 7	71 4	79 2	76 5	83 3
	(b) Injury by animals in farming, etc. ... {M F	18 2	45 5	40 —	32 1	24 5	29 3	22 1	33 4	26 —	30 2	15 2
	(ba) By venomous animals ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(bb) By other animals {M F	18 2	45 5	40 —	32 1	24 5	29 3	22 1	33 4	26 —	30 2	15 2
	(c) Other accidents in- cluded under 175 ... {M F	17 —	32 1	36 1	41 —	55 2	26 —	38 1	40 2	33 3	31 2	36 2
176 (84)	Accidents caused by machinery† ... {M F	167 9	203 8	262 8	228 19	195 17	201 11	151 10	136 5	169 3	184 3	195 9
177 (84)	Food poisoning ... {M F	15 15	17 3	8 7	3 5	10 4	19 5	15 11	24 22	30 21	36 15	28 36
178 (84)	Accidental absorption of poisonous gas§ ... {M F	132 100	191 160	192 119	144 133	119 126	149 155	208 204	180 213	208 269	192 207	220 235
179 (84)	Other acute accidental poisoning (not by gas)§ {M F	57 76	62 59	76 73	60 62	65 44	50 52	75 83	76 77	83 105	112 96	96 103
180 (84)	Conflagration§ ... {M F	48 56	66 68	76 99	85 64	64 57	70 74	48 46	53 62	51 54	22 28	21 38
181 (84)	Accidental burns (con- flagration excepted)§ ... {M F	500 721	588 897	548 818	463 758	374 620	389 619	344 630	290 541	292 546	200 420	218 420
182 (84)	Accidental mechanical suffocation§ ... {M F	315 195	357 226	375 281	366 259	372 209	421 307	426 304	521 360	620 443	492 357	490 320
183 (84)	Accidental drowning§ ... {M F	1110 242	1242 267	1290 239	978 212	965 227	975 205	1030 235	795 241	952 217	770 219	809 190
184 (84)	Accidental injury by firearms§ ... {M F	99 10	137 28	132 26	98 15	88 13	64 13	86 16	60 5	67 5	64 12	58 5
185 (84)	Accidental injury by cutting or piercing instruments§ {M F	17 3	14 2	7 2	6 1	7 1	10 3	7 5	6 1	13 9	6 3	6 4

* (or deaths not known to be due to suicide or homicide). † Any cause of death except war.

‡ Any cause of death. § Except deaths classed under headings 169-176, 196, 197.

TABLE 6—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
186 (84)	Accidental injury by fall, crushing, landslide, etc.* {M F	2549 2956	2925 3414	2718 2965	2255 2589	2033 2469	1835 2401	1797 2410	1743 2437	1977 2460	1683 2231	1645 2370
187 (84)	Cataclysm (any cause of death) ... {M F	— —	— —	1 —	— —	— 1	2 4	— —	3 1	6 7	1 1	1 3
188 (84)	Injury by animals* ... {M F	15 2	16 5	18 10	11 7	17 5	20 4	17 7	14 3	12 13	12 11	9 3
189 (84)	Hunger or thirst* ... {M F	3 3	4 3	17 4	12 7	4 2	5 2	6 2	5 13	6 6	7 7	1 5
190 (84)	Excessive cold * ... {M F	7 2	25 11	3 1	13 8	5 3	5 1	12 3	4 2	8 7	3 —	2 —
191 (84)	Excessive heat* ... {M F	12 5	19 3	29 14	8 3	8 3	8 5	2 4	3 2	11 13	18 8	10 5
192 (84)	Lightning ... {M F	20 4	8 2	5 2	3 —	7 —	8 2	6 1	12 3	6 1	9 2	9 3
193 (84)	Other accidents due to electric currents* ... {M F	63 11	71 6	64 16	66 14	68 18	61 19	47 20	69 14	67 14	69 17	47 20
194 (84)	Attack by venomous animals ... {M F	5 5	7 10	8 5	7 9	3 10	3 3	5 1	3 9	2 4	2 4	2 8
195 (84)	Other accidents ... {M F	395 183	435 206	463 214	443 249	466 246	446 266	428 251	388 205	390 233	344 194	410 217
	(a) Vaccinia and other sequelæ of vaccination against smallpox {M F	3 —	4 2	1 3	4 3	3 1	3 5	4 2	1 1	3 5	4 —	1 —
	(1) Vaccinia ... {M F	1 —	4 2	— 2	4 3	3 1	3 3	4 2	1 1	2 3	4 —	1 —
	(2) Other sequelæ of vaccination against smallpox {M F	2 —	— —	1 1	— —	— —	— 2	— —	— —	1 2	— —	— —
	(b) Other accidents due to medical or surgical intervention ... {M F	3 —	— 2	— 3	— 6	2 —	4 9	1 5	2 2	3 4	2 2	5 6
	(ba) Anæsthetic accidents ... {M F	— —	— 2	— 1	— 4	2 —	1 1	— —	— 1	— 1	— 1	— 4
	(bb) Other accidents included under 195 (b) {M F	3 —	— —	— 2	— 2	— —	3 8	1 5	2 1	3 3	2 1	5 2
	(c) Lack of care of the newborn ... {M F	68 79	61 72	80 92	87 89	72 106	85 104	88 107	61 86	74 80	66 65	65 65
	(d) Other and unspecified accidents included under 195* {M F	321 104	370 130	382 116	352 151	389 139	354 148	335 137	324 116	310 144	272 127	339 146
196 (85)†												
197 (85)	Deaths of civilians due to operations of war ... {M F	‡74 1	‡11691 10524	‡10798 8745	‡2044 1747	‡1571 1431	‡4515 4814	‡1202 1202	‡154 10	‡124 1	108 8	98 3
198 (86)	Legal executions ... {M F	5 —	14 —	13 —	11 —	10 —	7 —	4 —	16 —	10 —	8 —	14 1
199–200	XVIII.—Ill-defined Causes of Death ... {M F	546 384	587 465	584 388	477 336	397 290	389 265	327 233	298 228	266 191	191 151	144 116
199 (87)	Sudden death ... {M F	103 78	117 86	108 81	117 71	91 58	72 54	74 55	61 40	54 41	47 26	37 33
200 (87)	Causes of death unstated or ill-defined ... {M F	443 306	470 379	476 307	360 265	306 232	317 211	253 178	237 188	212 150	144 125	107 83
	(a) Ill-defined causes ... {M F	392 274	388 350	368 287	297 256	258 218	273 200	214 166	194 166	170 134	110 103	80 73
	(1) Heart failure ... {M F	361 254	303 274	295 222	233 194	227 173	221 155	189 128	165 131	144 101	90 80	61 60
	(2) Other ill-defined causes ... {M F	31 20	85 76	73 65	64 62	31 45	52 45	25 38	29 35	26 33	20 23	19 13
	(b) Found dead, cause unknown ... {M F	30 17	62 8	89 5	54 4	40 12	42 5	29 8	28 11	37 12	16 11	18 5
	(c) Other deaths from unknown or unspecified cause {M F	21 15	20 21	19 15	9 5	8 2	2 6	10 4	15 11	5 4	18 11	9 5

* Except deaths classed under headings 169-176, 196, 197.

† Deaths of non-civilians classed to this heading will be found in Appendix B.II of the Statistical Review for 1939, and in Table 21A for subsequent years.

‡ Includes the following numbers resulting from wars before 1939 :—1939, 54 ; 1940, 82 ; 1941, 89 ; 1942, 90; 1943, 113; 1944, 103 ; 1945, 107 ; 1946, 82 ; 1947, 84.

TABLE 7.—Crude Death Rates by Sex from Certain Causes } England and Wales.
at All Ages to a Million Living, 1939-1949.

(Excluding non-civilian males on and after 3rd September, 1939, and females on and after 1st June, 1941)

See Explanatory notes on page vi.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
1-44	ALL CAUSES	M 12955	16127	15692	14408	15282	15252	14955	13400	13550	11864	12631
		F 11319	12864	11810	10660	11260	10842	10846	10901	11268	10142	11103
		P 12100	14356	13536	12307	12997	12731	12613	12047	12339	10962	11832
1-44	I.—Infective & Parasitic Diseases	M 1258	1626	1605	1312	1591	1256	1176	1042	982	824	869
		F 886	1034	1020	756	978	689	651	670	643	523	580
		P 1064	1305	1280	1001	1243	932	877	841	802	667	718
1 & 2	Typhoid and paratyphoid fevers	M 2	4	3	3	2	2	1	1	1	1	1
		F 3	2	4	2	2	1	1	1	0	1	1
		P 3	3	4	2	2	1	1	1	1	1	1
6	Cerebro-spinal (meningo- coccal) meningitis ...	M 15	76	65	37	26	20	19	14	15	8	7
		F 10	50	44	24	15	11	10	10	11	6	6
		P 12	62	53	30	20	15	14	12	13	7	7
8	Scarlet fever	M 5	4	4	3	4	3	2	1	1	1	0
		F 4	4	3	2	3	3	2	1	1	1	0
		P 4	4	3	3	3	3	2	1	1	1	0
9	Whooping cough	M 27	18	59	21	30	28	18	19	20	16	12
		F 32	16	64	21	29	28	18	21	23	18	13
		P 30	17	62	21	29	28	18	20	22	17	12
10	Diphtheria	M 56	68	76	53	41	27	21	11	6	4	2
		F 48	57	61	43	32	22	16	11	5	3	2
		P 52	62	68	47	36	24	18	11	6	4	2
11	Erysipelas	M 6	6	5	5	3	4	2	2	1	1	1
		F 6	5	5	3	3	3	4	2	2	1	1
		P 6	5	5	4	3	3	3	2	1	1	1
13-22	Tuberculosis (all forms) ...	M 757	879	943	867	914	860	835	706	683	628	577
		F 496	547	559	493	481	453	449	421	437	397	348
		P 621	699	730	657	668	628	615	551	552	507	458
13	Respiratory system	M 644	753	795	730	785	739	716	613	595	555	516
		F 410	450	448	395	385	364	364	345	364	334	301
		P 522	588	602	542	557	524	515	468	473	440	403
14	Meninges and central nervous system	M 44	51	67	58	56	53	52	42	40	32	27
		F 38	43	54	45	45	41	42	36	34	30	24
		P 41	46	60	50	50	46	46	39	37	31	25
15	Intestines and peritoneum	M 17	20	23	22	18	18	17	12	10	8	7
		F 15	19	18	19	17	14	12	9	11	9	7
		P 16	19	20	21	17	16	14	11	11	9	7
16	Vertebral column	M 13	12	10	14	13	11	10	9	7	7	5
		F 7	7	7	8	8	7	6	7	5	5	4
		P 10	9	9	10	10	9	8	8	6	6	5
17	Other bones and joints ...	M 7	8	8	9	8	7	7	3	3	3	2
		F 4	4	5	4	3	4	3	2	2	2	1
		P 6	6	6	6	5	5	5	3	3	3	1
20	Genito-urinary system ...	M 10	13	12	12	12	13	12	8	9	9	10
		F 5	6	6	6	6	6	6	5	5	5	4
		P 8	9	9	8	8	9	9	7	7	7	7
22	Disseminated	M 18	19	23	18	17	15	16	14	14	10	8
		F 14	15	16	13	13	13	12	12	12	9	5
		P 16	17	19	15	15	14	13	13	13	9	6
24	Purulent infection and septicaemia	M 15	16	15	13	12	14	9	7	5	5	5
		F 9	9	9	8	9	8	6	5	4	4	3
		P 12	12	12	10	10	11	8	6	5	5	4
	(a) Septicaemia	M 12	14	12	11	10	11	8	5	4	4	4
		F 8	8	8	7	7	7	5	4	4	3	2
		P 10	10	10	9	8	9	6	5	4	4	3
30	Syphilis	M 121	125	128	124	117	107	101	92	81	70	69
		F 42	42	42	38	40	38	33	33	32	29	29
		P 80	80	80	76	74	68	62	60	55	49	48

TABLE 7—continued.

Inter- national List No.	Causes of Death.				1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
30	(a) Locomotor ataxia (tabes dorsalis) ...	{	M	18	18	18	14	15	14	13	10	8	5	6	
			F	4	4	5	3	3	2	2	2	1	1		
			P	11	11	10	8	8	7	7	6	5	3	3	
	(b) General paralysis of the insane ...	{	M	29	30	33	30	25	23	20	17	14	10	8	
			F	8	9	9	8	7	6	6	5	3	3		
			P	18	19	19	17	15	13	12	11	10	6	5	
(c) Aneurysm of aorta ...	{	M	35	37	38	38	37	36	36	36	34	32	33		
		F	14	13	13	13	14	16	12	13	15	14	15		
		P	24	24	24	24	24	24	22	24	24	22	24		
(da) Congenital syphilis	{	M	4	5	4	5	6	5	4	4	2	2	2		
		F	3	3	4	3	4	3	4	3	2	2	2		
		P	4	4	4	4	5	4	4	4	2	2	2		
(db, dc, dd) Other or un- specified syphilis ...	{	M	35	35	35	37	34	30	28	25	21	21	20		
		F	13	13	12	12	12	11	9	9	8	8	8		
		P	23	23	22	23	22	19	17	16	14	14	14		
33	Influenza ...	{	M	194	338	197	107	359	125	85	132	87	33	130	
			F	194	242	162	74	312	86	59	128	72	25	133	
			P	194	286	177	88	333	103	70	130	79	29	131	
	(a) {	1. With pneumonic complications ...	{	M	93	149	88	46	169	57	39	62	40	22	59
				F	82	90	62	28	130	35	22	56	29	10	57
				P	87	117	74	36	147	44	29	59	35	13	58
		2. With other res- piratory compli- cations ...	{	M	46	102	48	22	96	29	19	31	20	6	33
				F	51	77	45	16	88	23	15	30	19	6	33
				P	48	89	46	19	91	25	17	31	20	6	33
	(b) {	1. With non-res- piratory compli- cations ...	{	M	38	58	41	27	56	28	19	26	17	11	26
				F	42	49	35	22	56	19	15	29	16	7	27
				P	40	53	38	24	56	23	17	28	16	7	27
		2. Without stated complications ...	{	M	17	29	19	11	39	12	8	12	9	3	12
				F	20	27	19	9	38	10	6	13	8	2	16
				P	19	28	19	9	39	10	7	12	8	3	14
	35	Measles ...	{	M	8	23	37	15	23	7	23	6	17	8	7
				F	7	20	24	10	19	6	16	4	14	7	7
				P	7	21	29	12	20	6	19	5	15	8	7
36	Acute poliomyelitis and polioencephalitis ...	{	M	4	5	6	4	3	4	4	3	21	7	17	
			F	3	3	3	3	2	2	3	3	13	4	13	
			P	3	4	4	3	2	3	3	3	16	6	15	
37	Acute infectious enceph- alitis (lethargic or epi- demic) ...	{	M	15	20	20	18	16	14	13	11	11	9	8	
			F	13	16	16	13	11	9	11	10	9	8	8	
			P	14	18	18	15	13	11	12	11	10	9	8	
44 (b)	Pernicious lymphogranulo- matosis (Hodgkin's disease) ...	{	M	17	20	18	21	21	23	23	22	21	22	22	
			F	9	9	10	10	10	10	11	10	10	11	11	
			P	13	14	14	15	15	16	16	16	15	16	16	
45-57	II.—Cancer and other Tumours ...	{	M	1678	1867	1998	2078	2193	2208	2263	2044	2021	2011	2028	
			F	1692	1706	1708	1744	1778	1761	1784	1798	1807	1812	1819	
			P	1685	1780	1837	1891	1957	1953	1990	1911	1907	1907	1919	
45-55	Cancer and other malig- nant tumours ...	{	M	1629	1816	1944	2024	2140	2155	2209	1994	1976	1965	1981	
			F	1626	1645	1649	1685	1716	1704	1724	1742	1754	1761	1771	
			P	1628	1723	1780	1834	1899	1897	1933	1858	1858	1858	1872	
45	Buccal cavity and pharynx ...	{	M	124	134	133	135	134	133	122	100	92	84	79	
			F	26	25	24	24	26	25	24	24	23	22	24	
			P	73	75	73	73	72	71	66	59	55	52	50	
	(a) Lips ...	{	M	12	11	12	13	13	13	11	10	8	7	8	
			F	1	1	1	1	1	1	1	1	1	1	1	
			P	6	5	6	7	7	6	5	5	4	4	4	
	(b) Tongue ...	{	M	41	47	44	46	45	47	40	32	31	29	24	
			F	6	6	6	6	8	7	7	6	6	6	7	
			P	23	25	23	24	24	24	21	18	18	17	15	
	(c) Other or unspeci- fied parts of buccal cavity and pharynx	{	M	70	76	77	75	75	74	71	58	53	49	47	
			F	19	18	17	16	16	17	17	18	16	15	16	
			P	44	45	44	42	42	41	40	36	33	31	31	
46	Digestive organs and peritoneum ...	{	M	964	1074	1130	1155	1207	1224	1244	1094	1052	1029	1002	
			F	785	794	798	795	812	809	825	832	833	826	823	
			P	870	922	946	954	983	987	1005	952	936	923	909	
	(a) Œsophagus ...	{	M	79	89	91	94	93	93	91	77	79	74	70	
			F	33	32	32	32	36	32	36	37	36	36	35	
			P	55	58	58	59	60	58	59	56	56	54	52	
	(b) Stomach and duodenum ...	{	M	365	409	426	426	435	456	465	408	400	403	393	
			F	272	275	271	261	267	271	271	282	282	279	273	
			P	316	336	340	333	340	350	355	339	337	338	331	

TABLE 7—continued.

Inter- national List No.	Causes of Death.			1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	
46	(c) Intestines other than duodenum or rectum ...	{	M	216	245	254	264	284	280	291	257	244	229	223	
			F	251	254	258	254	264	268	272	275	264	267		
			P	235	250	256	258	272	272	277	266	261	247	246	
	(d) Rectum ...	{	M	176	194	212	220	231	230	238	206	193	192	183	
			F	97	104	107	114	113	109	114	112	114	114	116	
			P	135	145	154	161	164	161	167	155	151	151	148	
	(e) Liver and biliary passages ...	{	M	63	67	69	74	84	80	77	65	58	54	51	
			F	74	73	73	76	74	71	65	62	62	62	61	
			P	69	70	71	75	78	77	73	65	60	58	56	
	(f) Pancreas ...	{	M	57	61	68	68	74	77	75	72	70	71	74	
			F	48	46	46	49	49	47	54	56	53	59	61	
			P	52	53	55	58	60	60	63	63	61	65	67	
	(g) Peritoneum ...	{	M	7	9	10	9	8	8	8	8	6	7	8	
			F	9	10	10	10	9	9	11	8	10	11	10	
			P	8	10	10	10	9	9	10	8	9	9	9	
47	Respiratory system ...	{	M	238	271	300	333	373	397	420	413	439	465	494	
			F	66	67	66	71	74	76	81	83	91	96	99	
			P	148	160	170	186	203	214	227	234	254	272	288	
	(a) Larynx and trachea	{	M	48	49	53	50	53	51	50	47	41	43	41	
			F	13	13	13	12	13	13	13	12	13	13	13	
			P	30	29	30	29	30	29	29	28	26	27	26	
(b) Lung and pleura ...	{	M	191	222	247	283	321	347	370	366	398	422	453		
		F	53	55	54	59	60	63	68	71	78	83	86		
		P	119	131	140	158	173	184	198	206	228	245	262		
48	Uterus ...	F	202	203	210	213	212	201	201	195	193	193	189		
	(a) Specified as cervix*	F	83	86	89	88	90	83	83	80	83	84	95		
	(b) Other or unspecified *	F	119	118	122	126	122	118	118	115	110	109	94		
49	Other female genital organs ...	F	100	104	106	110	115	118	116	114	120	120	123		
50	Breast ...	{	M	3	3	4	4	6	4	4	4	3	4		
			F	324	326	323	336	341	338	335	351	349	350	350	
			P	171	178	181	190	196	195	193	192	187	185	185	
51	Male genital organs ...	M	119	134	150	165	167	156	164	158	161	154	161		
	(a) Scrotum ...	M	2	3	3	3	3	2	3	2	2	2	1		
	(b) Prostate ...	M	100	114	127	142	146	135	145	139	143	137	144		
	(c) Other or unspecified *	M	17	17	20	20	18	19	17	17	17	15	15		
52	Urinary organs ...	{	M	72	79	94	97	107	101	107	97	97	102	106	
			F	38	37	37	42	44	43	42	46	45	49	48	
			P	55	57	62	66	71	67	70	70	70	74	76	
53	Skin (scrotum excepted) ...	{	M	29	32	35	33	38	34	36	29	28	27	25	
			F	19	20	20	21	22	22	22	19	21	19	21	
			P	24	26	26	26	29	27	28	24	24	23	23	
54	Brain and other parts of the nervous system ...	{	M	19	22	25	26	27	25	29	25	28	30	33	
			F	14	14	14	14	15	15	17	17	17	17	21	
			P	16	17	19	19	20	19	22	20	23	23	26	
	(a) Glioma (not specified as benign) ...	{	M	12	15	17	19	19	18	21	18	20	23	25	
			F	9	9	9	10	10	10	12	11	13	12	15	
55	Other or unspecified organs	{	M	63	66	74	78	81	80	83	75	75	71	77	
			F	51	53	51	57	56	58	61	61	63	68	74	
			P	56	59	61	66	67	67	70	67	69	69	76	
	(a & d) Adrenal glands and others in 55.	{	M	34	38	41	42	44	45	48	45	46	46	49	
			F	25	25	23	26	26	27	31	31	35	39	43	
			P	29	31	31	33	34	35	38	38	40	42	46	
	(b) Bones ...	{	M	24	25	28	31	32	29	30	26	24	22	24	
			F	17	19	18	21	21	20	19	19	18	19	20	
			P	20	21	23	25	26	24	24	22	21	20	22	
	(c) Thyroid gland ...	{	M	4	4	4	5	4	5	5	4	5	4	4	
			F	10	9	10	10	9	10	10	10	10	10	11	
			P	7	7	7	8	7	8	8	7	8	7	8	
	56	Non-malignant tumours	{	M	16	19	21	21	21	23	22	19	18	19	20
				F	38	36	35	37	41	36	36	33	33	31	29
				P	28	29	28	30	32	30	30	27	26	25	24
(a, b, c) Female genital organs ...		F	26	24	22	24	28	24	22	19	17	16	15		
(d) Brain and other parts of the nervous system ...		{	M	4	5	6	5	6	6	6	6	7	6	6	
			F	4	5	5	5	6	5	6	6	7	7	7	
			P	4	5	6	5	6	5	6	6	7	6	7	
(e) Other and unspecified organs		{	M	12	14	15	16	15	17	17	12	11	13	14	
	F		8	7	7	8	7	7	6	8	9	8	7		

* For full title according to the detailed International List see Table 21.

TABLE 7—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
57	Tumours of undetermined nature	{ M	32	31	34	33	32	30	32	31	27	27	27
		{ F	28	25	24	22	22	22	24	23	20	20	19
		{ P	30	28	28	27	26	25	28	26	24	24	23
	(d) Brain and other parts of the nervous system	{ M	25	24	22	23	23	22	24	24	21	22	22
		{ F	22	19	18	16	17	16	18	17	16	16	15
		{ P	23	21	20	19	19	19	21	20	18	19	18
	(e) Other and unspecified organs	{ M	8	8	12	10	9	8	8	7	6	5	6
		{ F	5	5	5	6	5	5	5	5	4	4	3
		{ P	6	6	8	7	7	6	7	6	5	5	4
58-71	III.—Rheumatism and other General Diseases†	{ M	173	191	188	169	164	158	156	122	114	99	100
		{ F	322	319	285	264	265	242	243	224	224	207	210
		{ P	251	261	242	223	222	206	205	177	173	155	157
58	Rheumatic fever	{ M	22	19	17	13	16	18	16	9	10	10	7
		{ F	24	23	15	13	19	15	13	9	9	11	8
		{ P	23	21	16	13	17	16	14	9	9	10	8
	(b) Acute rheumatic endocarditis	{ M	10	11	10	7	10	11	10	5	6	6	4
		{ F	12	13	9	8	12	10	7	5	6	6	4
		{ P	11	12	10	7	11	10	8	5	6	6	4
59	Chronic rheumatism and other rheumatic diseases	{ M	25	28	32	30	29	29	30	23	22	19	21
		{ F	58	64	59	53	56	52	54	51	48	47	51
		{ P	42	48	47	43	44	42	43	38	36	34	36
	(a) Rheumatoid arthritis	{ M	16	18	21	22	20	20	20	15	15	12	14
		{ F	46	52	47	43	44	41	43	39	38	38	40
		{ P	31	36	35	34	34	32	33	28	27	26	28
	(b) Other chronic articular rheumatism ...	{ M	7	6	7	6	7	6	8	7	6	6	6
		{ F	8	9	9	8	9	9	8	10	9	8	9
		{ P	8	8	8	7	8	8	8	9	8	7	8
61	Diabetes mellitus	{ M	96	112	105	97	93	87	83	68	59	51	54
		{ F	152	153	141	130	129	122	122	111	107	98	104
		{ P	125	134	125	116	114	107	106	91	84	76	80
63	Diseases of the thyroid and parathyroid glands ...	{ M	11	12	11	9	9	6	8	6	7	5	6
		{ F	71	65	52	50	46	38	38	39	42	35	34
		{ P	43	41	34	32	30	25	25	24	25	21	21
	(a) Simple goitre	{ M	1	1	1	1	1	0	1	1	1	1	1
		{ F	5	6	5	5	4	4	3	4	4	3	4
		{ P	3	4	3	3	3	2	2	2	2	2	2
	(b) Exophthalmic goitre	{ M	9	9	8	7	7	5	5	4	4	3	4
		{ F	56	47	38	35	33	27	26	27	28	25	22
		{ P	33	30	25	23	22	17	17	16	17	14	14
	(c) Myxœdema and cretinism	{ M	1	2	2	2	1	1	1	1	2	1	1
		{ F	10	11	8	9	8	7	8	8	9	6	7
		{ P	6	7	5	6	5	5	5	5	6	3	4
65	Diseases of the adrenal glands (not specified as tuberculous)	{ M	4	4	5	4	3	3	4	3	3	2	3
		{ F	6	5	7	7	5	4	5	4	6	4	4
		{ P	5	5	6	6	4	4	4	4	4	3	4
72-76	IV.—Diseases of the Blood and Blood-forming Organs	{ M	85	99	108	112	112	106	114	88	89	83	95
		{ F	107	118	127	118	114	108	120	104	103	93	99
		{ P	96	109	118	115	113	107	117	97	97	88	92
72	Hæmorrhagic conditions	{ M	6	8	8	7	7	7	6	5	5	5	4
		{ F	6	6	7	5	4	5	4	4	5	4	3
		{ P	6	7	7	6	5	6	5	4	5	4	4
	(a) Primary purpura ...	{ M	4	6	7	6	5	5	5	3	3	4	3
		{ F	5	6	7	5	4	5	4	4	5	4	3
		{ P	5	6	7	5	5	5	5	4	4	4	3
73	Anæmias	{ M	45	55	63	62	58	53	59	36	39	33	31
		{ F	69	79	89	81	77	68	78	60	59	51	53
		{ P	58	68	77	72	69	62	70	49	50	42	42
	(a) Pernicious anæmia ...	{ M	36	45	51	49	46	43	47	27	27	21	20
		{ F	56	62	71	66	60	53	61	44	43	34	35
		{ P	47	54	62	58	54	48	55	36	35	28	28
	(b, c, d) Other anæmias ...	{ M	9	10	12	12	12	11	12	10	12	11	11
		{ F	13	16	17	15	16	15	17	16	16	16	17
		{ P	12	13	15	14	14	13	15	13	14	14	14
74	Leukæmias and aleukæmias	{ M	28	30	29	34	38	38	40	41	38	40	44
		{ F	23	23	22	24	25	26	29	30	32	31	35
		{ P	25	26	25	28	30	31	34	35	35	35	40
	(a) Leukæmia	{ M	27	29	28	32	36	36	38	39	36	37	42
		{ F	22	22	21	24	24	25	28	28	30	29	34
		{ P	25	25	24	27	29	30	32	33	33	33	37

† For full title according to the detailed International List see Table 21.

TABLE 7—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
75	Diseases of the spleen ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 6 \\ 7 \\ 6 \end{matrix}$	$\begin{matrix} 5 \\ 7 \\ 6 \end{matrix}$	$\begin{matrix} 6 \\ 8 \\ 7 \end{matrix}$	$\begin{matrix} 6 \\ 6 \\ 6 \end{matrix}$	$\begin{matrix} 7 \\ 7 \\ 7 \end{matrix}$	$\begin{matrix} 5 \\ 7 \\ 6 \end{matrix}$	$\begin{matrix} 6 \\ 7 \\ 7 \end{matrix}$	$\begin{matrix} 5 \\ 8 \\ 6 \end{matrix}$	$\begin{matrix} 5 \\ 6 \\ 5 \end{matrix}$	$\begin{matrix} 4 \\ 6 \\ 5 \end{matrix}$	$\begin{matrix} 4 \\ 6 \\ 5 \end{matrix}$
77-79	V.—Chronic Poisoning and Intoxication ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 4 \\ 3 \\ 4 \end{matrix}$	$\begin{matrix} 5 \\ 3 \\ 4 \end{matrix}$	$\begin{matrix} 5 \\ 3 \\ 4 \end{matrix}$	$\begin{matrix} 4 \\ 1 \\ 2 \end{matrix}$	$\begin{matrix} 3 \\ 1 \\ 2 \end{matrix}$	$\begin{matrix} 3 \\ 1 \\ 2 \end{matrix}$	$\begin{matrix} 3 \\ 1 \\ 1 \end{matrix}$	$\begin{matrix} 3 \\ 1 \\ 2 \end{matrix}$	$\begin{matrix} 3 \\ 1 \\ 2 \end{matrix}$	$\begin{matrix} 2 \\ 1 \\ 1 \end{matrix}$	$\begin{matrix} 2 \\ 1 \\ 1 \end{matrix}$
80-89	VI.—Diseases of the Nervous System and Sense Organs	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 1341 \\ 1450 \\ 1398 \end{matrix}$	$\begin{matrix} 1520 \\ 1538 \\ 1530 \end{matrix}$	$\begin{matrix} 1493 \\ 1461 \\ 1476 \end{matrix}$	$\begin{matrix} 1497 \\ 1461 \\ 1477 \end{matrix}$	$\begin{matrix} 1527 \\ 1477 \\ 1498 \end{matrix}$	$\begin{matrix} 1596 \\ 1512 \\ 1548 \end{matrix}$	$\begin{matrix} 1593 \\ 1537 \\ 1561 \end{matrix}$	$\begin{matrix} 1427 \\ 1583 \\ 1512 \end{matrix}$	$\begin{matrix} 1448 \\ 1672 \\ 1567 \end{matrix}$	$\begin{matrix} 1250 \\ 1536 \\ 1400 \end{matrix}$	$\begin{matrix} 1352 \\ 1661 \\ 1514 \end{matrix}$
80	Encephalitis (non-epidemic)	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 8 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 7 \\ 8 \end{matrix}$	$\begin{matrix} 8 \\ 5 \\ 6 \end{matrix}$	$\begin{matrix} 10 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 10 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 6 \\ 7 \end{matrix}$	$\begin{matrix} 10 \\ 6 \\ 8 \end{matrix}$	$\begin{matrix} 8 \\ 4 \\ 6 \end{matrix}$	$\begin{matrix} 8 \\ 4 \\ 6 \end{matrix}$	$\begin{matrix} 7 \\ 4 \\ 6 \end{matrix}$	$\begin{matrix} 6 \\ 4 \\ 5 \end{matrix}$
81	Meningitis (non-meningococcal)	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 24 \\ 16 \\ 20 \end{matrix}$	$\begin{matrix} 24 \\ 17 \\ 20 \end{matrix}$	$\begin{matrix} 27 \\ 16 \\ 21 \end{matrix}$	$\begin{matrix} 24 \\ 16 \\ 19 \end{matrix}$	$\begin{matrix} 23 \\ 14 \\ 18 \end{matrix}$	$\begin{matrix} 24 \\ 13 \\ 18 \end{matrix}$	$\begin{matrix} 20 \\ 12 \\ 16 \end{matrix}$	$\begin{matrix} 17 \\ 9 \\ 12 \end{matrix}$	$\begin{matrix} 16 \\ 11 \\ 13 \end{matrix}$	$\begin{matrix} 13 \\ 8 \\ 10 \end{matrix}$	$\begin{matrix} 12 \\ 8 \\ 10 \end{matrix}$
82	Diseases of the medulla and spinal cord ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 25 \\ 20 \\ 22 \end{matrix}$	$\begin{matrix} 31 \\ 20 \\ 25 \end{matrix}$	$\begin{matrix} 27 \\ 19 \\ 22 \end{matrix}$	$\begin{matrix} 27 \\ 16 \\ 21 \end{matrix}$	$\begin{matrix} 28 \\ 18 \\ 22 \end{matrix}$	$\begin{matrix} 30 \\ 16 \\ 22 \end{matrix}$	$\begin{matrix} 28 \\ 17 \\ 21 \end{matrix}$	$\begin{matrix} 24 \\ 15 \\ 19 \end{matrix}$	$\begin{matrix} 24 \\ 18 \\ 21 \end{matrix}$	$\begin{matrix} 20 \\ 14 \\ 17 \end{matrix}$	$\begin{matrix} 23 \\ 16 \\ 19 \end{matrix}$
	1. Motor neurone disease ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 15 \\ 10 \\ 12 \end{matrix}$	$\begin{matrix} 17 \\ 10 \\ 14 \end{matrix}$	$\begin{matrix} 16 \\ 10 \\ 13 \end{matrix}$	$\begin{matrix} 16 \\ 10 \\ 13 \end{matrix}$	$\begin{matrix} 17 \\ 11 \\ 14 \end{matrix}$	$\begin{matrix} 19 \\ 10 \\ 14 \end{matrix}$	$\begin{matrix} 19 \\ 10 \\ 14 \end{matrix}$	$\begin{matrix} 17 \\ 10 \\ 13 \end{matrix}$	$\begin{matrix} 16 \\ 11 \\ 13 \end{matrix}$	$\begin{matrix} 16 \\ 8 \\ 12 \end{matrix}$	$\begin{matrix} 16 \\ 11 \\ 14 \end{matrix}$
	3 & 4. Myelitis and other diseases included under 82 ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 8 \\ 6 \\ 7 \end{matrix}$	$\begin{matrix} 11 \\ 7 \\ 9 \end{matrix}$	$\begin{matrix} 9 \\ 7 \\ 8 \end{matrix}$	$\begin{matrix} 9 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 5 \\ 6 \end{matrix}$	$\begin{matrix} 7 \\ 4 \\ 5 \end{matrix}$	$\begin{matrix} 6 \\ 4 \\ 5 \end{matrix}$	$\begin{matrix} 7 \\ 5 \\ 6 \end{matrix}$	$\begin{matrix} 3 \\ 4 \\ 4 \end{matrix}$	$\begin{matrix} 5 \\ 4 \\ 5 \end{matrix}$
83	Intra-cranial lesions of vascular origin ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 1104 \\ 1250 \\ 1180 \end{matrix}$	$\begin{matrix} 1256 \\ 1326 \\ 1294 \end{matrix}$	$\begin{matrix} 1216 \\ 1262 \\ 1242 \end{matrix}$	$\begin{matrix} 1244 \\ 1278 \\ 1263 \end{matrix}$	$\begin{matrix} 1273 \\ 1306 \\ 1292 \end{matrix}$	$\begin{matrix} 1348 \\ 1341 \\ 1344 \end{matrix}$	$\begin{matrix} 1363 \\ 1367 \\ 1365 \end{matrix}$	$\begin{matrix} 1230 \\ 1430 \\ 1338 \end{matrix}$	$\begin{matrix} 1260 \\ 1511 \\ 1393 \end{matrix}$	$\begin{matrix} 1106 \\ 1401 \\ 1260 \end{matrix}$	$\begin{matrix} 1205 \\ 1529 \\ 1374 \end{matrix}$
	(a) Cerebral hæmorrhage	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 692 \\ 794 \\ 745 \end{matrix}$	$\begin{matrix} 775 \\ 835 \\ 808 \end{matrix}$	$\begin{matrix} 763 \\ 803 \\ 785 \end{matrix}$	$\begin{matrix} 774 \\ 815 \\ 797 \end{matrix}$	$\begin{matrix} 796 \\ 839 \\ 820 \end{matrix}$	$\begin{matrix} 842 \\ 851 \\ 848 \end{matrix}$	$\begin{matrix} 844 \\ 860 \\ 853 \end{matrix}$	$\begin{matrix} 756 \\ 900 \\ 834 \end{matrix}$	$\begin{matrix} 742 \\ 918 \\ 835 \end{matrix}$	$\begin{matrix} 645 \\ 846 \\ 750 \end{matrix}$	$\begin{matrix} 682 \\ 892 \\ 792 \end{matrix}$
	(b, c) Cerebral embolism, thrombosis and softening ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 369 \\ 410 \\ 391 \end{matrix}$	$\begin{matrix} 427 \\ 439 \\ 434 \end{matrix}$	$\begin{matrix} 403 \\ 411 \\ 407 \end{matrix}$	$\begin{matrix} 424 \\ 421 \\ 422 \end{matrix}$	$\begin{matrix} 432 \\ 419 \\ 425 \end{matrix}$	$\begin{matrix} 458 \\ 445 \\ 451 \end{matrix}$	$\begin{matrix} 475 \\ 465 \\ 469 \end{matrix}$	$\begin{matrix} 435 \\ 487 \\ 463 \end{matrix}$	$\begin{matrix} 482 \\ 552 \\ 519 \end{matrix}$	$\begin{matrix} 427 \\ 517 \\ 474 \end{matrix}$	$\begin{matrix} 489 \\ 595 \\ 544 \end{matrix}$
	(d) Hemiplegia and other paralyses of unstated origin ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 42 \\ 44 \\ 43 \end{matrix}$	$\begin{matrix} 53 \\ 51 \\ 52 \end{matrix}$	$\begin{matrix} 49 \\ 48 \\ 49 \end{matrix}$	$\begin{matrix} 45 \\ 42 \\ 43 \end{matrix}$	$\begin{matrix} 44 \\ 47 \\ 46 \end{matrix}$	$\begin{matrix} 47 \\ 43 \\ 45 \end{matrix}$	$\begin{matrix} 43 \\ 41 \\ 42 \end{matrix}$	$\begin{matrix} 38 \\ 41 \\ 40 \end{matrix}$	$\begin{matrix} 35 \\ 41 \\ 38 \end{matrix}$	$\begin{matrix} 33 \\ 37 \\ 35 \end{matrix}$	$\begin{matrix} 34 \\ 41 \\ 37 \end{matrix}$
84	Mental disorders and deficiency ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 18 \\ 24 \\ 21 \end{matrix}$	$\begin{matrix} 20 \\ 27 \\ 24 \end{matrix}$	$\begin{matrix} 27 \\ 25 \\ 26 \end{matrix}$	$\begin{matrix} 20 \\ 19 \\ 19 \end{matrix}$	$\begin{matrix} 16 \\ 16 \\ 16 \end{matrix}$	$\begin{matrix} 19 \\ 18 \\ 18 \end{matrix}$	$\begin{matrix} 17 \\ 17 \\ 17 \end{matrix}$	$\begin{matrix} 14 \\ 17 \\ 15 \end{matrix}$	$\begin{matrix} 14 \\ 18 \\ 16 \end{matrix}$	$\begin{matrix} 12 \\ 15 \\ 13 \end{matrix}$	$\begin{matrix} 11 \\ 14 \\ 12 \end{matrix}$
85	Epilepsy ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 42 \\ 34 \\ 38 \end{matrix}$	$\begin{matrix} 50 \\ 37 \\ 43 \end{matrix}$	$\begin{matrix} 55 \\ 37 \\ 45 \end{matrix}$	$\begin{matrix} 47 \\ 35 \\ 41 \end{matrix}$	$\begin{matrix} 46 \\ 29 \\ 36 \end{matrix}$	$\begin{matrix} 41 \\ 30 \\ 35 \end{matrix}$	$\begin{matrix} 38 \\ 27 \\ 32 \end{matrix}$	$\begin{matrix} 35 \\ 26 \\ 31 \end{matrix}$	$\begin{matrix} 33 \\ 26 \\ 29 \end{matrix}$	$\begin{matrix} 25 \\ 21 \\ 23 \end{matrix}$	$\begin{matrix} 23 \\ 20 \\ 21 \end{matrix}$
87	Other diseases of the nervous system ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 60 \\ 63 \\ 61 \end{matrix}$	$\begin{matrix} 66 \\ 67 \\ 66 \end{matrix}$	$\begin{matrix} 71 \\ 62 \\ 66 \end{matrix}$	$\begin{matrix} 66 \\ 59 \\ 62 \end{matrix}$	$\begin{matrix} 69 \\ 58 \\ 62 \end{matrix}$	$\begin{matrix} 68 \\ 58 \\ 62 \end{matrix}$	$\begin{matrix} 68 \\ 64 \\ 66 \end{matrix}$	$\begin{matrix} 61 \\ 59 \\ 60 \end{matrix}$	$\begin{matrix} 57 \\ 62 \\ 60 \end{matrix}$	$\begin{matrix} 43 \\ 56 \\ 50 \end{matrix}$	$\begin{matrix} 51 \\ 58 \\ 55 \end{matrix}$
	(c) Paralysis agitans ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 32 \\ 30 \\ 30 \end{matrix}$	$\begin{matrix} 33 \\ 32 \\ 33 \end{matrix}$	$\begin{matrix} 34 \\ 27 \\ 30 \end{matrix}$	$\begin{matrix} 32 \\ 26 \\ 29 \end{matrix}$	$\begin{matrix} 35 \\ 27 \\ 30 \end{matrix}$	$\begin{matrix} 36 \\ 29 \\ 32 \end{matrix}$	$\begin{matrix} 38 \\ 34 \\ 36 \end{matrix}$	$\begin{matrix} 33 \\ 31 \\ 32 \end{matrix}$	$\begin{matrix} 31 \\ 33 \\ 32 \end{matrix}$	$\begin{matrix} 24 \\ 30 \\ 28 \end{matrix}$	$\begin{matrix} 29 \\ 35 \\ 32 \end{matrix}$
	(d) Disseminated sclerosis	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 19 \\ 23 \\ 21 \end{matrix}$	$\begin{matrix} 25 \\ 25 \\ 25 \end{matrix}$	$\begin{matrix} 25 \\ 24 \\ 24 \end{matrix}$	$\begin{matrix} 24 \\ 24 \\ 24 \end{matrix}$	$\begin{matrix} 23 \\ 22 \\ 22 \end{matrix}$	$\begin{matrix} 23 \\ 22 \\ 22 \end{matrix}$	$\begin{matrix} 22 \\ 23 \\ 23 \end{matrix}$	$\begin{matrix} 19 \\ 20 \\ 20 \end{matrix}$	$\begin{matrix} 17 \\ 22 \\ 19 \end{matrix}$	$\begin{matrix} 14 \\ 19 \\ 16 \end{matrix}$	$\begin{matrix} 16 \\ 18 \\ 17 \end{matrix}$
89	Diseases of the ear and of the mastoid antrum ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 35 \\ 23 \\ 29 \end{matrix}$	$\begin{matrix} 32 \\ 18 \\ 25 \end{matrix}$	$\begin{matrix} 31 \\ 17 \\ 23 \end{matrix}$	$\begin{matrix} 33 \\ 17 \\ 24 \end{matrix}$	$\begin{matrix} 39 \\ 19 \\ 27 \end{matrix}$	$\begin{matrix} 36 \\ 19 \\ 26 \end{matrix}$	$\begin{matrix} 32 \\ 17 \\ 23 \end{matrix}$	$\begin{matrix} 25 \\ 15 \\ 20 \end{matrix}$	$\begin{matrix} 25 \\ 14 \\ 19 \end{matrix}$	$\begin{matrix} 17 \\ 11 \\ 14 \end{matrix}$	$\begin{matrix} 16 \\ 8 \\ 12 \end{matrix}$
	(a) Otitis and other diseases of the ear*	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 20 \\ 12 \\ 16 \end{matrix}$	$\begin{matrix} 17 \\ 10 \\ 13 \end{matrix}$	$\begin{matrix} 18 \\ 10 \\ 14 \end{matrix}$	$\begin{matrix} 18 \\ 9 \\ 13 \end{matrix}$	$\begin{matrix} 22 \\ 11 \\ 16 \end{matrix}$	$\begin{matrix} 20 \\ 9 \\ 14 \end{matrix}$	$\begin{matrix} 17 \\ 9 \\ 13 \end{matrix}$	$\begin{matrix} 15 \\ 8 \\ 12 \end{matrix}$	$\begin{matrix} 14 \\ 8 \\ 11 \end{matrix}$	$\begin{matrix} 11 \\ 8 \\ 10 \end{matrix}$	$\begin{matrix} 12 \\ 6 \\ 9 \end{matrix}$
	(b) Diseases of the mastoid antrum ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 15 \\ 10 \\ 13 \end{matrix}$	$\begin{matrix} 16 \\ 9 \\ 12 \end{matrix}$	$\begin{matrix} 13 \\ 6 \\ 9 \end{matrix}$	$\begin{matrix} 15 \\ 8 \\ 11 \end{matrix}$	$\begin{matrix} 17 \\ 7 \\ 12 \end{matrix}$	$\begin{matrix} 16 \\ 10 \\ 12 \end{matrix}$	$\begin{matrix} 14 \\ 8 \\ 11 \end{matrix}$	$\begin{matrix} 10 \\ 6 \\ 8 \end{matrix}$	$\begin{matrix} 11 \\ 6 \\ 8 \end{matrix}$	$\begin{matrix} 6 \\ 3 \\ 4 \end{matrix}$	$\begin{matrix} 4 \\ 2 \\ 3 \end{matrix}$
90-103	VII.—Diseases of the Circulatory System	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 3495 \\ 3323 \\ 3405 \end{matrix}$	$\begin{matrix} 4053 \\ 3605 \\ 3810 \end{matrix}$	$\begin{matrix} 3896 \\ 3206 \\ 3513 \end{matrix}$	$\begin{matrix} 3852 \\ 3083 \\ 3421 \end{matrix}$	$\begin{matrix} 4059 \\ 3218 \\ 3581 \end{matrix}$	$\begin{matrix} 4292 \\ 3236 \\ 3689 \end{matrix}$	$\begin{matrix} 4306 \\ 3370 \\ 3773 \end{matrix}$	$\begin{matrix} 3998 \\ 3477 \\ 3716 \end{matrix}$	$\begin{matrix} 4201 \\ 3681 \\ 3925 \end{matrix}$	$\begin{matrix} 3774 \\ 3436 \\ 3597 \end{matrix}$	$\begin{matrix} 4223 \\ 3979 \\ 4096 \end{matrix}$
90-95	Heart Diseases ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 3109 \\ 3000 \\ 3052 \end{matrix}$	$\begin{matrix} 3611 \\ 3252 \\ 3416 \end{matrix}$	$\begin{matrix} 3472 \\ 2883 \\ 3145 \end{matrix}$	$\begin{matrix} 3423 \\ 2757 \\ 3049 \end{matrix}$	$\begin{matrix} 3600 \\ 2869 \\ 3185 \end{matrix}$	$\begin{matrix} 3800 \\ 2886 \\ 3278 \end{matrix}$	$\begin{matrix} 3820 \\ 3002 \\ 3354 \end{matrix}$	$\begin{matrix} 3534 \\ 3075 \\ 3286 \end{matrix}$	$\begin{matrix} 3703 \\ 3244 \\ 3460 \end{matrix}$	$\begin{matrix} 3311 \\ 3006 \\ 3152 \end{matrix}$	$\begin{matrix} 3706 \\ 3463 \\ 3579 \end{matrix}$
90	Pericarditis ...	$\begin{cases} M \\ F \\ P \end{cases}$	$\begin{matrix} 9 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 12 \\ 7 \\ 9 \end{matrix}$	$\begin{matrix} 10 \\ 6 \\ 8 \end{matrix}$	$\begin{matrix} 9 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 6 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 7 \\ 8 \end{matrix}$	$\begin{matrix} 10 \\ 4 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 8 \\ 5 \\ 6 \end{matrix}$	$\begin{matrix} 9 \\ 5 \\ 7 \end{matrix}$	$\begin{matrix} 9 \\ 6 \\ 7 \end{matrix}$

*(Without mention of mastoid disease)

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
91	Acute endocarditis ...	{ M 25	26	27	26	28	24	20	15	15	14	12
		{ F 25	21	22	24	23	20	15	12	11	10	9
		{ P 25	23	24	25	25	22	17	14	13	12	11
	(a, b) Acute or sub-acute bacterial endocarditis	{ M 23	25	26	25	27	23	20	15	15	14	11
		{ F 23	20	21	23	22	20	14	12	11	9	9
		{ P 23	22	23	24	24	21	17	13	13	11	10
92	Chronic affections of the valves and endocardium	{ M 400	460	451	437	429	444	415	344	323	276	284
		{ F 465	497	448	429	426	423	411	379	370	341	353
		{ P 434	480	449	433	427	432	413	363	348	310	320
	(a) Aortic valvular disease (without mitral disease)	{ M 79	86	85	76	76	72	67	57	54	45	50
		{ F 38	38	35	32	30	29	26	26	24	24	24
		{ P 57	60	57	51	50	47	44	40	38	34	37
	(b) { 1. Mitral valve disease† ...	{ M 164	192	198	189	183	196	185	149	151	132	133
		{ F 240	260	241	224	232	229	225	214	215	201	214
		{ P 204	229	222	209	211	215	208	184	185	168	175
	2. Other diseases included under 92 (b)† ...	{ M 24	37	37	42	42	46	46	44	38	36	39
		{ F 33	46	41	48	45	45	48	42	41	43	45
		{ P 29	42	40	45	43	46	47	43	40	39	42
	(c) Unspecified valvular lesions or endocarditis	{ M 132	146	131	130	128	131	117	94	80	63	62
		{ F 154	154	131	125	120	120	112	97	89	73	70
		{ P 144	150	131	127	123	124	114	96	85	68	66
93	Diseases of the myocardium ...	{ M 1935	2285	2169	2099	2190	2276	2262	2062	2143	1776	1970
		{ F 2066	2272	1992	1885	1979	1976	2070	2123	2242	1967	2302
		{ P 2003	2278	2071	1979	2070	2105	2152	2095	2196	1876	2143
	(a) Acute myocarditis ...	{ M 5	6	6	6	5	4	6	5	5	5	4
		{ F 4	4	3	3	5	3	4	4	5	4	5
		{ P 5	5	4	4	5	4	5	4	5	5	5
	(b) Chronic myocarditis specified as rheumatic	{ M 16	23	22	23	17	20	18	17	14	11	9
		{ F 27	32	27	24	23	20	19	20	17	14	13
		{ P 22	28	25	23	20	20	18	19	16	13	11
	1. Cardiovascular degeneration ...	{ M 568	642	639	635	668	713	737	708	766	669	750
		{ F 518	545	508	512	531	555	602	657	728	673	814
		{ P 542	589	566	566	590	622	660	680	746	671	784
	2. Myocardial de- generation des- cribed as fatty ...	{ M 38	40	28	25	24	25	20	17	16	12	11
		{ F 51	51	36	32	29	26	24	22	20	17	20
		{ P 45	46	32	29	27	26	22	20	18	14	16
	3. Other myocar- dial degeneration not specified as rheumatic	{ M ‡ 1072	1286	1215	1172	1231	1265	1242	1115	1153	932	1045
		{ F ‡ 1231	1369	1198	1126	1190	1177	1228	1236	1297	1111	1296
		{ P ‡ 1155	1331	1206	1146	1208	1215	1234	1180	1230	1026	1176
	(d) Myocarditis not dis- tinguished as acute or chronic ...	{ M 235	289	260	239	245	248	240	202	190	146	152
		{ F 234	271	220	188	202	195	193	183	174	148	154
		{ P 234	279	238	210	220	217	213	192	182	147	153
94	Diseases of the coronary arteries, angina pectoris	{ M 605	675	679	728	827	933	1006	1010	1121	1161	1339
		{ F 275	292	276	296	325	353	391	445	504	580	682
		{ P 433	467	455	486	542	602	656	704	794	857	996
95	Other diseases of the heart	{ M 134	152	135	123	117	113	106	94	93	77	91
		{ F 166	163	139	118	111	106	111	111	112	103	111
		{ P 151	158	137	120	113	109	109	103	103	91	102
	(a) Functional heart dis- ease without mention of organic lesion ...	{ M 53	61	53	54	54	53	48	50	51	44	50
		{ F 90	85	72	68	65	65	69	73	73	68	74
		{ P 72	74	64	62	60	60	60	62	63	57	63
	(b) Heart disease specified as rheumatic but other- wise ill-defined ...	{ M 2	5	4	2	2	2	2	2	4	4	4
		{ F 3	6	5	3	3	2	2	4	5	6	6
		{ P 2	5	5	2	2	2	2	3	5	5	5
	(c) Other diseases in- cluded under 95 ...	{ M 79	87	78	67	61	59	56	41	38	28	36
		{ F 73	72	61	47	43	39	40	34	33	29	31
		{ P 76	79	69	56	51	47	47	37	36	29	34
96	Aneurysm (except of heart and aorta) ...	{ M 7	7	8	7	7	8	7	7	8	8	9
		{ F 5	6	7	9	8	8	7	8	7	9	10
		{ P 6	6	7	8	8	8	7	8	8	9	9
97	Arteriosclerosis * ...	{ M 287	324	310	311	323	342	335	318	337	289	319
		{ F 228	248	228	229	238	236	254	276	290	265	315
		{ P 256	283	265	265	275	281	289	295	312	276	317
98	Gangrene ...	{ M 20	25	20	18	14	17	17	14	12	12	10
		{ F 18	17	15	12	12	12	11	10	11	10	9
		{ P 19	20	18	14	13	14	14	12	12	11	9
99	Other diseases of the arteries	{ M 10	10	8	10	9	11	12	9	10	10	11
		{ F 6	8	7	7	6	6	7	7	7	8	9
		{ P 8	9	7	8	8	8	9	8	8	9	10

†(Including sequelæ of rheumatic fever).

‡ 93 (b) was included in 93(c)3 in this year.

*(Excluding coronary or renal sclerosis or cerebral hæmorrhage).

TABLE 7—continued.

Inter- national List No.	Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
100	Diseases of the veins ...	{ M 16	{ M 15	{ M 13	{ M 12	{ M 16	{ M 17	{ M 17	{ M 15	{ M 13	{ M 14	{ M 19
		{ F 24	{ F 28	{ F 22	{ F 20	{ F 22	{ F 22	{ F 24	{ F 25	{ F 24	{ F 25	{ F 31
		{ P 20	{ P 22	{ P 18	{ P 17	{ P 19	{ P 20	{ P 21	{ P 21	{ P 19	{ P 20	{ P 25
	(a) Varices ...	{ M 7	{ M 7	{ M 6	{ M 6	{ M 7	{ M 7	{ M 8	{ M 6	{ M 4	{ M 4	{ M 5
		{ F 11	{ F 13	{ F 11	{ F 11	{ F 12	{ F 11	{ F 12	{ F 11	{ F 11	{ F 10	{ F 11
		{ P 9	{ P 10	{ P 9	{ P 9	{ P 10	{ P 10	{ P 10	{ P 9	{ P 8	{ P 7	{ P 8
	(b) Other diseases of the veins ...	{ M 9	{ M 8	{ M 7	{ M 6	{ M 8	{ M 10	{ M 9	{ M 9	{ M 8	{ M 10	{ M 14
		{ F 13	{ F 15	{ F 11	{ F 9	{ F 10	{ F 10	{ F 13	{ F 14	{ F 13	{ F 15	{ F 19
		{ P 11	{ P 12	{ P 9	{ P 8	{ P 9	{ P 10	{ P 11	{ P 12	{ P 11	{ P 13	{ P 17
102	High blood pressure (idiopathic) ...	{ M 45	{ M 59	{ M 62	{ M 68	{ M 86	{ M 95	{ M 96	{ M 99	{ M 116	{ M 127	{ M 147
		{ F 39	{ F 44	{ F 42	{ F 48	{ F 60	{ F 66	{ F 64	{ F 75	{ F 96	{ F 113	{ F 141
		{ P 42	{ P 51	{ P 51	{ P 57	{ P 71	{ P 78	{ P 78	{ P 86	{ P 105	{ P 120	{ P 144
104-114	VIII.—Diseases of the Respiratory System ...	{ M 1731	{ M 2569	{ M 2155	{ M 1839	{ M 2131	{ M 1922	{ M 1963	{ M 1689	{ M 1813	{ M 1437	{ M 1635
		{ F 1273	{ F 1707	{ F 1374	{ F 1039	{ F 1279	{ F 1010	{ F 1075	{ F 1047	{ F 1136	{ F 869	{ F 1095
		{ P 1491	{ P 2101	{ P 1721	{ P 1391	{ P 1647	{ P 1401	{ P 1457	{ P 1341	{ P 1454	{ P 1139	{ P 1353
104	Diseases of the nasal fossæ and annexa ...	{ M 7	{ M 8	{ M 6	{ M 8	{ M 7	{ M 7	{ M 6	{ M 4	{ M 4	{ M 3	{ M 3
		{ F 3	{ F 4	{ F 3	{ F 3	{ F 4	{ F 4	{ F 3	{ F 3	{ F 2	{ F 3	{ F 2
		{ P 5	{ P 6	{ P 4	{ P 5	{ P 5	{ P 5	{ P 4	{ P 3	{ P 3	{ P 3	{ P 3
105	Diseases of the larynx ...	{ M 6	{ M 6	{ M 5	{ M 5	{ M 5	{ M 4	{ M 4	{ M 3	{ M 3	{ M 3	{ M 3
		{ F 3	{ F 4	{ F 3	{ F 3	{ F 2	{ F 2	{ F 2	{ F 2	{ F 2	{ F 2	{ F 1
		{ P 4	{ P 5	{ P 4	{ P 4	{ P 3	{ P 3	{ P 3	{ P 2	{ P 2	{ P 3	{ P 2
106	Bronchitis ...	{ M 874	{ M 1403	{ M 1097	{ M 944	{ M 1085	{ M 1007	{ M 1073	{ M 907	{ M 978	{ M 777	{ M 896
		{ F 659	{ F 953	{ F 703	{ F 511	{ F 636	{ F 502	{ F 553	{ F 515	{ F 554	{ F 406	{ F 532
		{ P 762	{ P 1159	{ P 878	{ P 701	{ P 830	{ P 719	{ P 777	{ P 695	{ P 753	{ P 583	{ P 706
	(a) Acute bronchitis ...	{ M 153	{ M 305	{ M 221	{ M 196	{ M 235	{ M 186	{ M 197	{ M 158	{ M 173	{ M 108	{ M 129
		{ F 169	{ F 288	{ F 217	{ F 152	{ F 209	{ F 136	{ F 159	{ F 145	{ F 160	{ F 96	{ F 136
		{ P 161	{ P 296	{ P 219	{ P 171	{ P 220	{ P 158	{ P 175	{ P 151	{ P 166	{ P 102	{ P 133
	(b) Chronic bronchitis ...	{ M 517	{ M 810	{ M 658	{ M 578	{ M 660	{ M 654	{ M 702	{ M 617	{ M 671	{ M 573	{ M 657
		{ F 295	{ F 442	{ F 329	{ F 251	{ F 294	{ F 261	{ F 286	{ F 270	{ F 290	{ F 240	{ F 308
		{ P 401	{ P 610	{ P 475	{ P 394	{ P 452	{ P 430	{ P 465	{ P 429	{ P 469	{ P 399	{ P 475
	(c) Bronchitis not distin- guished as acute or chronic ...	{ M 205	{ M 287	{ M 217	{ M 171	{ M 190	{ M 166	{ M 174	{ M 133	{ M 134	{ M 96	{ M 110
		{ F 195	{ F 223	{ F 157	{ F 109	{ F 134	{ F 105	{ F 108	{ F 99	{ F 104	{ F 70	{ F 88
		{ P 200	{ P 253	{ P 184	{ P 136	{ P 158	{ P 131	{ P 136	{ P 115	{ P 118	{ P 82	{ P 99
107-109	Pneumonia (all forms) ...	{ M 657	{ M 890	{ M 840	{ M 693	{ M 820	{ M 696	{ M 669	{ M 586	{ M 632	{ M 477	{ M 529
		{ F 484	{ F 590	{ F 549	{ F 421	{ F 524	{ F 401	{ F 409	{ F 421	{ F 463	{ F 353	{ F 439
		{ P 567	{ P 727	{ P 678	{ P 541	{ P 651	{ P 527	{ P 521	{ P 497	{ P 542	{ P 412	{ P 482
107	Broncho-pneumonia ...	{ M 377	{ M 572	{ M 510	{ M 406	{ M 507	{ M 422	{ M 431	{ M 380	{ M 432	{ M 318	{ M 367
		{ F 315	{ F 409	{ F 377	{ F 278	{ F 351	{ F 267	{ F 282	{ F 296	{ F 340	{ F 256	{ F 326
		{ P 345	{ P 484	{ P 436	{ P 335	{ P 418	{ P 334	{ P 347	{ P 335	{ P 383	{ P 286	{ P 345
108	Lobar pneumonia ...	{ M 216	{ M 240	{ M 250	{ M 215	{ M 233	{ M 203	{ M 179	{ M 154	{ M 149	{ M 121	{ M 118
		{ F 126	{ F 130	{ F 128	{ F 106	{ F 124	{ F 94	{ F 91	{ F 90	{ F 91	{ F 70	{ F 79
		{ P 169	{ P 180	{ P 182	{ P 154	{ P 171	{ P 141	{ P 129	{ P 119	{ P 118	{ P 94	{ P 98
109	Pneumonia (unspecified) ...	{ M 63	{ M 79	{ M 81	{ M 72	{ M 80	{ M 70	{ M 59	{ M 52	{ M 50	{ M 38	{ M 44
		{ F 44	{ F 50	{ F 44	{ F 37	{ F 48	{ F 40	{ F 36	{ F 35	{ F 32	{ F 27	{ F 34
		{ P 53	{ P 63	{ P 60	{ P 53	{ P 62	{ P 53	{ P 46	{ P 43	{ P 41	{ P 32	{ P 39
110	Pleurisy ...	{ M 26	{ M 28	{ M 33	{ M 30	{ M 27	{ M 25	{ M 22	{ M 16	{ M 16	{ M 13	{ M 12
		{ F 14	{ F 15	{ F 14	{ F 13	{ F 12	{ F 10	{ F 10	{ F 8	{ F 8	{ F 7	{ F 6
		{ P 20	{ P 21	{ P 23	{ P 21	{ P 18	{ P 16	{ P 15	{ P 12	{ P 12	{ P 10	{ P 9
	(a) Empyema ...	{ M 12	{ M 12	{ M 16	{ M 15	{ M 13	{ M 13	{ M 11	{ M 8	{ M 8	{ M 6	{ M 6
		{ F 4	{ F 4	{ F 5	{ F 4	{ F 4	{ F 4	{ F 4	{ F 3	{ F 3	{ F 2	{ F 2
		{ P 8	{ P 8	{ P 10	{ P 8	{ P 8	{ P 8	{ P 7	{ P 5	{ P 5	{ P 4	{ P 4
	(b) Other or unspecified forms of pleurisy ...	{ M 15	{ M 16	{ M 17	{ M 15	{ M 14	{ M 12	{ M 11	{ M 8	{ M 8	{ M 7	{ M 6
		{ F 10	{ F 10	{ F 10	{ F 10	{ F 8	{ F 6	{ F 7	{ F 5	{ F 5	{ F 5	{ F 4
		{ P 12	{ P 13	{ P 13	{ P 12	{ P 11	{ P 8	{ P 9	{ P 6	{ P 6	{ P 6	{ P 5
111	Congestion, etc. of the lungs†	{ M 33	{ M 37	{ M 27	{ M 25	{ M 29	{ M 30	{ M 26	{ M 25	{ M 29	{ M 26	{ M 32
		{ F 39	{ F 41	{ F 30	{ F 26	{ F 29	{ F 25	{ F 26	{ F 29	{ F 31	{ F 30	{ F 38
		{ P 36	{ P 39	{ P 29	{ P 26	{ P 29	{ P 27	{ P 26	{ P 27	{ P 30	{ P 28	{ P 35
	(a) Hæmorrhagic infarc- tion of lung ...	{ M 7	{ M 6	{ M 7	{ M 6	{ M 7	{ M 10	{ M 7	{ M 9	{ M 11	{ M 11	{ M 14
		{ F 6	{ F 7	{ F 7	{ F 6	{ F 6	{ F 6	{ F 7	{ F 9	{ F 10	{ F 10	{ F 14
		{ P 6	{ P 7	{ P 7	{ P 6	{ P 6	{ P 8	{ P 7	{ P 9	{ P 10	{ P 11	{ P 14
	(c) Chronic or unspeci- fied congestion of lung	{ M 25	{ M 27	{ M 17	{ M 15	{ M 19	{ M 16	{ M 15	{ M 13	{ M 14	{ M 12	{ M 15
		{ F 31	{ F 31	{ F 21	{ F 18	{ F 21	{ F 17	{ F 17	{ F 18	{ F 19	{ F 17	{ F 22
		{ P 28	{ P 29	{ P 19	{ P 17	{ P 20	{ P 17	{ P 17	{ P 16	{ P 17	{ P 14	{ P 18
112	Asthma ...	{ M 80	{ M 127	{ M 94	{ M 78	{ M 94	{ M 89	{ M 96	{ M 87	{ M 85	{ M 70	{ M 82
		{ F 59	{ F 85	{ F 61	{ F 53	{ F 63	{ F 55	{ F 61	{ F 60	{ F 64	{ F 56	{ F 63
		{ P 69	{ P 104	{ P 76	{ P 64	{ P 76	{ P 70	{ P 76	{ P 72	{ P 74	{ P 63	{ P 72
113	Pulmonary emphysema ...	{ M 19	{ M 34	{ M 21	{ M 23	{ M 28	{ M 28	{ M 29	{ M 25	{ M 30	{ M 32	{ M 40
		{ F 4	{ F 7	{ F 5	{ F 4	{ F 4	{ F 3	{ F 4	{ F 5	{ F 5	{ F 6	{ F 7
		{ P 11	{ P 19	{ P 12	{ P 12	{ P 14	{ P 14	{ P 15	{ P 14	{ P 16	{ P 18	{ P 23

†For full title according to the detailed International List see Table 21.

TABLE 7—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
114	Other diseases of the res- piratory system ...	{ M	29	37	31	33	37	37	39	36	37	35	39
		{ F	7	7	5	5	6	6	5	5	6	6	6
		{ P	17	21	17	17	20	20	20	19	20	20	21
	(a) Silicosis and other occupational pneu- moconioses ...	{ M	13	18	15	15	19	21	23	21	22	21	25
		{ F	1	1	0	0	0	0	0	0	0	0	0
		{ P	7	8	7	7	8	9	10	10	11	10	12
	(e 1) Chronic interstitial pneumonia not indi- cated as occupational	{ M	8	13	9	11	10	11	9	10	9	9	9
		{ F	3	5	3	2	3	4	3	3	3	4	4
		{ P	6	9	5	6	6	7	6	6	6	6	6
	(d) Abscess of lung ...	{ M	6	5	5	6	6	5	4	4	5	3	2
		{ F	2	1	2	2	2	2	1	1	1	1	1
		{ P	4	3	3	4	4	3	3	3	3	2	2
115-129	IX.—Diseases of the Digestive System	{ M	661	733	748	722	727	727	727	623	613	496	478
		{ F	463	474	457	436	435	424	407	398	407	336	332
		{ P	558	593	586	561	561	554	545	501	504	412	402
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils ...	{ M	31	32	28	27	24	22	20	15	13	11	9
		{ F	27	25	24	21	20	17	15	11	10	10	9
		{ P	29	28	26	23	22	19	17	13	11	10	9
	(a) Diseases of the teeth and gums ...	{ M	8	8	8	7	5	5	5	3	3	2	1
		{ F	5	4	5	4	4	3	3	2	2	2	1
		{ P	6	6	6	5	4	4	4	3	2	2	1
	(b) Septic sore throat ...	{ M	7	9	7	8	7	5	5	3	3	3	1
		{ F	7	8	7	6	6	5	4	2	3	3	2
		{ P	7	9	7	7	7	5	4	3	3	3	2
	(c) Other diseases of the pharynx and tonsils	{ M	14	12	11	10	10	9	8	7	5	5	4
		{ F	12	9	9	8	7	7	6	5	4	3	4
		{ P	13	10	10	9	8	8	7	6	5	4	4
117	Ulcer of the stomach or duodenum ...	{ M	199	244	252	220	231	237	244	206	191	181	185
		{ F	52	60	53	45	44	48	47	45	50	48	50
		{ P	122	144	141	122	125	129	132	119	116	111	114
	(a) Ulcer of the stomach	{ M	132	156	157	133	142	144	141	120	109	102	101
		{ F	41	47	41	36	33	37	34	35	38	35	36
		{ P	84	96	93	78	80	83	80	74	71	67	67
	(b) Ulcer of the duodenum ...	{ M	67	88	95	87	89	93	102	85	83	79	84
		{ F	11	13	12	9	12	11	14	10	11	12	14
		{ P	38	48	48	43	45	46	52	45	45	44	47
118	Other diseases of the stomach ...	{ M	17	18	18	18	17	16	15	13	10	8	7
		{ F	16	15	15	13	13	12	10	10	9	8	8
		{ P	16	17	16	15	15	13	12	11	9	8	7
	1. Inflammation of the stomach ...	{ M	12	14	14	13	12	11	10	8	6	4	4
		{ F	13	13	13	10	10	9	8	8	7	6	6
		{ P	13	14	13	12	11	10	9	8	6	5	5
119, 120	Enteritis and diarrhoea ...	{ M	120	129	149	159	159	165	177	144	167	93	81
		{ F	92	95	97	105	107	108	111	102	117	72	67
		{ P	105	111	120	128	130	132	139	121	140	82	74
	(a) Enteritis and diarrhoea without mention of ulceration ...	{ M	106	118	136	146	149	154	167	135	160	85	72
		{ F	78	80	83	91	91	96	98	89	106	60	54
		{ P	91	97	106	115	116	121	128	110	131	72	63
	(b) Ulceration of the intestines (except duo- denum) ...	{ M	13	11	13	12	11	10	10	9	7	8	9
		{ F	14	16	14	14	16	12	13	13	11	12	13
		{ P	14	14	13	13	14	11	12	11	9	10	11
121	Appendicitis ...	{ M	79	76	63	66	60	63	58	47	44	35	36
		{ F	54	45	36	38	42	40	35	30	29	24	23
		{ P	66	60	48	50	50	50	45	38	36	29	29
122	Hernia, intestinal obstruction	{ M	94	113	121	123	125	117	109	108	99	82	72
		{ F	83	102	111	100	96	90	82	90	92	73	68
		{ P	89	107	116	110	109	102	94	98	95	77	70
	(a) Hernia... ..	{ M	49	61	64	64	67	57	58	58	48	42	37
		{ F	48	60	70	59	56	50	48	53	52	40	37
		{ P	48	61	67	61	61	53	53	55	50	41	37
	(b) Intestinal obstruction ...	{ M	46	52	58	60	58	61	50	49	51	40	34
		{ F	35	42	41	40	39	40	34	37	40	33	31
		{ P	40	47	49	49	47	49	41	43	45	36	32
	1. Intussusception ...	{ M	9	10	11	11	10	12	10	9	10	7	5
		{ F	4	5	5	5	5	5	4	5	5	3	2
		{ P	7	7	7	8	8	8	7	7	7	5	3
123	Other diseases of the intestines ...	{ M	22	23	24	24	22	23	22	19	17	17	17
		{ F	21	21	20	20	20	18	18	20	18	17	19
		{ P	21	22	21	22	21	20	20	19	17	17	18

TABLE 7—continued.

Inter- national List No.	Causes of Death.			1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
123	(a) Diverticulitis ...	M		15	14	12	15	14	14	14	12	11	12	12
		F		14	14	12	12	12	12	13	13	12	12	13
		P		14	14	12	13	13	13	13	13	12	12	13
	(b) Other diseases in- cluded under 123 ...	M		7	9	11	10	8	9	8	6	6	5	5
		F		7	7	8	8	8	6	6	7	5	5	6
		P		7	8	9	9	8	7	7	7	6	5	5
124	Cirrhosis of the liver ...	M		39	45	38	32	32	30	30	26	27	24	27
		F		20	18	15	14	14	13	13	14	14	13	16
		P		29	30	26	22	22	20	20	19	20	19	21
	(a) With mention of alcoholism ...	M		5	7	6	4	3	4	3	2	2	2	2
		F		2	2	2	1	1	0	1	1	1	0	1
		P		4	4	4	2	2	2	1	1	1	1	1
	(b) Without mention of alcoholism ...	M		34	38	33	29	29	26	28	24	24	22	25
		F		18	15	13	13	13	12	12	13	14	13	15
		P		26	26	22	20	20	18	19	18	19	17	20
125	Other diseases of the liver	M		6	6	7	7	11	10	11	12	13	10	10
		F		4	6	5	7	9	10	11	10	10	10	11
		P		5	6	6	7	10	10	11	11	11	10	10
126	Biliary calculi ...	M		17	14	14	13	13	13	13	12	10	11	10
		F		38	32	31	29	29	26	27	26	25	24	24
		P		28	24	23	22	22	20	21	20	18	18	17
127	Other diseases of the gall bladder and bile ducts	M		19	17	19	16	18	15	13	10	11	9	10
		F		39	39	35	30	29	28	27	26	22	23	24
		P		30	29	28	24	24	23	21	19	17	17	18
	(a) Cholecystitis without record of biliary calculi	M		16	14	16	13	13	12	11	8	9	8	8
		F		37	35	31	27	24	25	23	24	20	20	21
		P		27	26	25	21	20	20	18	17	15	14	15
128	Diseases of the pancreas (other than diabetes)	M		10	8	8	9	7	7	8	7	7	7	8
		F		9	9	8	8	6	7	8	8	8	9	10
		P		9	9	8	8	6	7	8	8	8	8	9
129	Peritonitis without stated cause ...	M		5	5	5	6	6	5	5	4	4	4	3
		F		6	5	5	6	5	5	3	3	3	3	2
		P		6	5	5	6	5	5	4	4	3	3	2
130-139	X.—Diseases of the Urinary and Genital Systems*	M		719	815	831	817	822	813	791	700	658	580	578
		F		414	425	391	365	361	353	341	337	328	296	299
		P		560	604	587	563	560	550	535	504	488	431	432
130-132	Nephritis ...	M		376	423	423	407	394	390	384	347	328	279	275
		F		342	356	323	301	298	292	284	282	280	241	245
		P		358	387	367	348	339	334	327	312	302	259	259
130	Acute nephritis ...	M		26	28	25	26	22	25	24	19	18	15	13
		F		22	21	20	18	17	16	16	14	13	12	10
		P		24	24	23	21	20	20	20	16	15	13	12
131	Chronic nephritis ...	M		323	368	371	353	340	337	334	307	291	251	244
		F		296	313	282	263	259	256	251	253	252	216	221
		P		309	338	322	302	294	291	287	378	270	232	232
132	Nephritis not stated to be acute or chronic (over 10 years of age) ...	M		27	27	27	28	31	27	26	20	19	14	17
		F		24	21	20	21	21	19	16	16	15	13	14
		P		25	24	23	24	25	22	20	18	17	13	16
133	Other diseases of the kidneys and ureters ...	M		27	30	28	31	32	32	30	25	31	24	25
		F		30	30	29	28	27	25	25	24	26	27	27
		P		29	30	28	29	29	28	27	25	29	25	26
	(a) Pyelitis, pyelonephritis, pyelocystitis ...	M		23	26	23	26	26	26	25	20	25	19	20
		F		27	26	25	24	23	20	21	21	23	23	23
		P		25	26	24	25	24	23	23	20	24	21	22
134	Calculi of the urinary passages ...	M		14	15	15	14	13	13	14	13	10	10	8
		F		7	7	9	7	8	7	7	7	7	6	6
		P		11	11	12	10	10	10	10	10	8	8	7
	(a) Calculi of kidneys and ureters ...	M		9	11	10	10	10	9	9	10	7	8	7
		F		6	6	8	7	8	7	7	7	7	6	5
		P		8	8	9	8	9	8	8	8	7	7	6
135	Diseases of the bladder ...	M		25	25	25	21	20	22	20	17	15	16	14
		F		16	15	14	11	10	11	10	10	10	8	10
		P		20	20	19	15	14	16	14	13	12	12	12
	(a) Cystitis ...	M		22	22	21	17	17	17	14	13	12	12	11
		F		15	14	13	9	9	9	8	8	8	6	8
		P		18	18	16	12	12	13	11	10	10	9	9
136	Diseases of the urethra, urinary abscess, etc. ...	M		17	16	19	19	18	16	13	11	10	9	8
		F		0	0	0	0	0	0	0	0	0	0	0
		P		8	8	9	8	8	7	6	5	5	5	4

* (Not Venereal or connected with Pregnancy or the Puerperium).

TABLE 7—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
136	(a) Stricture of the urethra	{ M F P	15 — 7	15 — 7	17 0 8	17 0 8	16 0 7	14 0 6	12 0 5	10 0 5	10 0 5	8 — 4	8 0 4
137	Diseases of the prostate	M	258	303	319	321	341	338	328	285	262	239	246
	(a) Hypertrophy of prostate	M	250	291	306	310	330	326	317	276	254	234	241
	(b) Other dis. inc. in 137	M	9	12	13	11	11	12	12	8	8	5	5
139	Diseases of F. genital organs	F	18	17	17	18	19	18	16	14	14	14	11
	(a) Diseases of ovaries, etc.† ...	F	7	7	7	7	7	7	6	4	5	4	3
	2. Dis. of Fallopian tubes	F	6	6	5	5	6	5	4	3	4	3	2
	(b) Diseases of the uterus	F	9	8	8	9	11	10	9	9	8	9	7
140, 141	Abortion (all forms) ...	F	35	27	33	32	33	33	24	16	14	13	12
140	Post abortive infection ...	F	25	16	21	24	25	25	18	11	9	9	8
	(a) Spontaneous*	F	17	12	15	18	17	18	12	7	5	5	6
	(b) Induced*	F	8	4	7	6	8	8	7	4	4	4	3
141	Abortion without sepsis*	F	11	11	12	8	8	7	6	5	5	4	4
	(a) Spontaneous*	F	8	8	9	6	7	7	5	4	5	3	4
142-150	Maternal causes (excluding abortion) ...	F	2.57	2.24	2.25	2.02	1.83	1.52	1.47	1.24	1.02	0.86	0.82
142	Ectopic gestation ...	F	0.10	0.12	0.11	0.12	0.08	0.06	0.05	0.07	0.04	0.04	0.05
143	Hæmorrhage of pregnancy	F	0.05	0.05	0.06	0.03	0.03	0.02	0.03	0.03	0.02	0.01	0.02
144	Toxæmias of pregnancy ...	F	0.27	0.22	0.22	0.17	0.14	0.10	0.12	0.11	0.09	0.10	0.08
	(a) Eclampsia of pregnancy	F	0.11	0.10	0.10	0.08	0.07	0.06	0.07	0.07	0.05	0.06	0.04
	(b) Albuminuria, etc.*	F	0.04	0.02	0.04	0.04	0.03	0.01	0.02	0.02	0.02	0.02	0.02
	(c) Ac. yellow atrophy, etc.*	F	0.01	0.01	0.02	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.00
	(d) Other dis. inc. in 144	F	0.11	0.08	0.07	0.04	0.03	0.01	0.02	0.01	0.01	0.01	0.01
145	Other dis. & acc. of pregnancy	F	0.04	0.02	0.03	0.02	0.04	0.04	0.05	0.02	0.03	0.01	0.03
146	Hæm. of childbirth, etc.*	F	0.42	0.33	0.39	0.31	0.27	0.26	0.25	0.23	0.18	0.15	0.12
147	Infection during childbirth and the puerperium ...	F	0.63	0.55	0.48	0.42	0.39	0.28	0.24	0.18	0.16	0.13	0.11
	(a) General or local with pyelitis*	F	0.03	0.02	0.03	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00
	(b) General or local without pyelitis*	F	0.36	0.32	0.22	0.22	0.18	0.13	0.11	0.06	0.04	0.04	0.03
	(c) Thrombophlebitis*	F	0.10	0.07	0.11	0.09	0.08	0.06	0.07	0.06	0.06	0.04	0.04
	(d) Puerperal embolism, etc.*	F	0.14	0.15	0.12	0.09	0.11	0.08	0.06	0.07	0.06	0.05	0.03
148	Puerperal toxæmias ...	F	0.48	0.43	0.42	0.43	0.39	0.32	0.34	0.31	0.26	0.21	0.20
	(a) Puerperal eclampsia ...	F	0.23	0.20	0.20	0.18	0.16	0.16	0.15	0.14	0.12	0.08	0.08
	(b) Albuminuria, etc.*	F	0.08	0.08	0.11	0.15	0.13	0.11	0.09	0.10	0.08	0.08	0.07
	(c) Ac. yellow atrophy, etc.*	F	0.05	0.04	0.04	0.05	0.06	0.03	0.07	0.05	0.04	0.03	0.03
	(d) Other*...	F	0.11	0.10	0.08	0.06	0.04	0.03	0.02	0.03	0.02	0.02	0.02
149	Other acc. of childbirth ...	F	0.55	0.48	0.51	0.47	0.47	0.40	0.36	0.28	0.23	0.19	0.20
	(a) Laceration, etc.*	F	0.31	0.27	0.32	0.26	0.29	0.23	0.23	0.17	0.13	0.10	0.10
	(b) Other con. inc. in 149	F	0.24	0.21	0.19	0.21	0.19	0.17	0.13	0.10	0.10	0.09	0.10
150	Other conditions of childbirth, etc.*	F	0.05	0.04	0.04	0.03	0.03	0.03	0.03	0.01	0.01	0.01	0.01
	(a) Mastitis*	F	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00
	(b) Puerperal psychoses ...	F	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	—
	(c) Other con. inc. in 150	F	0.03	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01
151-153	XII.—Diseases of the Skin and Cellular Tissue ...	{ M F P	39 27 33	38 28 32	40 26 32	37 25 30	35 22 28	33 25 28	27 20 23	20 16 18	18 16 17	15 13 14	13 14 14
151	Carbuncle, boils ...	{ M F P	14 8 11	14 8 11	14 7 10	13 8 10	10 5 7	10 6 8	8 4 6	5 2 4	4 2 3	3 2 2	3 2 2
152	Cellulitis, acute abscess ...	{ M F P	11 8 9	11 9 9	11 7 9	10 6 8	10 6 8	9 7 8	7 5 6	5 4 4	4 3 4	4 3 3	3 3 3
153	Other diseases of the skin and cellular tissue ...	{ M F P	14 11 12	13 12 12	15 12 13	14 10 12	15 11 13	14 12 13	13 11 12	10 10 10	10 11 11	8 9 8	7 9 8
154-156	XIII.—Diseases of the Bones and Organs of Movement	{ M F P	26 14 19	26 13 19	25 14 19	29 14 21	23 13 17	24 13 18	19 12 15	16 10 13	14 9 12	14 10 12	12 10 11
154	Osteomyelitis and perio- stitis ...	{ M F P	16 6 11	13 5 9	13 5 9	15 6 10	11 5 7	12 5 8	8 4 6	6 3 4	5 3 4	5 2 3	3 2 2
156	Diseases of the joints and other organs of move- ment ...	{ M F P	7 5 6	9 6 7	9 5 7	9 6 7	8 4 6	8 5 7	7 5 6	7 4 5	5 4 5	6 4 5	5 4 5

†Full title of 139 (a) is Diseases of the ovaries, Fallopian tubes and parametria.

*For full title according to detailed International List see Table 21.

‡§ The rates for headings ‡ are per million women aged 15-45 years and for headings § per 1,000 total (live and still) births.

TABLE 7—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
157	XIV.—Congenital Malformations	{ M	126	150	156	169	171	183	168	168	161	132	126
		{ F	99	105	103	115	112	111	109	113	119	99	104
		{ P	112	125	126	139	137	142	135	138	139	115	114
	(a) Congenital hydrocephalus	{ M	8	10	13	10	10	10	10	9	10	7	7
		{ F	7	9	8	8	6	6	5	5	7	5	6
		{ P	7	9	10	9	8	8	7	7	8	6	6
	(b) Spina bifida and meningocele	{ M	24	26	26	34	35	33	27	29	21	17	17
		{ F	32	29	30	40	36	35	31	32	29	23	24
		{ P	29	28	28	37	35	34	29	31	25	20	20
	(c) Congenital malformation of heart	{ M	45	52	53	57	56	63	58	54	54	45	41
{ F		29	33	33	33	35	33	33	33	39	30	30	
{ P		37	42	41	44	44	46	44	43	46	37	35	
(e) Congenital pyloric stenosis	{ M	14	16	19	17	16	17	14	14	14	7	7	
	{ F	3	4	3	3	3	3	3	3	3	1	1	
	{ P	8	9	10	9	9	9	8	8	8	4	4	
(i) Other stated congenital malformations	{ M	22	31	34	35	39	44	46	49	48	44	43	
	{ F	16	19	19	22	23	23	27	28	31	29	33	
	{ P	19	24	26	28	30	32	35	38	39	36	38	
158-161 XV.—Diseases peculiar to the First Year of Life... (The rates for this section are shown per 1,000 related live births in Table 12).													
162	XVI.—Senility, Old Age	{ M	348	422	412	367	404	401	404	333	304	229	233
		{ F	483	533	496	452	469	455	476	447	429	341	359
		{ P	419	482	459	415	441	432	445	394	370	288	299
	(a, c) Old age & senility without mention of senile dementia	{ M	333	403	394	349	386	383	391	320	293	220	222
		{ F	463	512	471	427	445	430	452	428	409	325	341
		{ P	401	462	437	393	420	410	426	378	355	275	284
	(b) Senility with mention of senile dementia	{ M	15	19	18	19	18	19	14	13	11	9	11
		{ F	20	22	25	25	23	25	24	19	20	15	18
		{ P	18	20	22	22	21	22	19	16	15	12	15
163-198	XVII.—Deaths from Violence	{ M	827	1534	1537	891	814	996	756	625	633	560	571
		{ F	377	888	785	420	381	541	381	326	334	306	306
		{ P	592	1183	1119	627	568	736	542	463	474	427	433
163-164	Suicide	{ M	168	159	135	125	134	135	136	144	137	145	147
		{ F	78	75	62	62	63	58	66	75	76	79	75
		{ P	121	113	94	89	93	91	96	106	105	110	110
163	Suicide by poisoning	{ M	73	65	52	46	50	55	56	57	59	69	67
		{ F	49	48	37	38	37	35	40	46	50	54	51
		{ P	61	56	44	41	43	44	47	51	54	61	59
	(a) Suicide by solid or liquid toxic or corrosive substances	{ M	14	12	9	8	9	8	10	10	11	13	13
		{ F	11	13	10	9	8	8	8	10	11	13	14
		{ P	13	12	9	9	9	8	9	10	11	13	13
	(b) Suicide by poisonous gas	{ M	59	53	42	39	41	47	45	47	48	56	54
		{ F	38	35	28	29	29	28	32	36	39	41	38
		{ P	48	43	34	33	34	36	37	41	43	48	45
164	Other forms of suicide	{ M	29	30	24	24	27	24	29	32	30	29	31
		{ F	7	7	6	5	6	5	6	8	7	6	6
		{ P	17	18	14	14	15	13	16	19	18	17	18
	(b) Suicide by drowning	{ M	24	20	17	16	18	19	18	18	15	17	17
		{ F	14	11	11	11	13	11	12	12	11	11	10
		{ P	19	15	14	13	15	14	15	15	13	14	14
	(c) Suicide by firearms and explosives	{ M	12	14	15	14	14	12	11	11	12	10	11
		{ F	1	1	1	1	1	1	1	0	1	1	0
		{ P	6	7	7	7	7	5	5	5	6	5	5
	(d) Suicide by cutting or piercing instruments	{ M	18	17	16	13	15	15	14	15	11	9	11
		{ F	3	3	2	2	3	2	2	3	2	2	2
		{ P	10	9	8	7	8	8	7	8	6	5	6
	(e) Suicide by jumping from high places	{ M	4	6	4	5	4	4	3	4	4	5	4
		{ F	3	3	2	3	2	2	3	3	3	3	3
		{ P	4	4	3	4	3	3	3	3	3	4	3
	(f) Suicide by crushing	{ M	7	5	5	6	5	6	5	7	6	7	6
		{ F	2	2	2	2	1	1	2	3	1	2	2
		{ P	4	3	3	4	3	3	3	4	4	4	4
165-168	Homicide	{ M	5	4	4	7	6	4	7	4	4	6	3
		{ F	5	5	5	6	5	5	6	5	6	5	5
		{ P	5	4	5	6	5	5	7	5	5	5	4

TABLE 7—continued.

Inter- national List No.	Causes of Death.		1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
169-195	Accidental deaths (or deaths not known to be due to suicide or homicide) ...	{ M F P	650 293 464	730 322 509	771 311 515	637 271 432	578 247 390	578 255 393	538 254 376	469 246 348	485 253 362	403 223 309	416 225 316
169	Railway accidents* ...	{ M F P	21 2 11	25 2 13	26 2 13	27 2 13	28 3 14	29 3 14	27 3 13	22 3 12	23 2 12	17 3 10	17 1 9
170	Motor vehicle accidents* ...	{ M F P	258 72 161	253 64 151	278 74 165	204 56 121	159 45 95	174 54 106	154 49 94	150 47 94	144 46 92	125 43 82	139 41 88
171	Other road transport accidents* ...	{ M F P	27 6 16	30 6 17	28 6 16	26 6 15	26 8 16	24 5 13	17 6 11	14 4 8	13 4 8	13 4 8	12 4 8
172	Water transport accidents * ...	{ M F P	9 0 4	11 0 5	12 0 6	8 0 4	9 0 4	9 0 4	9 0 4	9 0 4	8 0 4	6 0 3	7 0 4
173	Air transport accidents* ...	{ M F P	10 0 5	1 0 1	0 0 0	0 — 0	2 0 1	2 0 1	1 0 1	1 0 0	3 0 1	4 1 3	4 1 2
174	Accidents in mines and quarries*... ...	{ M F P	42 — 20	50 — 23	52 0 23	50 0 22	43 0 19	39 0 17	33 0 14	29 0 13	33 0 16	23 0 11	23 — 11
175	Agricultural and forestry accidents† ...	{ M F P	4 0 2	8 0 4	8 0 4	10 0 5	12 1 6	8 0 4	9 0 4	8 0 4	7 0 3	7 0 3	7 0 3
176	Accidents caused by machinery† ...	{ M F P	8 0 4	11 0 5	15 0 7	14 1 6	12 1 6	12 1 6	9 0 4	7 0 3	9 0 4	9 0 4	9 0 5
178	Accidental absorption of poisonous gas† ...	{ M F P	7 5 6	10 7 9	11 6 8	9 6 7	7 6 6	9 7 8	13 9 11	10 10 10	11 12 11	9 9 9	11 10 11
181	Accidental burns (con- flagration excepted)§	{ M F P	25 33 30	32 41 37	32 38 35	28 35 32	23 29 26	24 29 27	21 29 26	16 25 20	15 25 20	10 19 15	11 19 15
182	Accidental mechanical suffocation§ ...	{ M F P	16 9 12	20 10 15	22 13 17	22 12 16	23 10 15	26 14 19	26 14 19	28 16 22	32 20 25	24 16 20	24 14 19
183	Accidental drowning§	{ M F P	56 11 33	68 12 38	75 11 39	58 10 31	59 11 32	60 9 31	63 11 33	43 11 26	49 10 28	38 10 23	39 8 23
186	Accidental injury by fall, crushing, landslide, etc.§	{ M F P	129 137 133	160 158 159	158 138 147	134 121 127	124 115 119	113 111 112	109 111 110	94 111 103	101 111 106	83 100 92	80 105 93
195	Other accidents ...	{ M F P	20 8 14	24 10 16	27 10 17	26 12 18	29 11 19	28 12 19	26 12 18	21 9 15	20 11 15	17 9 13	20 10 15
197	Deaths of civilians due to operations of war ...	{ M F P	4 0 2	641 486 557	627 406 504	122 81 99	96 67 79	279 223 247	73 55 63	8 0 4	6 0 3	5 0 3	5 0 2
199-200	XVIII.—Ill-defined Causes of Death	{ M F P	28 18 23	32 21 26	34 18 25	28 16 21	24 13 18	24 12 17	20 11 15	16 10 13	14 9 11	9 7 8	7 5 6
199	Sudden death ...	{ M F P	5 4 4	6 4 5	6 4 5	7 3 5	6 3 4	4 3 3	5 3 3	3 2 2	3 2 2	2 1 2	2 1 2
200	Causes of death unstated or ill-defined ...	{ M F P	23 14 18	26 18 21	28 14 20	21 12 16	19 11 14	20 10 14	15 8 11	13 9 10	11 7 9	7 6 6	5 4 4

*Any cause of death except war. † Any cause of death.
§ Except deaths classed under headings 169-176, 196, 197.

TABLE 8.—Comparative Mortality Indexes (Base Year 1938) by } England and Wales.
Sex for Certain Causes of Death, 1941-1949.

Notes: (a) The C.M.I. expresses each cause mortality (all ages) of each year as a ratio to that of 1938 adopted as the base, after adjustment for age differences in the populations exposed to risk and for changes in cause assignment from 1940 onwards. For the better appraisalment of the C.M.I's., the 1938 crude death rates (per million) are shown in the 1938 column. The C.M.I. for any group of causes is obtainable approximately by weighting the C.M.I's. for the component causes by their respective 1938 crude rates.

(b) Non-civilian males are excluded from the experiences from 3rd September, 1939, and non-civilian females from 1st June, 1941.

(c) See Explanatory notes on page vi.

Inter- national List No.	Causes of Death.		Crude death rate per million living 1938	1941*	1942*	1943*	1944*	1945*	1946*	1947	1948	1949
	ALL CAUSES	{ M	12,475	1·096	0·967	0·978	0·952	0·920	0·889	0·921	0·815	0·863
		{ F	10,834	1·043	0·916	0·944	0·894	0·875	0·875	0·892	0·789	0·851
		{ P	11,622	1·070	0·942	0·957	0·918	0·893	0·881	0·906	0·801	0·856
1 & 2	Typhoid and paratyphoid fevers	{ M	4	0·799	0·644	0·413	0·375	0·203	0·253	0·217	0·246	0·157
		{ F	3	1·231	0·475	0·549	0·359	0·408	0·397	0·139	0·355	0·233
6	Cerebro-spinal (meningo- coccal) meningitis ...	{ M	20	3·280	1·788	1·236	0·904	0·838	0·644	0·648	0·349	0·342
		{ F	12	3·609	2·000	1·171	0·879	0·786	0·805	0·766	0·436	0·435
8	Scarlet fever	{ M	8	0·440	0·338	0·454	0·365	0·222	0·119	0·106	0·103	0·063
		{ F	7	0·440	0·330	0·419	0·340	0·306	0·140	0·151	0·125	0·046
9	Whooping cough	{ M	23	2·281	0·779	1·005	0·882	0·551	0·653	0·625	0·541	0·407
		{ F	28	2·391	0·755	0·997	0·897	0·587	0·661	0·670	0·520	0·385
10	Diphtheria	{ M	71	0·970	0·660	0·504	0·323	0·254	0·143	0·084	0·051	0·028
		{ F	68	0·907	0·641	0·471	0·328	0·239	0·167	0·077	0·050	0·024
11	Erysipelas	{ M	9	0·468	0·415	0·300	0·300	0·210	0·203	0·129	0·124	0·119
		{ F	8	0·602	0·370	0·366	0·336	0·418	0·210	0·175	0·122	0·133
13-22	Tuberculosis (all forms) ...	{ M	743	1·280	1·188	1·263	1·205	1·166	0·936	0·903	0·830	0·761
		{ F	506	1·114	0·991	0·975	0·922	0·918	0·855	0·893	0·815	0·718
13	Respiratory system ...	{ M	629	1·362	1·267	1·328	1·269	1·234	0·971	0·931	0·866	0·801
		{ F	413	1·092	0·971	0·955	0·908	0·913	0·860	0·916	0·849	0·766
14	Meninges and central nervous system ...	{ M	46	1·415	1·202	1·132	1·046	1·013	0·875	0·813	0·640	0·547
		{ F	41	1·368	1·132	1·142	1·021	1·041	0·891	0·813	0·697	0·557
15	Intestines & peritoneum	{ M	18	1·274	1·272	1·024	0·970	0·925	0·689	0·561	0·449	0·386
		{ F	18	1·004	1·082	0·963	0·808	0·711	0·534	0·623	0·508	0·374
30	Syphilis	{ M	125	0·890	0·838	0·772	0·695	0·648	0·636	0·578	0·513	0·499
		{ F	46	0·888	0·795	0·818	0·761	0·662	0·671	0·643	0·562	0·553
33	Influenza	{ M	123	1·407	0·744	2·366	0·810	0·553	0·910	0·612	0·236	0·914
		{ F	94	1·646	0·736	3·016	0·818	0·551	1·194	0·666	0·229	1·184
35	Measles	{ M	41	0·795	0·310	0·446	0·133	0·416	0·117	0·334	0·154	0·149
		{ F	33	0·727	0·302	0·546	0·162	0·445	0·118	0·352	0·181	0·174
36	Acute poliomyelitis and polioencephalitis ...	{ M	7	0·890	0·590	0·372	0·534	0·686	0·454	3·189	1·067	2·611
		{ F	6	0·476	0·483	0·403	0·334	0·466	0·511	2·346	0·815	2·388
37	Acute infectious encephal- itis	{ M	14	1·462	1·281	1·128	1·002	0·971	0·774	0·774	0·661	0·577
		{ F	11	1·404	1·133	0·915	0·729	0·907	0·835	0·762	0·665	0·685
44 (b)	Pernicious lymphogranu- lomatosis (Hodgkin's disease)	{ M	18	1·028	1·186	1·222	1·298	1·273	1·229	1·154	1·197	1·222
		{ F	11	0·905	0·919	0·963	0·926	1·042	0·948	0·931	0·961	0·996
45-55	Cancer, malignant disease	{ M	1,612	1·013	1·012	1·022	1·006	1·024	1·018	1·047	1·057	1·063
		{ F	1,619	0·969	0·964	0·961	0·941	0·937	0·949	0·949	0·941	0·937
45	Buccal cavity and pharynx	{ M	131	0·850	0·818	0·771	0·747	0·678	0·618	0·587	0·548	0·510
		{ F	26	0·879	0·844	0·875	0·838	0·802	0·798	0·760	0·707	0·763
46	Digestive organs and peritoneum	{ M	947	1·002	0·982	0·979	0·968	0·977	0·948	0·947	0·941	0·914
		{ F	784	0·967	0·937	0·932	0·913	0·914	0·923	0·914	0·893	0·879
47	Respiratory system ...	{ M	227	1·133	1·219	1·316	1·379	1·453	1·567	1·725	1·862	1·976
		{ F	61	1·040	1·091	1·110	1·133	1·191	1·226	1·339	1·405	1·435
48	Uterus	F	204	0·991	0·983	0·960	0·899	0·890	0·870	0·854	0·849	0·823
49	Other female genital organs	F	105	0·975	0·989	1·017	1·032	1·002	0·992	1·035	1·029	1·049

* The C.M.I's. for these years supersede those shown in the Statistical Reviews for the years 1942-1946.

TABLE 8—continued.

Inter- national List No.	Causes of Death.		Crude death rate per million living 1938	1941*	1942*	1943*	1944*	1945*	1946*	1947	1948	1949
50	Cancer (<i>contd.</i>)	{M	3	1·121	1·049	1·547	1·019	1·116	1·118	1·112	0·982	1·194
	Breast	{F	316	0·980	0·994	0·987	0·968	0·947	0·997	0·985	0·979	0·968
51	Male genital organs ...	M	117	1·073	1·127	1·075	0·981	1·015	1·081	1·140	1·099	1·141
52	Urinary organs	{M	73	1·076	1·066	1·126	1·035	1·096	1·096	1·379	1·208	1·256
		{F	33	1·055	1·176	1·181	1·140	1·103	1·213	1·176	1·258	1·224
53	Skin (scrotum excepted)	{M	30	0·957	0·860	0·950	0·823	0·850	0·745	0·763	0·716	0·683
		{F	22	0·864	0·904	0·895	0·874	0·870	0·758	0·800	0·732	0·781
54	Brain and other parts of the nervous system	{M	22	1·024	1·050	1·101	1·020	1·179	1·014	1·193	1·282	1·400
		{F	15	0·885	0·910	0·957	0·976	1·075	1·091	1·124	1·122	1·327
55	Other or unspecified organs	{M	61	1·075	1·099	1·112	1·089	1·118	1·077	1·110	1·071	1·153
		{F	52	0·943	1·041	1·007	1·017	1·057	1·060	1·097	1·167	1·268
58	Rheumatic fever	{M	25	0·727	0·549	0·665	0·765	0·668	0·406	0·411	0·426	0·317
		{F	29	0·550	0·458	0·668	0·548	0·475	0·311	0·341	0·394	0·284
59 (a,b)	Rheumatoid arthritis and other chronic articular rheumatism	{M	23	1·053	1·018	0·904	0·854	0·875	0·782	0·746	0·668	0·746
		{F	54	0·972	0·862	0·870	0·811	0·815	0·776	0·729	0·698	0·745
61	Diabetes mellitus	{M	88	1·021	0·908	0·842	0·761	0·721	0·633	0·572	0·503	0·521
		{F	139	0·969	0·870	0·843	0·783	0·770	0·696	0·663	0·601	0·628
63 (b)	Exophthalmic goitre ...	{M	8	0·890	0·721	0·695	0·539	0·571	0·444	0·426	0·358	0·434
		{F	55	0·663	0·604	0·565	0·447	0·434	0·450	0·462	0·408	0·369
73 (a)	Pernicious anæmia	{M	34	1·291	1·186	1·057	0·950	1·040	0·643	0·673	0·541	0·506
		{F	52	1·320	1·184	1·057	0·908	1·031	0·750	0·718	0·563	0·574
74	Leukæmias and aleukæmias	{M	28	0·973	1·119	1·218	1·215	1·291	1·364	1·283	1·338	1·494
		{F	22	0·964	1·075	1·084	1·147	1·251	1·304	1·368	1·304	1·507
81	Meningitis (non-meningo- coccal)	{M	24	1·053	0·911	0·839	0·838	0·696	0·604	0·572	0·459	0·446
		{F	18	0·921	0·890	0·752	0·689	0·640	0·446	0·530	0·394	0·391
83	Intra-cranial lesions of vascular origin	{M	1,009	0·999	0·971	0·938	0·961	0·958	0·959	1·020	0·906	0·982
		{F	1,154	1·032	1·011	1·000	1·004	1·000	1·044	1·090	0·990	1·063
85	Epilepsy	{M	42	1·314	1·153	1·125	1·020	0·956	0·858	0·792	0·595	0·551
		{F	32	1·151	1·092	0·891	0·915	0·836	0·802	0·796	0·627	0·594
87 (c)	Paralysis agitans	{M	25	1·106	0·995	1·022	1·028	1·072	1·016	1·012	0·795	0·932
		{F	25	1·019	0·948	0·941	1·004	1·125	1·033	1·088	0·984	1·113
87 (d)	Disseminated sclerosis ...	{M	19	1·180	1·122	1·067	1·038	1·004	0·898	0·803	0·649	0·741
		{F	17	1·341	1·304	1·202	1·202	1·245	1·112	1·186	1·043	0·982
89	Diseases of the ear and mastoid antrum	{M	39	0·758	0·801	0·952	0·864	0·755	0·611	0·580	0·404	0·366
		{F	24	0·699	0·692	0·773	0·768	0·683	0·589	0·543	0·428	0·314
90-95	Heart diseases	{M	2,856	1·017	0·956	0·952	0·972	0·963	0·981	1·065	0·963	1·070
		{F	2,796	0·973	0·900	0·905	0·890	0·903	0·922	0·960	0·870	0·986
91	Acute endocarditis	{M	29	0·965	0·968	1·049	0·900	0·769	0·535	0·538	0·486	0·411
		{F	27	0·827	0·908	0·865	0·770	0·561	0·471	0·423	0·365	0·356
92	Chronic affections of the valves and endocardium	{M	401	0·986	0·929	0·882	0·898	0·831	0·733	0·707	0·612	0·629
		{F	462	0·932	0·872	0·849	0·831	0·797	0·737	0·714	0·651	0·668
93	Diseases of the myocardium	{M	1,769	1·013	0·928	0·907	0·908	0·886	0·894	0·963	0·804	0·883
		{F	1,899	0·985	0·899	0·908	0·884	0·900	0·919	0·956	0·817	0·939
93 (a)	Acute myocarditis	{M	4	1·187	1·177	1·040	0·843	1·081	0·936	1·048	1·056	0·941
		{F	4	0·863	0·744	1·125	0·832	0·896	1·002	1·252	1·047	1·202
93 (b, c)	Myocardial degeneration, infarction, sclerosis and other chronic myo- carditis (inc. rheumatic)	{M	1,526	1·029	0·947	0·926	0·931	0·911	0·927	1·010	0·847	0·936
		{F	1,646	1·009	0·930	0·936	0·914	0·937	0·962	1·010	0·865	1·004
93 (d)	Myocarditis (not dis. as acute or chronic)	{M	239	0·903	0·793	0·767	0·753	0·719	0·670	0·654	0·510	0·524
		{F	249	0·834	0·689	0·718	0·678	0·657	0·622	0·582	0·486	0·494
94	Diseases of the coronary arteries, angina pectoris	{M	518	1·099	1·129	1·222	1·346	1·438	1·605	1·851	1·950	2·244
		{F	241	1·084	1·127	1·198	1·278	1·384	1·576	1·765	1·994	2·314
95	Other diseases of the heart	{M	127	0·893	0·777	0·698	0·656	0·608	0·590	0·609	0·508	0·600
		{F	160	0·822	0·679	0·618	0·580	0·595	0·591	0·589	0·534	0·568
97	Arteriosclerosis†	{M	252	1·007	0·954	0·924	0·939	0·902	0·947	1·044	0·901	0·984
		{F	208	1·030	0·992	0·992	0·953	0·998	1·076	1·080	0·990	1·156

* See footnote on first page of table.

† Excluding coronary or renal sclerosis or cerebral hæmorrhage.

TABLE 8.—continued.

Inter- national List No.	Causes of Death.		Crude death rate per million living 1938	1941*	1942*	1943*	1944*	1945*	1946*	1947	1948	1949
98	Gangrene	{M F	20 16	0·838 0·895	0·682 0·656	0·514 0·623	0·592 0·600	0·570 0·557	0·532 0·482	0·468 0·563	0·461 0·457	0·382 0·424
100	Diseases of the veins ...	{M F	15 22	0·756 0·956	0·696 0·868	0·846 0·925	0·923 0·912	0·876 1·000	0·871 1·050	0·762 1·008	0·870 1·019	1·166 1·240
104-114	Diseases of the respiratory system	{M F	1,735 1,186	1·071 1·112	0·883 0·820	0·977 0·981	0·860 0·759	0·866 0·790	0·807 0·763	0·884 0·811	0·709 0·608	0·802 0·755
106	Bronchitis	{M F	734 533	1·259 1·247	1·036 0·878	1·127 1·053	1·016 0·813	1·067 0·872	0·993 0·805	1·102 0·854	0·886 0·610	1·017 0·788
106 (a)	Acute	{M F	127 137	1·467 1·495	1·241 1·014	1·398 1·343	1·076 0·856	1·119 0·969	0·981 0·876	1·096 0·949	0·691 0·553	0·819 0·771
106 (b)	Chronic	{M F	426 235	1·307 1·323	1·000 0·976	1·196 1·106	1·155 0·963	1·225 1·032	1·182 0·973	1·329 1·030	1·151 0·834	1·314 1·057
107-109	Pneumonia (all forms) ...	{M F	818 527	0·899 1·010	0·721 0·761	0·816 0·923	0·677 0·695	0·641 0·694	0·602 0·705	0·656 0·754	0·499 0·562	0·551 0·692
107	Broncho-pneumonia ...	{M F	422 320	1·044 1·142	0·801 0·824	0·952 1·014	0·770 0·756	0·771 0·780	0·738 0·805	0·843 0·892	0·623 0·658	0·717 0·826
108	Lobar pneumonia ...	{M F	317 162	0·703 0·764	0·592 0·620	0·621 0·719	0·534 0·533	0·465 0·511	0·423 0·503	0·419 0·501	0·342 0·379	0·332 0·425
109	Pneumonia (unspecified)	{M F	78 44	0·909 0·954	0·793 0·804	0·842 1·004	0·722 0·836	0·609 0·731	0·569 0·694	0·554 0·637	0·421 0·513	0·491 0·648
110	Pleurisy	{M F	29 17	1·036 0·817	0·923 0·741	0·819 0·643	0·725 0·552	0·636 0·562	0·480 0·433	0·483 0·415	0·403 0·362	0·367 0·301
111	Congestion, etc., of the lungs†	{M F	30 36	0·748 0·793	0·654 0·659	0·701 0·698	0·713 0·587	0·590 0·598	0·648 0·669	0·757 0·704	0·693 0·665	0·848 0·819
112	Asthma	{M F	68 54	1·184 1·088	0·965 0·922	1·119 1·073	1·039 0·941	1·121 1·018	1·099 1·005	1·106 1·077	0·918 0·935	1·074 1·039
114 (a,e: 1)	Silicosis, other occupa- tional pneumoconioses and chronic interstitial pneumonia‡	{M F	18 3	0·834 1·059	0·886 0·846	0·976 1·211	1·012 1·361	1·067 1·149	1·088 1·055	1·134 1·251	1·141 1·277	1·285 1·268
115-129	Diseases of the digestive system	{M F	688 494	0·957 0·897	0·899 0·837	0·875 0·821	0·857 0·788	0·847 0·744	0·776 0·723	0·773 0·725	0·635 0·590	0·611 0·579
117 (a)	Ulcer of the stomach ...	{M F	120 39	1·141 1·032	0·945 0·869	0·977 0·777	0·977 0·881	0·953 0·775	0·869 0·808	0·806 0·877	0·769 0·796	0·755 0·804
117 (b)	Ulcer of the duodenum ...	{M F	66 11	1·257 1·040	1·130 0·807	1·126 1·021	1·167 0·928	1·272 1·137	1·123 0·852	1·121 0·946	1·081 1·027	1·157 1·121
118	Other diseases of the stomach	{M F	19 19	0·805 0·766	0·753 0·667	0·673 0·642	0·617 0·553	0·587 0·467	0·534 0·446	0·434 0·386	0·355 0·364	0·310 0·329
121	Appendicitis	{M F	90 58	0·681 0·615	0·696 0·643	0·630 0·696	0·658 0·654	0·596 0·569	0·495 0·499	0·470 0·468	0·379 0·386	0·385 0·363
122 (a)	Hernia	{M F	48 46	1·113 1·454	1·066 1·203	1·077 1·113	0·878 0·976	0·897 0·913	0·971 1·007	0·825 0·974	0·732 0·736	0·643 0·684
122 (b)	Intestinal obstruction ...	{M F	44 33	1·147 1·186	1·162 1·134	1·096 1·083	1·117 1·090	0·913 0·907	0·956 0·988	1·096 1·052	0·803 0·855	0·687 0·790
124	Cirrhosis of the liver ...	{M F	41 21	0·802 0·699	0·652 0·604	0·629 0·623	0·571 0·556	0·573 0·540	0·539 0·584	0·581 0·611	0·537 0·577	0·587 0·678
125	Other diseases of the liver	{M F	7 6	0·903 0·868	0·879 1·155	1·445 1·509	1·300 1·722	1·387 1·921	1·580 1·758	1·735 1·651	1·306 1·633	1·387 1·792
126	Biliary calculi	{M F	16 41	0·695 0·727	0·657 0·655	0·603 0·641	0·603 0·559	0·566 0·574	0·584 0·569	0·537 0·527	0·553 0·508	0·547 0·495
127	Other diseases of the gall bladder and bile ducts	{M F	20 42	0·823 0·793	0·674 0·661	0·686 0·611	0·580 0·586	0·505 0·550	0·415 0·541	0·442 0·455	0·401 0·458	0·424 0·480
128	Diseases of the pancreas ... (other than diabetes) ...	{M F	10 11	0·715 0·737	0·735 0·684	0·551 0·545	0·580 0·647	0·686 0·682	0·622 0·716	0·646 0·699	0·625 0·762	0·756 0·869
129	Peritonitis without stated cause	{M F	6 10	0·725 0·527	0·925 0·558	0·899 0·454	0·775 0·464	0·722 0·336	0·614 0·323	0·543 0·264	0·619 0·265	0·390 0·154
130-132	Nephritis	{M F	395 351	0·933 0·881	0·867 0·802	0·811 0·776	0·786 0·750	0·764 0·716	0·739 0·713	0·717 0·701	0·620 0·596	0·604 0·599

* See footnote on first page of table.

† For full title according to detailed International List see Table 21.

‡ Not specified or indicated as occupational.

TABLE 8—continued.

Inter- national List No.	Causes of Death.		Crude death rate per million living 1938	1941*	1942*	1943*	1944*	1945*	1946*	1947	1948	1949
130	Acute nephritis]	{M F	26 23	0·919 0·873	0·939 0·747	0·806 0·734	0·915 0·688	0·851 0·687	0·696 0·571	0·643 0·535	0·557 0·486	0·479 0·423
131	Chronic nephritis	{M F	338 304	0·948 0·888	0·869 0·806	0·808 0·779	0·783 0·758	0·767 0·730	0·757 0·735	0·739 0·728	0·645 0·615	0·624 0·621
132	Nephritis not stated to be acute or chronic (over 10 years of age)	{M F	30 24	0·769 0·797	0·785 0·798	0·836 0·783	0·704 0·705	0·659 0·586	0·559 0·570	0·543 0·527	0·387 0·459	0·485 0·485
134	Calculi of the urinary passages	{M F	14 9	0·931 0·946	0·874 0·727	0·777 0·810	0·755 0·739	0·809 0·691	0·795 0·700	0·601 0·742	0·642 0·620	0·504 0·544
135 (a)	Cystitis	{M F	25 17	0·703 0·698	0·539 0·476	0·490 0·483	0·488 0·477	0·398 0·419	0·395 0·378	0·369 0·402	0·385 0·310	0·337 0·372
136 (a)	Stricture of the urethra ...	M	16	0·899	0·865	0·736	0·643	0·544	0·509	0·500	0·442	0·415
137	Diseases of the prostate ...	M	238	1·098	1·044	1·035	0·986	0·940	0·906	0·862	0·793	0·808
151	Carbuncle, boils	{M F	16 8	0·807 0·907	0·728 0·984	0·560 0·635	0·558 0·685	0·412 0·462	0·283 0·282	0·200 0·216	0·168 0·194	0·162 0·209
152	Cellulitis, acute abscess ...	{M F	19 10	0·511 0·692	0·468 0·601	0·441 0·567	0·397 0·628	0·287 0·457	0·241 0·311	0·186 0·278	0·189 0·214	0·145 0·214
154	Osteomyelitis and periostitis	{M F	17 7	0·767 0·711	0·854 0·795	0·644 0·641	0·721 0·660	0·483 0·591	0·363 0·365	0·301 0·326	0·263 0·309	0·198 0·210
162	Senility, old age	{M F	316 427	1·057 1·080	0·880 0·940	0·889 0·931	0·837 0·875	0·819 0·884	0·742 0·822	0·701 0·775	0·525 0·594	0·526 0·613
163-198	Deaths from violence ...	{M F	763 356	1·968 2·145	1·117 1·122	1·008 1·000	1·223 1·411	0·922 0·971	0·777 0·822	0·794 0·831	0·702 0·752	0·717 0·742
163-164	Suicide	{M F	180 80	0·688 0·756	0·630 0·739	0·668 0·746	0·669 0·693	0·668 0·781	0·723 0·887	0·708 0·900	0·758 0·930	0·763 0·890
169-195	Accidental deaths (or deaths not known to be due to suicide or homicide)	{M F	575 272	1·315 1·103	1·073 0·940	0·962 0·835	0·949 0·850	0·884 0·827	0·784 0·795	0·815 0·805	0·676 0·695	0·698 0·693
170	Motor vehicle accidents ...	{M F	208 63	1·337 1·165	0·968 0·877	0·752 0·694	0·813 0·832	0·735 0·744	0·728 0·703	0·695 0·694	0·601 0·640	0·672 0·603

* See footnote on first page of table.

TABLE 9.—Comparative Mortality Indexes (All Ages) and Death Rates at Ages Under 15. Principal Epidemic or General Diseases, 1851-1949. } England and Wales.

Notes: (a) See note to Table 8 for explanation of Comparative Mortality Index.
(b) Changes in cause assignment are allowed for throughout as far as possible.
(c) See Explanatory notes on page vi.

Period.	Comparative Mortality Indexes (base year 1938 taken as unity).									Death rates per Million living at ages under 15.				
	Typhoid and paratyphoid fevers. (1 and 2)	Cerebro-spinal (meningococcal) meningitis. (6)	Tuberculosis (all forms). (13-22)	Tuberculosis of respira- tory system. (13)	Syphilis. (30)	Influenza. (33)	Cancer. (45-55)	Diabetes mellitus. (61)	Pneumonia (all forms). (107-109)	Scarlet fever. (8)	Whooping cough. (9)	Diphtheria. (10)	Measles. (35)	Acute polio- myelitis and polioencephalitis. (36)
1851-1860	—	—	5.673	5.744	—	—	0.312	—	—	—	1,319	—	1,082	—
1861-1870	—	—	5.457	5.374	—	—	0.380	—	—	2,282	1,372	1,122	1,148	—
1871-1880	84.371	—	4.725	4.662	—	—	0.469	—	—	1,664	1,316	747	976	—
1881-1890	51.938	—	4.005	3.809	—	—	0.591	—	—	787	1,171	804	1,153	—
1891-1900	45.780	—	3.294	3.006	—	4.391	0.749	—	—	383	1,037	873	1,144	—
1901-1910	23.842	—	2.696	2.445	2.007	2.536	0.853	0.839	—	271	815	571	915	—
1911-1920†	9.284	0.936	2.339	2.202	1.765	5.747	0.923	0.890	1.797	123	554	437	838	13
1921-1930	2.851	0.578	1.622	1.593	1.303	3.609	0.983	0.864	1.475	64	405	298	389	11
1931-1940†	1.213	1.500	1.175	1.178	1.041	2.466	0.998	1.016	1.112	37	186	288	206	11
1851-1855	—	—	5.929	5.984	—	—	0.301	—	—	—	1,338	—	1,047	—
1856-1860	—	—	5.432	5.518	—	—	0.322	—	—	1,919	1,300	1,347	1,114	—
1861-1865	—	—	5.408	5.437	—	—	0.361	—	—	2,307	1,336	1,389	1,189	—
1866-1870	—	—	5.259	5.315	—	—	0.397	—	—	2,258	1,405	871	1,109	—
1871-1875	97.706	—	4.844	4.855	—	—	0.441	—	—	1,760	1,282	788	962	—
1876-1880	71.904	—	4.615	4.482	—	—	0.496	—	—	1,575	1,349	709	988	—
1881-1885	56.990	—	4.191	4.035	—	—	0.548	—	—	1,012	1,180	828	1,070	—
1886-1890	47.199	—	3.831	3.598	—	—	0.631	—	—	572	1,163	781	1,234	—
1891-1895	45.580	—	3.477	3.178	—	5.038	0.706	—	—	434	1,070	875	1,104	—
1896-1900	45.970	—	3.125	2.848	—	3.786	0.789	—	—	331	1,003	872	1,184	—
1901-1905	29.661	—	2.848	2.585	2.065	2.286	0.835	0.793	—	319	874	653	955	—
1906-1910	18.347	—	2.553	2.315	1.952	2.764	0.870	0.881	—	224	756	491	874	—
1911-1915†	12.429	0.813	2.309	2.162	1.911	2.002	0.923	0.966	1.756	161	633	434	1,043	14
1916-1920†	6.020	1.069	2.376	2.250	1.628	9.534	0.923	0.821	1.844	84	473	439	625	12
1921-1925	3.270	0.464	1.741	1.698	1.353	3.769	0.994	0.847	1.560	79	448	302	420	11
1926-1930	2.449	0.698	1.508	1.495	1.259	3.543	0.995	0.897	1.414	48	360	294	357	12
1931-1935	1.352	1.480	1.287	1.288	1.109	2.850	0.999	0.980	1.199	50	223	293	270	11
1936-1940†‡	1.078	1.519	1.065	1.072	0.976	2.112	0.998	1.047	1.028	24	146	283	138	11
1941-1945†‡	0.534	1.598	1.100	1.110	0.762	1.242	0.988	0.847	0.771	10	140	153	75	6
1916†	8.124	1.286	2.532	2.426	1.774	2.694	0.934	0.990	1.651	98	508	457	449	13
1917†	7.430	1.467	2.668	2.550	1.863	2.196	0.930	0.830	1.738	54	382	384	885	11
1918†	7.070	0.904	2.794	2.734	1.641	29.236	0.914	0.755	2.513	72	854	420	838	14
1919†	4.112	0.925	2.121	2.043	1.454	11.512	0.914	0.794	1.724	91	231	437	314	12
1920†	3.760	0.758	1.848	1.757	1.441	2.799	0.922	0.753	1.626	104	388	498	635	9
1921	4.217	0.581	1.823	1.763	1.434	2.399	0.954	0.802	1.497	92	403	420	198	12
1922	3.184	0.490	1.811	1.768	1.427	5.646	0.953	0.879	1.720	95	563	363	508	10
1923	2.942	0.373	1.657	1.604	1.346	2.194	0.966	0.827	1.384	72	370	243	476	9
1924	3.308	0.399	1.696	1.662	1.277	4.860	0.982	0.800	1.567	65	356	225	435	11
1925	2.591	0.477	1.662	1.635	1.244	3.245	0.994	0.806	1.512	74	550	253	486	11
1926	2.443	0.503	1.537	1.507	1.211	2.224	0.992	0.812	1.324	50	378	275	319	16
1927	2.412	0.605	1.556	1.543	1.309	5.475	0.987	0.875	1.529	43	341	250	337	12
1928	2.877	0.626	1.484	1.466	1.317	1.864	1.001	0.893	1.274	43	279	296	404	12
1929	2.495	0.847	1.532	1.535	1.261	7.006	1.000	0.958	1.804	50	604	320	324	10
1930	2.024	0.922	1.431	1.423	1.197	1.178	0.993	0.941	1.140	55	196	332	404	11
1931	1.610	2.127	1.427	1.421	1.193	3.339	0.998	0.947	1.367	39	244	252	320	7
1932	1.644	1.801	1.332	1.313	1.137	3.008	1.001	0.976	1.199	40	288	223	332	13
1933	1.411	1.406	1.314	1.317	1.108	5.150	0.995	0.983	1.213	55	221	255	190	13
1934	1.008	1.104	1.219	1.210	1.058	1.242	1.001	0.991	1.152	72	199	393	368	9
1935	1.092	0.939	1.141	1.146	1.056	1.602	0.998	1.000	1.067	41	159	345	134	11
1936	1.594	0.974	1.095	1.099	1.013	1.292	1.006	1.043	1.113	38	210	311	281	7
1937	1.271	1.074	1.097	1.098	1.000	3.916	0.997	1.048	1.155	27	179	305	106	8
1938	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	27	119	305	169	18
1939†	0.693	0.765	1.001	1.005	0.963	1.830	0.985	1.048	0.841	15	140	228	34	10
1940†‡	0.826	3.829	1.140	1.162	0.908	2.519	1.002	1.098	1.036	12	78	266	95	9
1941†‡	0.983	3.287	1.201	1.202	0.883	1.507	0.994	0.988	0.941	11	279	280	128	9
1942†‡	0.555	1.825	1.090	1.091	0.816	0.734	0.992	0.887	0.733	9	94	192	53	7
1943†‡	0.458	1.191	1.115	1.130	0.773	2.649	0.994	0.843	0.855	11	129	134	86	4
1944†‡	0.358	0.891	1.055	1.701	0.701	0.805	0.975	0.777	0.679	9	121	92	28	4
1945†‡	0.300	0.809	1.033	1.056	0.643	0.545	0.982	0.753	0.658	7	79	67	80	4
1946†‡	0.318	0.713	0.904	0.925	0.643	1.039	0.986	0.674	0.643	3	91	40	22	5
1947†	0.180	0.717	0.903	0.929	0.593	0.635	0.998	0.632	0.696	3	99	23	69	33
1948†	0.293	0.392	0.826	0.862	0.524	0.232	0.999	0.567	0.525	2	80	14	33	8
1949†	0.192	0.374	0.745	0.784	0.518	1.038	0.999	0.591	0.610	1	55	7	30	29

* Including Croup which now forms part of 105.

† Civilian mortality only in 1915-20 and from 3rd September, 1939, for males, and from 1st June, 1941, for females.

‡ The C.M.I.'s. for these years supersede those shown in the Statistical Reviews for the years 1942-46.

TABLE 10.—Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality. 1948 and 1949. { England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties. }

See Explanatory notes on page vi.

Administrative Area.		Mortality per Million Civilian Population at all Ages.																Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births. (119)		Mortality per 1,000 Total (live and still) births.			
		Typhoid and paratyphoid fevers. (1 & 2)		Cerebro-spinal (menin- gococcal) meningitis. (6)		Scarlet fever. (8)		Whooping cough. (9)		Diphtheria. (10)		Tuberculosis (all forms). (13-22)		Tuberculosis of the respira- tory system. (13)		Measles. (35)		Infant Mortality per 1,000 related Live Births.		Mortality per 1,000 Total (live and still) births.			
																				Infection during child-birth and the puerperium. (147)		Maternal mortality not due to abortion.	
		Others. (142-146, 148-150)		1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949
England and Wales		1	1	7	7	1	0	17	12	4	2	507	458	440	403	8	7	34	32	0.13	0.11	0.74	0.71
London Admin. County		0	1	11	6	1	0	16	8	6	3	630	516	569	470	8	5	30	27	0.13	0.02	0.37	0.38
City of London		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	96	—	—	—	—
The Temples		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Battersea		—	—	17	—	9	—	17	9	—	—	661	460	592	408	9	—	31	25	—	—	0.87	0.97
Bermondsey		—	—	—	17	—	—	—	—	—	83	811	678	745	662	—	—	16	28	—	—	0.80	—
Bethnal Green		—	—	33	—	—	—	33	—	—	17	743	321	677	288	17	17	23	31	1.76	0.96	0.86	0.94
Camberwell		—	6	6	11	—	—	22	6	—	6	657	528	567	444	6	6	31	24	2.36	1.58	0.58	0.62
Chelsea		—	—	—	—	—	—	39	19	—	—	550	289	491	269	—	—	39	26	6.77	1.14	—	—
Deptford		—	—	—	—	—	—	—	13	13	—	674	576	555	524	—	13	21	29	—	—	0.62	—
Finsbury		—	—	—	28	—	—	—	—	—	—	730	555	645	555	—	—	32	25	1.47	1.50	—	1.47
Fulham		8	8	—	—	—	—	24	16	24	—	592	484	552	419	—	16	26	26	3.09	2.44	0.43	0.48
Greenwich		—	—	—	—	—	—	12	11	—	—	711	525	616	468	—	—	26	23	1.20	0.65	0.59	—
Hackney		—	—	—	—	—	—	6	12	35	—	596	532	573	497	—	6	24	22	2.67	1.47	—	—
Hammersmith		—	—	43	8	—	—	17	8	—	—	656	431	579	380	—	—	35	28	1.87	1.02	—	0.99
Hampstead		—	—	—	—	—	—	10	21	—	—	398	278	388	278	—	—	28	28	1.99	1.40	—	1.37
Holborn		—	—	40	—	—	—	40	—	—	—	521	590	481	550	—	—	19	36	2.80	3.05	—	—
Islington		—	—	13	13	4	—	25	4	—	8	764	568	659	522	4	—	35	27	2.82	1.82	—	0.45
Kensington		—	—	6	11	—	—	30	6	6	—	509	339	450	321	12	—	37	24	3.41	2.25	1.01	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(21)	(22)	(23)	(24)

TABLE 10.—continued.

Administrative Area.	Mortality per Million Civilian Population at all Ages.																		Mortality per 1,000 Total (live and still) births.									
																			Infant Mortality per 1,000 related Live Births.		Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births. (119)		Mortality per 1,000 Total (live and still) births.					
																			1948	1949	1948	1949			1948	1949		
	Typhoid and paratyphoid fevers. (1 & 2)		Cerebro-spinal (menin- gocoecal) meningitis. (6)		Scarlet fever. (8)		Whooping cough. (9)		Diphtheria. (10)		Tuberculosis (all forms). (13-22)		Tuberculosis of the respira- tory system. (13)		Measles. (35)													
	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949
Lambeth ...	—	—	22	9	—	—	9	9	—	—	596	580	565	523	18	—	27	29	4.89	3.16	—	—	—	—	0.23	—	—	—
Lewisham ...	—	—	9	—	—	—	31	4	—	—	526	470	482	404	9	4	28	19	1.64	1.04	—	—	—	—	0.23	0.26	—	—
Paddington ...	—	—	8	—	—	—	16	8	—	—	632	651	539	605	16	15	35	26	3.40	0.90	—	—	—	—	0.42	—	—	—
Poplar ...	—	—	—	27	—	—	—	—	—	—	827	603	787	577	—	13	33	36	1.28	3.68	—	—	—	—	0.63	2.16	—	—
St. Marylebone ...	—	—	—	—	—	—	—	—	—	—	408	359	369	359	—	—	31	22	3.10	2.22	—	—	—	—	—	—	—	—
St. Pancras ...	—	—	—	—	—	—	7	7	7	—	699	743	642	700	7	7	37	30	2.45	0.87	—	—	—	—	—	—	—	—
Shoreditch ...	—	—	—	22	—	—	22	22	22	—	845	841	778	730	22	—	24	38	2.31	4.61	—	—	—	—	—	—	—	—
Southwark ...	—	—	42	—	—	—	32	10	11	—	909	682	856	620	42	10	36	29	2.90	1.60	—	—	—	—	0.95	1.03	—	—
Stepney ...	—	—	20	10	—	—	20	—	—	—	764	706	684	656	10	—	28	32	3.42	2.17	—	—	—	—	—	0.53	—	—
Stoke Newington ...	—	—	22	—	—	—	—	—	—	—	573	538	529	516	—	22	27	16	2.19	1.05	—	—	—	—	—	—	—	—
Wandsworth ...	—	—	6	6	—	—	18	9	—	—	544	454	493	397	9	—	31	26	2.35	0.59	—	—	—	—	0.53	0.19	—	—
Westminster ...	—	—	30	—	—	10	—	20	30	—	595	509	575	460	10	10	38	33	10.15	4.80	—	—	—	—	—	0.79	—	—
Woolwich ...	—	—	7	7	—	—	7	7	—	—	574	410	490	382	7	14	29	28	0.80	1.98	—	—	—	—	0.39	—	—	—
County Boroughs ...	1	1	9	9	1	1	21	19	4	2	628	571	552	508	9	8	38	37	4.76	4.23	0.11	0.11	0.11	0.11	0.63	0.72	0.63	0.72
Barnsley ...	—	—	27	13	—	—	107	—	—	—	602	492	495	385	13	27	46	41	10.30	4.18	0.63	—	—	—	1.26	—	—	—
Barrow-in-Furness ...	—	—	15	15	—	—	—	15	—	—	460	677	415	603	—	—	50	48	3.09	6.58	—	—	—	—	0.76	—	—	—
Bath ...	—	—	13	—	—	—	—	13	—	—	465	453	401	375	13	—	35	29	0.80	—	—	—	—	—	0.78	—	—	—
Birkenhead ...	—	—	21	7	—	—	21	14	29	14	955	749	827	679	14	—	52	40	10.30	3.96	—	—	—	—	0.32	0.70	0.35	0.70
Birmingham ...	—	1	2	9	2	—	26	16	5	1	634	586	570	527	5	8	31	30	3.44	3.31	0.09	0.05	0.05	0.05	0.41	0.34	0.05	0.34
Blackburn ...	—	9	18	—	9	—	—	9	—	—	510	468	448	387	9	9	36	46	2.19	6.03	0.53	—	—	—	1.07	1.17	0.53	1.17
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Blackpool	...	7	26	7	—	—	—	7	—	—	455	455	429	415	—	13	36	26	2.51	—	0.49	—	0.98	1.07
Bolton	...	—	12	6	6	—	12	12	—	—	419	375	371	316	6	6	38	31	1.74	0.74	—	—	1.01	0.36
Boole	...	—	29	14	—	—	—	71	14	—	920	1043	805	943	14	14	53	54	8.24	11.62	—	—	—	0.63
Bournemouth...	...	—	—	—	—	—	—	—	7	—	532	447	489	389	—	7	27	32	—	2.97	—	0.58	0.51	1.74
Bradford	...	—	10	10	—	3	14	3	—	7	489	484	419	408	7	10	43	38	5.16	3.37	—	—	0.36	1.16
Brighton	...	—	6	6	—	—	—	—	—	—	447	387	369	342	6	—	31	36	2.00	4.03	0.39	—	0.39	0.88
Bristol	...	2	—	2	—	—	18	5	—	—	547	493	478	441	2	9	24	25	0.38	0.67	0.38	—	0.38	0.65
Burnley	...	—	—	—	—	—	12	12	—	—	532	532	485	449	—	—	49	42	5.46	2.16	—	—	0.66	0.70
Burton upon Trent	...	—	21	—	—	—	—	82	—	—	639	493	618	432	—	—	39	38	6.90	3.22	—	—	—	2.09
Bury	...	—	—	17	—	—	17	—	—	—	379	341	327	324	—	17	47	44	1.94	3.31	0.94	—	0.94	—
Canterbury	...	—	—	38	—	—	—	—	—	—	670	459	552	306	—	—	22	28	—	2.18	—	—	—	—
Carlisle	...	—	—	—	15	—	—	—	15	—	488	745	457	700	—	15	25	36	2.51	3.29	—	—	0.81	1.61
Chester	...	—	—	—	—	—	21	—	—	—	720	779	657	716	—	—	36	33	3.44	2.30	—	1.12	1.12	2.24
Coventry	...	4	4	12	—	—	20	8	—	8	611	605	507	503	12	4	45	39	3.15	4.44	0.19	—	0.58	0.83
Croydon	...	—	4	—	—	—	24	8	—	4	449	376	405	352	4	4	27	29	1.56	1.74	0.22	—	0.22	0.98
Darlington	...	—	24	—	—	—	12	—	—	—	583	461	524	413	—	—	31	43	2.58	6.52	—	—	3.16	0.71
Derby	7	7	28	—	—	21	21	—	—	494	575	395	490	—	—	32	36	5.68	2.39	0.74	—	0.37	0.39
Dewsbury	...	—	—	19	—	19	19	—	—	—	343	341	248	228	—	19	39	30	8.79	2.95	—	—	—	—
Doncaster	...	—	—	—	13	—	—	—	—	12	427	387	427	350	—	—	40	39	3.97	6.32	—	0.69	1.29	—
Dudley	...	—	16	—	—	—	—	80	—	—	655	525	543	445	—	16	33	47	—	6.26	—	—	—	—
Eastbourne	...	—	18	—	—	—	—	—	—	—	336	387	247	352	18	—	26	22	2.50	2.73	—	—	—	2.66
East Ham	...	—	8	8	—	—	17	—	—	16	595	361	504	336	17	8	26	25	1.38	1.55	—	—	0.45	1.51
Exeter	...	—	—	13	—	—	—	13	—	—	466	522	413	418	—	—	18	25	1.52	—	—	—	1.47	0.81
Gateshead	...	9	—	9	—	—	9	9	9	—	1017	879	860	792	17	9	39	48	4.91	7.98	—	—	0.40	—
Gloucester	...	16	16	—	—	—	16	15	16	—	842	495	811	418	16	—	35	40	3.34	3.44	—	—	—	—
Great Yarmouth	...	20	—	—	—	—	—	—	—	—	658	357	519	337	—	—	32	34	2.12	1.23	—	—	2.07	—
Grimsby	...	—	—	—	11	11	22	44	11	11	747	515	615	482	33	11	29	32	3.16	2.14	—	—	—	0.52
Halifax	...	10	—	10	—	—	10	10	—	—	332	327	290	297	21	20	29	33	5.28	1.24	—	—	0.57	—
Hastings	...	—	—	—	—	—	31	15	—	—	658	462	520	446	15	15	35	27	5.10	1.10	—	—	—	1.07
Huddersfield	...	—	16	—	—	—	24	—	—	—	322	413	259	351	16	8	32	34	4.12	1.53	—	—	0.45	0.50
Ipswich	...	10	—	19	—	—	—	—	20	—	382	270	304	241	—	10	23	18	0.54	0.52	—	—	0.53	0.51
Kingston upon Hull	...	—	7	3	—	3	17	20	—	—	683	671	585	624	14	3	46	41	6.20	5.79	—	—	0.74	1.41
Leeds	—	10	2	—	2	12	10	2	—	552	549	488	481	8	10	34	30	6.16	1.55	—	—	0.21	0.93

TABLE 10—continued.

Administrative Area.	Mortality per Million Civilian Population at all Ages.														Mortality per 1,000 Total (live and still) births.									
	Mortality per Million Civilian Population at all Ages.														Infant Mortality per 1,000 related Live Births.		Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births. (119)	Others. (142-146, 148-150)						
Typhoid and paratyphoid fevers. (1 & 2)		Cerebro-spinal (meningococcal) meningitis. (6)		Scarlet fever. (8)		Whooping cough. (9)		Diphtheria. (10)		Tuberculosis (all forms). (13-22)		Tuberculosis of the respiratory system. (13)		Measles. (35)		1948	1949							
1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949							
Leicester	—	—	11	4	—	—	4	18	4	—	653	582	574	505	—	4	38	24	3·54	1·19	—	0·58	0·91	0·97
Lincoln	15	—	15	—	—	—	29	15	—	—	516	567	442	509	29	—	28	33	1·60	1·86	—	0·90	1·56	0·90
Liverpool	—	4	10	22	—	—	39	72	15	5	889	772	784	676	16	14	52	44	10·01	5·93	—	0·06	0·55	0·30
Manchester	1	—	12	11	—	—	27	41	1	—	759	652	688	597	25	10	42	38	4·22	4·58	0·07	0·30	0·64	0·67
Middlesbrough	—	—	7	21	—	—	7	28	35	21	760	745	656	662	7	7	47	50	10·82	16·53	—	—	0·88	0·64
Newcastle upon Tyne	3	—	—	10	—	—	10	10	—	—	824	832	736	764	3	—	37	39	5·08	5·80	—	—	0·85	0·92
Northampton...	—	10	10	—	—	—	19	—	—	—	422	364	412	345	—	19	38	30	2·74	1·83	0·54	—	—	—
Norwich	—	—	—	17	—	—	25	—	—	—	517	412	458	378	—	—	32	30	3·76	5·42	—	—	—	1·44
Nottingham	—	—	10	13	—	—	37	3	10	—	785	669	670	625	13	17	44	38	5·97	6·64	—	—	0·17	0·34
Oldham	—	—	8	—	—	—	25	8	8	—	514	398	406	323	25	17	46	41	7·65	1·52	0·88	—	2·19	1·48
Oxford	—	—	10	—	—	—	10	9	—	—	399	261	342	224	—	—	23	27	—	1·22	1·20	—	0·60	0·60
Plymouth	5	—	21	10	—	—	11	26	5	5	847	655	730	623	—	5	29	34	2·75	2·12	0·24	—	0·49	1·55
Portsmouth	5	—	5	9	—	—	9	5	—	5	597	490	537	449	5	18	23	24	1·98	2·16	0·21	0·24	1·29	0·71
Preston	—	—	8	—	—	—	—	17	—	—	660	477	550	402	25	—	38	43	2·69	7·40	0·43	0·45	—	—
Reading	—	—	17	17	9	—	17	—	—	—	541	339	437	295	—	9	34	26	3·41	1·08	0·48	—	0·48	0·53
Rochdale	—	11	23	—	—	—	11	—	—	—	556	214	499	169	11	45	37	41	2·66	2·21	—	—	—	2·15
Rotherham	—	—	12	—	—	—	25	—	—	12	393	354	381	293	—	12	69	52	19·03	15·60	—	—	—	0·63
St. Helens	—	—	9	18	—	—	9	18	9	9	636	580	572	517	—	—	60	41	5·95	4·99	—	—	1·65	1·45
Salford	11	—	11	17	—	—	34	28	—	6	898	693	780	632	17	6	41	52	4·79	8·58	—	—	0·78	—
Sheffield	2	—	8	6	2	—	49	8	2	—	494	514	439	440	14	4	32	35	4·72	3·60	0·11	0·12	0·54	0·49
Smethwick	—	—	—	—	—	—	—	26	—	—	622	646	622	581	13	13	29	42	0·69	6·05	—	—	0·68	—
Southampton	—	—	11	—	—	—	39	28	—	—	632	477	531	433	11	11	36	37	4·05	3·83	—	0·57	1·32	0·86
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

Southeast-on-Sea	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Southport	...	—	—	—	7	—	7	—	—	—	486	357	425	336	—	7	22	26	—	0.85	—	—	0.39	—
South Shields	...	—	—	—	—	—	12	12	—	—	350	362	315	304	12	23	34	39	2.56	2.05	—	—	1.67	2.01
Stockport	...	9	—	9	—	—	—	—	19	18	749	1024	655	941	9	9	41	45	4.71	6.63	0.46	0.93	2.74	0.93
Stoke on Trent	...	—	—	—	—	—	14	28	—	—	433	502	383	452	—	7	36	41	6.08	7.51	—	—	0.39	0.43
	...	—	—	—	—	—	44	11	—	—	592	565	537	525	18	4	41	35	5.65	2.15	—	0.38	0.35	1.14
Sunderland	...	—	—	—	—	—	28	39	—	11	731	778	592	678	11	—	54	56	9.32	7.75	0.25	—	0.25	1.35
Tynemouth	...	—	—	—	—	—	30	45	30	—	893	602	712	511	—	—	47	37	4.63	0.77	—	—	1.51	1.50
Wakefield	...	—	—	—	—	—	—	—	—	—	414	366	363	332	17	—	33	35	4.88	0.99	—	0.96	0.94	1.93
Wallasey	...	—	—	—	—	—	—	10	30	—	623	586	533	467	10	—	43	35	3.37	4.45	—	—	—	0.54
Walsall	...	—	—	—	9	—	18	44	9	—	755	926	702	847	—	44	42	55	3.01	15.90	—	0.44	0.84	0.88
Warrington	...	—	—	—	—	—	—	25	—	—	771	469	706	431	13	25	46	80	4.57	23.29	—	—	—	—
West Bromwich	...	—	—	—	—	—	23	69	12	23	850	887	734	772	—	—	51	49	12.32	10.15	—	—	1.15	—
West Ham	...	6	—	—	—	—	35	23	12	6	610	547	547	489	—	12	30	24	3.00	0.92	—	—	0.53	0.30
West Hartlepool	...	—	—	—	—	14	14	—	—	—	755	622	587	539	14	—	47	42	6.78	5.35	—	—	0.61	1.31
Wigan	...	—	—	—	—	—	—	—	—	—	474	578	415	495	12	24	53	47	6.33	2.78	—	—	—	1.33
Wolverhampton	...	—	—	—	—	—	82	—	—	6	572	600	515	563	13	—	49	39	10.22	5.17	0.31	—	1.88	0.34
Worcester	...	—	—	—	—	—	—	—	—	—	715	516	634	419	—	—	38	30	3.59	0.99	—	—	0.88	—
York	...	—	—	—	—	—	10	48	—	—	453	287	415	249	—	10	33	21	1.05	0.55	—	—	0.52	2.70
Cardiff	...	4	—	—	—	—	17	16	—	—	744	674	682	637	8	4	36	31	4.34	3.57	0.20	—	0.40	1.22
Merthyr Tydfil	...	—	—	—	—	—	17	—	17	—	755	591	704	526	—	—	47	47	—	0.93	—	—	5.27	—
Newport (Mon.)	...	—	—	—	—	—	29	9	—	—	621	699	554	662	19	—	44	40	9.44	5.38	—	0.52	0.46	—
Swansea	...	—	—	—	—	—	51	37	6	—	684	731	608	600	—	37	39	45	4.18	4.43	—	—	0.34	1.08
Admin. Counties	...	1	1	6	1	0	16	9	3	2	451	405	388	355	7	7	32	30	2.31	2.17	0.13	0.11	0.79	0.70
Bedfordshire	...	3	—	—	—	—	20	7	—	—	395	384	341	321	—	10	30	26	2.12	1.98	—	0.19	0.75	0.78
Berkshire	...	4	4	—	—	—	—	18	—	—	358	276	314	254	4	14	23	25	1.00	1.05	—	—	0.39	0.62
Buckinghamshire	...	3	—	—	3	—	5	3	—	—	339	298	306	272	—	3	26	22	0.61	0.94	—	—	0.45	0.15
Cambridgeshire	...	—	—	—	—	—	—	6	—	—	404	292	343	251	—	12	20	25	0.71	1.51	—	0.74	0.35	—
Cheshire	...	—	1	3	1	1	11	6	1	5	351	332	302	277	6	10	31	30	1.72	2.95	0.29	0.08	0.80	1.40
Cornwall	...	—	—	—	—	—	27	3	—	3	434	452	338	382	3	3	35	32	1.29	1.17	—	—	1.26	0.38
Cumberland	...	—	—	—	—	—	24	38	—	—	624	622	552	504	14	24	36	34	2.46	2.56	—	0.25	1.43	1.49

TABLE 10—continued.

Administrative Area.	Mortality per Million Civilian Population at all Ages.														Infant Mortality per 1,000 related Live Births.		Mortality from Enteritis and diarrhoea under Two Years per 1,000 Live Births. (119)		Mortality per 1,000 Total (live and still) births.					
	Typhoid and paratyphoid fevers. (1 & 2)		Cerebro-spinal (meningococcal) meningitis. (6)		Scarlet fever, (8)		Whooping cough. (9)		Diphtheria. (10)		Tuberculosis (all forms). (13-22)		Tuberculosis of the respiratory system. (13)										Measles. (35)	
	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949	1948	1949		
Derbyshire ...	—	—	7	7	—	3	15	13	6	—	363	303	304	263	10	9	3.79	3.31	—	0.08	0.56	0.85		
Devonshire ...	2	—	4	8	—	—	12	14	—	—	391	369	321	311	2	4	1.79	1.50	0.13	0.13	0.75	1.33		
Dorsetshire ...	—	—	15	7	—	—	11	15	—	—	378	290	326	236	—	7	0.64	0.45	—	—	0.63	0.44		
Durham ...	—	—	6	7	2	—	17	19	8	4	594	548	479	463	15	3	3.05	4.09	0.06	0.17	0.83	0.75		
Ely, Isle of ...	11	—	—	—	—	—	34	—	—	—	308	251	263	205	—	—	1.22	—	—	—	0.59	0.61		
Essex ...	1	—	8	12	1	1	16	6	3	1	402	373	352	336	6	7	1.50	0.92	0.04	0.12	0.70	0.43		
Gloucestershire ...	—	—	7	5	2	—	17	5	—	2	516	392	448	335	—	12	3.11	2.17	0.13	0.27	0.79	0.93		
Herefordshire...	—	—	—	—	—	—	40	—	—	—	429	500	364	452	8	16	2.99	2.18	—	—	0.42	0.43		
Hertfordshire ...	—	2	2	—	3	—	10	—	2	—	352	283	308	235	2	7	1.24	0.63	0.10	—	0.40	0.10		
Huntingdonshire ...	—	—	—	16	—	—	32	16	—	—	379	203	332	187	—	16	1.66	1.76	—	—	1.62	2.58		
Kent ...	1	1	3	7	—	—	15	7	1	1	475	441	407	390	5	4	1.75	2.08	0.19	0.16	0.82	0.80		
Lancashire ...	1	1	6	7	2	1	19	15	5	2	406	395	343	335	13	7	3.46	3.86	0.08	0.15	0.85	0.60		
Leicestershire ...	—	—	12	—	3	—	18	20	3	3	420	392	352	348	3	9	1.73	0.85	0.15	0.17	1.23	0.50		
Lincolnshire, Holland	—	—	—	—	—	—	10	10	—	—	349	327	250	258	10	—	1.06	4.38	—	—	—	1.07		
" Kesteven	—	—	8	—	—	—	8	8	—	—	326	290	268	248	17	8	—	0.91	—	—	0.84	2.23		
" Lindsey	—	—	3	3	—	—	51	3	—	3	309	398	254	338	10	7	2.80	1.65	0.34	0.18	1.37	1.07		
London ...	0	1	11	6	1	0	16	8	6	3	630	516	569	470	8	5	2.70	1.73	0.13	0.02	0.37	0.38		
Middlesex ...	1	—	2	4	0	—	11	6	2	—	401	375	349	337	5	4	2.14	1.60	0.08	0.12	0.67	0.67		
Norfolk ...	—	—	6	3	3	—	14	3	—	—	381	320	295	283	14	6	2.93	2.77	0.48	0.17	0.16	0.51		
Northamptonshire ...	—	8	4	—	—	4	16	16	—	—	424	435	351	403	—	—	1.62	1.48	0.23	—	0.68	0.24		
Northumberland ...	—	2	12	5	—	—	19	9	—	—	507	428	433	368	5	2	3.99	3.55	0.38	0.13	1.50	0.26		
Nottinghamshire ...	—	2	—	6	—	—	31	4	12	2	390	405	316	356	8	4	3.27	1.98	0.10	0.11	0.72	0.43		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Oxfordshire ...	—	—	6	—	—	—	25	6	—	—	349	208	318	153	—	6	22	25	1·00	0·33	0·33	—	0·98	—
Peterborough, Soke of	—	—	—	—	—	—	—	—	—	—	387	188	306	157	32	—	37	27	0·92	2·98	—	—	—	0·97
Rutlandshire	—	—	—	—	—	—	52	—	—	—	312	206	260	206	—	—	49	23	—	2·60	—	—	—	—
Shropshire ...	7	—	—	7	—	4	33	15	—	4	349	430	297	367	15	7	35	29	2·14	1·21	—	—	0·38	0·59
Somersetshire...	2	—	6	9	—	—	9	2	—	—	377	340	319	301	2	4	24	29	1·14	1·01	0·12	0·25	0·50	0·74
Southampton	—	—	2	2	—	—	21	9	2	2	350	328	289	283	3	22	28	26	1·63	1·69	0·18	0·46	0·71	1·29
Staffordshire	1	—	6	7	—	—	25	21	12	10	521	451	458	394	7	12	38	35	3·65	3·79	0·06	0·13	1·19	0·99
Suffolk, East	—	—	5	5	—	—	5	9	—	—	361	256	313	247	9	5	19	27	1·87	1·42	0·52	—	—	0·28
" West	—	—	9	9	—	—	18	—	—	—	384	303	286	232	—	—	26	30	1·99	1·58	—	—	1·94	—
Surrey ...	2	1	8	4	2	—	8	3	—	1	380	311	336	271	5	4	24	24	0·96	0·76	0·05	0·05	0·80	0·30
Sussex, East ...	—	—	3	—	—	—	9	3	—	—	373	312	334	288	3	6	25	21	2·27	1·08	0·20	0·21	0·61	0·85
" West ...	—	—	—	—	—	3	3	—	—	—	374	307	335	275	—	—	23	27	1·03	0·87	—	0·21	0·40	0·85
Warwickshire	—	4	8	2	—	—	4	10	25	2	457	371	392	306	6	4	31	28	1·50	1·70	0·45	—	0·91	0·83
Westmorland	—	—	15	—	—	—	—	15	—	—	345	347	255	302	—	15	38	33	—	1·92	0·94	0·94	—	—
Wight, Isle of...	—	—	—	—	—	—	11	—	—	—	363	346	320	302	—	11	27	31	0·67	1·47	0·66	—	1·31	2·14
Wiltshire ...	—	—	9	6	3	—	17	26	—	3	377	294	311	260	3	3	29	25	1·09	0·82	0·31	0·16	0·76	0·97
Worcestershire	3	—	10	5	—	—	10	26	—	5	400	427	348	373	5	8	29	30	2·18	1·79	0·43	0·15	0·57	1·75
Yorkshire, East Riding	—	—	—	5	—	—	5	—	—	—	311	350	233	302	5	—	32	29	1·46	3·34	0·57	0·30	0·86	1·78
" North	—	3	3	—	—	—	11	3	3	3	423	416	352	359	9	11	38	39	1·96	3·73	0·15	0·15	1·32	0·61
" West	2	1	10	10	—	1	20	11	6	3	435	370	366	316	10	11	38	38	4·39	3·28	0·07	0·04	1·01	0·68
Anglesey ...	20	—	20	—	—	—	61	20	—	—	672	507	631	467	61	—	38	44	1·08	—	—	—	—	1·12
Brecknockshire	—	—	—	—	—	—	—	—	—	—	595	572	502	462	—	—	31	43	3·26	3·17	—	—	2·09	—
Caernarvonshire	—	—	8	—	—	—	—	16	—	—	762	713	666	632	—	8	38	35	—	2·14	—	—	2·94	1·05
Cardiganshire	—	—	—	—	—	—	—	—	—	—	559	500	541	407	—	—	52	35	—	2·66	1·20	—	2·41	2·61
Carmarthenshire	—	—	—	6	6	—	6	35	—	—	670	662	523	556	24	—	35	43	1·81	1·16	—	0·75	0·71	2·26
Denbighshire	6	—	12	18	—	—	12	6	—	—	424	433	376	368	12	—	38	40	1·32	4·53	—	0·34	0·96	1·01
Flintshire ...	—	—	—	7	7	—	—	14	—	7	608	734	528	670	7	—	31	34	2·28	1·65	—	0·40	1·11	—
Glamorganshire	3	—	4	11	1	—	23	3	3	—	626	604	542	546	8	7	40	40	2·19	3·59	0·28	0·08	1·49	0·93
Merionethshire	—	—	—	—	—	—	—	77	—	—	740	850	740	695	77	—	35	32	1·48	1·55	—	—	—	—
Monmouthshire	—	—	16	9	9	—	22	9	9	—	617	568	525	493	9	6	43	43	3·43	4·48	0·16	—	1·59	1·34
Montgomeryshire	—	—	—	—	—	—	44	—	—	—	593	503	483	503	—	22	40	45	1·24	2·47	1·21	—	1·21	—
Pembrokeshire	—	—	23	—	—	—	12	12	—	—	465	485	337	473	12	12	36	40	1·27	0·65	—	—	2·47	1·25
Radnorshire ...	—	—	—	—	—	—	49	—	—	—	296	99	197	99	49	—	72	29	—	6·51	—	—	—	—

TABLE 11.—Deaths under One Year of Age from } England and Wales.
Certain Causes, 1939-1949.

See Explanatory notes on page vi.

Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
ALL CAUSES	31,190	33,892	34,550	32,258	33,431	33,455	31,959	33,541	36,849	26,766	23,882
I—Infective Diseases other than Tuberculosis (1-12, 23-44)	1,407	1,678	2,440	1,295	1,764	1,425	1,289	1,233	1,451	963	872
II—Tuberculous Diseases (13-22)	314	361	389	339	347	308	307	284	337	246	163
III—Enteritis and Diarrhoea (119)	2,660	2,655	2,757	3,252	3,354	3,517	3,592	3,341	4,606	2,304	1,963
IV—Developmental and Wasting Diseases (157-159, 161a)	15,276	15,167	14,738	15,378	14,821	15,227	13,957	16,115	15,992	12,476	11,552
V—Miscellaneous Diseases—(Remainder)	11,533	14,031	14,226	11,994	13,145	12,978	12,814	12,568	14,463	10,777	9,332
Cerebro-spinal (meningococcal) meningitis (6) ...	126	415	310	219	187	159	190	142	182	98	112
Whooping cough (9) ...	689	357	1,218	487	621	686	412	512	564	484	357
Diphtheria (10)	41	58	75	43	57	26	18	23	16	6	2
Tuberculosis of meninges and central nervous system (14)	164	199	218	188	179	164	181	149	153	113	85
Tuberculosis of intestines and peritoneum (15)	40	38	38	33	29	36	28	14	15	8	4
Other tuberculous diseases (13, 16-22)	110	124	133	118	139	108	98	121	169	125	74
Congenital syphilis (30da)	107	100	117	119	153	108	106	122	83	75	61
Influenza (33)	220	358	269	156	337	194	170	229	177	100	151
Measles (35)	87	249	324	136	256	89	252	88	252	107	86
Hæmorrhagic conditions (72)	49	57	49	45	36	47	38	33	33	23	16
Meningitis (non-meningococcal) (81)	212	199	179	184	177	177	196	147	199	148	138
Convulsions (86)	713	736	761	641	514	460	394	335	304	209	133
Diseases of the ear and mastoid antrum (89) ...	323	253	254	247	323	358	355	336	342	236	154
Bronchitis (106)	1,113	1,583	1,787	1,070	1,236	1,097	1,077	878	850	654	510
Pneumonia (107-109)	4,396	5,971	6,095	4,649	5,693	5,111	5,447	5,155	6,125	4,374	3,803
Other respiratory diseases (104, 105, 110-114) ...	88	117	121	116	107	105	117	115	110	121	80
Inflammation of stomach (118 : 1)	105	105	128	110	94	92	84	61	79	37	25
Enteritis and diarrhoea (119)	2,660	2,655	2,757	3,252	3,354	3,517	3,592	3,341	4,606	2,304	1,963
Hernia, intestinal obstruction (122)	244	249	254	259	278	272	179	234	237	174	92
Congenital malformations (157)	3,751	3,953	3,773	4,173	4,021	4,094	3,874	4,293	4,359	3,497	3,383
Congenital debility (158)	1,048	1,269	1,227	1,051	853	821	649	622	624	322	191
Premature birth (159)	9,179	8,598	8,477	8,861	8,727	8,831	7,530	8,825	8,433	6,512	5,569
Injury at birth (160)	1,670	1,620	1,473	1,660	1,607	1,767	1,822	2,195	2,423	2,020	1,907
Other diseases peculiar to first year of life (161)	2,222	2,526	2,319	2,430	2,443	2,854	3,135	3,647	4,087	3,211	3,328
Asphyxia, atelectasis (161a)	1,298	1,347	1,261	1,293	1,220	1,481	1,904	2,375	2,576	2,145	2,409
Pemphigus neonatorum (161 c: 2)	41	73	70	67	69	64	39	40	35	17	7
Hæmolytic diseases of newborn (161 e: 1)	324	317	307	402	430	469	496	559	663	557	520
Melæna neonatorum (161d)	398	447	320	306	295	287	266	252	345	199	166
Other diseases included under 161 (161b, c1, c3, e2) ...	161	342	361	362	429	553	430	421	468	293	226
Suffocation in bed or not stated how (182 pt.) ...	295	300	395	357	356	448	407	448	517	374	343
Lack of care of newborn (195c)	147	133	172	176	178	189	195	147	154	131	130
Other causes (remainder)	1,391	1,670	1,627	1,478	1,476	1,645	1,413	1,329	1,756	1,303	1,185

TABLE 12.—Infant Mortality (Deaths under
1 Year per 1,000 Related Live Births) from } England and Wales.
Certain Causes, 1939-1949.

See Explanatory notes on page vi.

Causes of Death.	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
ALL CAUSES	50·57	56·77	60·04	50·62	49·12	45·44	46·00	42·85	41·37	33·93	32·37
I—Infective Diseases other than Tuberculosis (1-12, 23-44)	2·28	2·81	4·24	2·09	2·60	1·98	1·81	1·67	1·63	1·19	1·15
II—Tuberculous Diseases (13-22)	0·51	0·60	0·67	0·54	0·51	0·44	0·42	0·40	0·38	0·30	0·21
III—Enteritis and Diarrhoea (119)	4·31	4·44	4·82	5·17	4·94	4·84	5·12	4·40	5·15	2·88	2·63
IV—Developmental and Wasting Diseases (157-159, 161a)	24·76	25·41	25·56	23·79	21·69	20·40	20·33	20·03	18·01	15·99	15·73
V—Miscellaneous Diseases—(Remainder)	18·70	23·50	24·75	19·03	19·38	17·78	18·32	16·35	16·20	13·57	12·61
Cerebro-spinal (meningo-coccal) meningitis (6) ...	0·20	0·69	0·54	0·36	0·27	0·22	0·27	0·20	0·21	0·11	0·15
Whooping cough (9) ...	1·11	0·60	2·13	0·79	0·92	0·96	0·57	0·69	0·63	0·59	0·48
Diphtheria (10)	0·07	0·09	0·13	0·08	0·08	0·04	0·02	0·03	0·01	0·00	0·00
Tuberculosis of meninges and central nervous system (14)	0·26	0·34	0·38	0·30	0·27	0·23	0·25	0·21	0·18	0·13	0·11
Tuberculosis of intestines and peritoneum (15)	0·06	0·06	0·06	0·05	0·04	0·05	0·04	0·02	0·01	0·01	0·01
Other tuberculous diseases (13, 16-22)	0·18	0·20	0·23	0·19	0·20	0·16	0·13	0·17	0·19	0·15	0·10
Congenital syphilis (30da) ...	0·17	0·16	0·21	0·19	0·23	0·16	0·15	0·15	0·09	0·09	0·08
Influenza (33)	0·36	0·60	0·47	0·26	0·50	0·27	0·24	0·31	0·19	0·13	0·20
Measles (35)	0·14	0·42	0·56	0·23	0·38	0·12	0·34	0·12	0·27	0·13	0·11
Hæmorrhagic conditions (72)	0·08	0·09	0·08	0·07	0·06	0·07	0·05	0·04	0·04	0·04	0·03
Meningitis (non-meningo-coccal) (81)... ..	0·34	0·34	0·31	0·30	0·27	0·25	0·28	0·21	0·23	0·19	0·19
Convulsions (86)	1·15	1·23	1·32	1·02	0·77	0·63	0·57	0·43	0·35	0·27	0·18
Diseases of the ear and mastoid antrum (89) ...	0·52	0·43	0·44	0·39	0·48	0·51	0·50	0·45	0·39	0·30	0·21
Bronchitis (106)	1·81	2·65	3·12	1·72	1·82	1·51	1·53	1·17	0·94	0·80	0·68
Pneumonia (107-109) ...	7·13	10·00	10·62	7·43	8·41	7·03	7·74	6·82	6·84	5·47	5·12
Other respiratory diseases (104, 105, 110-114) ...	0·14	0·19	0·21	0·19	0·15	0·15	0·17	0·16	0·12	0·15	0·10
Inflammation of stomach (118 : 1)	0·17	0·17	0·21	0·18	0·14	0·13	0·12	0·08	0·09	0·04	0·04
Enteritis and diarrhoea (119)	4·31	4·44	4·82	5·17	4·94	4·84	5·12	4·40	5·15	2·88	2·63
Hernia, intestinal obstruction (122)	0·39	0·42	0·44	0·42	0·42	0·39	0·25	0·32	0·26	0·21	0·13
Congenital malformations (157)	6·09	6·62	6·56	6·50	5·89	5·52	5·60	5·43	4·88	4·45	4·59
Congenital debility (158)	1·70	2·12	2·14	1·63	1·26	1·10	0·94	0·78	0·71	0·40	0·26
Premature birth (159) ...	14·88	14·40	14·68	13·67	12·76	11·81	11·01	10·89	9·50	8·37	7·60
Injury at birth (160) ...	2·71	2·71	2·55	2·56	2·35	2·36	2·65	2·71	2·73	2·59	2·60
Other diseases peculiar to first year of life (161)	3·61	4·23	4·01	3·74	3·55	3·80	4·57	4·49	4·62	4·13	4·55
Asphyxia, atelectasis (161a)	2·11	2·26	2·18	1·99	1·78	1·97	2·78	2·93	2·91	2·76	3·29
Pemphigus neonatorum (161 c : 2)	0·07	0·12	0·12	0·10	0·09	0·08	0·05	0·05	0·04	0·03	0·01
Hæmolytic diseases of newborn (161 e : 1)	0·52	0·53	0·53	0·63	0·62	0·63	0·73	0·68	0·75	0·71	0·71
Melæna neonatorum (161d)	0·64	0·75	0·55	0·47	0·43	0·39	0·39	0·31	0·39	0·26	0·23
Other diseases included under 161 (161b, c1, c3, e2)	0·26	0·57	0·63	0·55	0·63	0·73	0·62	0·52	0·53	0·37	0·31
Suffocation in bed or not stated how (182 pt.) ...	0·48	0·50	0·69	0·57	0·53	0·61	0·58	0·58	0·57	0·47	0·47
Lack of care of newborn (195c)	0·24	0·22	0·29	0·26	0·26	0·25	0·28	0·18	0·17	0·16	0·18
Other causes (remainder) ...	2·26	2·80	2·84	2·35	2·17	2·27	2·03	1·81	2·00	1·67	1·57

TABLE 13.—Deaths at Various Periods in the First Year of { England and Wales, Geographical Regions, Aggregates of Life, 1949, and the Four Quarters thereof. } County Boroughs, Other Urban Districts and Rural Districts.

See Explanatory notes on page vi.

Area.	Total under 1 year.	Under 30 minutes.	30 minutes and under 1 day.	Total under 1 day.	Days.						1 day and under 1 week.	Weeks.				Months.				
					1	2	3	4	5	6		0	1	2	3	Total under 4 weeks.	4 weeks to 3 mths.	3-6	6-9	9-12
England and Wales	13854 10028 23882	368 343 711	2898 1985 4883	3266 2328 5594	1214	894	580	329	256	182	3455	6721	724	401	372	8218	2098	1897	1023	618
					879	571	358	252	165	148	2373	4701	584	327	276	5888	1478	1368	809	485
					2093	1465	938	581	421	330	5828	11422	1308	728	648	14106	3576	3265	1832	1103
Legitimate	12919 9286 22205	288 249 537	2703 1835 4538	2991 2084 5075	1127	831	547	312	240	171	3228	6219	688	368	346	7621	1951	1786	974	587
					820	521	336	235	152	133	2197	4281	541	307	257	5386	1381	1289	771	459
					1947	1352	883	547	392	304	5425	10500	1229	675	603	13007	3332	3075	1745	1046
Illegitimate	935 742 1677	80 94 174	195 150 345	275 244 519	87	63	33	17	16	11	227	502	36	33	26	597	147	111	49	31
					59	50	22	17	13	15	176	420	43	20	19	502	97	79	38	26
					146	113	55	34	29	26	403	922	79	53	45	1099	244	190	87	57
South East	6097 3348 2749	214 130 84	1436 798 638	1650 928 722	657	406	266	161	105	93	1688	3338	310	187	159	3994	771	658	409	265
					360	218	164	99	63	48	952	1880	159	91	83	2213	438	363	196	138
					297	188	102	62	42	45	736	1458	151	96	76	1781	333	295	213	127
North	9318 1824 978 2185 4331	239 48 17 49 125	1732 338 165 468 761	1971 386 182 517 886	702	511	316	212	158	109	2008	3979	491	298	265	5033	1603	1482	768	432
					128	90	51	40	23	27	359	745	100	56	43	944	312	331	158	79
					61	69	33	28	19	12	222	404	50	27	21	502	168	181	83	44
					191	110	73	39	39	22	474	991	130	77	70	1268	340	313	167	97
Midland	4622 3100 1522	146 108 38	917 621 296	1063 729 334	322	242	159	105	77	48	953	1839	211	138	131	2319	783	657	360	212
					384	307	180	111	72	68	1122	2185	267	126	124	2702	673	646	359	242
					267	200	116	74	49	43	749	1478	193	90	87	1848	455	427	223	147
East	1022	26	226	252	91	67	43	21	26	17	265	517	68	24	22	631	142	126	83	40
					112	72	55	33	28	13	313	590	70	39	30	729	116	105	62	49
					147	102	78	43	32	30	432	813	102	54	48	1017	271	248	151	75
Wales	1762 1303 459	55 46 9	326 239 87	381 285 96	101	75	58	31	22	19	306	591	74	40	41	746	208	181	111	57
					46	27	20	12	10	11	126	222	28	14	7	271	63	67	40	18
					734	463	294	187	142	105	1925	3773	524	246	196	4739	1475	1317	755	420
Density Summaries—	8706 7606 4222	246 213 122	1602 1570 913	1848 1783 1035	619	513	308	196	137	112	1885	3668	373	268	248	4557	1060	1046	590	353
					380	271	172	99	79	65	1066	2101	252	123	121	2597	603	539	291	192
					569	411	282	170	114	94	1640	2981	398	256	235	3870	1294	1294	671	403
England and Wales.	7532 5758 4915 5677	167 206 159 179	1174 1297 1257 1155	1341 1503 1416 1334	734	463	294	187	142	105	1925	3773	524	246	196	4739	1475	1317	755	420
					619	513	308	196	137	112	1885	3668	373	268	248	4557	1060	1046	590	353
					380	271	172	99	79	65	1066	2101	252	123	121	2597	603	539	291	192
County Boroughs	7532 5758 4915 5677	167 206 159 179	1174 1297 1257 1155	1341 1503 1416 1334	569	411	282	170	114	94	1640	2981	398	256	235	3870	1294	1294	671	403
					539	403	258	138	109	81	1528	3031	307	154	152	3644	795	656	405	258
					467	326	187	138	92	68	1278	2694	272	149	124	3239	597	541	339	199
Greater London	7532 5758 4915 5677	167 206 159 179	1174 1297 1257 1155	1341 1503 1416 1334	518	325	211	135	106	87	1382	2716	331	169	137	3353	890	774	417	243
					518	325	211	135	106	87	1382	2716	331	169	137	3353	890	774	417	243
					518	325	211	135	106	87	1382	2716	331	169	137	3353	890	774	417	243

TABLE 13A.—Deaths from Certain Causes at Various Periods in the First Year of Life, 1949. England and Wales.

Inter- national List No.	Causes of death.	Total under 1 year.	Under 30 minutes.	30 minutes and under 1 day.	Total under 1 day.	Days.						1 day and under 1 week.	Weeks.				Total under 4 weeks. mths.	Months.			
						1	2	3	4	5	6		0	1	2	3					
	ALL CAUSES { M F	13854 10028	368 343	2898 1985	3266 2328	1214 879	894 571	580 358	329 252	256 165	182 148	3455 2373	6721 4701	724 584	401 327	372 276	8218 5888	2098 1478	1897 1368	1023 809	618 485
106	Bronchitis ... { M F	292 218	— —	— —	— —	— —	1 —	1 —	2 1	1 —	— —	5 3	5 3	7 5	5 2	12 10	29 20	87 69	108 73	44 38	24 18
107-9	Pneumonia (all forms) ... { M F	2171 1632	2 —	10 1	— —	14 11	27 7	27 13	31 13	16 10	13 1	128 70	140 71	86 71	77 60	88 56	391 258	625 479	649 503	327 268	179 124
119	Enteritis and diarrhoea ... { M F	1158 805	— —	— —	— —	— —	— —	— —	1 1	1 1	1 —	4 4	4 4	15 6	36 24	55 34	110 68	367 283	209 129	104 67	
157	Congenital malformations ... { M F	1838 1545	37 36	216 176	253 212	104 94	104 92	87 64	51 64	62 41	48 51	456 406	709 618	206 175	101 92	74 81	1090 966	398 264	194 166	99 92	57 57
158	Congenital debility ... { M F	123 68	2 3	17 13	19 16	7 5	6 3	7 1	5 2	3 1	1 —	29 13	48 29	3 4	4 6	5 —	60 39	43 17	19 6	1 5	— 1
159	Premature birth { M F	3247 2322	118 85	1498 1002	1616 1087	486 402	324 215	161 127	91 86	82 44	62 41	1206 915	2822 2002	205 152	88 62	48 41	3163 2257	80 61	4 4	— —	— —
160 (a)	Intra-cranial or spinal hæmorrhage due to injury at birth { M F	883 496	41 28	305 172	346 200	153 93	126 73	87 37	41 24	29 13	15 6	451 246	797 446	44 31	13 9	5 4	859 490	17 6	4 —	2 —	1 —
(b)	Other intra-cranial or spinal injuries at birth { M F	60 38	3 3	13 6	16 9	8 4	8 7	7 7	6 3	6 —	1 —	36 21	52 30	5 5	— —	— —	57 35	— 2	3 1	— —	— —
(c)	Other birth injuries ... { M F	250 180	30 29	114 77	144 106	45 31	25 14	13 8	3 3	5 3	2 2	93 61	237 167	9 6	1 3	1 —	248 176	2 3	— 1	— —	— —
161 (a)	Asphyxia, during or after birth, atelectasis { M F	1421 988	57 67	589 426	646 493	320 199	159 94	101 55	45 23	18 26	18 15	661 412	1307 905	51 45	24 23	15 7	1397 980	19 6	5 1	— 1	— —
(b)	Intoxication, due to maternal toxæmia { M F	85 52	4 3	39 18	43 21	16 11	9 8	6 2	2 1	4 2	1 —	38 25	81 46	3 6	— —	— —	84 52	1 —	— —	— —	— —
(c1)	Infections of the umbilicus ... { M F	19 7	— —	— —	— —	— —	1 —	— —	— —	2 —	2 —	5 —	5 —	3 —	4 4	2 1	14 5	5 2	— —	— —	— —
(c2)	Pemphigus neonatorum ... { M F	3 4	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 1	1 1	— —	— —	— —	1 3	2 1	— —	— —	— —
(c3)	Other or unspecified infections included under 161 (c) { M F	12 10	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	7 5	1 1	1 2	10 8	2 2	— —	— —	— —
(d)	Melæna neonatorum ... { M F	104 62	1 3	12 9	13 12	19 5	21 14	13 6	8 8	7 5	5 2	73 40	86 52	11 7	2 —	2 —	101 59	1 3	— —	2 —	— —
(e1)	Hæmolytic diseases of the newborn { M F	299 221	5 18	53 62	58 80	26 11	66 35	53 29	27 20	15 9	5 3	192 107	250 187	28 17	4 3	6 4	288 211	7 5	4 2	— 2	1 —
(e2)	Other diseases included under 161 (e) { M F	26 15	1 —	3 —	4 —	4 2	1 1	2 1	4 —	1 2	1 —	13 6	17 6	5 6	1 2	1 —	24 14	2 1	— —	— —	— —
	Other Causes ... { M F	1863 1365	67 68	28 23	95 91	12 10	16 7	14 7	12 3	3 8	7 8	64 43	159 134	36 43	40 35	57 35	292 247	440 299	539 328	339 274	253 217

TABLE 14.—Suspended.

TABLE 15.—Infant Mortality from Certain Causes, 1949.
(Deaths under 1 year and various sub-divisions of the first year per 1,000 related live births).

England and Wales, Geographical Regions.

See Explanatory notes on page vi.

Area.	All Causes.						1.—Infective Diseases other than Tuberculosis (1-12 ; 23-44).						II.—Tuberculous Diseases (13-22).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales ...	32·37	19·27	4·85	4·38	2·43	1·44	1·15	0·09	0·25	0·32	0·27	0·22	0·21	0·00	0·01	0·05	0·07	0·08
South East ...	25·37	16·73	3·21	2·71	1·66	1·06	0·77	0·05	0·13	0·23	0·15	0·21	0·12	—	0·01	0·02	0·04	0·05
Greater London ...	25·16	16·74	3·29	2·69	1·44	1·00	0·79	0·05	0·14	0·26	0·15	0·19	0·08	—	0·02	0·01	0·02	0·03
Remainder of South East ...	25·64	16·73	3·11	2·72	1·94	1·14	0·76	0·06	0·13	0·20	0·15	0·22	0·18	—	—	0·04	0·07	0·07
North ...	39·03	21·27	6·72	6·15	3·15	1·74	1·47	0·12	0·34	0·41	0·35	0·25	0·30	—	0·02	0·07	0·09	0·12
North I ...	42·94	22·43	7·36	7·72	3·64	1·79	1·33	0·14	0·31	0·56	0·21	0·11	0·40	—	—	0·12	0·12	0·16
North II ...	38·39	19·89	6·61	7·04	3·19	1·66	1·36	0·16	0·31	0·39	0·27	0·23	0·31	—	0·04	0·08	0·04	0·15
North III ...	35·76	20·92	5·57	5·07	2·67	1·53	1·08	0·13	0·25	0·18	0·30	0·22	0·38	—	—	0·06	0·10	0·22
North IV ...	39·48	21·33	7·15	5·93	3·21	1·86	1·78	0·10	0·41	0·49	0·45	0·33	0·21	—	0·03	0·06	0·08	0·04
Midland ...	32·51	19·16	4·74	4·50	2·47	1·64	1·29	0·11	0·32	0·34	0·33	0·19	0·23	—	0·01	0·07	0·06	0·09
Midland I ...	32·57	19·57	4·78	4·44	2·29	1·49	1·39	0·14	0·35	0·38	0·35	0·17	0·30	—	0·02	0·08	0·07	0·13
Midland II ...	32·39	18·34	4·65	4·62	2·83	1·95	1·09	0·06	0·26	0·25	0·29	0·23	0·08	—	—	0·04	0·02	0·02
East ...	29·59	18·41	4·11	3·61	2·35	1·11	0·92	0·06	0·20	0·26	0·23	0·17	0·09	—	—	—	0·03	0·06
South West ...	28·38	19·63	3·10	2·77	1·62	1·26	0·84	—	0·13	0·24	0·26	0·21	0·19	0·03	—	0·03	0·08	0·05
Wales ...	39·33	22·89	6·05	5·48	3·30	1·61	1·63	0·14	0·40	0·42	0·39	0·28	0·30	—	—	0·04	0·17	0·09
Wales I ...	39·98	23·08	6·39	5·50	3·33	1·68	1·36	0·15	0·31	0·24	0·36	0·30	0·27	—	—	0·06	0·15	0·06
Wales II ...	37·59	22·38	5·16	5·43	3·20	1·42	2·35	0·08	0·66	0·89	0·48	0·24	0·40	—	—	—	0·24	0·16
III.—Enteritis and Diarrhoea (119).							IV.—Developmental and Wasting Diseases (157-9, 161a).						V.—Miscellaneous Diseases (Remainder).					
England and Wales ...	2·63	0·24	0·85	0·87	0·45	0·22	15·73	13·59	1·20	0·53	0·26	0·15	12·61	5·34	2·53	2·60	1·38	0·76
South East ...	1·36	0·12	0·40	0·42	0·27	0·15	13·70	11·89	0·99	0·41	0·24	0·17	9·43	4·68	1·68	1·62	0·96	0·49
Greater London ...	1·27	0·08	0·45	0·38	0·24	0·12	13·75	11·95	1·01	0·42	0·21	0·16	9·25	4·65	1·67	1·62	0·81	0·50
Remainder of South East ...	1·45	0·17	0·33	0·46	0·30	0·19	13·63	11·79	0·98	0·40	0·28	0·18	9·63	4·72	1·68	1·61	1·14	0·48
North ...	4·12	0·44	1·40	1·36	0·64	0·28	17·52	14·93	1·42	0·73	0·30	0·14	15·60	5·77	3·54	3·57	1·78	0·94
North I ...	4·63	0·48	1·49	1·63	0·83	0·20	18·30	15·94	1·20	0·65	0·35	0·16	18·29	5·87	4·36	4·76	2·14	1·16
North II ...	4·99	0·40	1·65	1·83	0·81	0·30	16·44	13·95	1·26	0·93	0·19	0·11	15·29	5·39	3·34	3·81	1·88	0·87
North III ...	3·09	0·51	1·02	0·81	0·48	0·27	16·55	14·22	1·26	0·73	0·26	0·08	14·68	6·06	3·05	3·29	1·54	0·74
North IV ...	4·30	0·40	1·52	1·44	0·62	0·32	18·02	15·17	1·63	0·72	0·32	0·18	15·17	5·67	3·55	3·21	1·75	0·99
Midland ...	2·85	0·23	0·89	0·98	0·48	0·27	15·33	13·40	1·10	0·47	0·21	0·15	12·82	5·43	2·42	2·64	1·40	0·93
Midland I ...	3·00	0·30	0·97	1·04	0·46	0·23	15·24	13·36	1·08	0·47	0·17	0·16	12·62	5·77	2·37	2·46	1·23	0·79
Midland II ...	2·57	0·09	0·75	0·86	0·52	0·35	15·45	13·47	1·13	0·46	0·27	0·12	13·19	4·72	2·52	2·99	1·73	1·23
East ...	1·85	0·06	0·52	0·57	0·48	0·22	15·11	13·19	1·16	0·37	0·31	0·08	11·63	5·11	2·23	2·41	1·30	0·58
South West ...	0·90	0·08	0·21	0·40	0·16	0·05	15·54	13·73	1·07	0·29	0·24	0·21	10·93	5·79	1·68	1·82	0·89	0·75
Wales ...	2·98	0·18	0·96	1·04	0·50	0·30	19·26	16·47	1·65	0·68	0·35	0·11	15·15	6·10	3·04	3·29	1·88	0·84
Wales I ...	3·31	0·25	1·04	1·18	0·54	0·30	19·42	16·52	1·69	0·73	0·36	0·12	15·63	6·16	3·35	3·28	1·92	0·92
Wales II ...	2·11	—	0·74	0·65	0·40	0·32	18·88	16·35	1·56	0·57	0·32	0·08	13·87	5·95	2·21	3·32	1·76	0·63
Cerebro-spinal (meningococcal) meningitis (6).							Whooping cough (9).						Measles (35).					
England and Wales ...	0·15	0·01	0·01	0·05	0·06	0·02	0·48	0·01	0·12	0·16	0·10	0·09	0·11	—	0·01	0·01	0·04	0·05
South East ...	0·10	—	0·00	0·04	0·04	0·02	0·26	0·00	0·06	0·10	0·04	0·06	0·05	—	0·00	—	0·01	0·04
Greater London ...	0·13	—	0·01	0·05	0·04	0·03	0·29	—	0·08	0·11	0·04	0·06	0·05	—	—	—	0·02	0·03
Remainder of South East ...	0·09	—	—	0·03	0·04	0·02	0·24	0·01	0·04	0·09	0·05	0·05	0·06	—	0·01	—	—	0·05
North ...	0·22	0·02	0·02	0·07	0·07	0·04	0·64	0·02	0·18	0·19	0·15	0·10	0·17	—	0·01	0·03	0·07	0·06
North I ...	0·21	0·05	—	0·09	0·07	—	0·53	0·02	0·14	0·23	0·05	0·09	0·10	—	—	0·05	0·05	—
North II ...	0·16	—	0·04	—	0·04	0·08	0·63	0·04	0·24	0·27	—	0·08	0·27	—	—	0·04	0·15	0·08
North III ...	0·15	0·02	0·02	0·02	0·06	0·03	0·31	—	0·13	0·03	0·13	0·02	0·24	—	0·03	0·03	0·05	0·13
North IV ...	0·25	0·01	0·02	0·11	0·07	0·04	0·88	0·02	0·22	0·25	0·23	0·16	0·15	—	0·01	0·02	0·07	0·05
Midland ...	0·15	0·01	0·04	0·02	0·07	0·01	0·57	0·02	0·13	0·20	0·11	0·11	0·11	—	0·01	0·01	0·06	0·03
Midland I ...	0·12	—	0·03	0·02	0·07	—	0·64	0·03	0·16	0·24	0·12	0·09	0·09	—	0·01	0·01	0·04	0·03
Midland II ...	0·16	0·02	0·04	0·02	0·06	0·02	0·41	—	0·06	0·13	0·08	0·14	0·14	—	—	0·02	0·08	0·04
East ...	0·09	—	—	0·03	0·06	—	0·28	—	0·06	0·11	0·03	0·08	0·09	—	—	—	0·06	0·03
South West ...	0·14	—	—	0·03	0·08	0·03	0·47	—	0·13	0·16	0·10	0·08	0·10	—	—	—	0·05	0·05
Wales ...	0·17	—	0·02	0·04	0·11	—	0·56	0·02	0·16	0·18	0·11	0·09	0·13	—	—	0·02	0·02	0·09
Wales I ...	0·12	—	—	0·03	0·09	—	0·51	0·03	0·18	0·09	0·15	0·06	0·18	—	—	0·03	0·03	0·12
Wales II ...	0·32	—	0·08	0·08	0·16	—	0·65	—	0·08	0·41	—	0·16	—	—	—	—	—	—

TABLE 15—continued.

Area.	Convulsions (86).						Bronchitis (106).						Pneumonia (107-109).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales ...	0.18	0.06	0.05	0.04	0.02	0.01	0.68	0.07	0.21	0.24	0.11	0.05	5.12	0.89	1.50	1.54	0.79	0.40
South East ...	0.02	0.01	0.00	0.00	0.00	0.01	0.37	0.02	0.12	0.14	0.07	0.02	3.19	0.74	0.93	0.76	0.50	0.26
Greater London ...	0.04	0.02	0.01	—	0.01	—	0.48	0.02	0.15	0.22	0.05	0.04	3.11	0.77	0.93	0.74	0.43	0.24
Remainder of South East ...	0.03	—	—	0.01	—	0.02	0.26	0.03	0.08	0.05	0.09	0.01	3.28	0.70	0.93	0.77	0.60	0.28
North ...	0.28	0.08	0.10	0.06	0.03	0.01	0.95	0.09	0.30	0.34	0.16	0.06	6.90	0.93	2.13	2.29	1.05	0.50
North I ...	0.61	0.19	0.12	0.19	0.09	0.02	1.85	0.19	0.61	0.75	0.21	0.09	7.97	0.69	2.50	3.01	1.20	0.57
North II ...	0.24	0.12	0.08	0.04	—	—	1.12	0.04	0.31	0.43	0.23	0.11	7.16	0.71	1.97	2.57	1.38	0.53
North III ...	0.06	0.02	—	0.02	0.02	—	1.04	0.10	0.33	0.37	0.21	0.03	6.17	1.16	1.83	1.94	0.91	0.33
North IV ...	0.32	0.07	0.16	0.05	0.02	0.02	0.53	0.06	0.16	0.15	0.10	0.06	6.82	0.94	2.18	2.14	1.00	0.56
Midland ...	0.13	0.05	0.04	0.03	—	0.01	0.82	0.09	0.25	0.27	0.12	0.09	5.43	0.96	1.44	1.68	0.86	0.49
Midland I ...	0.12	0.04	0.03	0.04	—	0.01	0.63	0.06	0.24	0.19	0.09	0.05	5.06	1.04	1.37	1.51	0.76	0.38
Midland II ...	0.12	0.06	0.04	0.02	—	—	1.22	0.13	0.28	0.44	0.19	0.18	6.19	0.79	1.60	2.04	1.06	0.70
East ...	0.15	0.09	—	0.03	0.03	—	0.54	0.09	0.17	0.14	0.06	0.08	4.55	0.88	1.42	1.32	0.68	0.25
South West ...	0.12	0.03	0.03	—	0.03	0.03	0.27	0.05	0.03	0.16	—	0.03	4.32	1.18	1.02	1.08	0.55	0.49
Wales ...	0.67	0.20	0.18	0.18	0.07	0.04	0.90	0.11	0.29	0.31	0.15	0.04	6.00	0.99	1.81	1.92	0.96	0.32
Wales I ...	0.69	0.15	0.18	0.21	0.09	0.06	1.00	0.12	0.28	0.36	0.18	0.06	6.30	1.05	2.03	1.91	0.93	0.38
Wales II ...	0.57	0.33	0.16	0.08	—	—	0.65	0.08	0.33	0.16	0.08	—	5.21	0.83	1.23	1.95	1.04	0.16
Congenital hydrocephalus, spina bifida (157a, b).						Other malformations included under 157 (157c-j).						Congenital debility (158).						
England and Wales ...	1.36	0.87	0.24	0.12	0.07	0.06	3.23	1.94	0.66	0.36	0.18	0.09	0.26	0.14	0.08	0.03	0.01	0.00
South East ...	0.98	0.61	0.19	0.07	0.04	0.07	3.18	1.94	0.62	0.32	0.20	0.10	0.15	0.08	0.05	0.02	0.00	—
Greater London ...	0.91	0.53	0.22	0.07	0.03	0.06	3.22	1.96	0.65	0.34	0.18	0.09	0.08	0.04	0.03	0.01	—	—
Remainder of South East ...	1.06	0.71	0.16	0.06	0.05	0.08	3.11	1.92	0.57	0.30	0.22	0.10	0.25	0.13	0.08	0.03	0.01	—
North ...	1.69	1.06	0.28	0.17	0.11	0.07	3.22	1.79	0.72	0.47	0.17	0.07	0.34	0.18	0.10	0.05	0.01	—
North I ...	1.63	1.07	0.21	0.14	0.12	0.09	3.15	2.00	0.40	0.47	0.21	0.07	0.51	0.33	0.14	0.02	0.02	—
North II ...	1.34	0.79	0.20	0.19	0.08	0.08	3.39	1.94	0.71	0.58	0.12	0.04	0.20	0.08	0.08	0.04	—	—
North III ...	1.45	0.92	0.29	0.11	0.08	0.05	3.34	1.95	0.62	0.58	0.16	0.03	0.26	0.13	0.11	0.02	—	—
North IV ...	1.94	1.20	0.31	0.21	0.14	0.08	3.14	1.59	0.89	0.39	0.17	0.10	0.36	0.17	0.09	0.09	0.01	—
Midland ...	1.31	0.88	0.23	0.10	0.05	0.05	3.30	2.11	0.62	0.33	0.15	0.09	0.26	0.13	0.08	0.03	0.01	0.01
Midland I ...	1.24	0.84	0.21	0.12	0.02	0.05	3.34	2.13	0.66	0.31	0.14	0.10	0.27	0.14	0.09	0.02	0.01	0.01
Midland II ...	1.45	0.97	0.28	0.04	0.10	0.06	3.18	2.06	0.53	0.36	0.17	0.06	0.19	0.11	0.04	0.04	—	—
East ...	1.15	0.64	0.20	0.17	0.08	0.06	3.06	1.93	0.70	0.20	0.20	0.03	0.38	0.29	0.06	—	0.03	—
South West ...	1.52	1.10	0.21	0.08	0.10	0.03	3.21	2.15	0.59	0.16	0.13	0.18	0.21	0.13	0.05	0.03	—	—
Wales ...	1.71	1.15	0.34	0.20	0.02	—	3.63	2.03	0.76	0.42	0.31	0.11	0.38	0.16	0.16	0.04	0.02	—
Wales I ...	1.78	1.08	0.43	0.24	0.03	—	3.56	2.01	0.74	0.39	0.30	0.12	0.49	0.22	0.18	0.06	0.03	—
Wales II ...	1.48	1.32	0.08	0.08	—	—	3.77	2.06	0.82	0.49	0.32	0.08	0.08	—	0.08	—	—	—
Premature birth (159).						Injury at birth (160).						Asphyxia, atelectasis (161a).						
England and Wales ...	7.60	7.40	0.19	0.01	—	—	2.60	2.55	0.04	0.01	0.00	0.00	3.29	3.25	0.03	0.01	0.00	—
South East ...	6.06	5.95	0.11	—	—	—	2.33	2.30	0.02	0.01	—	0.00	3.33	3.30	0.03	0.00	—	—
Greater London ...	5.81	5.71	0.10	—	—	—	2.34	2.31	0.01	0.01	—	0.01	3.72	3.71	0.01	—	—	—
Remainder of South East ...	6.38	6.26	0.12	—	—	—	2.35	2.31	0.03	0.01	—	—	2.85	2.79	0.05	0.01	—	—
North ...	9.11	8.83	0.26	0.02	—	—	2.87	2.79	0.07	0.01	0.00	—	3.15	3.07	0.06	0.02	0.00	—
North I ...	10.57	10.17	0.38	0.02	—	—	3.13	3.02	0.09	—	0.02	—	2.45	2.38	0.07	—	—	—
North II ...	7.89	7.57	0.28	0.04	—	—	2.22	2.14	0.08	—	—	—	3.65	3.57	—	0.08	—	—
North III ...	8.56	8.38	0.18	—	—	—	3.13	3.07	0.03	0.03	—	—	2.93	2.84	0.05	0.02	0.02	—
North IV ...	9.14	8.85	0.26	0.03	—	—	2.77	2.69	0.07	0.01	—	—	3.45	3.36	0.08	0.01	—	—
Midland ...	6.84	6.67	0.16	0.01	—	—	2.57	2.50	0.05	0.01	0.01	—	3.63	3.62	0.01	—	—	—
Midland I ...	6.60	6.47	0.12	0.01	—	—	2.84	2.77	0.05	0.01	0.01	—	3.79	3.79	—	—	—	—
Midland II ...	7.35	7.07	0.26	0.02	—	—	1.97	1.93	0.04	—	—	—	3.28	3.26	0.02	—	—	—
East ...	7.54	7.50	0.14	—	—	—	2.34	2.22	0.03	0.09	—	—	2.89	2.83	0.06	—	—	—
South West ...	5.20	5.01	0.19	—	—	—	2.86	2.83	0.03	—	—	—	2.70	2.64	0.03	0.03	—	—
Wales ...	10.03	9.61	0.40	0.02	—	—	2.74	2.72	0.02	—	—	—	3.53	3.53	—	—	—	—
Wales I ...	10.58	10.21	0.34	0.03	—	—	2.72	2.69	0.03	—	—	—	3.00	3.00	—	—	—	—
Wales II ...	8.58	8.01	0.57	—	—	—	2.81	2.81	—	—	—	—	4.95	4.95	—	—	—	—

TABLE 16.—Deaths at Various Periods in the First Year of Life by Legitimacy. {England and Wales, Geographical Regions
London and Metropolitan Boroughs, County Boroughs
and aggregates of Urban and Rural Districts.
Death-rates per 1,000 related Live Births, 1949.

See Explanatory notes on page vi.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.									
	Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.	
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.
ENGLAND AND WALES	5594	5828	2684	3576	3265	1832	1103	23882	19	32	5075	5425	2507	3332	3075	1745	1046	22205	19	32	519	403	177	244	190	87	57	1677	30	45
Regional Summary																														
South East	1650	1688	656	771	658	409	265	6097	17	25	1478	1584	614	707	615	392	250	5640	16	25	172	104	42	64	43	17	15	457	25	35
Greater London	928	952	333	438	363	196	138	3348	17	25	820	889	315	405	346	188	131	3094	16	25	108	63	18	33	17	8	7	254	27	36
Remainder of South East	722	736	323	333	295	213	127	2749	17	26	658	695	299	302	269	204	119	2546	16	25	64	41	24	31	26	9	8	203	23	35
North	1971	2008	1054	1603	1482	768	432	9318	21	39	1802	1845	965	1505	1401	727	410	8655	21	38	169	163	89	98	81	41	22	663	36	56
North I	386	359	199	312	331	158	79	1824	22	43	357	336	186	299	314	155	73	1720	22	42	29	23	13	13	17	3	6	104	38	60
North II	182	222	98	168	181	83	44	978	20	38	167	206	83	154	171	74	42	897	19	37	15	16	15	14	10	9	2	81	34	58
North III	517	474	277	340	313	167	97	2185	21	36	480	434	253	320	299	158	93	2037	20	35	37	40	24	20	14	9	4	148	32	46
North IV	886	953	480	783	657	360	212	4331	21	39	798	869	443	732	617	340	202	4001	20	38	88	84	37	51	40	20	10	330	38	59
Midland	1063	1122	517	673	646	359	242	4622	19	33	967	1047	487	631	613	343	230	4318	19	32	96	75	30	42	33	16	12	304	29	43
Midland I	729	749	370	455	427	223	147	3100	20	33	670	700	348	429	412	213	140	2912	19	32	59	49	22	26	15	10	7	188	28	40
Midland II...	334	373	147	218	219	136	95	1522	18	32	297	347	139	202	201	130	90	1406	18	32	37	26	8	16	18	6	5	116	30	48
Eas 1	252	265	114	142	126	83	40	1022	18	30	230	243	111	129	113	78	39	943	18	29	22	22	3	13	13	5	1	79	25	42
South West	277	313	139	116	105	62	49	1061	20	28	247	296	131	107	99	58	48	986	19	28	30	17	8	9	6	4	1	75	28	38
Wales	381	432	204	271	248	151	75	1762	23	39	351	410	199	253	234	147	69	1663	22	39	30	22	5	18	14	4	6	99	33	56
Wales I	285	306	155	208	181	111	57	1303	23	40	264	292	150	197	172	109	53	1237	23	39	21	14	5	11	9	2	4	66	36	59
Wales II	96	126	49	63	67	40	18	459	22	38	87	118	49	56	62	38	16	426	22	37	9	8	—	7	5	2	2	33	26	50
Density Summary of all Areas																														
Outside Greater London																														
County Boroughs	1848	1925	966	1475	1317	755	420	8706	20	37	1677	1770	898	1382	1243	711	395	8076	20	36	171	155	68	93	74	44	25	630	30	47
Other Urban Districts	1783	1885	889	1060	1046	590	353	7606	20	33	1642	1764	825	985	984	566	336	7102	19	32	141	121	64	75	62	24	17	504	31	48
Rural Districts	1035	1066	496	603	539	291	192	4222	19	31	936	1002	469	560	502	280	184	3933	18	30	99	64	27	43	37	11	8	289	29	44
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)

LONDON																														
City of London
Inner and Middle Temples
Battersea
Bermondsey
Bethnal Green
Camberwell
Chelsea
Deptford
Finsbury
Fulham
Greenwich
Hackney
Hammersmith
Hampstead
Holborn
Islington
Kensington
Lambeth
Lewisham
Paddington
Poplar
St. Marylebone
St. Pancras
Shoreditch
Southwark
Stepney
Stoke Newington
Wandsworth
Westminster
Woolwich
COUNTY BOROUGHES																														
ENGLAND (excluding Mon.)																														
Barnsley
Barrow-in-Furness
Bath
Birkenhead
Birmingham
Blackburn
Blackpool
Bolton		

TABLE 16—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.														
	Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.		Deaths.								Deaths. per 1,000 related Live Births.						
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.					
County Boroughs—continued																																			
Bury	7	11	4	6	6	2	4	40	24	44	6	10	4	6	6	2	4	38	23	44	1	1	—	—	—	—	—	—	—	2	39	39			
Canterbury	1	4	2	4	4	1	—	13	15	28	1	4	1	3	1	1	—	11	14	25	—	—	—	—	—	—	—	—	—	2	40	79			
Carlisle	6	16	4	5	7	1	2	44	21	36	9	15	2	5	7	4	1	41	20	35	—	—	—	—	—	—	—	—	3	52	51				
Chester	10	5	7	5	1	—	1	29	25	33	10	5	6	5	1	—	7	28	26	34	—	—	—	—	—	—	—	—	1	15	15				
Coventry	42	35	22	33	29	18	8	187	20	39	38	32	20	30	28	17	7	172	20	38	4	3	2	3	1	1	—	15	30	50					
Croydon	32	37	11	19	7	5	5	116	20	29	31	36	10	17	6	5	5	110	20	29	1	1	1	2	1	—	—	6	15	30					
Darlington	13	12	8	10	10	3	4	60	24	43	9	12	7	10	10	3	4	55	21	42	4	4	1	—	—	—	—	5	65	64					
Derby	17	22	11	14	10	11	6	91	20	36	14	19	10	14	10	9	4	80	18	34	3	3	1	—	—	2	11	48	74						
Dewsbury	4	9	4	1	8	3	2	31	17	30	3	8	4	1	8	3	2	29	16	30	1	1	—	—	—	—	—	2	28	27					
Doncaster	11	13	12	9	7	3	1	56	25	39	10	13	11	9	7	2	1	53	25	39	1	—	—	—	—	—	—	3	26	38					
Dudley	10	10	3	9	11	4	6	53	21	47	8	10	3	9	11	4	5	50	19	46	2	—	—	—	—	—	—	3	54	80					
Eastbourne	2	5	4	3	1	1	—	16	15	22	2	5	4	2	1	1	—	15	16	22	—	—	—	—	—	—	—	1	—	20					
East Ham	9	15	5	8	4	3	4	48	15	25	9	13	5	8	4	3	—	46	14	24	—	—	—	—	—	—	—	2	31	31					
Exeter	14	7	4	2	2	1	—	30	21	25	13	7	3	1	1	1	—	26	20	23	1	—	—	—	—	—	—	4	28	56					
Gateshead	26	21	12	17	18	12	4	110	26	48	23	19	12	16	17	12	3	102	25	47	3	2	—	—	—	—	—	8	54	86					
Gloucester	7	17	6	8	6	3	—	47	26	40	7	12	6	7	6	2	—	40	23	36	—	5	—	—	—	—	—	7	70	97					
Gt. Yarmouth	6	11	3	2	3	2	1	28	24	34	6	11	3	2	3	1	—	27	26	35	—	—	—	—	—	—	—	1	—	21					
Grimsby	12	10	9	11	9	8	2	61	17	32	12	10	9	10	9	8	2	60	18	34	—	—	—	—	—	—	—	6	33	49					
Halifax	14	15	6	7	5	4	2	53	22	33	13	13	5	6	4	4	—	47	21	31	1	2	—	—	—	—	3	28	41						
Hastings	11	5	5	—	2	—	2	25	23	27	11	4	4	—	1	—	2	22	23	26	—	—	—	—	—	—	—	3	—	—					
Huddersfield	20	17	11	5	11	1	2	67	24	34	18	14	9	5	11	1	2	60	22	32	2	3	2	—	—	—	—	7	59	58					
Ipswich	19	5	2	3	4	3	—	36	13	18	17	5	2	3	4	3	—	34	13	18	2	—	—	—	—	—	—	2	20	20					
Kingston upon Hull	48	51	25	50	53	24	8	259	20	41	44	49	23	46	52	21	7	242	20	41	4	2	—	—	—	—	—	17	22	47					
Leeds	62	64	30	36	29	21	12	254	19	30	58	55	26	35	26	18	12	230	18	29	4	9	4	1	3	3	24	31	43						
Leicester	29	33	8	17	15	11	8	121	14	24	25	31	8	15	15	10	8	112	13	23	4	2	—	—	—	—	9	21	31						
Lincoln	4	6	9	10	6	2	2	36	15	33	125	109	6	10	5	2	2	35	16	35	—	—	—	—	—	—	1	—	13						
Liverpool	133	127	73	150	136	85	32	736	20	44	125	109	65	138	125	81	30	673	19	43	8	18	8	12	11	4	63	36	67						
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)					

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
Manchester	95	102	45	106	78	45	31	502	18	38	83	92	44	99	74	40	29	461	18	37	12	10	1	7	4	5	2	41	26	46
Middlesbrough	25	20	16	38	30	17	11	157	20	50	24	17	33	32	27	15	11	139	19	48	1	3	3	6	3	2	—	18	36	91
Newcastle upon Tyne	...	40	50	19	29	34	29	12	213	20	39	39	45	19	29	34	28	12	206	20	40	1	5	—	—	1	—	—	7	23	26
Northampton	...	15	11	4	6	7	5	1	49	18	30	12	10	4	6	7	5	—	44	17	28	3	1	—	—	—	—	5	44	54	
Norwich	...	13	13	7	9	8	10	2	62	16	30	11	12	7	7	7	10	2	56	16	29	2	1	—	1	—	—	6	24	47	
Nottingham	...	38	35	22	36	42	28	18	219	17	38	31	33	19	33	38	28	17	199	16	37	7	2	3	4	—	1	20	27	44	
Oldham	...	14	26	11	11	8	5	7	82	26	41	14	23	10	11	6	4	7	75	25	40	—	3	1	2	1	—	7	32	55	
Oxford	...	9	22	5	3	2	2	1	44	22	27	7	21	5	2	2	2	1	41	22	27	2	1	—	—	—	—	3	29	28	
Plymouth	...	25	30	22	21	19	7	5	129	20	34	24	28	21	18	17	6	5	119	21	34	1	2	1	2	1	—	10	15	38	
Portsmouth	...	25	26	8	16	10	11	4	100	14	24	24	22	8	15	9	9	4	91	14	23	1	4	—	1	2	—	9	19	34	
Preston	...	19	21	12	18	13	5	6	94	24	43	16	17	11	13	5	5	6	86	22	42	3	4	1	—	—	—	8	61	61	
Reading	...	14	14	3	5	7	3	3	49	17	26	12	13	3	5	7	3	2	45	16	26	2	1	—	—	—	1	4	27	35	
Rochdale	...	21	12	3	10	2	3	5	56	26	41	17	10	3	9	2	2	4	47	24	37	4	2	—	—	1	—	9	67	100	
Rotherham	...	11	8	15	18	20	5	4	81	22	52	8	8	14	17	20	5	4	76	20	51	3	—	1	—	—	—	5	69	85	
St. Helens	...	19	18	5	15	10	9	7	83	21	41	17	17	5	14	9	9	7	78	20	40	2	1	—	1	—	—	5	31	51	
Salford	...	33	42	15	35	40	17	9	191	25	52	32	39	15	29	37	16	9	177	25	52	1	3	—	6	3	—	14	16	56	
Sheffield	...	79	71	31	35	29	23	13	281	22	35	74	69	30	31	28	22	12	266	22	34	5	2	1	4	1	—	15	29	54	
Smethwick	...	11	12	8	14	6	4	1	56	23	42	5	12	8	12	5	4	1	47	20	37	6	—	2	—	—	—	9	91	134	
Southampton...	...	32	32	16	13	16	14	5	128	24	37	31	30	15	12	14	14	4	120	24	37	1	2	1	1	—	—	8	18	36	
Southend-on-Sea	...	14	19	8	6	4	7	3	61	17	26	12	19	8	6	3	7	3	58	18	26	2	—	—	—	—	—	3	14	20	
Southport	...	10	14	1	3	5	3	2	38	26	39	8	13	1	2	5	2	2	33	24	35	2	1	—	—	1	—	5	61	101	
South Shields	...	15	16	14	21	21	6	4	97	21	45	14	13	13	18	21	6	4	89	20	44	1	3	1	—	—	—	8	54	85	
Stockport	...	21	18	9	16	18	5	6	93	21	41	21	15	9	16	15	5	6	87	21	40	—	3	—	3	—	—	6	26	51	
Stoke on Trent	...	46	42	18	22	24	20	7	179	21	35	44	40	18	21	20	20	7	170	21	34	2	2	—	—	—	—	9	20	44	
Sunderland	...	33	42	19	49	40	17	6	206	26	56	29	39	18	49	38	17	6	196	25	56	4	3	1	—	2	—	10	56	69	
Tynemouth	...	6	18	5	4	11	2	2	48	22	37	6	17	4	3	11	2	2	45	22	36	—	1	1	—	—	—	3	36	54	
Wakefield	...	11	11	—	6	6	1	1	36	22	35	10	11	—	6	6	1	1	59	18	36	1	—	—	—	—	—	1	18	18	
Wallasey	...	18	9	7	12	8	9	1	64	19	35	16	9	6	12	7	8	1	59	22	34	2	—	—	1	—	—	5	36	60	
Walsall	...	23	23	22	20	17	11	7	123	31	55	21	22	20	19	17	11	7	117	30	55	2	1	2	—	—	—	6	48	57	
Warrington	...	11	13	24	27	27	15	4	121	32	80	12	12	21	27	26	14	3	114	31	79	—	1	3	1	1	1	7	51	88	
West Bromwich	...	14	11	6	19	24	6	3	83	18	49	12	11	5	19	24	6	3	80	17	49	2	—	—	—	—	—	3	42	42	
West Ham	...	20	24	8	12	12	2	4	78	16	24	19	24	8	7	12	2	4	76	16	24	1	—	—	—	—	—	2	6	13	
West Hartlepool	...	14	15	8	15	7	3	1	63	25	42	13	13	7	14	7	3	1	58	23	41	—	2	1	—	—	—	5	49	61	
Wigan...	...	11	16	7	15	8	5	6	68	24	47	11	16	7	15	8	5	6	68	24	48	—	—	—	—	—	—	—	—	—	—
Wolverhampton	...	28	21	25	16	8	7	8	113	25	39	26	19	24	16	8	6	7	106	25	38	2	2	1	—	1	1	7	40	55	
Worcester	...	7	11	1	3	5	3	—	30	19	30	7	7	1	3	5	3	—	26	16	28	—	4	—	—	—	—	4	57	56	
York	11	12	—	7	3	3	3	39	13	21	10	12	—	7	3	3	3	38	13	22	1	—	—	—	—	—	1	8	8	8
/ALES AND MONMOUTH																															
Cardiff	...	32	32	17	23	27	14	4	149	17	31	32	31	16	23	24	14	3	143	17	31	—	1	1	—	3	—	6	9	28	28
Merthyr Tydfil	...	6	20	7	6	6	5	1	51	30	47	6	20	7	5	5	5	1	49	31	46	—	—	—	—	—	—	2	62	62	62
Newport	...	19	13	3	20	11	4	6	76	19	40	18	12	3	18	10	4	4	69	18	38	1	1	—	2	—	—	7	30	104	104
Swansea	...	25	28	18	15	19	6	11	122	26	45	24	28	18	15	18	6	11	120	27	45	1	—	—	—	—	—	2	11	22	22

TABLE 16—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Deaths.								Deaths per 1,000 related Live Births.		Deaths.								Deaths per 1,000 related Live Births.		Deaths.								Deaths per 1,000 related Live Births.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
									Total under 1 year.	Under 4 weeks.	Under 1 year.									Total under 4 weeks.	Total under 1 year.									Under 4 weeks.	Total under 1 year.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1-7 days.				1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1-7 days.	1-4 weeks.	4 weeks to 3 months.			3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.			6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	1 day.	1-7 days.	1-4 weeks.

TABLE 16—continued.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.											
	Deaths.								Deaths per 1,000 related Live Births.		Deaths.								Deaths per 1,000 related Live Births.		Deaths.								Deaths per 1,000 related Live Births.			
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.		
ADMINISTRATIVE COUNTIES—continued.																																
Suffolk, East	U.D.	7	9	6	7	3	4	42	14	27	U.D.	16	10	7	7	3	6	4	41	14	27	—	4	1	—	—	—	—	—	1	13	13
	R.D.	16	10	7	7	3	6	53	17	27	R.D.	16	10	7	7	3	5	4	46	15	24	—	—	—	—	—	—	—	7	60	83	
Suffolk, West	U.D.	7	5	2	3	1	2	22	22	34	U.D.	15	5	3	2	—	2	2	19	21	30	—	—	—	—	—	—	—	3	34	102	
	R.D.	15	5	3	8	2	1	35	18	28	R.D.	15	5	3	2	—	1	1	31	19	26	—	—	—	—	—	—	4	—	61	—	
Surrey...	U.D.	115	129	32	49	42	24	413	16	23	U.D.	14	15	11	9	4	20	20	383	15	23	10	11	2	2	2	1	2	30	30	38	
	R.D.	14	15	11	9	4	6	60	18	26	R.D.	13	16	2	5	6	3	—	58	19	27	—	—	—	—	—	—	2	—	15	—	
Sussex, East	U.D.	13	16	2	5	6	3	46	13	19	U.D.	15	9	7	7	8	3	—	42	12	19	2	1	—	—	—	—	4	23	30	30	
	R.D.	15	9	7	7	9	4	52	14	23	R.D.	15	9	7	7	8	3	—	46	13	21	1	2	—	—	—	6	27	54	54		
Sussex, West	U.D.	17	17	3	4	9	6	58	16	25	U.D.	23	17	6	3	4	9	2	55	16	25	2	1	—	—	—	—	3	26	25	25	
	R.D.	42	40	17	15	21	11	150	19	28	R.D.	27	16	12	9	16	1	6	78	17	28	4	2	2	1	—	9	45	50	50		
Warwickshire	U.D.	1	2	4	3	3	3	16	15	35	U.D.	4	9	2	2	3	3	—	14	12	32	—	—	2	—	—	—	2	95	94	94	
	R.D.	15	8	3	3	1	1	32	23	28	R.D.	15	8	3	3	1	1	—	18	25	32	—	—	—	—	—	—	1	28	27	27	
Westmorland...	U.D.	4	1	1	—	1	1	10	25	41	U.D.	4	1	1	—	—	—	2	10	26	43	—	—	—	—	—	—	4	43	56	—	
	R.D.	4	1	1	—	1	1	10	25	41	R.D.	4	1	1	—	—	—	2	10	26	43	—	—	—	—	—	—	—	—	—	—	
Wight, Isle of...	U.D.	14	25	3	5	15	4	72	15	25	U.D.	22	20	13	6	11	2	5	70	15	26	1	1	—	—	—	2	16	16	16	16	
	R.D.	38	39	18	20	20	10	149	20	32	R.D.	38	39	18	20	20	10	4	142	20	32	3	1	1	1	—	7	35	41	41		
Wiltshire	U.D.	8	15	12	4	6	3	51	17	25	U.D.	8	15	12	4	6	3	3	49	18	25	—	—	—	—	—	2	9	18	18	18	
	R.D.	8	15	12	4	6	3	51	17	25	R.D.	8	15	12	4	6	3	3	49	18	25	—	—	—	—	—	2	9	18	18	18	
Worcestershire	U.D.	7	11	3	5	11	2	39	14	25	U.D.	9	15	6	13	12	1	3	31	12	21	1	2	1	1	3	—	8	54	106	106	
	R.D.	32	35	21	21	29	9	154	24	41	R.D.	32	35	21	21	29	9	7	143	25	40	1	—	—	—	—	—	6	60	60	60	
Yorkshire, E.R.	U.D.	23	25	10	18	8	7	98	21	35	U.D.	23	25	10	18	8	7	7	92	21	35	2	2	—	—	—	6	29	43	43	43	
	R.D.	23	25	10	18	8	7	98	21	35	R.D.	23	25	10	18	8	7	7	92	21	35	2	2	—	—	—	6	29	43	43	43	
Yorkshire, N.R.	U.D.	167	147	87	114	106	63	720	20	36	U.D.	70	56	55	48	49	23	16	674	20	36	7	13	9	8	6	2	1	46	31	48	48
	R.D.	70	56	55	48	49	23	317	24	41	R.D.	70	56	55	48	49	23	16	297	23	41	5	4	2	4	1	2	20	30	55	55	
Yorkshire, W.R.	U.D.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	U.D.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
	R.D.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	R.D.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	

ADMINISTRATIVE COUNTIES—continued.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
WALES AND MONMOUTH																															
Anglesey ...	U.D.	3	4	2	3	3	1	—	16 26	46	1	3	2	3	3	3	1	—	13 18	39	2	1	—	—	—	—	—	—	—	3 214	211
Brecknockshire	R.D.	3	12	2	2	4	—	—	23 32	43	3	11	2	2	3	3	—	—	21 33	43	—	4	1	—	—	—	—	—	—	2 24	48
	U.D.	6	2	1	2	3	1	—	16 31	55	2	2	1	—	—	—	—	—	9 14	32	—	—	—	—	—	—	—	—	—	7 415	575
	R.D.	6	10	2	2	4	—	—	25 27	38	6	9	2	—	—	—	—	—	21 27	32	—	—	—	—	—	—	—	—	—	4 55	219
Caernarvonshire	U.D.	6	12	7	2	6	4	1	38 24	36	6	12	7	1	1	6	4	1	37 25	37	—	—	—	—	—	—	—	—	—	1	17
	R.D.	7	5	3	6	4	2	—	27 18	33	6	5	3	5	4	4	2	—	25 18	32	1	—	—	—	—	—	—	—	—	2 24	48
Cardiganshire	U.D.	2	—	3	1	1	2	—	9 23	41	5	—	3	1	1	1	2	—	9 25	45	—	—	—	—	—	—	—	—	—	—	—
	R.D.	6	2	2	4	2	2	—	18 19	33	5	2	2	2	4	2	2	—	17 18	33	1	—	—	—	—	—	—	—	—	1 37	36
Carmarthenshire	U.D.	6	11	6	3	4	5	1	36 22	35	5	11	5	3	3	4	5	1	34 21	34	1	—	—	—	—	—	—	—	—	2 42	42
	R.D.	19	19	10	15	7	4	1	75 31	48	19	18	9	15	7	7	3	1	72 30	47	—	1	—	—	—	—	—	—	—	3 42	63
Denbighshire	U.D.	6	16	5	8	10	5	3	53 22	42	5	16	5	5	7	10	5	2	50 22	42	1	—	—	—	—	—	—	—	—	3 16	46
	R.D.	10	15	4	10	12	6	5	62 18	38	8	12	4	8	12	6	6	5	55 16	35	2	3	—	—	—	—	—	—	—	7 60	83
Flintshire	U.D.	10	15	2	9	6	4	1	47 22	38	8	15	2	9	9	6	2	1	43 22	37	2	—	—	—	—	—	—	—	—	4 27	54
	R.D.	7	12	2	3	7	6	—	37 18	31	7	11	2	2	3	5	6	—	34 18	30	—	9	1	—	—	—	—	—	—	3 16	47
Glamorganshire	U.D.	91	98	40	63	47	37	15	391 24	41	82	91	39	60	45	36	15	15	368 23	40	—	7	—	—	—	—	—	—	—	23 59	79
	R.D.	24	26	16	20	15	7	5	113 21	36	23	26	15	20	15	7	5	5	111 21	36	1	—	—	—	—	—	—	—	—	2 20	20
Merionethshire	U.D.	1	2	—	2	2	—	—	7 12	27	1	2	—	2	2	2	—	—	7 12	28	—	—	—	—	—	—	—	—	—	—	—
	R.D.	1	2	3	1	2	3	2	14 16	36	4	1	3	1	1	—	3	1	10 14	27	—	—	—	—	—	—	—	—	—	4 47	188
Monmouthshire	U.D.	46	44	33	33	36	27	10	229 24	45	42	42	33	32	36	27	9	9	221 24	44	4	—	—	—	—	—	—	—	—	8 38	50
	R.D.	5	3	2	6	2	1	1	20 14	28	5	3	2	6	2	1	1	1	20 15	29	—	—	—	—	—	—	—	—	—	—	—
Montgomeryshire	U.D.	4	3	2	2	—	—	1	12 28	37	4	3	2	1	1	—	—	1	11 29	36	—	—	—	—	—	—	—	—	—	1	76
	R.D.	6	9	3	2	3	1	1	25 37	50	6	9	3	2	3	3	1	1	25 40	55	—	—	—	—	—	—	—	—	—	—	—
Pembrokeshire	U.D.	14	7	5	2	2	1	2	33 33	42	14	7	5	2	2	2	1	2	33 34	43	—	—	—	—	—	—	—	—	—	—	—
	R.D.	9	8	2	4	2	2	2	29 25	38	9	7	2	2	3	2	2	2	27 25	37	—	—	—	—	—	—	—	—	—	2 24	48
Radnorshire ...	U.D.	—	2	—	1	—	—	—	3 19	28	—	2	—	—	1	—	—	—	3 20	30	—	—	—	—	—	—	—	—	—	—	—
	R.D.	1	—	2	1	1	1	—	6 15	30	1	—	2	1	1	1	1	—	6 15	31	—	—	—	—	—	—	—	—	—	—	—

TABLE 17.—Civilian Population, Births, Deaths and { England and Wales, Geographical Regions, Counties, Boroughs, Infant Mortality, 1949. Urban Districts and Rural Districts.

See Explanatory notes on page vi.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirth.					
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Civilian	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian		Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.
		M.	F.	M.	F.	M.	F.														
ENGLAND AND WALES	43,100,000	357,000	336,611	19,064	17,843	730,518	16.9	1.00	1.00	259,942	250,031	509,973	11.8	1.00	1.00	23,882	32	14,106	16,947		
Regional Summary :																					
South East	14,820,800	116,233	109,214	6,557	6,130	238,134	16.1	0.97	0.92	82,965	82,630	165,595	11.2	0.97	0.92	6,097	25	3,994	4,835		
Greater London	8,358,701	64,518	60,411	3,660	3,323	131,912	15.8	0.93	0.87	45,017	43,788	88,805	10.6	1.04	0.93	3,348	25	2,213	2,653		
Remainder of South East	6,462,099	51,715	48,803	2,897	2,807	106,222	16.4	1.03	1.00	37,948	38,842	76,790	11.9	0.89	0.90	2,749	26	1,781	2,182		
North	13,501,170	115,323	109,082	6,033	5,682	236,120	17.5	1.01	1.05	86,841	82,774	169,615	12.6	1.06	1.13	9,318	39	5,033	5,971		
North I	2,255,000	20,696	19,599	879	820	41,994	18.6	1.02	1.12	14,340	12,821	27,161	12.0	1.11	1.13	1,824	43	944	1,050		
North II	1,345,030	12,194	11,623	689	678	25,184	18.7	1.04	1.15	8,643	8,138	16,781	12.5	1.02	1.08	978	38	502	640		
North III	3,568,570	29,516	27,793	1,624	1,531	60,464	16.9	1.01	1.01	23,031	21,794	44,825	12.6	1.05	1.12	2,185	36	1,268	1,448		
North IV	6,332,570	52,917	50,067	2,841	2,653	108,478	17.1	1.00	1.01	40,827	40,021	80,848	12.8	1.06	1.15	4,331	39	2,319	2,833		
Midland	7,962,819	68,758	64,947	3,661	3,306	140,672	17.7	1.00	1.05	45,971	42,564	88,535	11.1	1.06	1.00	4,622	33	2,702	3,228		
Midland I	5,275,000	46,155	43,462	2,407	2,192	94,216	17.9	1.00	1.05	30,300	28,040	58,340	11.1	1.07	1.01	3,100	33	1,848	2,180		
Midland II	2,687,819	22,603	21,485	1,254	1,114	46,456	17.3	1.02	1.04	15,671	14,524	30,195	11.2	1.03	0.98	1,522	32	854	1,048		
East	1,972,711	16,746	15,587	931	929	34,193	17.3	1.06	1.09	12,218	11,613	23,831	12.1	0.90	0.92	1,022	30	631	792		
South West	2,271,700	17,927	17,196	999	940	37,062	16.3	1.06	1.02	14,642	15,646	30,288	13.3	0.84	0.95	1,061	28	729	833		
Wales	2,570,800	22,013	20,585	883	856	44,337	17.2	1.03	1.05	17,305	14,804	32,109	12.5	1.01	1.07	1,762	39	1,017	1,288		
Wales I	1,843,939	16,058	15,102	566	528	32,254	17.5	1.02	1.06	12,434	9,969	22,403	12.1	1.06	1.09	1,303	40	746	938		
Wales II	726,861	5,955	5,483	317	328	12,083	16.6	1.07	1.05	4,871	4,835	9,706	13.4	0.90	1.02	459	38	271	350		
Density Summary of all Areas outside Greater London :																					
County Boroughs	13,072,730	113,402	106,902	6,783	6,308	233,395	17.9	0.99	1.05	82,600	79,049	161,649	12.4	1.05	1.10	8,706	37	4,739	5,674		
Other Urban Districts	13,679,601	111,905	106,411	5,344	4,989	228,649	16.7	1.02	1.01	84,365	82,488	166,853	12.2	0.98	1.01	7,606	33	4,557	5,489		
Rural Districts	7,988,968	67,175	62,887	3,277	3,223	136,562	17.1	1.06	1.08	47,960	44,706	92,666	11.6	0.93	0.91	4,222	31	2,597	3,131		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		

(1) ENGLAND (excluding Monmouth)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
BEDFORDSHIRE :																				
Admin. County	301,920	2,420	2,376	142	101	5,039	16.7	0.99	0.98	1,641	1,634	3,275	10.8	1.00	0.92	134	26	84	120
Urban Districts	210,680	1,661	1,625	105	72	3,463	16.4	0.97	0.94	1,138	1,104	2,242	10.6	1.04	0.93	94	27	57	81
Amphthill	2,780	22	22	5	—	49	17.6	1.13	1.18	22	20	42	15.1	0.71	0.91	1	20	1	1
Bedford M.B.	52,990	384	372	27	18	801	15.1	1.00	0.90	301	312	613	11.6	0.95	0.93	21	26	12	14
Biggleswade	7,400	57	60	4	2	123	16.6	1.04	1.03	50	37	87	11.8	0.90	0.90	2	16	—	—
Dunstable M.B.	17,110	129	138	8	5	280	16.4	0.95	0.92	81	104	185	10.8	1.07	0.98	12	42	5	8
Kempston	8,800	72	62	4	3	141	16.0	0.96	0.91	38	56	94	10.7	1.02	0.92	3	21	1	7
Leighton Buzzard	8,710	98	83	4	5	190	21.8	0.97	1.26	50	60	110	12.6	0.90	0.96	6	31	5	3
Luton M.B.	109,240	874	864	50	37	1,825	16.7	0.95	0.94	569	495	1,064	9.7	1.13	0.93	48	26	32	47
Sandy	3,650	25	24	3	2	54	14.8	1.05	0.92	27	20	47	12.9	0.85	0.93	1	18	1	1
Rural Districts	91,240	759	751	37	29	1,576	17.3	1.03	1.06	503	530	1,033	11.3	0.91	0.87	40	25	27	39
Amphthill	22,190	202	196	5	5	408	18.4	1.06	1.16	123	140	263	11.9	0.91	0.92	12	29	6	17
Bedford	27,740	235	201	12	11	459	16.5	1.08	1.05	185	166	351	12.7	0.87	0.94	16	35	13	8
Biggleswade	22,340	161	190	12	7	370	16.6	1.00	0.99	108	131	239	10.7	0.91	0.83	4	11	2	6
Luton	18,970	161	164	8	6	339	17.9	0.99	1.05	87	93	180	9.5	0.99	0.80	8	23	6	8
BERKSHIRE	394,270	3,197	3,036	195	210	6,638	16.8	1.02	1.01	2,179	2,174	4,353	11.0	0.93	0.87	168	25	109	130
County Borough : Reading	115,200	901	845	55	57	1,858	16.1	0.99	0.95	610	650	1,260	10.9	0.95	0.88	49	26	31	39
Admin. County	279,070	2,296	2,191	140	153	4,780	17.1	1.03	1.04	1,569	1,524	3,093	11.1	0.93	0.87	119	25	78	91
Urban Districts	94,160	782	729	48	52	1,611	17.1	1.00	1.02	566	611	1,177	12.5	0.88	0.93	46	28	29	30
Abingdon M.B.	10,330	87	88	8	3	186	18.0	1.06	1.13	52	61	113	10.9	1.01	0.93	6	32	3	4
Maidenhead M.B.	27,030	209	187	12	14	422	15.6	0.99	0.92	187	175	362	13.4	0.89	1.01	12	28	7	10
Newbury M.B.	17,750	139	131	3	7	280	15.8	1.04	0.97	111	115	226	12.7	0.86	0.93	10	35	8	5
New Windsor M.B.	22,240	216	175	22	14	427	19.2	0.89	1.01	114	131	245	11.0	0.94	0.88	11	26	6	7
Wallingford M.B.	3,390	33	29	—	1	63	18.6	1.09	1.20	21	24	45	13.3	0.82	0.92	1	16	—	1
Wantage	4,840	40	59	1	10	110	22.7	1.12	1.50	32	48	80	16.5	0.82	1.15	1	9	1	1
Wokingham M.B.	8,580	58	60	2	3	123	14.3	1.13	0.95	49	57	106	12.4	0.71	0.75	5	40	4	2
Rural Districts	184,910	1,514	1,462	92	101	3,169	17.1	1.05	1.06	1,003	913	1,916	10.4	0.95	0.84	73	23	49	61
Abingdon	21,760	210	219	5	15	449	20.6	1.03	1.25	82	87	169	7.8	1.17	0.77	14	31	10	14
Bradfield	18,960	144	128	8	10	290	15.3	1.07	0.97	86	104	190	10.0	0.91	0.77	3	10	2	6
Cookham	13,310	100	93	7	5	205	15.4	0.97	0.88	77	75	152	11.4	0.95	0.92	4	19	2	—
Easthampstead	22,490	179	156	8	9	352	15.7	1.13	1.05	132	112	244	10.8	0.89	0.81	11	31	7	14
Faringdon	11,440	126	125	4	8	263	23.0	0.98	1.33	59	46	105	9.2	0.97	0.76	2	8	2	3
Hungerford	9,580	83	72	4	11	170	17.7	1.20	1.26	51	56	107	11.2	0.89	0.84	5	29	4	—
Newbury	14,340	88	103	13	6	210	14.6	1.05	0.91	100	78	178	12.4	0.91	0.96	4	19	3	3
Wallingford	14,500	125	122	8	5	260	17.9	1.11	1.17	85	59	144	9.9	0.98	0.82	7	27	4	4
Wantage	14,430	132	128	5	8	273	18.9	1.05	1.17	69	67	136	9.4	0.94	0.75	2	7	2	5
Windsor	11,160	79	78	8	6	171	15.3	1.07	0.97	71	69	140	12.5	0.93	0.99	6	35	4	1
Wokingham	32,940	248	238	22	18	526	16.0	0.99	0.93	191	160	351	10.7	0.92	0.83	15	28	9	11

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	
		F.		M.	F.		M.													
		M.	F.		M.	F.														
BUCKINGHAMSHIRE :	375,380	3,146	2,934	139	146	6,365	17.0	1.00	1.00	1.00	2,025	1,900	3,925	10.5	0.97	0.86	143	22	99	122
Admin. County	1,619	1,487	77	72	3,255	17.0	0.97	0.98	976	915	1,891	9.9	1.04	0.87	66	20	47	79	
Urban Districts	191,603	190	153	12	14	369	18.7	0.94	1.04	94	107	201	10.2	1.04	0.90	8	21	6	9	
Aylesbury M.B.	19,700	59	52	4	3	118	15.6	1.01	0.93	36	31	67	8.8	0.93	0.69	—	—	—	—	
Beaconsfield ...	7,572	79	82	3	1	165	17.4	1.03	1.06	45	43	88	9.3	1.03	0.81	2	12	—	4	
Bletchley ...	9,471	32	32	1	2	67	16.0	1.06	1.01	25	25	50	11.9	0.91	0.92	1	15	1	1	
Buckingham M.B.	4,200	100	73	2	1	176	15.5	1.01	0.93	73	59	132	11.7	0.89	0.88	2	11	1	5	
Chesham ...	11,530																			
Eaton	4,570	16	22	—	—	38	8.3	1.63	0.80	15	22	37	8.1	1.24	0.85	—	—	—	4	
High Wycombe M.B.	40,720	326	357	17	11	711	17.5	0.96	1.00	207	197	404	9.9	1.08	0.91	18	25	11	22	
Linslade ...	3,433	23	28	—	1	52	15.1	0.98	0.88	22	19	41	11.9	0.84	0.85	—	—	—	3	
Marlow ...	6,397	69	54	3	3	129	20.2	1.00	1.19	31	45	76	11.9	0.92	0.93	2	15	2	3	
Newport Pagnell ...	4,400	30	30	—	1	61	13.9	1.09	0.89	37	30	67	15.2	0.68	0.88	1	16	—	3	
Slough M.B.	66,320	599	503	35	32	1,169	17.6	0.90	0.94	298	235	533	8.0	1.22	0.83	30	25	24	22	
Wolverton ...	13,490	96	101	—	3	200	14.8	1.15	1.01	93	102	195	14.5	0.78	0.96	2	10	2	3	
Rural Districts	183,777	1,527	1,447	62	74	3,110	16.9	1.02	1.02	1,049	985	2,034	11.1	0.91	0.86	77	25	52	43	
Amersham ...	41,380	335	300	10	12	657	15.9	0.99	0.93	219	226	445	10.8	0.92	0.84	20	30	14	10	
Aylesbury ...	25,460	219	246	11	12	488	19.2	1.01	1.15	148	148	296	11.6	0.87	0.86	10	20	8	8	
Buckingham ...	8,468	74	87	2	9	172	20.3	1.18	1.42	58	60	118	13.9	0.85	1.00	2	12	2	1	
Eton ...	41,100	359	279	17	20	675	16.4	0.97	0.95	227	193	420	10.2	1.01	0.87	23	34	15	8	
Newport Pagnell ...	13,550	118	108	—	2	228	16.8	1.13	1.12	111	98	209	15.4	0.73	0.95	4	17	2	1	
Wing ...	8,347	79	59	3	2	143	17.1	1.16	1.17	49	41	90	10.8	0.89	0.81	3	21	2	1	
Winslow	7,522	49	58	2	4	113	15.0	1.14	1.02	52	52	104	13.8	0.75	0.88	—	—	—	3	
Wycombe	37,950	294	310	17	13	634	16.7	1.01	1.00	185	167	352	9.3	0.95	0.75	15	23	9	11	
CAMBRIDGESHIRE :	171,240	1,306	1,205	64	66	2,641	15.4	1.05	0.96	980	977	1,957	11.4	0.91	0.88	67	25	43	63	
Admin. County	655	619	31	36	1,341	14.9	1.05	0.92	477	486	963	10.7	0.99	0.90	35	26	26	24	
Urban District : Cambridge M.B.	90,210	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rural Districts ...	81,030	651	586	33	30	1,300	16.0	1.06	1.01	503	491	994	12.3	0.85	0.89	32	24	17	39
Chesterton ...	36,410	270	260	16	9	555	15.2	1.02	0.92	212	230	442	12.1	0.84	0.86	14	25	7	12
Newmarket ...	20,340	168	137	7	7	319	15.7	1.10	1.03	143	120	263	12.9	0.87	0.95	5	16	3	8
South Cambridgeshire ...	24,280	213	189	10	14	426	17.5	1.10	1.14	148	141	289	11.9	0.83	0.84	13	30	7	19
CHESHIRE ...	1,232,900	9,937	9,413	447	457	20,254	16.4	1.00	0.97	7,554	7,458	15,012	12.2	0.99	1.02	671	33	380	534
County Boroughs	431,110	3,741	3,559	213	199	7,712	17.9	1.00	1.05	2,812	2,701	5,513	12.8	1.01	1.10	297	38	161	211
Birkenhead ...	141,460	1,321	1,310	82	66	2,779	19.6	1.00	1.16	925	828	1,753	12.4	1.06	1.11	111	40	57	88
Chester ...	47,470	429	376	31	35	871	18.3	0.97	1.05	310	268	578	12.2	1.03	1.06	29	33	22	22
Stockport ...	141,460	1,088	1,061	57	59	2,265	16.0	1.00	0.94	909	956	1,865	13.2	1.00	1.12	93	41	48	63
Wallasey ...	100,720	903	812	43	39	1,797	17.8	1.01	1.06	668	649	1,317	13.1	0.96	1.07	64	35	34	38
Admin. County ...	801,790	6,196	5,854	234	258	12,542	15.6	1.01	0.93	4,742	4,757	9,499	11.8	0.98	0.98	374	30	219	323
Urban Districts	626,138	4,826	4,550	185	203	9,764	15.6	1.00	0.92	3,746	3,757	7,503	12.0	0.99	1.01	298	30	176	260
Alderley Edge	3,670	29	20	2	—	51	13.9	1.01	0.83	21	25	46	12.5	0.83	0.88	—	—	—	—
Alsager ...	5,495	47	50	—	1	98	17.8	1.00	1.05	26	26	52	9.5	1.10	0.89	2	20	2	8
Altrincham M.B.	39,450	284	283	15	15	597	15.1	0.96	0.86	207	239	446	11.3	1.05	1.01	14	23	10	14
Bebington M.B.	47,030	359	335	4	13	711	15.1	0.98	0.88	242	229	471	10.0	1.08	0.92	24	33	17	19
Bollington ...	5,286	45	31	2	1	79	14.9	1.05	0.92	30	33	63	11.9	0.90	0.91	2	25	2	—
Bowdon	3,400	23	27	3	1	54	15.9	1.01	0.95	23	24	47	13.8	0.82	0.96	—	—	—	3
Bredbury and Romiley	17,570	152	137	3	6	298	17.0	0.99	1.00	103	104	207	11.8	1.01	1.01	7	23	4	5
Cheadle and Gatley ...	31,620	236	222	9	7	474	15.0	0.97	0.87	174	165	339	10.7	1.04	0.94	10	21	2	11
Congleton M.B.	15,360	126	119	5	7	257	16.7	0.98	0.97	108	122	230	15.0	1.02	1.30	9	35	4	7
Crewe M.B.	53,120	400	422	25	17	864	16.3	1.01	0.98	350	323	673	12.7	1.04	1.12	30	34	18	18
Dukinfield M.B.	18,430	152	130	8	3	293	15.9	1.00	0.94	109	117	226	12.3	1.05	1.09	13	44	5	11
Ellesmere Port	31,290	312	335	7	16	670	21.4	1.01	1.28	133	90	223	7.1	1.34	0.81	21	31	13	26
Hale ...	12,220	82	57	1	3	143	11.7	1.04	0.72	73	82	155	12.7	0.81	0.87	3	21	2	1
Hazel Grove and Bramhall	19,710	129	118	—	2	249	12.6	1.01	0.75	121	109	230	11.7	0.94	0.93	7	28	5	3
Hoole ...	9,043	71	60	3	4	138	15.3	0.93	0.84	57	43	100	11.1	1.01	0.95	5	36	5	2
Hoylake	27,500	173	173	3	8	357	13.0	1.04	0.80	167	190	357	13.0	0.80	0.88	8	22	4	6
Hyde M.B.	31,450	218	215	15	14	462	14.7	1.04	0.90	253	224	477	15.2	0.94	1.21	16	34	11	10
Knutsford	6,308	56	47	2	3	108	17.1	1.01	1.02	40	38	78	12.4	0.94	0.99	8	73	3	3
Longdendale	4,608	31	32	1	1	65	14.1	1.13	0.94	37	37	74	16.1	0.78	1.06	1	15	—	3
Lymm	6,335	55	44	2	2	103	16.3	0.98	0.95	37	40	77	12.2	0.93	0.96	1	10	1	1
Macclesfield M.B.	36,200	229	203	18	20	470	13.0	1.02	0.78	236	264	500	13.8	0.92	1.08	21	44	8	14
Marple	12,830	97	84	3	2	186	14.5	1.06	0.91	69	85	154	12.0	0.85	0.86	4	21	3	4
Middlewich	6,387	49	45	1	1	96	14.6	1.02	0.88	33	29	62	9.4	1.08	0.86	1	10	—	2
Nantwich	9,090	71	65	—	6	142	15.6	1.05	0.97	59	58	117	12.9	0.89	0.97	5	35	2	2
Neston	9,626	86	73	3	2	164	17.0	1.01	1.02	62	61	123	12.8	0.90	0.98	4	24	1	6
Northwich	18,810	157	148	5	9	319	17.0	1.03	1.03	135	102	237	12.6	1.01	1.08	13	40	11	11
Runcorn	23,770	206	194	7	8	415	17.5	0.99	1.02	141	126	267	11.2	1.16	1.10	21	50	11	11
Sale M.B.	43,090	315	287	11	7	620	14.4	0.96	0.82	248	251	499	11.6	1.01	0.99	10	16	7	17
Sandbach	8,700	67	63	3	1	134	15.4	1.01	0.92	49	44	93	10.7	1.01	0.92	4	30	4	5
Stalybridge M.B.	22,420	182	185	6	5	378	16.9	1.01	1.01	145	177	322	14.4	0.97	1.18	11	29	7	14
Wilmslow	16,790	139	108	7	9	263	15.7	1.00	0.93	101	95	196	11.7	0.92	0.91	7	26	6	9
Winsford	12,100	105	111	7	6	229	18.9	0.99	1.11	75	80	155	12.8	1.03	1.12	8	35	4	11
Wirral	17,230	143	127	4	3	277	16.1	1.03	0.98	82	125	207	12.0	0.91	0.93	8	29	4	3

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle (1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth Rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death Rate to National Rate.		
		M.	F.	M.	F.												
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		

CHESHIRE—continued.																			
Rural Districts ...	175,652	1,370	1,304	49	55	2,778	15.8	1.03	0.96	996	1,000	1,996	11.4	0.94	0.91	76	27	43	63
Bucklow ...	10,800	78	78	3	10	169	15.6	1.05	0.97	50	58	108	10.0	0.96	0.81	5	29	3	5
Chester ...	20,330	139	159	4	1	303	14.9	1.06	0.93	118	109	227	11.2	0.97	0.92	1	3	1	4
Congleton ...	12,810	88	90	5	2	185	14.4	1.10	0.94	85	61	146	11.4	0.96	0.93	7	37	5	4
Disley ...	3,030	20	15	—	—	35	11.6	1.03	0.71	21	19	40	13.2	0.87	0.97	2	57	1	—
Macclesfield ...	19,320	141	109	7	2	259	13.4	1.05	0.83	106	125	231	12.0	0.93	0.95	4	15	3	6
Nantwich ...	26,360	222	216	6	10	454	17.2	0.97	0.99	162	158	320	12.1	0.90	0.92	12	26	9	9
Northwich ...	32,660	296	283	9	6	594	18.2	0.99	1.07	152	167	319	9.8	1.01	0.84	25	42	14	16
Runcorn ...	34,550	257	223	8	14	502	14.5	1.03	0.88	203	209	412	11.9	0.92	0.93	14	28	3	10
Tarvin ...	14,530	120	125	7	9	261	18.0	1.05	1.12	89	85	174	12.0	0.92	0.94	6	23	4	9
Tintwistle ...	1,262	9	6	—	1	16	12.7	1.04	0.78	10	9	19	15.1	0.79	1.01	—	—	—	—
CORNWALL :																			
Admin. County ...	332,111	2,459	2,388	142	147	5,136	15.5	1.07	0.98	2,258	2,431	4,689	14.1	0.82	0.98	165	32	109	130
Urban Districts	182,292	1,273	1,231	88	90	2,682	14.7	1.05	0.91	1,279	1,418	2,697	14.8	0.83	1.04	94	35	56	67
Bodmin M.B.	5,775	34	39	1	5	79	13.7	1.38	1.12	25	30	55	9.5	0.81	0.65	1	13	1	1
Bude-Stratton	5,207	36	23	—	1	60	11.5	1.10	0.75	29	59	88	16.9	0.74	1.06	2	33	1	3
Camborne-Redruth	35,650	272	267	16	15	570	16.0	1.00	0.95	253	267	520	14.6	0.88	1.09	22	38	13	22
Falmouth M.B.	16,920	114	129	17	13	273	16.1	1.05	1.00	125	123	248	14.7	0.87	1.08	13	47	6	4
Fowey M.B. ...	2,176	11	13	—	—	24	11.0	1.09	0.71	16	19	35	16.1	0.75	1.02	—	—	—	—
Helston M.B.	5,070	41	44	1	—	86	17.0	1.08	1.09	34	47	81	16.0	0.75	1.02	1	12	1	2
Launceston M.B.	4,635	24	30	4	—	58	12.5	1.12	0.83	37	33	70	15.1	0.78	1.00	1	17	—	1
Liskeard M.B.	4,370	28	22	2	2	54	12.4	1.06	0.78	35	37	72	16.5	0.69	0.96	1	18	—	—
Looe ...	3,653	19	21	1	1	42	11.5	1.09	0.74	33	31	64	17.5	0.75	1.11	2	47	2	2
Lostwithiel M.B.	2,134	13	15	—	—	28	13.1	1.15	0.89	20	27	47	22.0	0.70	1.31	—	—	—	—
Newquay ...	9,777	50	50	9	7	116	11.9	0.94	0.67	70	76	146	14.9	0.78	0.98	3	26	3	4
Padstow ...	2,466	24	17	—	—	41	16.6	0.98	0.97	14	22	36	14.6	0.73	0.90	1	24	—	2
Penryn M.B.	3,978	35	39	5	2	81	20.4	1.01	1.22	22	23	45	11.3	0.97	0.93	1	12	—	—
Penzance M.B.	20,080	148	127	12	18	305	15.2	1.03	0.93	140	149	289	14.4	0.83	1.01	14	45	13	4
St. Austell ...	23,640	173	151	5	13	342	14.5	1.11	0.95	165	187	352	14.9	0.79	1.00	14	41	8	8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
St. Ives M.B. ...	8,628	41	40	3	2	86	10.0	1.03	0.61	58	74	132	15.3	0.72	0.93	3	35	1	2
St. Just ...	4,073	29	28	4	3	64	15.7	1.15	1.07	35	29	64	15.7	0.86	1.14	1	15	—	—
Saltash M.B. ...	7,430	51	51	4	3	109	14.7	1.02	0.89	54	69	123	16.6	0.77	1.08	4	36	2	5
Torpoint ...	3,840	36	37	2	1	76	19.8	1.00	1.18	26	22	48	12.5	0.92	0.97	3	39	2	2
Truro M.B. ...	12,790	94	88	2	4	188	14.7	1.02	0.89	88	94	182	14.2	1.02	1.23	7	37	2	5
Rural Districts ...	149,819	1,186	1,157	54	57	2,454	16.4	1.09	1.05	979	1,013	1,992	13.3	0.81	0.91	71	29	53	63
Camelford ...	7,506	51	55	2	4	112	14.9	1.12	0.98	46	41	87	11.6	0.81	0.80	2	18	2	4
Kerrier ...	20,000	155	145	6	6	312	15.6	1.03	0.95	136	128	264	13.2	0.84	0.94	9	29	8	10
Launceston ...	6,496	41	45	2	4	92	14.2	1.13	0.95	39	37	76	11.7	0.84	0.83	2	22	2	3
Liskeard ...	14,110	119	113	7	6	245	17.4	1.17	1.20	99	93	192	13.6	0.78	0.90	8	32	4	4
St. Austell ...	20,180	147	177	10	6	340	16.8	1.04	1.04	104	158	262	13.0	0.88	0.97	12	35	7	11
St. Germans ...	15,730	113	118	10	5	246	15.6	1.12	1.04	107	98	205	13.0	0.79	0.87	2	8	2	9
Scilly, Isles of ...	1,864	25	14	—	—	39	20.9	1.01	1.25	16	15	31	16.6	0.91	1.28	1	25	1	—
Stratton ...	5,103	51	33	1	3	88	17.2	1.11	1.12	34	33	67	13.1	0.85	0.94	2	23	1	2
Truro ...	27,120	193	211	3	6	413	15.2	1.11	1.00	181	194	375	13.8	0.77	0.90	16	38	12	7
Wadebridge ...	13,860	131	112	5	3	251	18.1	1.10	1.17	92	92	184	13.3	0.80	0.90	8	32	7	9
West Penwith ...	17,850	160	134	8	14	316	17.7	1.05	1.10	125	124	249	13.9	0.83	0.98	9	28	7	4
CUMBERLAND ...	277,900	2,501	2,365	117	139	5,122	18.4	1.04	1.14	1,794	1,734	3,528	12.7	1.02	1.10	177	34	98	140
County Borough : Carlisle ...	65,730	601	555	27	31	1,214	18.5	1.00	1.10	408	409	817	12.4	1.07	1.12	44	36	26	28
Admin. County ...	212,170	1,900	1,810	90	108	3,908	18.4	1.06	1.15	1,386	1,325	2,711	12.8	1.00	1.08	133	34	72	112
Urban Districts ...	85,080	768	760	38	34	1,600	18.8	1.03	1.14	600	539	1,139	13.4	1.04	1.18	68	42	41	45
Cockermouth ...	5,230	36	45	3	3	87	16.6	0.99	0.97	35	36	71	13.6	0.95	1.10	2	23	2	7
Keswick ...	4,650	28	27	—	—	58	12.5	1.01	0.75	33	35	68	14.6	0.80	0.99	1	17	—	—
Maryport ...	12,200	100	123	7	4	234	19.2	1.04	1.18	88	66	154	12.6	1.02	1.09	10	42	7	6
Penrith ...	10,410	92	81	7	7	187	18.0	1.04	1.11	98	70	168	16.1	0.93	1.27	7	37	6	3
Whitehaven M.B. ...	23,690	256	231	10	10	507	21.4	1.02	1.29	142	160	302	12.7	1.14	1.23	23	45	15	17
Workington M.B. ...	28,900	256	253	11	7	527	18.2	1.04	1.12	204	172	376	13.0	1.09	1.20	25	47	11	12
Rural Districts ...	127,090	1,132	1,050	52	74	2,308	18.2	1.08	1.16	786	786	1,572	12.4	0.97	1.02	65	28	31	67
Alston with Garrigill ...	2,300	16	14	—	1	31	13.5	1.11	0.89	20	13	33	14.3	0.86	1.04	3	96	2	1
Border ...	28,850	252	226	16	24	518	18.0	1.06	1.13	171	186	357	12.4	0.93	0.98	13	25	8	20
Cockermouth ...	19,540	175	149	8	8	340	17.4	1.09	1.13	120	119	239	12.2	0.97	1.00	3	9	1	9
Ennerdale ...	29,120	260	280	5	11	556	19.1	1.10	1.24	183	166	349	12.0	1.08	1.10	20	36	6	18
Millom ...	12,670	111	109	10	10	240	18.9	1.05	1.18	79	93	172	13.6	0.95	1.10	6	25	3	6
Penrith ...	11,610	101	90	3	5	199	17.1	1.08	1.09	73	70	143	12.3	0.92	0.96	4	20	3	5
Wigton ...	23,000	217	182	10	15	424	18.4	1.08	1.17	140	139	279	12.1	0.97	0.99	16	37	8	8
DERBYSHIRE ...	819,930	6,798	6,562	348	289	13,997	17.1	1.02	1.03	4,867	4,305	9,172	11.2	1.05	1.00	512	36	293	336
County Borough : Derby ...	142,720	1,198	1,166	80	66	2,510	17.6	0.99	1.03	961	802	1,763	12.4	1.03	1.08	91	36	50	48
Admin. County ...	677,210	5,600	5,396	268	223	11,487	17.0	1.03	1.03	3,906	3,503	7,409	10.9	1.06	0.98	421	36	243	288
Urban Districts ...	358,050	2,953	2,852	151	113	6,069	17.0	1.02	1.02	2,115	1,914	4,029	11.3	1.05	1.01	223	36	127	152
Alfreton ...	22,930	203	189	12	12	416	18.1	1.05	1.12	149	122	271	11.8	1.08	1.08	22	52	8	10
Ashbourne ...	5,350	45	47	4	1	97	18.1	1.08	1.15	33	31	64	12.0	0.95	0.97	3	31	2	2
Bakewell ...	3,350	20	27	1	1	49	14.6	1.06	0.92	19	19	38	11.3	0.84	0.80	1	20	—	—
Belper ...	15,490	121	116	4	3	244	15.8	0.98	0.92	102	83	185	11.9	0.96	0.97	7	28	3	2
Bolsover ...	10,630	84	118	6	1	209	19.7	1.04	1.21	38	33	71	6.7	1.19	0.68	4	19	2	5

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths. under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.			Ratio of local to National Rate.	
		F.		M.	F.		M.												
		M.	F.		M.	F.													
DERBYSHIRE—contd.																			
Urban Districts—contd.																			
Buxton M.B. ...	18,860	156	139	9	4	4	308	16.3	1.01	0.97	117	129	246	13.0	0.95	1.05	16	51	8
Chesterfield M.B. ...	67,780	550	526	26	23	23	1,125	16.6	0.98	0.96	390	329	719	10.6	1.10	0.99	39	34	25
Clay Cross ...	8,460	72	72	4	4	4	152	18.0	1.09	1.16	47	37	84	9.9	1.09	0.91	5	33	2
Dronfield ...	7,400	63	61	3	1	1	128	17.3	1.02	1.04	49	58	107	14.5	1.06	1.30	4	31	2
Glossop M.B. ...	17,930	138	122	8	6	6	274	15.3	1.08	0.98	130	137	267	14.9	0.80	1.01	9	33	5
Heanor ...	24,350	208	218	9	7	7	442	18.2	1.00	1.07	137	118	255	10.5	1.12	1.00	23	52	12
Ilkeston M.B. ...	33,510	300	286	12	10	10	608	18.1	0.98	1.05	212	164	376	11.2	1.18	1.12	22	36	12
Long Eaton ...	28,690	232	210	15	12	12	469	16.3	1.00	0.96	162	155	317	11.0	1.06	0.99	19	40	12
Matlock ...	18,180	143	140	9	6	6	298	16.4	1.09	1.06	100	119	219	12.0	0.97	0.99	14	47	12
New Mills ...	8,424	75	57	3	2	2	137	16.3	1.08	1.04	59	69	128	15.2	0.89	1.15	3	22	1
Ripley ...	18,030	146	135	7	2	2	290	16.1	1.04	0.99	84	88	172	9.5	1.07	0.86	7	24	4
Staveley ...	17,670	150	142	6	6	6	304	17.2	1.04	1.06	94	66	160	9.1	1.24	0.96	7	23	4
Swadlincote District ...	20,950	184	175	9	10	10	378	18.0	1.00	1.06	136	98	234	11.2	1.10	1.04	17	45	12
Whaley Bridge ...	5,191	23	38	2	1	1	64	12.3	1.04	0.75	34	30	64	12.3	0.97	1.01	—	—	—
Wirksworth ...	4,875	40	34	2	1	1	77	15.8	1.09	1.02	23	29	52	10.7	0.97	0.88	1	13	1
Rural Districts ...	319,160	2,647	2,544	117	110	110	5,418	17.0	1.04	1.05	1,791	1,589	3,380	10.6	1.06	0.95	198	36	116
Ashbourne ...	11,780	84	84	8	7	7	183	15.5	1.14	1.05	66	60	126	10.7	1.01	0.92	4	22	4
Bakewell ...	19,320	158	130	4	8	8	300	15.5	1.09	1.00	129	117	246	12.7	0.87	0.94	9	30	7
Belper ...	28,040	219	217	11	11	11	458	16.3	1.04	1.00	169	160	329	11.7	0.97	0.96	15	32	11
Blackwell ...	43,690	366	402	16	12	12	796	18.2	1.05	1.13	245	221	466	10.7	1.17	1.06	38	47	19
Chapel en le Frith ...	18,870	139	122	3	7	7	271	14.4	1.09	0.93	130	121	251	13.3	0.95	1.07	7	26	4
Chesterfield ...	75,380	620	638	32	27	27	1,317	17.5	1.02	1.05	408	340	748	9.9	1.11	0.93	56	42	31
Clowne ...	18,920	190	178	3	6	6	377	19.9	1.09	1.28	106	93	199	10.5	1.08	0.96	10	26	8
Repton ...	30,710	257	241	9	5	5	512	16.7	1.11	1.10	163	152	315	10.3	1.02	0.89	23	44	10
Shardlow ...	72,450	614	532	31	27	27	1,204	16.6	0.98	0.96	375	325	700	9.7	1.12	0.92	36	30	22
DEVONSHIRE ...	768,389	5,988	5,629	352	335	335	12,304	16.0	1.06	1.00	5,217	5,643	10,860	14.1	0.82	0.98	371	30	255
County Boroughs	267,450	2,316	2,322	160	168	168	4,966	18.6	0.99	1.09	1,753	1,756	3,509	13.1	0.97	1.08	159	32	102
Exeter ...	76,590	570	557	34	36	36	1,197	15.6	1.00	0.93	457	545	1,002	13.1	0.91	1.01	30	25	25
Plymouth ...	190,860	1,746	1,765	126	132	132	3,769	19.7	0.98	1.14	1,296	1,211	2,507	13.1	0.99	1.10	129	34	77
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	500,939	3,672	3,307	192	167	7,338	14.6	1.10	0.95	3,464	3,887	7,351	14.7	0.76	0.95	212	29	153	177
Urban Districts	260,475	1,805	1,655	121	85	3,666	14.1	1.08	0.90	1,894	2,267	4,161	16.0	0.72	0.98	114	31	86	77
Ashburton	2,642	23	14	3	1	41	15.5	1.10	1.01	14	23	37	14.0	0.80	0.95	—	—	—	—
Axminster	2,620	23	15	1	1	19	15.3	1.06	0.96	15	19	34	13.0	0.90	0.99	—	—	—	—
Barnstaple M.B.	15,940	141	139	9	3	292	18.3	1.00	1.08	97	130	227	14.2	0.80	0.96	7	24	5	1
Bideford M.B.	10,260	72	84	6	3	165	16.1	1.09	1.04	67	85	152	14.8	0.81	1.02	1	6	—	4
Brixham	8,757	48	69	3	2	122	13.9	1.10	0.90	63	76	139	15.9	0.77	1.04	6	49	5	5
Buckfastleigh	2,595	19	17	3	1	40	15.4	1.22	1.11	14	22	36	13.9	0.74	0.87	1	25	1	—
Budleigh Salterton	3,775	19	24	2	—	45	11.9	1.21	0.85	35	46	81	21.5	0.56	1.02	2	44	2	2
Crediton	4,300	43	24	—	—	67	15.6	1.05	0.96	37	31	68	15.8	0.83	1.11	4	59	2	—
Dartmouth M.B.	5,733	47	42	2	2	93	16.2	1.08	1.03	36	54	90	15.7	0.80	1.06	4	43	3	4
Dawlish	6,887	57	34	3	1	95	13.8	1.16	0.95	57	50	107	15.5	0.71	0.93	4	42	3	6
Exmouth	16,860	125	105	4	6	240	14.2	1.07	0.90	124	159	283	16.8	0.66	0.94	6	25	4	4
Great Torrington M.B.	2,800	26	23	3	1	53	18.9	1.06	1.19	25	14	39	13.9	0.80	0.94	4	75	2	—
Holsworthy	1,503	12	17	1	—	30	20.0	1.06	1.26	7	7	14	9.3	0.75	0.59	—	—	—	1
Honiton M.B.	3,620	35	31	—	2	68	18.8	1.05	1.17	17	19	36	9.9	0.78	0.65	2	29	2	2
Ilfracombe	9,224	70	50	4	6	130	14.1	1.11	0.92	79	87	166	18.0	0.70	1.07	8	61	8	4
Kingsbridge	3,110	18	21	—	2	41	13.2	1.02	0.80	19	25	44	14.1	0.77	0.92	1	24	1	—
Lynton	2,039	11	7	—	1	19	9.3	0.98	0.54	16	14	30	14.7	0.77	0.96	1	52	1	2
Newton Abbot	15,880	124	129	12	9	274	17.3	1.07	1.10	127	130	257	16.2	0.81	1.11	7	25	5	4
Northam	6,494	46	37	6	—	89	13.7	1.05	0.85	43	54	97	14.9	0.75	0.95	2	22	1	1
Okehampton M.B.	4,020	30	29	2	—	61	15.2	0.99	0.89	29	39	68	16.9	0.81	1.16	—	—	—	3
Ottery St. Mary	3,831	22	28	2	1	53	13.8	1.08	0.89	27	31	58	15.1	0.76	0.97	1	19	1	—
Paignton	25,390	131	127	7	7	272	10.7	1.10	0.70	221	218	439	17.3	0.64	0.94	6	22	5	6
Salcombe	2,454	17	21	—	—	38	15.5	1.11	1.02	20	16	36	14.7	0.67	0.83	3	78	1	1
Seaton	2,971	14	6	—	1	21	7.1	1.08	0.46	19	36	55	18.5	0.58	0.91	—	—	—	—
Sidmouth	9,758	56	61	4	5	126	12.9	1.16	0.88	76	108	184	18.9	0.59	0.95	7	55	5	—
South Molton M.B.	2,982	22	20	3	1	46	15.4	1.19	1.08	19	26	45	15.1	0.79	1.01	4	86	3	1
Tavistock	6,150	40	26	1	—	67	10.9	1.17	0.76	39	47	86	14.0	0.74	0.88	2	30	2	1
Teignmouth	10,520	61	55	5	5	126	12.0	1.13	0.80	90	105	195	18.5	0.62	0.97	4	31	4	1
Tiverton M.B.	11,200	86	83	5	1	175	15.6	1.09	1.01	76	96	172	15.4	0.88	1.15	3	17	2	4
Torquay M.B.	50,480	323	284	26	22	655	13.0	1.05	0.81	358	461	819	16.2	0.70	0.96	20	30	17	14
Tonnes M.B.	5,680	44	33	4	1	82	14.4	1.01	0.86	28	39	67	11.8	0.81	0.81	4	48	1	1
Rural Districts	240,464	1,867	1,652	71	82	3,672	15.3	1.13	1.02	1,570	1,620	3,190	13.3	0.81	0.91	98	26	67	100
Axminster	11,300	106	81	2	5	194	17.2	1.12	1.14	93	88	181	16.0	0.72	0.98	3	15	2	1
Barnstaple	22,110	179	142	8	7	336	15.2	1.07	0.96	158	160	318	14.4	0.78	0.95	8	24	5	3
Bideford	5,220	40	35	1	6	82	15.7	1.09	1.01	40	40	80	15.3	0.81	1.05	2	24	2	3
Broadwood Widger	2,029	13	17	1	2	33	16.3	1.08	1.04	7	10	17	8.4	0.97	0.69	—	—	—	1
Crediton	9,780	81	92	3	5	181	18.5	1.17	1.28	57	67	124	12.7	0.82	0.88	8	44	6	2
Holsworthy	6,357	48	53	1	2	104	16.4	1.16	1.13	44	43	87	13.7	0.81	0.94	1	10	—	5
Honiton	7,060	74	76	—	1	151	21.4	1.17	1.48	49	39	88	12.5	0.83	0.88	5	33	3	3
Kingsbridge	11,440	102	103	7	4	216	18.9	1.10	1.23	58	85	143	12.5	0.76	0.81	6	28	5	5
Newton Abbot	24,470	189	153	7	6	355	14.5	1.11	0.95	186	166	352	14.4	0.78	0.95	10	28	5	13
Okehampton	12,250	75	72	5	5	157	12.8	1.20	0.91	83	92	175	14.3	0.77	0.93	3	19	2	5
Plympton St. Mary	31,420	220	203	8	10	441	14.0	1.04	0.86	199	213	412	13.1	0.86	0.95	12	27	8	16
St. Thomas	31,110	220	179	8	10	417	13.4	1.25	0.99	173	189	362	11.6	0.83	0.82	13	31	8	16

TABLE 17 —continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
DEVONSHIRE—contd.																			
Rural Districts—contd.																			
South Molton	8,978	77	67	2	2	148	16.5	1.16	1.13	52	61	113	12.6	0.89	0.95	1	7		
Tavistock	15,270	123	106	6	8	243	15.9	1.13	1.06	98	114	212	13.9	0.81	0.95	8	33		
Tiverton	20,740	169	133	8	7	317	15.3	1.10	1.00	130	126	256	12.3	0.85	0.89	6	19		
Torrington	7,600	54	61	2	—	117	15.4	1.21	1.11	57	37	94	12.4	0.85	0.89	4	34		
Totnes	13,330	97	79	2	2	180	13.5	1.11	0.89	86	90	176	13.2	0.79	0.88	8	44		
DORSETSHIRE :																			
Admin. County	275,400	2,158	2,029	143	111	4,441	16.1	1.07	1.02	1,712	1,747	3,459	12.6	0.83	0.89	110	25		
Urban Districts																			
Blandford Forum M.B.	173,914	1,344	1,259	85	71	2,759	15.9	1.05	0.99	1,058	1,134	2,192	12.6	0.83	0.89	59	21		
Bridport M.B.	3,658	27	30	4	6	67	18.3	1.04	1.12	29	19	48	13.1	0.82	0.91	1	15		
Dorchester M.B.	6,045	41	48	—	4	93	15.4	1.06	0.97	38	42	80	13.2	0.76	0.85	2	21		
Lyme Regis M.B.	11,010	86	80	6	7	179	16.3	1.02	0.99	65	72	137	12.4	0.88	0.92	4	22		
Poole M.B.	2,985	23	24	—	—	47	15.7	1.09	1.01	27	27	54	18.1	0.72	1.10	1	27		
	81,130	643	580	42	23	1,288	15.9	1.04	0.97	474	530	1,004	12.4	0.85	0.89	24	18		
Portland	8,650	69	66	6	4	145	16.8	1.05	1.05	56	49	105	12.1	0.91	0.93	2	14		
Shaftesbury M.B.	3,446	22	24	—	1	47	13.6	1.17	0.94	21	24	45	13.1	0.74	0.82	—	1		
Sherborne	7,280	33	48	6	6	93	12.8	1.39	1.05	40	35	75	10.3	0.99	0.86	—	21		
Swanage	6,580	46	56	—	2	104	15.8	1.14	1.06	33	62	95	14.4	0.73	0.89	8	76		
Wareham M.B.	2,610	24	18	—	—	42	16.1	1.09	1.04	27	20	47	18.0	0.76	1.16	—	—		
Weymouth and Melcombe Regis M.B.	35,970	283	265	17	14	579	16.1	1.00	0.96	226	224	450	12.5	0.82	0.87	12	21		
Wimborne Minster	4,550	47	20	4	4	75	16.5	1.16	1.13	22	30	52	11.4	0.72	0.70	3	40		
Rural Districts																			
Beaminster	101,486	814	770	58	40	1,682	16.6	1.10	1.08	654	613	1,267	12.5	0.82	0.87	51	30		
Blandford	8,025	76	62	2	2	142	17.7	1.12	1.17	51	33	84	10.5	0.81	0.72	4	28		
Bridport	8,637	80	72	9	4	165	19.1	1.16	1.31	50	56	106	12.3	0.94	0.98	7	42		
Dorchester	7,605	52	52	4	3	111	14.6	1.15	1.00	59	57	116	15.3	0.71	0.92	5	45		
	16,190	129	111	7	5	252	15.6	1.15	1.06	82	86	168	10.4	0.85	0.75	5	20		
Shaftesbury	9,154	64	44	2	3	113	12.3	1.19	0.86	64	66	130	14.2	0.80	0.96	5	44		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Sherborne ...	6,200	39	56	4	4	103	16.6	0.90	0.89	32	30	62	10.0	0.94	0.80	1	10	1	1
Sturminster ...	8,855	69	78	3	3	153	17.3	1.11	1.14	74	53	127	14.3	0.75	0.91	4	26	2	3
Wareham and Purbeck ...	16,280	167	155	8	8	338	20.8	0.96	1.18	89	94	183	11.2	0.93	0.88	9	26	5	3
Wimborne and Cranborne ...	20,540	138	140	19	8	305	14.8	1.16	1.02	153	138	291	14.2	0.75	0.90	11	36	5	6
DURHAM ...	1,459,200	13,646	13,001	545	548	27,740	19.0	1.03	1.15	9,228	8,233	17,461	12.0	1.13	1.15	1,285	46	648	772
County Boroughs	561,650	5,252	5,121	244	242	10,859	19.3	1.01	1.15	3,706	3,383	7,089	12.6	1.12	1.20	536	49	268	265
Darlington ...	84,690	676	628	31	46	1,381	16.3	1.01	0.97	494	487	981	11.6	1.04	1.02	60	43	33	34
Gateshead ...	114,910	1,083	1,082	43	49	2,257	19.6	0.98	1.14	761	683	1,444	12.6	1.17	1.25	110	48	59	55
South Shields ...	108,360	1,017	1,001	43	50	2,111	19.5	0.99	1.14	731	670	1,401	12.9	1.09	1.19	97	45	45	42
Sunderland ...	181,340	1,756	1,715	80	63	3,614	19.9	1.02	1.21	1,265	1,120	2,385	13.2	1.14	1.28	206	56	94	101
West Hartlepool ...	72,350	720	695	47	34	1,496	20.7	1.04	1.27	455	423	878	12.1	1.13	1.16	63	42	37	33
Admin. County ...	897,550	8,394	7,880	301	306	16,881	18.8	1.04	1.15	5,522	4,850	10,372	11.6	1.14	1.12	749	44	380	457
Urban Districts	618,890	5,822	5,556	220	226	11,824	19.1	1.03	1.17	3,839	3,406	7,245	11.7	1.14	1.13	509	43	259	335
Barnard Castle ...	4,560	38	28	1	3	70	15.4	1.06	0.96	37	34	71	15.6	0.80	1.06	2	28	1	2
Billingham ...	23,420	240	217	21	12	490	20.9	0.99	1.22	128	91	219	9.4	1.55	1.23	27	55	16	22
Bishop Auckland ...	36,070	365	349	18	18	750	20.8	0.98	1.21	209	213	422	11.7	1.03	1.02	25	33	15	20
Blaydon ...	30,770	252	269	7	8	536	17.4	1.04	1.07	174	155	329	10.7	1.14	1.03	15	28	6	12
Boldon ...	16,870	162	148	2	5	317	18.8	1.03	1.15	118	109	227	13.5	1.04	1.19	10	31	6	6
Brandon and Byshottles ...	19,460	172	168	7	4	351	18.0	1.07	1.14	122	102	224	11.5	1.10	1.07	15	42	6	16
Chester le Street ...	18,620	153	146	2	9	310	16.6	1.02	1.01	111	95	206	11.1	1.09	1.03	7	61	11	7
Consett ...	38,900	360	328	9	14	711	18.3	1.03	1.11	238	225	463	11.9	1.13	1.14	29	40	17	29
Crook and Willington ...	27,420	232	197	6	17	452	16.5	1.06	1.03	192	164	356	13.0	1.02	1.12	21	46	11	13
Durham M.B. ...	20,220	152	147	5	3	307	15.2	1.14	1.02	105	118	223	11.0	1.12	1.04	11	35	2	4
Felling ...	25,420	229	239	9	9	486	19.1	0.98	1.11	161	151	312	12.3	1.14	1.19	13	26	9	6
Hartlepool M.B. ...	16,900	192	203	7	6	408	24.1	1.05	1.50	126	105	231	13.7	1.17	1.36	14	34	10	13
Hebburn ...	23,050	228	231	11	6	476	20.7	0.98	1.20	140	106	246	10.7	1.25	1.13	17	35	8	13
Hetton ...	18,830	173	157	4	3	337	17.9	1.06	1.12	116	97	213	11.3	1.17	1.12	12	35	4	21
Houghton le Spring ...	29,750	280	280	6	10	576	19.4	1.05	1.21	190	158	348	11.7	1.13	1.12	31	53	14	15
Jarrow M.B. ...	28,530	305	265	5	13	588	20.6	0.99	1.21	208	199	407	14.3	1.22	1.48	37	62	14	17
Ryton ...	13,910	99	95	3	5	202	14.5	1.02	0.88	76	51	127	9.1	1.06	0.82	7	34	5	5
Seaham ...	25,900	270	263	11	11	555	21.4	1.06	1.34	158	109	267	10.3	1.23	1.07	26	46	10	13
Shildon ...	14,720	140	135	10	6	291	19.8	1.04	1.22	100	72	172	11.7	1.07	1.06	15	51	8	10
Spennymoor ...	19,760	212	207	10	8	437	22.1	1.03	1.34	105	110	215	10.9	1.16	1.07	16	36	9	9
Stanley ...	48,890	430	415	21	11	877	17.9	1.07	1.13	288	267	555	11.4	1.12	1.08	30	34	15	16
Stockton on Tees M.B. ...	73,030	733	685	32	37	1,487	20.4	1.02	1.24	467	419	886	12.1	1.15	1.18	81	54	45	43
Tow Law ...	3,270	24	27	1	1	53	16.2	1.06	1.02	28	22	50	15.3	1.06	1.37	3	56	2	1
Washington ...	17,670	189	163	6	5	363	20.5	1.04	1.26	107	89	196	11.1	1.24	1.17	19	52	8	14
Whickham ...	22,950	192	194	6	2	394	17.2	1.00	1.02	135	145	280	12.2	1.14	1.18	14	35	7	8
Rural Districts ...	278,660	2,572	2,324	81	80	5,057	18.1	1.05	1.12	1,683	1,444	3,127	11.2	1.14	1.08	240	47	121	122
Barnard Castle ...	17,320	152	131	7	5	295	17.0	1.02	1.03	117	104	221	12.8	0.96	1.04	18	60	14	10
Chester le Street ...	41,080	373	329	8	11	721	17.6	1.01	1.10	253	237	490	9.5	1.14	1.15	33	45	18	18
Darlington ...	10,270	100	84	5	2	191	18.6	1.00	1.10	48	50	98	9.5	0.94	0.76	7	36	4	7
Durham ...	33,330	276	283	20	18	597	17.9	1.02	1.08	219	184	403	12.1	1.19	1.22	30	50	13	20
Easington ...	82,640	814	751	21	21	1,607	19.4	1.07	1.23	484	366	850	10.3	1.27	1.11	78	48	27	42

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
DURHAM—contd.																			
Rural Districts—contd.																			
Lanchester ...	15,340	139	145	5	5	294	19.2	1.17	1.32	97	74	171	11.1	1.07	1.01	8	27		
Sedgefield ...	36,190	311	267	8	10	596	16.5	1.06	1.03	180	186	366	10.1	1.15	0.98	37	61		
Stockton ...	8,240	75	57	2	1	135	16.4	1.04	1.01	56	42	98	11.9	1.03	1.04	6	44		
Sunderland ...	25,220	259	232	3	5	499	19.8	1.03	1.20	173	145	318	12.6	1.13	1.21	22	44		
Weardale ...	9,030	73	45	2	2	122	13.5	1.13	0.91	56	56	112	12.4	0.91	0.96	1	8		
ELY, ISLE OF :																			
Admin. County ...	87,610	789	736	51	41	1,617	18.5	1.07	1.17	570	494	1,064	12.1	0.95	0.97	43	26		
Urban Districts	53,750	479	429	30	26	964	17.9	1.06	1.12	352	310	662	12.3	0.95	0.99	23	24		
Chatteris ...	5,484	45	37	1	3	86	15.7	1.09	1.01	41	33	74	13.5	0.89	1.02	4	46		
Ely ...	9,020	81	69	3	3	156	17.3	1.06	1.08	59	59	118	13.1	0.93	1.03	1	6		
March ...	13,170	105	92	3	4	204	15.5	1.08	0.99	81	74	155	11.8	1.03	1.03	4	19		
Whittlesey ...	8,576	82	81	4	2	169	19.7	1.03	1.20	46	49	95	11.1	1.00	0.94	5	29		
Wisbech M.B.	17,500	166	150	19	14	349	19.9	1.06	1.24	125	95	220	12.6	0.90	0.96	9	26		
Rural Districts ...	33,860	310	307	21	15	653	19.3	1.08	1.23	218	184	402	11.9	0.96	0.97	20	30		
Ely ...	14,540	133	139	14	7	293	20.2	1.10	1.31	95	82	177	12.2	0.91	0.94	9	30		
North Witchford	4,860	31	42	1	1	75	15.4	1.09	0.99	31	35	66	13.6	0.91	1.05	4	53		
Thorney ...	2,110	28	22	2	1	53	25.1	0.93	1.38	19	15	34	16.1	1.21	1.65	—	—		
Wisbech ...	12,350	118	104	4	6	232	18.8	1.08	1.20	73	52	125	10.1	0.99	0.85	7	30		
ESSEX ...	1,998,900	16,164	14,960	674	648	32,446	16.2	0.99	0.95	10,968	10,344	21,312	10.7	1.01	0.92	804	25		
County Boroughs	444,200	3,668	3,506	190	173	7,537	17.0	0.98	0.99	2,665	2,548	5,213	11.7	1.00	0.99	187	25		
East Ham ...	121,900	935	939	38	26	1,938	15.9	0.96	0.90	708	634	1,342	11.0	1.05	0.98	48	25		
Southend-on-Sea	148,600	1,136	1,064	71	74	2,345	15.8	1.02	0.96	888	1,041	1,929	13.0	0.83	0.91	61	26		
West Ham ...	173,700	1,597	1,503	81	73	3,254	18.7	0.97	1.07	1,069	873	1,942	11.2	1.16	1.10	78	24		
Admin. County ...	1,554,700	12,496	11,454	484	475	24,909	16.0	0.99	0.94	8,303	7,796	16,099	10.4	1.01	0.89	617	25		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Urban Districts	1,333,950	10,653	9,761	393	385	21,192	15.9	0.97	0.92	6,891	6,574	13,465	10.1	1.05	0.90	544	25	363	423
Barking M.B.	79,460	675	614	21	19	1,329	16.7	0.97	0.96	396	339	735	9.2	1.35	1.05	33	25	21	25
Benfleet	19,600	134	145	8	5	292	14.9	1.13	1.00	154	127	281	14.3	0.74	0.90	11	37	4	7
Billericay	42,230	335	348	12	17	712	16.9	1.11	1.11	331	260	591	14.0	0.80	0.95	28	39	20	10
Braintree and Bocking	17,450	165	131	4	9	309	17.7	0.99	1.04	90	96	186	10.7	0.87	0.79	11	35	6	4
Brentwood	29,580	216	209	6	10	441	14.9	1.18	1.04	148	150	298	10.1	0.91	0.78	8	18	6	12
Brightlingsea	4,472	32	24	1	2	59	13.2	1.18	0.92	34	50	84	18.8	0.64	1.02	3	50	1	—
Burnham on Crouch	3,907	34	28	1	1	64	16.4	1.16	1.12	31	26	57	14.6	0.76	0.94	4	62	2	—
Canvey Island	10,550	99	76	8	5	188	17.8	1.17	1.17	71	58	129	12.2	0.81	0.84	2	11	2	6
Chelmsford M.B.	36,930	305	263	10	15	593	16.1	0.97	0.92	211	185	396	10.7	1.03	0.93	12	20	9	12
Chigwell	40,940	373	321	12	24	730	17.8	0.94	0.99	144	178	322	7.9	1.03	0.69	14	19	10	10
Chingford M.B.	48,510	358	304	8	5	675	13.9	0.93	0.77	200	204	404	8.3	1.21	0.85	17	25	12	18
Clacton	23,030	127	128	16	9	280	12.2	1.14	0.82	158	187	345	15.0	0.71	0.90	7	25	5	7
Colchester M.B.	52,520	411	399	24	24	858	16.3	0.96	0.93	298	278	576	11.0	0.91	0.73	21	24	16	16
Dagenham M.B.	113,800	978	896	37	35	1,946	17.1	0.96	0.97	449	307	756	6.6	1.65	0.92	55	28	34	28
Epping	6,540	46	61	1	1	109	16.7	0.98	0.97	45	36	81	12.4	0.86	0.90	1	9	—	2
Frinton and Walton	7,987	49	61	2	1	113	14.1	1.12	0.93	61	70	131	16.4	0.72	1.00	3	26	2	1
Halstead	6,060	40	37	2	3	82	13.5	1.04	0.83	35	58	93	15.3	0.82	1.06	3	36	2	4
Harwich M.B.	12,600	116	113	7	11	247	19.6	0.99	1.14	73	60	133	10.6	0.99	0.89	8	32	7	9
Hornchurch	102,300	858	738	18	24	1,638	16.0	0.96	0.91	494	420	914	8.9	1.19	0.90	29	18	25	39
Ilford M.B.	185,000	1,314	1,251	33	33	2,631	14.2	0.93	0.78	847	881	1,728	9.3	1.07	0.84	53	20	33	61
Leyton M.B.	106,700	831	751	35	25	1,642	15.4	0.94	0.86	578	654	1,232	11.5	0.97	0.95	43	26	26	33
Maldon M.B.	9,590	82	85	9	2	178	18.6	1.10	1.22	69	53	122	12.7	0.76	0.82	5	28	4	4
Rayleigh	9,380	67	77	2	1	147	15.7	1.12	1.04	81	71	152	16.2	0.77	1.06	7	47	6	3
Romford M.B.	73,640	678	599	22	27	1,326	18.0	0.93	0.99	345	313	658	8.9	1.21	0.91	22	16	15	29
Saffron Walden M.B.	6,980	57	45	4	2	108	15.5	0.99	0.91	33	56	89	12.8	0.82	0.89	2	18	1	1
Thurrock	76,950	757	681	37	26	1,501	19.5	0.98	1.13	409	305	714	9.3	1.16	0.91	42	28	27	24
Waltham Holy Cross	8,071	47	62	2	2	113	14.0	1.02	0.85	51	52	103	12.8	1.01	1.10	6	53	4	7
Walthamstow M.B.	123,400	940	813	34	33	1,820	14.7	0.97	0.84	639	660	1,299	10.5	1.05	0.93	54	29	30	26
Wanstead and Woodford	61,960	422	400	12	12	846	13.7	0.98	0.79	324	363	687	11.1	0.97	0.91	31	36	24	23
West Mersea	3,015	17	17	3	1	38	12.6	1.12	0.83	20	28	48	15.9	0.69	0.93	1	26	1	—
Witham	8,363	69	63	2	—	134	16.0	1.07	1.02	58	33	91	10.9	1.03	0.95	6	44	6	2
Wivenhoe	2,435	21	21	—	1	43	17.7	1.08	1.13	14	16	30	12.3	0.75	0.78	2	46	2	—
Rural Districts	220,750	1,843	1,693	91	90	3,717	16.8	1.08	1.07	1,412	1,222	2,634	11.9	0.83	0.84	73	19	48	64
Braintree	18,220	141	142	5	4	292	16.0	0.97	0.92	116	114	230	12.6	0.78	0.83	5	17	4	7
Chelmsford	38,540	323	334	24	14	695	18.0	1.01	1.08	197	194	391	10.1	0.90	0.77	11	16	9	8
Dunmow	18,740	140	120	6	8	274	14.6	1.13	0.98	96	101	197	10.5	0.89	0.79	7	25	3	7
Epping	17,910	173	139	5	7	324	18.1	0.99	1.07	103	94	197	11.0	0.92	0.86	5	15	3	1
Halstead	16,620	103	114	4	5	226	13.6	1.13	0.91	127	125	252	15.2	0.75	0.97	5	22	3	6
Lexden and Winstree	22,250	184	168	11	13	376	16.9	1.12	1.12	163	138	301	13.5	0.77	0.88	12	32	7	5
Maldon	14,480	122	102	2	7	233	16.1	1.15	1.10	114	78	192	13.3	0.78	0.88	5	21	4	5
Ongar	14,650	143	111	7	8	269	18.4	1.11	1.20	77	68	145	9.9	0.98	0.82	8	29	3	6
Rochford	18,700	172	146	4	5	327	17.5	1.10	1.14	141	93	234	12.5	0.77	0.82	4	12	2	5
Saffron Walden	16,830	156	136	10	6	308	18.3	1.10	1.19	101	94	195	11.6	0.79	0.78	3	10	3	6
Tendring	23,810	186	181	13	13	393	16.5	1.13	1.10	177	123	300	12.6	0.80	0.85	8	20	7	8

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.								
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth Rate. to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate. to National Rate.			Number.	Rate per 1,000 Related Live Births.						
		M.	F.	M.	F.																				
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

GLOUCESTERSHIRE	924,800	7,883	7,331	439	377	16,030	17.3	1.02	1.04	5,339	5,218	10,557	11.4	0.96	0.93	460	28	313	331
County Boroughs	504,400	4,252	3,954	247	212	8,665	17.2	1.00	1.02	2,892	2,759	5,651	11.2	0.98	0.93	239	27	163	172
Bristol	439,740	3,692	3,421	209	179	7,501	17.1	1.00	1.01	2,481	2,403	4,884	11.1	0.98	0.92	192	25	133	157
Gloucester	64,660	560	533	38	33	1,164	18.0	0.97	1.04	411	356	767	11.9	1.02	1.03	47	40	30	15
Admin. County	420,400	3,631	3,377	192	165	7,365	17.5	1.04	1.08	2,447	2,459	4,906	11.7	0.94	0.93	221	30	150	159
Urban Districts	142,610	1,208	1,102	73	53	2,436	17.1	1.03	1.04	800	922	1,722	12.1	0.91	0.93	72	29	53	43
Charlton Kings	5,899	44	36	1	1	82	13.9	1.08	0.88	41	38	79	13.4	0.77	0.87	5	60	5	1
Cheltenham M.B.	64,150	544	501	50	31	1,126	17.6	1.04	1.08	364	442	806	12.6	0.89	0.95	34	30	22	24
Cirencester	11,800	98	83	6	3	190	16.1	1.04	0.99	54	62	116	9.8	0.91	0.76	1	52	1	4
Kingswood	18,960	161	156	1	1	319	16.8	1.01	1.01	109	94	203	10.7	1.04	0.94	5	16	4	3
Mangotsfield	17,340	139	135	3	3	280	16.1	1.70	1.62	83	101	184	10.6	1.00	0.90	10	35	7	7
Nailsworth	3,570	24	24	—	—	48	13.4	1.08	0.86	14	22	36	10.1	0.83	0.71	1	21	—	—
Stroud	15,780	135	114	8	10	267	16.9	1.04	1.04	96	127	223	14.1	0.86	1.03	8	30	7	3
Tewkesbury M.B.	5,111	63	53	4	4	124	24.3	1.01	1.46	39	36	75	14.7	0.86	1.07	8	64	7	1
Rural Districts	277,790	2,423	2,275	119	112	4,929	17.7	1.05	1.10	1,647	1,537	3,184	11.5	0.96	0.94	149	30	97	116
Cheltenham	21,470	176	171	9	16	372	17.3	0.99	1.01	133	115	248	11.6	0.92	0.90	10	27	5	7
Cirencester	13,840	136	136	8	10	290	21.0	0.95	1.18	70	71	141	10.2	0.95	0.82	8	27	3	8
Dursley	16,870	127	129	4	5	265	15.7	1.09	1.01	102	101	203	12.0	0.97	0.99	6	22	5	2
East Dean	20,470	212	188	11	8	419	20.5	1.04	1.27	125	110	235	11.5	1.03	1.00	18	43	11	12
Gloucester	33,700	255	281	20	13	569	16.9	1.04	1.04	197	199	396	11.8	0.98	0.98	15	26	12	11
Lydney	11,090	97	81	5	5	188	17.0	1.07	1.08	55	61	116	10.5	0.96	0.85	7	37	3	2
Newent	8,202	75	64	4	1	144	17.6	1.13	1.18	41	56	97	11.8	0.84	0.84	7	48	6	1
North Cotswold	19,110	189	184	5	5	383	20.0	1.07	1.27	108	113	221	11.6	0.85	0.84	7	18	4	8
Northleach	8,607	92	65	11	3	171	19.9	1.08	1.27	52	55	107	12.4	0.86	0.90	5	29	3	5
Sodbury	37,560	325	295	8	18	646	17.2	1.00	1.01	218	155	373	9.9	1.11	0.93	12	18	9	16
Stroud	26,320	228	197	8	9	442	16.8	1.06	1.06	186	177	363	13.8	0.84	0.98	13	29	11	9
Tetbury	6,781	65	57	3	3	128	18.9	1.21	1.35	32	43	75	11.1	1.00	0.94	6	46	3	2
Thornbury	25,160	211	196	9	8	424	16.9	1.07	1.07	129	117	246	9.8	1.04	0.86	16	37	13	11
Warmley	10,330	79	61	4	1	145	14.0	0.98	0.81	54	54	108	10.5	0.99	0.88	4	27	2	15
West Dean	18,280	156	170	10	7	343	18.8	1.11	1.24	145	110	255	13.9	0.98	1.15	15	43	7	7

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
HEREFORDSHIRE :																			
Admin. County ...	123,900	1,102	1,034	77	82	2,295	18.5	1.07	1.17	818	720	1,538	12.4	0.87	0.91	64	28	37	50
Urban Districts ...	51,073	474	463	29	30	996	19.5	0.99	1.14	329	296	625	12.2	0.91	0.94	24	24	12	25
Bromyard ...	1,772	11	14	1	—	26	14.7	1.07	0.93	9	12	21	11.9	0.90	0.90	1	38	—	2
Hereford M.B. ...	32,280	309	291	18	15	633	19.6	0.96	1.11	188	177	365	11.3	0.97	0.93	15	23	7	17
Kington ...	2,008	15	4	2	3	24	12.0	1.04	0.74	13	16	29	14.4	0.83	1.01	—	—	—	2
Ledbury ...	3,663	23	41	1	5	70	19.1	1.06	1.20	27	23	50	13.7	0.79	0.92	1	14	—	—
Leominster M.B. ...	6,060	66	63	2	3	134	22.1	1.03	1.35	43	37	80	13.2	0.85	0.95	6	44	5	—
Ross on Wye ...	5,290	50	50	5	4	109	20.6	1.06	1.30	49	31	80	15.1	0.80	1.02	1	9	—	2
Rural Districts ...	72,827	628	571	48	52	1,299	17.8	1.13	1.19	489	424	913	12.5	0.84	0.89	40	30	25	25
Bromyard ...	7,169	66	57	2	11	136	19.0	1.18	1.33	55	36	91	12.7	0.85	0.91	1	7	1	6
Dore and Bredwardine ...	8,589	89	70	10	6	175	20.4	1.15	1.38	54	40	94	10.9	0.89	0.82	6	34	4	2
Hereford ...	14,540	108	101	5	8	222	15.3	1.07	0.97	91	85	176	12.1	0.87	0.89	9	40	4	2
Kington ...	4,761	34	42	3	2	81	17.0	1.17	1.17	37	39	76	16.0	0.79	1.07	4	49	1	1
Ledbury ...	8,987	86	70	10	8	174	19.4	1.18	1.35	50	52	102	11.3	0.90	0.86	7	40	5	2
Leominster and Wigmore ...	10,440	80	75	8	12	175	16.8	1.15	1.14	76	60	136	13.0	0.79	0.87	5	28	4	6
Ross and Whitechurch ...	11,850	90	104	5	2	201	17.0	1.15	1.16	78	76	154	13.0	0.80	0.88	4	20	3	1
Weobley ...	6,491	75	52	5	3	135	20.8	1.02	1.26	48	36	84	12.9	0.87	0.95	4	29	3	3
HERTFORDSHIRE :																			
Admin. County ...	594,600	4,635	4,486	213	208	9,542	16.0	0.99	0.94	2,945	3,122	6,067	10.2	1.00	0.86	194	20	128	196
Urban Districts ...	428,618	3,275	3,193	145	137	6,750	15.7	0.98	0.91	2,161	2,309	4,470	10.4	1.00	0.88	137	20	95	140
Baldock ...	5,908	49	51	1	2	103	17.4	0.97	1.00	29	18	47	8.0	1.23	0.83	1	10	1	3
Barnet ...	24,450	171	183	9	11	374	15.3	0.93	0.84	145	135	280	11.5	0.99	0.96	8	21	5	9
Berkhamsted ...	11,550	85	76	3	6	170	14.7	1.17	1.02	56	63	119	10.3	1.05	0.92	2	12	2	2
Bishop's Stortford ...	12,770	79	92	5	3	179	14.0	1.04	0.86	62	80	142	11.1	0.87	0.82	3	17	1	1
Bushey ...	14,800	100	113	7	6	226	15.3	1.06	0.96	74	81	155	10.5	1.09	0.97	7	31	6	9
Cheshunt ...	21,490	187	189	3	5	384	17.9	0.98	1.03	111	102	213	9.9	0.86	0.72	17	44	13	8
Chorleywood ...	4,700	26	27	1	3	57	12.1	1.07	0.77	20	33	53	11.3	0.85	0.81	3	52	2	—
East Barnet ...	40,600	254	275	7	12	548	13.5	0.92	0.74	165	198	363	8.9	1.07	0.81	6	11	3	7
Harpenden ...	14,550	121	99	4	4	228	15.7	1.02	0.95	68	83	151	10.4	0.96	0.85	4	17	3	2
Hemel Hempstead ...	22,610	196	195	14	2	407	18.0	0.96	1.02	116	118	234	10.3	0.99	0.86	11	27	7	11
Hereford M.B. ...	14,130	91	87	5	1	184	13.0	1.02	0.78	61	79	140	9.9	1.03	0.86	2	11	1	4
Hitchin ...	19,880	147	148	5	8	308	15.5	0.95	0.87	125	119	244	12.3	0.94	0.98	7	22	2	9
Hoddesdon ...	13,630	112	99	5	4	220	16.1	0.97	0.93	79	66	145	10.6	0.98	0.88	—	—	—	2
Lechworth ...	20,330	163	162	8	5	338	16.6	0.95	0.94	88	114	202	9.9	1.10	0.92	9	26	7	10
Rickmansworth ...	25,000	204	183	8	4	399	16.0	0.95	0.90	117	116	233	9.3	1.12	0.88	11	27	5	5
Royston ...	4,440	36	25	—	—	61	13.7	1.01	0.82	38	31	69	15.5	0.82	1.08	2	32	2	2
St. Alban M.B. ...	42,130	369	365	19	17	770	18.3	0.99	1.07	238	245	483	11.5	0.97	0.95	10	13	9	17
Sawbridgeworth ...	3,692	30	20	—	1	51	13.8	1.06	0.87	23	21	44	11.9	0.88	0.89	2	39	2	1
Stevenage ...	6,490	60	44	—	3	107	16.5	0.99	0.97	37	48	85	13.1	0.92	1.02	2	19	2	2
Tring ...	5,198	47	50	1	1	99	19.0	1.19	1.33	29	29	58	11.2	0.88	0.84	2	20	2	1
Ware ...	8,890	74	54	5	2	135	15.2	1.25	1.13	45	50	95	10.7	0.90	0.82	4	29	3	4
Watford M.B. ...	73,220	522	506	30	31	1,089	14.9	0.96	0.85	375	417	792	10.8	0.99	0.91	20	18	14	24
Welwyn Garden City ...	18,160	152	150	5	6	313	17.2	0.89	0.90	60	63	123	6.8	1.37	0.79	4	13	3	7

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.					
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.			
		F.		M.	F.		M.													F.		M.
		M.	F.		M.	F.														M.	F.	
HERTFORDSHIRE—contd.	Rural Districts ...	165,982	1,360	1,293	68	71	2,792	16.8	1.04	1.03	784	813	1,597	9.6	1.01	0.82	57	20	0.82	33	56	
	Berkhamsted ...	5,542	53	29	2	3	87	15.7	1.37	1.27	34	27	61	11.0	1.03	0.96	1	11	0.96	1	2	
	Braughing ...	10,530	76	98	10	1	185	17.6	1.10	1.15	61	78	139	13.2	0.87	0.97	4	21	0.97	2	2	
	Elstree ...	13,650	132	124	3	7	266	19.5	1.05	1.21	37	34	71	5.2	1.15	0.51	6	22	0.51	4	3	
	Hatfield ...	22,770	174	176	11	16	377	16.6	0.96	0.94	101	107	208	9.1	1.08	0.83	5	13	0.83	3	8	
	Hemel Hempstead ...	11,210	102	88	6	11	207	18.5	0.97	1.06	59	65	124	11.1	0.98	0.92	7	33	0.92	5	4	
	Hertford ...	8,130	80	68	1	4	153	18.8	1.05	1.16	47	40	87	10.7	0.95	0.86	1	6	0.86	—	4	
	Hitchin ...	21,510	184	178	13	2	377	17.5	1.02	1.05	111	140	251	11.7	0.90	0.89	8	21	0.89	—	12	
	St. Albans ...	27,340	197	187	7	12	403	14.7	1.06	0.92	106	117	223	8.2	1.10	0.76	9	22	0.76	6	9	
	Ware ...	10,120	78	75	5	9	167	16.5	1.06	1.03	68	65	133	13.1	0.92	1.02	3	18	1.02	1	3	
	Watford ...	29,920	230	222	8	6	466	15.6	1.05	0.97	123	113	236	7.9	1.05	0.70	11	23	0.70	7	6	
	Welwyn ...	5,260	54	48	2	—	104	19.8	0.94	1.11	37	27	64	12.2	0.98	1.01	2	19	1.01	—	3	
	HUNTINGDONSHIRE:	Admin. County ...	64,128	532	539	39	25	1,135	17.7	1.05	1.10	396	375	771	12.0	0.91	0.93	33	29	0.93	16	30
Urban Districts ...		29,364	228	217	17	11	473	16.1	1.03	0.98	188	169	357	12.2	0.94	0.97	8	17	0.97	3	16	
Godmanchester M.B. ...		2,404	22	19	1	—	42	17.5	0.99	1.03	17	14	31	12.9	0.90	0.98	—	—	0.98	—	1	
Huntingdon M.B. ...		5,358	37	39	3	—	79	14.7	0.96	0.83	39	30	69	12.9	0.88	0.96	—	13	0.96	—	2	
Old Fletton ...		7,724	51	61	8	5	125	16.2	1.07	1.02	42	51	93	12.0	1.08	1.10	5	40	1.10	2	5	
Ramsey ...		5,720	56	42	3	2	103	18.0	1.06	1.13	40	28	68	11.9	0.98	0.99	1	10	0.99	1	4	
St. Ives M.B. ...		3,200	27	24	1	2	54	16.9	1.04	1.04	18	17	35	10.9	0.83	0.77	—	—	0.77	—	1	
St. Neots ...		4,958	35	32	1	2	70	14.1	1.06	0.88	32	29	61	12.3	0.87	0.91	—	14	0.91	—	3	
Rural Districts ...		34,764	304	322	22	14	662	19.0	1.07	1.20	208	206	414	11.9	0.89	0.90	25	37	0.90	13	14	
Huntingdon ...		8,168	100	83	11	2	196	24.0	1.08	1.54	51	39	90	11.0	0.88	0.82	9	45	0.82	4	4	
Norman Cross ...		8,404	56	80	7	3	146	17.4	0.99	1.02	33	41	74	8.8	1.06	0.79	2	14	0.79	—	4	
St. Ives ...		11,030	105	88	3	3	199	18.0	1.04	1.11	79	75	154	14.0	0.86	1.02	10	50	1.02	6	5	
St. Neots ...		7,162	43	71	1	6	121	16.9	1.18	1.18	45	51	96	13.4	0.81	0.92	4	33	0.92	3	1	
KENT ...	1,515,000	12,178	11,606	632	564	24,980	16.5	1.01	0.99	8,788	8,793	17,581	11.6	0.93	0.91	658	26	0.91	408	524		
County Borough : Canterbury ...	26,120	228	206	14	11	459	17.6	1.05	1.10	159	171	330	12.6	0.90	0.96	13	28	0.96	7	9		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Admin. County ...	1,488,880	11,950	11,400	618	553	24,521	16.5	1.01	0.99	8,629	8,622	17,251	11.6	0.93	0.91	645	26	401	515
Urban Districts ...	1,178,561	9,291	8,988	484	405	19,168	16.3	1.00	0.96	6,780	6,815	13,595	11.5	0.94	0.92	487	25	308	404
Ashford ...	23,890	167	168	7	8	350	14.7	1.06	0.92	172	154	326	13.6	0.87	1.00	15	42	9	7
Beckenham M.B. ...	75,570	538	501	16	13	1,068	14.1	0.98	0.81	380	418	798	10.6	0.93	0.84	29	27	22	24
Bexley M.B. ...	89,180	638	584	17	13	1,252	14.0	0.95	0.79	372	357	729	8.2	1.19	0.83	30	24	24	38
Broadstairs and St. Peters	15,180	82	76	2	1	161	10.6	1.17	0.73	84	95	179	11.8	0.79	0.79	3	18	1	4
Bromley M.B.	64,090	509	475	23	18	1,025	16.0	0.96	0.91	321	378	699	10.9	0.90	0.83	16	15	7	22
Chatham M.B.	41,750	397	414	25	16	852	20.4	1.02	1.24	278	253	531	12.7	1.01	1.09	25	29	18	16
Chislehurst and Sidcup	73,510	551	560	20	26	1,157	15.7	0.97	0.90	298	284	582	7.9	1.17	0.78	22	19	13	21
Crayford ...	27,520	229	231	16	10	486	17.7	0.94	0.99	128	94	222	8.1	1.22	0.84	13	26	7	8
Dartford M.B.	40,580	333	301	20	14	668	16.5	0.97	0.95	176	194	370	9.1	1.03	0.79	18	27	14	13
Deal M.B.	22,740	193	191	9	9	402	17.7	1.05	1.10	153	150	303	13.3	0.92	1.04	15	37	9	9
Dover M.B.	33,520	321	293	22	18	654	19.5	1.03	1.19	221	195	416	12.4	0.93	0.98	25	38	13	17
Erith M.B.	46,730	372	393	17	5	787	16.8	0.95	0.95	239	226	465	10.0	1.08	0.92	19	24	13	13
Faversham M.B.	12,340	101	107	5	4	217	17.6	1.16	1.21	91	93	184	14.9	0.79	1.00	4	18	2	4
Folkestone M.B.	42,350	354	321	27	16	718	17.0	0.99	1.00	290	318	608	14.4	0.83	1.01	14	19	9	17
Gillingham M.B.	63,680	562	547	26	25	1,160	18.2	1.00	1.07	450	379	829	13.0	0.94	1.04	42	36	28	15
Gravesend M.B.	43,250	379	331	16	24	750	17.3	1.04	1.07	235	221	456	10.5	1.05	0.93	26	34	15	14
Herne Bay ...	18,140	123	108	9	13	253	13.9	1.19	0.98	171	169	340	18.7	0.64	1.01	4	16	3	2
Hythe M.B.	8,808	67	67	6	2	142	16.1	1.16	1.10	60	73	133	15.1	0.71	0.91	4	28	2	3
Lydd M.B.	2,403	26	28	—	—	54	22.5	1.03	1.37	16	16	32	13.3	0.84	0.95	1	18	1	2
Maidstone M.B.	53,250	419	397	28	20	864	16.2	1.00	0.96	307	330	637	12.0	0.96	0.98	17	19	9	18
Margate M.B.	41,180	271	271	20	30	592	14.4	1.02	0.86	255	293	548	13.3	0.83	0.94	17	28	13	10
New Romney M.B.	2,210	19	12	2	3	36	16.3	1.00	0.96	18	16	34	15.4	0.86	1.12	—	—	—	—
Northfleet ...	18,660	151	153	4	4	312	16.7	1.00	0.99	94	82	176	9.4	1.08	0.86	9	29	7	10
Orpington ...	59,190	482	459	21	25	987	16.7	0.95	0.94	339	297	636	10.7	1.00	0.91	21	21	12	20
Penge ...	24,850	241	236	26	15	518	20.8	0.98	1.21	128	151	279	11.2	0.92	0.87	10	19	7	12
Queenborough M.B.	3,027	16	35	4	1	56	18.5	1.07	1.17	17	7	24	7.9	1.05	0.70	2	35	2	3
Ramsgate M.B.	35,530	262	314	22	16	614	17.3	1.05	1.08	223	248	471	13.3	0.87	0.98	19	31	7	15
Rochester M.B.	42,610	402	351	19	11	783	18.4	0.95	1.03	263	214	477	11.2	1.04	0.99	18	23	10	18
Royal Tunbridge Wells M.B.	38,780	243	257	10	9	519	13.4	1.04	0.82	272	374	646	16.7	0.67	0.95	15	29	12	11
Sandwich M.B.	3,760	25	24	2	1	52	13.8	1.14	0.93	26	15	41	10.9	0.86	0.79	—	—	—	1
Sevenoaks ...	15,680	97	70	6	6	179	11.4	1.02	0.69	81	91	172	11.0	0.93	0.87	3	17	2	4
Sheerness ...	14,840	129	126	9	7	271	18.3	1.05	1.13	97	88	185	12.5	0.92	0.97	3	11	3	9
Sittingbourne and Milton	22,150	174	178	10	7	369	16.7	1.02	1.01	152	119	271	12.2	0.93	0.96	15	40	6	7
Southborough ...	8,805	63	56	3	2	124	14.1	1.09	0.91	59	67	126	14.3	0.75	0.91	1	8	—	1
Swanscombe ...	8,150	66	77	3	4	150	18.4	0.98	1.07	48	33	81	9.9	1.09	0.91	2	13	2	3
Tenterden M.B.	4,178	32	26	2	2	62	14.8	1.09	0.96	22	24	46	11.0	0.68	0.63	—	—	—	1
Tonbridge ...	19,250	149	138	8	4	299	15.5	1.06	0.98	103	139	242	12.6	0.87	0.93	7	23	5	8
Whitstable ...	17,230	108	112	2	3	225	13.1	1.20	0.93	141	160	301	17.5	0.63	0.93	3	13	1	4
Rural Districts ...	310,319	2,659	2,412	134	148	5,353	17.2	1.07	1.09	1,849	1,807	3,656	11.8	0.88	0.88	158	29	93	111
Bridge-Blean ...	19,450	146	103	4	8	261	13.4	1.25	0.99	100	110	210	10.8	0.83	0.76	1	4	1	5
Cranbrook ...	14,630	110	117	5	4	236	16.1	1.15	1.10	170	92	173	11.8	0.91	0.91	10	42	8	2
Dartford ...	35,890	273	251	16	14	554	15.4	1.05	0.96	170	152	322	9.0	1.01	0.77	16	29	8	13

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.		
		F.		M.	F.		M.												F.	TOTAL.
		M.	F.		M.	F.														
KENT—contd.																				
Rural Districts—contd.																				
Dover	9,810	97	109	4	8	218	22.2	1.04	1.37	63	63	126	12.8	0.81	0.88	11	50			
East Ashford	9,938	83	61	3	7	154	15.5	1.08	0.99	67	70	137	13.8	0.76	0.89	7	45			
Eastry	20,780	211	155	8	7	381	18.3	1.17	1.26	147	137	284	13.7	0.93	1.08	9	23			
Elham	8,910	64	71	5	1	141	15.8	1.18	1.10	64	74	138	15.5	0.65	0.85	—	—			
Hollingbourn	15,550	124	130	9	16	279	17.9	1.09	1.15	94	97	191	12.3	0.85	0.89	14	50			
Maidstone	17,520	160	121	10	6	297	17.0	1.02	1.03	95	99	194	11.1	0.83	0.78	6	20			
Malling	34,310	272	267	12	4	555	16.2	0.99	0.95	170	185	355	10.3	0.93	0.81	10	18			
Romney Marsh	4,217	55	35	6	3	99	23.5	1.05	1.45	27	35	62	14.7	0.84	1.05	4	40			
Sevenoaks	32,590	244	252	13	17	526	16.1	1.05	1.00	197	207	404	12.4	0.89	0.94	24	45			
Sheppey	8,860	76	78	6	10	170	19.2	1.02	1.15	56	49	105	11.9	0.95	0.96	4	23			
Strood	20,250	220	182	7	7	416	20.5	1.07	1.30	149	98	247	12.2	0.92	0.95	8	19			
Swale	18,980	195	159	6	8	368	19.4	1.05	1.20	132	95	227	12.0	0.86	0.87	8	22			
Tenterden	7,152	51	63	4	6	124	17.3	1.07	1.10	41	41	82	11.5	0.80	0.78	6	48			
Tonbridge	21,760	182	161	11	13	367	16.9	0.99	0.99	123	143	266	12.2	0.91	0.94	11	30			
West Ashford	9,722	96	97	5	9	207	21.3	1.08	1.36	73	60	133	13.7	0.78	0.91	9	43			
LANCASHIRE	5,099,670	42,980	40,654	2,394	2,196	88,224	17.3	1.00	1.02	33,273	32,563	65,836	12.9	1.06	1.16	3,660	41			
County Boroughs	3,078,950	27,072	25,496	1,736	1,575	55,879	18.1	0.99	1.06	20,312	19,823	40,135	13.0	1.08	1.19	2,421	43			
Barrow-in-Furness	67,950	593	550	36	36	1,215	17.9	1.04	1.10	484	411	895	13.2	1.03	1.15	59	48			
Blackburn	111,100	841	733	38	46	1,658	14.9	1.04	0.92	864	864	1,728	15.6	0.93	1.23	77	46			
Blackpool	149,300	863	819	73	60	1,815	12.2	1.03	0.74	1,041	1,212	2,253	15.1	0.87	1.11	47	26			
Bolton	167,800	1,296	1,284	76	64	2,720	16.2	1.00	0.96	1,132	1,133	2,265	13.5	1.00	1.14	84	31			
Bootle	70,000	740	732	41	36	1,549	22.1	0.98	1.28	410	373	783	11.2	1.36	1.29	84	54			
Burnley	84,590	661	631	48	47	1,387	16.4	1.05	1.02	638	675	1,313	15.5	0.95	1.25	59	42			
Bury	58,620	444	410	20	31	905	15.4	1.02	0.93	400	468	868	14.8	0.97	1.22	40	44			
Liverpool	800,800	8,091	7,498	477	454	16,520	20.6	0.97	1.18	4,913	4,487	9,400	11.7	1.20	1.19	736	44			
Manchester	699,600	6,263	5,946	482	399	13,090	18.7	0.96	1.06	4,544	4,492	9,036	12.9	1.12	1.22	502	38			
Oldham	120,600	918	927	59	67	1,971	16.3	0.99	0.96	894	905	1,799	14.9	1.01	1.28	82	41			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Preston	119,500	1,031	1,002	81	49	2,163	18.1	1.01	1.08	727	742	1,469	12.3	1.05	1.09	94	43	52	64
Rochdale	88,920	642	625	45	44	1,356	15.2	1.00	0.90	622	698	1,320	14.8	0.97	1.22	56	41	36	39
St. Helens	112,100	963	944	59	37	2,003	17.9	1.00	1.06	644	556	1,200	10.7	1.22	1.11	83	41	42	71
Salford	178,900	1,766	1,600	119	127	3,612	20.2	0.96	1.15	1,243	1,103	2,346	13.1	1.15	1.28	191	52	90	89
Southport	85,540	497	429	29	20	975	11.4	1.07	0.72	623	721	1,344	15.7	0.77	1.02	38	39	25	22
Warrington	78,860	766	659	33	45	1,503	19.1	1.00	1.13	581	476	1,057	13.4	1.18	1.34	121	80	48	54
Wigan	84,770	697	707	20	13	1,437	17.0	1.01	1.01	552	507	1,059	12.5	1.13	1.20	68	47	34	67
Admin. County	2,020,720	15,908	15,158	658	621	32,345	16.0	1.02	0.97	12,961	12,740	25,701	12.7	1.02	1.10	1,239	38	726	834
Urban Districts	1,729,550	13,726	13,133	591	552	28,002	16.2	1.01	0.97	11,360	11,201	22,561	13.0	1.02	1.12	1,099	39	645	726
Abram	6,130	65	43	1	3	112	18.3	0.97	1.05	37	34	71	11.6	1.21	1.19	6	53	1	2
Accrington M.B.	40,210	332	295	13	11	651	16.2	1.03	0.99	325	327	652	16.2	0.93	1.28	32	49	17	13
Adlington	4,000	41	35	4	—	80	20.0	1.09	1.29	21	22	43	10.8	1.03	0.94	1	12	1	4
Ashton in Makerfield	19,030	161	159	3	3	326	17.1	1.00	1.01	132	114	246	12.9	1.10	1.20	16	49	8	9
Ashton under Lyne M.B.	47,280	400	405	16	18	839	17.7	1.03	1.08	388	350	738	15.6	0.98	1.30	38	45	22	23
Aspull	6,524	69	72	—	1	142	21.8	0.98	1.27	52	45	97	14.9	1.15	1.45	5	35	3	3
Atherton	20,880	155	141	5	8	309	14.8	0.97	0.85	132	136	268	12.8	1.07	1.16	4	13	4	10
Audenshaw	12,730	81	87	6	3	177	13.9	0.98	0.81	69	92	161	12.6	1.03	1.10	6	34	3	4
Bacup M.B.	18,400	140	156	10	9	315	17.1	1.03	1.04	123	138	261	14.2	1.00	1.20	10	31	7	8
Barrowford	4,570	25	43	1	1	70	15.3	1.12	1.01	36	45	81	17.7	0.82	1.23	4	57	3	3
Billinge and Winstanley	6,064	31	35	1	3	70	11.5	1.16	0.79	45	31	76	12.5	1.03	1.09	6	85	4	2
Blackrod	3,137	28	16	—	1	45	14.3	1.01	0.86	15	28	43	13.7	0.97	1.13	2	44	1	1
Brierfield	7,050	49	47	1	6	103	14.6	1.11	0.96	48	50	98	13.9	0.90	1.06	2	19	2	2
Carnforth	3,450	26	30	1	1	58	16.8	1.10	1.09	19	28	47	13.6	0.99	1.14	3	51	1	3
Chadderton	31,340	220	235	9	6	470	15.0	0.95	0.84	180	226	406	13.0	1.10	1.21	13	27	7	13
Chorley M.B.	32,650	273	267	12	14	566	17.3	0.99	1.01	220	214	434	13.3	1.06	1.19	18	31	12	20
Church	5,234	48	41	4	1	94	18.0	1.00	1.06	36	40	76	14.5	0.96	1.18	7	74	6	3
Clayton le Moors	6,774	41	45	4	4	91	13.4	1.01	0.80	52	54	106	15.6	0.99	1.31	4	44	2	—
Clitheroe M.B.	12,240	109	109	6	5	229	18.7	1.09	1.21	91	89	180	14.7	0.86	1.07	8	35	4	2
Colne M.B.	20,820	149	143	7	12	311	14.9	1.05	0.93	168	147	315	15.1	0.92	1.18	9	29	8	10
Crompton	12,610	101	92	4	7	204	16.2	1.01	0.96	92	94	186	14.8	1.00	1.25	10	49	7	6
Crosby M.B.	59,400	484	409	13	21	927	15.6	1.03	0.96	366	373	739	12.4	0.95	1.00	36	38	25	25
Dalton in Furness	10,570	86	97	5	4	192	18.2	1.09	1.17	72	61	133	12.6	0.98	1.05	6	31	3	4
Darwen M.B.	30,870	199	232	8	7	446	14.4	1.07	0.91	224	301	525	17.0	0.89	1.28	13	29	9	14
Denton	25,270	191	191	9	8	399	15.8	0.96	0.90	137	142	279	11.0	1.09	1.02	13	32	7	7
Droylsden	26,580	198	196	8	4	406	15.3	0.90	0.82	148	135	283	10.6	1.25	1.12	16	39	13	11
Eccles M.B.	43,980	362	335	21	11	729	16.6	1.01	0.99	295	274	569	12.9	1.04	1.14	27	37	11	19
Failssworth	18,140	140	152	6	3	301	16.6	0.93	0.91	107	120	227	12.5	1.13	1.20	8	26	6	5
Farnworth M.B.	28,320	255	217	9	8	489	17.3	1.01	1.03	197	167	364	12.9	1.02	1.12	18	36	9	12
Fleetwood M.B.	26,510	231	217	19	14	481	18.1	1.07	1.15	176	149	325	12.3	1.24	1.29	22	45	9	7
Formby	9,714	50	62	3	1	116	11.9	1.06	0.75	65	65	130	13.4	0.87	0.99	2	17	1	3
Fulwood	12,660	86	62	1	4	153	12.1	1.11	0.79	91	109	200	15.8	0.84	1.12	8	52	4	2
Golborne	16,150	125	122	4	3	254	15.7	0.93	0.87	95	88	183	11.3	1.15	1.10	11	43	3	7
Grange	2,741	16	13	1	2	32	11.7	1.35	0.93	18	20	38	13.9	0.60	0.71	—	—	—	—
Great Harwood	11,060	83	73	2	—	158	14.3	1.06	0.90	80	79	159	14.4	0.85	1.04	10	63	7	5

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.			
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.
		M.		F.	M.		F.													
		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)	(19)
LANCASHIRE—contd.																				
Urban Districts—contd.																				
Haslingden M.B.	14,600	97	96	6	3	202	13.8	1.09	0.89	122	135	257	17.6	0.88	1.31	9	44	8	9	
Haydock	11,920	117	98	5	5	225	18.9	1.02	1.14	76	45	121	10.2	1.22	1.05	8	35	16	5	
Heywood M.B.	25,240	222	187	12	7	428	17.0	1.01	1.02	161	160	321	12.7	1.04	1.12	24	56	2	11	
Hindley	19,390	155	146	4	3	308	15.9	0.99	0.93	133	130	263	13.6	1.11	1.28	18	58	9	17	
Horwich	15,430	117	114	2	3	236	15.3	1.02	0.92	114	104	218	14.1	0.98	1.17	10	42	6	8	
Huyton with Roby	54,500	530	563	22	19	1,134	20.8	0.98	1.21	239	197	436	8.0	1.58	1.07	59	52	34	21	
Ince in Makerfield	20,490	210	177	2	5	394	19.2	1.02	1.16	120	126	246	12.0	1.25	1.27	20	50	14	9	
Irlam	15,120	117	130	8	—	255	16.9	0.98	0.98	81	71	152	10.1	1.21	1.04	8	31	5	12	
Kearsley	10,640	97	73	2	5	177	16.6	1.00	0.98	64	86	150	14.1	1.07	1.28	8	45	3	2	
Kirkham	4,710	49	45	6	3	103	21.9	0.98	1.27	27	33	60	12.7	1.08	1.16	8	77	3	1	
Lancaster M.B.	51,120	398	400	16	18	832	16.3	1.13	1.09	309	289	598	11.7	0.99	0.98	32	38	25	20	
Lees	4,211	52	36	1	2	91	21.6	1.03	1.31	26	25	51	12.1	0.92	0.94	2	22	—	3	
Leigh M.B.	48,360	428	376	19	19	842	17.4	0.98	1.01	301	299	600	12.4	1.12	1.18	35	41	18	27	
Leyland	14,590	94	122	3	3	222	15.2	0.98	0.88	78	81	159	10.9	1.15	1.06	9	40	8	2	
Litherland	22,480	220	208	10	7	445	19.8	0.88	1.03	107	102	209	9.3	1.24	0.98	20	44	11	8	
Littleborough	11,040	76	96	5	8	185	16.8	1.01	1.00	78	89	167	15.1	0.98	1.25	10	54	8	5	
Little Lever	4,758	32	26	2	1	61	12.8	1.02	0.77	34	26	60	12.6	1.04	1.11	—	—	—	3	
Longridge	4,100	34	31	1	2	68	16.6	1.09	1.07	30	27	57	13.9	0.94	1.11	3	44	1	3	
Lytham St. Anne's M.B.	30,110	159	161	5	5	330	11.0	1.07	0.70	209	266	475	15.8	0.71	0.95	11	33	7	12	
Middleton M.B.	32,340	267	227	16	11	521	16.1	0.99	0.95	224	212	436	13.5	1.03	1.18	17	32	10	9	
Milnrow	8,514	76	61	2	9	148	17.4	0.99	1.02	59	69	128	15.0	0.95	1.21	6	40	5	1	
Morecambe and Heysham M.B.	36,710	236	203	14	14	467	12.7	1.10	0.82	302	335	637	17.4	0.74	1.09	16	34	10	11	
Mossley M.B.	10,520	89	68	4	6	167	15.9	1.00	0.94	72	66	138	13.1	0.96	1.07	11	65	9	4	
Nelson M.B.	34,530	235	228	10	8	481	13.9	1.07	0.88	277	271	548	15.9	0.89	1.20	17	35	9	13	
Newton-le-Willows	21,650	182	161	5	7	355	16.4	1.00	0.97	138	96	234	10.8	1.09	1.00	20	56	13	9	
Ormskirk	20,100	136	149	7	8	300	14.9	0.99	0.87	116	119	235	11.7	0.98	0.97	14	46	5	12	
Orrell	9,180	73	56	1	1	131	14.3	1.01	0.85	69	47	116	12.6	1.21	1.29	7	53	3	3	
Oswaldtwistle	12,410	78	71	5	5	159	12.8	1.04	0.79	91	93	184	14.8	0.93	1.17	6	37	4	5	
Padiham	10,140	66	70	2	2	143	14.1	1.05	0.88	74	76	150	14.8	0.90	1.13	2	14	1	2	
Poulton le Fylde	7,618	37	43	1	1	83	10.9	1.04	0.67	60	38	98	12.9	0.90	0.98	3	36	2	4	
Preesall	2,193	15	15	1	2	33	15.0	1.18	1.05	14	15	29	13.2	0.72	0.81	—	—	—	1	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Prescot	12,390	120	119	4	3	246	19.9	0.98	1.15	99	71	170	13.7	1.13	1.31	10	40	3	11
Prestwich M.B.	34,720	198	221	6	5	430	12.4	1.10	0.81	198	173	371	10.7	1.02	0.92	10	23	4	16
Radcliffe M.B.	27,680	229	200	9	7	445	16.1	1.03	0.99	191	193	384	13.9	1.00	1.18	19	42	12	12
Rainford	3,985	35	28	1	—	64	16.1	0.96	0.91	16	21	37	9.3	1.07	0.84	2	31	1	1
Ramsbottom	14,530	97	99	7	4	207	14.2	1.07	0.90	96	103	199	13.7	0.86	1.00	4	19	1	9
Rawtenstall M.B.	25,220	209	159	9	10	387	15.3	1.03	0.93	206	183	389	15.4	0.93	1.21	11	28	5	5
Rishton	5,832	45	43	4	1	93	15.9	1.04	0.98	34	53	87	14.9	0.91	1.15	2	21	1	2
Royton	14,780	122	86	4	6	218	14.7	0.99	0.86	97	104	201	13.6	1.04	1.20	13	59	6	3
Skelmersdale	6,100	60	48	3	1	112	18.4	0.99	1.08	39	30	69	11.3	1.12	1.07	6	53	4	2
Standish with Langtree	8,992	64	60	3	2	129	14.3	0.99	0.84	56	57	113	12.6	1.07	1.14	6	46	5	2
Stretford M.B.	61,960	517	564	30	28	1,139	18.4	0.96	1.04	372	360	732	11.8	1.13	1.13	41	36	26	28
Swinton and Pendlebury M.B.	41,480	320	303	14	11	648	15.6	0.96	0.89	278	239	517	12.5	1.10	1.17	13	20	8	20
Thornton Cleveleys	15,600	97	95	6	3	201	12.9	1.16	0.88	123	140	263	16.9	0.76	1.09	9	44	7	3
Tottington	6,000	34	48	2	5	89	14.8	1.12	0.98	55	61	116	19.3	0.84	1.37	6	67	6	2
Trawden	2,090	11	12	1	1	25	12.0	1.15	0.82	22	25	47	22.5	0.89	1.70	2	79	2	1
Turton	10,970	74	78	1	4	157	14.3	1.11	0.94	74	70	144	13.1	0.89	0.99	2	13	2	4
Tyldesley	18,140	131	124	6	6	267	14.7	0.98	0.85	125	106	231	12.7	1.09	1.17	13	48	9	12
Ulverston	9,750	76	95	3	2	176	18.1	1.06	1.13	63	77	140	14.4	0.89	1.09	4	22	3	2
Upholland	6,120	55	46	2	2	105	17.2	1.01	1.03	43	33	76	12.4	1.10	1.16	4	38	1	2
Urmston	38,980	327	319	17	10	673	17.3	0.94	0.96	220	202	422	10.8	1.11	1.02	21	31	12	15
Walton le Dale	14,760	108	137	5	—	250	16.9	0.96	0.96	67	85	152	10.3	1.10	0.96	6	24	5	7
Wardle	4,432	27	38	2	4	71	16.0	0.99	0.94	23	29	52	11.7	0.78	0.77	1	14	1	2
Westhoughton	14,940	96	95	—	4	195	13.1	1.00	0.80	82	82	164	11.0	1.06	0.99	7	36	5	9
Whitefield	13,000	95	79	2	2	178	13.7	0.99	0.80	88	72	160	12.3	1.08	1.13	4	22	—	6
Whitworth	7,377	61	47	6	5	119	16.1	1.08	1.03	57	55	112	15.2	1.00	1.29	5	42	4	—
Widnes M.B.	48,090	536	445	25	18	1,024	21.3	1.02	1.29	271	243	514	10.7	1.27	1.15	54	52	26	23
Withnell	2,890	21	26	—	2	49	17.0	0.97	0.97	18	31	49	17.0	0.97	1.40	—	—	—	—
Worsley	26,940	217	208	3	6	434	16.1	1.06	1.01	190	188	378	14.0	1.04	1.23	17	39	9	13
Rural Districts	291,170	2,182	2,025	67	69	4,343	14.9	1.07	0.94	1,601	1,539	3,140	10.8	1.02	0.93	140	32	81	108
Blackburn	13,310	77	68	2	—	147	11.0	1.18	0.77	63	77	140	10.5	1.00	0.89	—	—	—	4
Burnley	16,760	110	110	3	4	227	13.5	1.12	0.89	138	125	263	15.7	0.86	1.14	7	31	6	6
Chorley	27,360	223	206	9	4	442	16.2	0.99	0.95	173	152	325	11.9	1.05	1.06	14	31	6	8
Clitheroe	8,760	53	43	—	2	98	11.2	1.32	0.88	45	52	97	11.1	1.11	1.04	1	10	1	2
Fylde	12,290	108	118	3	7	236	19.2	1.19	1.35	65	67	132	10.7	1.01	0.92	3	13	3	1
Garstang	12,600	84	85	2	2	173	13.7	1.08	0.88	67	79	146	11.6	0.98	0.96	7	40	6	10
Lancaster	11,340	78	83	4	6	171	15.1	1.18	1.06	80	73	153	13.5	0.84	0.96	7	41	3	4
Limehurst	8,210	73	48	3	2	126	15.3	1.06	0.96	60	47	107	13.0	1.04	1.04	8	63	4	4
Lunesdale	7,430	55	58	2	8	123	16.6	1.11	1.09	40	23	63	8.5	0.93	0.67	5	40	4	3
Preston	38,080	268	290	11	8	577	15.2	1.15	1.04	201	200	401	10.5	0.96	0.85	13	22	10	7
Ulverston	16,670	119	113	2	3	237	14.2	1.10	0.92	121	133	254	15.2	0.82	1.06	5	21	5	8
Warrington	27,560	229	183	8	2	422	15.3	1.07	0.97	117	111	228	8.3	1.23	0.87	21	49	6	12
West Lancashire	44,020	338	312	13	13	676	15.4	0.96	0.88	226	203	429	9.7	1.07	0.88	22	32	15	23
Whiston	38,780	299	250	5	4	558	14.4	1.00	0.86	152	151	303	7.8	1.15	0.76	24	43	11	14
Wigan	8,000	68	58	—	4	130	16.3	1.00	0.97	53	46	99	12.4	1.02	1.07	3	23	1	2

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth Rate. to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.				
		M.	F.	M.	F.														
LEICESTERSHIRE	625,600	5,344	5,105	273	231	10,953	17.5	1.01	1.04	3,513	3,415	6,928	11.1	1.02	0.96	282	25	173	264
County Borough : Leicester	283,400	2,494	2,266	148	136	5,044	17.8	0.99	1.04	1,595	1,679	3,274	11.6	1.02	1.00	121	24	70	126
Admin. County ...	342,200	2,850	2,839	125	95	5,909	17.3	1.02	1.05	1,918	1,736	3,654	10.7	1.03	0.93	161	27	103	138
Urban Districts	160,490	1,388	1,355	72	45	2,860	17.8	1.01	1.07	914	817	1,731	10.8	1.07	0.98	81	28	55	74
Ashby de la Zouch	6,382	42	54	3	4	103	16.1	1.08	1.02	42	45	87	13.6	1.00	1.15	3	29	1	1
Ashby Wolds	3,288	32	25	1	2	60	18.2	1.08	1.17	17	15	32	9.7	1.15	0.95	—	—	—	1
Coalville	25,570	242	214	7	2	465	18.2	1.02	1.10	156	129	285	11.1	1.11	1.04	18	38	13	12
Hinckley	38,750	330	344	13	12	699	18.0	0.97	1.03	216	180	396	10.2	1.17	1.01	17	24	14	20
Loughborough M.B.	35,570	282	276	20	9	587	16.5	1.05	1.02	184	192	376	10.6	1.07	0.96	17	29	7	19
Market Harborough	10,500	100	74	10	5	189	18.0	1.05	1.12	66	62	128	12.2	0.85	0.88	6	31	5	6
Melton Mowbray	13,350	115	127	12	4	258	19.3	0.98	1.12	90	65	155	11.6	0.97	0.95	7	27	6	3
Oadby	6,070	47	62	1	2	112	18.5	1.04	1.14	33	32	65	10.7	0.90	0.82	—	—	—	1
Shepshed	6,130	57	44	1	2	104	17.0	1.02	1.03	42	25	67	10.9	1.03	0.95	6	57	4	4
Wigston	14,880	141	135	4	3	283	19.0	1.00	1.12	68	72	140	9.4	1.11	0.88	7	24	5	7
Rural Districts	181,710	1,462	1,484	53	50	3,049	16.8	1.03	1.03	1,004	919	1,923	10.6	1.00	0.90	80	26	48	64
Ashby de la Zouch	13,660	112	110	6	5	233	17.1	1.05	1.06	98	72	170	12.4	1.02	1.07	7	30	5	4
Barrow upon Soar	46,520	370	372	11	10	763	16.4	1.00	0.97	260	221	481	10.3	1.02	0.89	19	25	9	17
Billesdon	7,798	69	65	2	1	137	17.6	0.99	1.03	37	38	75	9.6	0.99	0.81	4	29	3	4
Blaby	38,360	299	308	8	15	630	16.4	0.99	0.96	195	184	379	9.9	1.04	0.87	19	30	12	12
Castle Donington	9,422	68	62	5	3	138	14.6	1.13	0.98	53	47	100	10.6	1.00	0.90	3	22	2	3
Lutterworth	11,640	88	111	6	4	209	18.0	1.04	1.10	63	74	137	11.8	0.89	0.89	3	14	2	5
Market Bosworth	25,760	237	221	5	5	468	18.2	1.01	1.09	126	121	247	9.6	1.07	0.87	14	30	7	7
Market Harborough	9,900	93	90	3	2	188	19.0	1.21	1.36	62	54	116	11.7	0.96	0.95	2	11	1	6
Melton and Belvoir	18,650	126	145	7	5	283	15.2	1.08	0.97	110	108	218	11.7	0.88	0.87	9	31	7	6
LINCOLNSHIRE :																			
Parts of Holland :																			
Admin. County ...	100,900	877	842	51	55	1,825	18.1	1.04	1.11	590	553	1,143	11.3	0.98	0.94	61	33	41	47
Urban Districts	39,490	358	346	25	24	753	19.1	1.01	1.14	257	235	492	12.5	0.93	0.99	26	34	17	22
Boston M.B.	24,710	238	216	19	18	491	19.9	0.99	1.17	167	151	318	12.9	0.94	1.03	18	36	14	15
Spalding	14,780	120	130	6	6	262	17.7	1.04	1.08	90	84	174	11.8	0.91	0.91	8	30	3	7
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rural Districts ...	61,410	519	496	26	31	1,072	17.5	1.06	1.09	333	318	651	10.6	1.01	0.91	35	32	24	25
Boston ...	20,180	162	152	8	9	331	16.4	1.03	1.00	108	92	200	9.9	1.09	0.91	8	24	6	9
East Ellloe ...	22,880	182	182	9	16	339	17.0	1.08	1.00	131	133	264	11.5	0.96	0.94	15	38	9	7
Spalding ...	18,350	175	162	9	6	352	19.2	1.04	1.19	94	93	187	10.2	1.00	0.86	12	34	9	9
LINCOLNSHIRE :																			
Parts of Kesteven :																			
Admin. County ...	120,890	1,092	989	62	65	2,208	18.3	1.04	1.12	743	680	1,423	11.8	0.92	0.92	83	37	48	39
Urban Districts	47,020	384	365	31	26	806	17.1	1.01	1.03	284	284	568	12.1	0.95	0.97	31	38	17	13
Bourne ...	5,200	39	26	3	5	73	14.0	1.02	0.85	29	29	58	11.2	0.92	0.87	1	14	1	1
Grantham M.B.	23,080	205	205	18	13	441	19.1	1.00	1.13	146	129	275	11.9	0.97	0.98	19	43	9	6
Sleaford ...	7,600	59	67	4	4	134	17.6	1.00	1.04	41	56	97	12.8	0.93	1.01	7	52	5	3
Stamford M.B.	11,140	81	67	6	4	158	14.2	1.04	0.88	68	70	138	12.4	0.92	0.97	4	25	2	3
Rural Districts	73,870	708	624	31	39	1,402	19.0	1.05	1.18	459	396	855	11.6	0.91	0.89	52	37	31	26
East Kesteven	17,550	174	168	6	3	351	20.0	1.02	1.21	109	78	187	10.7	0.95	0.86	12	34	6	6
North Kesteven	25,240	215	200	8	18	441	17.5	1.04	1.08	148	137	285	11.3	0.90	0.86	16	36	10	12
South Kesteven	14,310	148	91	6	8	253	17.7	1.11	1.16	100	95	195	13.6	0.86	0.99	11	43	7	1
West Kesteven	16,770	171	165	11	10	357	21.3	1.07	1.34	102	86	188	11.2	0.92	0.87	13	36	8	7
LINCOLNSHIRE :																			
Parts of Lindsey :																			
County Boroughs	459,060	4,051	3,855	233	268	8,407	18.3	1.05	1.13	2,806	2,608	5,414	11.8	0.96	0.96	279	33	166	209
Grimsby ...	160,020	1,428	1,334	74	110	2,946	18.4	1.03	1.12	1,035	918	1,953	12.2	1.01	1.04	97	33	47	71
Lincoln ...	91,210	927	838	47	61	1,873	20.5	1.04	1.26	620	504	1,124	12.3	1.06	1.10	61	32	31	39
Admin. County ...	68,810	501	496	27	49	1,073	15.6	1.01	0.93	415	414	829	12.0	0.96	0.98	36	33	16	32
Urban Districts	299,040	2,623	2,521	159	158	5,461	18.3	1.06	1.15	1,771	1,690	3,461	11.6	0.93	0.91	182	33	119	138
Alford ...	148,340	1,261	1,230	78	75	2,644	17.8	1.03	1.08	874	851	1,725	11.6	0.99	0.97	103	39	75	56
Barton upon Humber	2,220	9	17	2	1	29	13.1	1.15	0.89	9	20	29	13.1	0.69	0.77	1	34	1	1
Brigg ...	6,060	62	51	2	2	117	19.3	1.06	1.21	35	51	86	14.2	0.89	1.07	1	8	1	1
Cleethorpes M.B.	4,530	36	27	5	4	72	15.9	1.04	0.97	34	26	60	13.2	0.93	1.04	2	28	1	1
Gainsborough	28,970	252	251	14	16	533	18.4	1.03	1.12	194	163	357	12.3	1.03	1.07	27	50	21	10
Horncastle	17,680	119	127	11	12	269	15.2	1.12	1.01	131	109	240	13.6	0.79	0.91	16	59	8	10
Louth M.B.	4,069	26	25	—	1	52	12.8	1.03	0.78	23	28	51	12.5	0.82	0.87	—	—	—	7
Mablethorpe and Sutton	11,380	95	102	7	1	205	18.0	1.02	1.08	80	90	170	14.9	0.81	1.02	1	48	1	—
Market Rasen	5,310	40	38	2	1	81	15.3	1.09	0.98	40	51	91	17.1	0.77	1.12	4	49	2	—
Scunthorpe M.B.	2,210	13	15	1	—	29	13.1	1.23	0.95	17	22	39	17.6	0.73	1.09	—	—	—	—
Skegness	52,030	502	473	23	23	1,021	19.6	0.98	1.14	235	210	445	8.6	1.35	0.98	45	44	36	21
Woodhall Spa	12,020	93	92	11	14	210	17.5	0.98	1.02	67	66	133	11.1	0.85	0.80	5	24	3	5
Rural Districts	1,861	14	12	—	—	26	14.0	1.22	1.01	9	15	24	12.9	0.73	0.80	1	38	1	—
Caistor	150,700	1,362	1,291	81	83	2,817	18.7	1.09	1.21	897	839	1,736	11.5	0.89	0.87	79	28	44	82
Gainsborough	12,850	131	76	7	3	217	16.9	1.10	1.10	71	70	141	11.0	0.85	0.79	3	14	2	7
Glanford Brigg	11,200	102	91	4	5	202	18.0	1.12	1.20	67	52	119	10.6	0.88	0.79	11	54	7	5
Grimsby	32,950	289	300	16	20	625	19.0	1.10	1.23	170	172	342	10.4	0.97	0.85	23	36	9	20
Horncastle	12,150	112	101	9	6	228	18.8	1.09	1.21	73	54	127	10.5	0.96	0.85	5	22	3	4
Isle of Axholme	11,900	105	118	6	7	236	19.8	1.11	1.30	73	61	134	11.3	0.82	0.79	7	29	3	7
Louth ...	14,030	131	109	7	11	258	18.4	1.07	1.17	89	93	182	13.0	0.94	1.04	9	35	5	6
Spilsby	17,260	164	173	9	5	351	20.3	1.10	1.32	105	119	224	13.0	0.79	0.87	1	3	—	7
Welton	23,760	205	194	13	14	426	17.9	1.10	1.16	164	147	311	13.1	0.81	0.90	15	35	10	17
	14,600	123	129	10	12	274	18.8	1.03	1.14	85	71	156	10.7	0.98	0.89	5	18	5	9

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
LONDON	3,375,470	27,351	25,297	2,047	1,852	56,547	16.8	0.91	0.90	20,339	19,116	39,455	11.7	1.01	1.00	1,517	27	988	1,129
City of London	4,830	15	13	—	3	31	6.4	0.88	0.33	26	14	40	8.3	1.00	0.70	3	96	2	4
Inner and Middle Temples																			
Metropolitan Boroughs :																			
Battersea	117,510	1,010	879	71	55	2,015	17.1	0.95	0.96	725	701	1,426	12.1	0.99	1.02	51	25	34	43
Bermondsey	60,440	562	536	19	30	1,147	19.0	0.96	1.08	386	337	723	12.0	1.10	1.12	33	28	21	21
Bethnal Green	59,120	498	479	38	26	1,041	17.6	0.96	1.00	396	352	748	12.7	1.08	1.16	33	31	25	20
Camberwell	178,110	1,567	1,438	79	82	3,166	17.8	0.94	0.99	1,110	1,025	2,135	12.0	0.99	1.01	77	24	49	65
Chelsea	51,990	444	370	36	25	875	16.8	0.74	0.74	290	298	588	11.3	0.95	0.91	23	26	15	17
Deptford	76,370	717	649	30	28	1,424	18.6	0.97	1.07	523	402	925	12.1	0.99	1.02	42	29	26	26
Finsbury	36,010	325	291	27	23	666	18.5	0.97	1.06	272	223	495	13.7	1.02	1.18	17	25	11	16
Fulham	124,040	1,026	895	68	59	2,048	16.5	0.91	0.89	741	758	1,499	12.1	0.99	1.02	53	26	33	49
Greenwich	87,680	758	714	36	33	1,541	17.6	0.94	0.98	523	421	944	10.8	1.06	0.97	36	23	26	24
Hackney	173,020	1,350	1,244	61	57	2,712	15.7	0.90	0.84	1,020	939	1,959	11.3	1.08	1.03	61	22	36	53
Hammersmith	118,440	905	922	84	58	1,969	16.6	0.94	0.93	653	656	1,309	11.1	1.07	1.01	55	28	40	42
Hampstead	97,000	669	634	69	59	1,431	14.8	0.75	0.66	454	564	1,018	10.5	0.99	0.88	41	28	30	28
Holborn	25,440	155	142	14	17	328	12.9	0.87	0.66	162	122	284	11.2	1.13	1.07	12	36	9	10
Islington	239,580	2,101	1,963	165	161	4,390	18.3	0.93	1.01	1,577	1,381	2,958	12.3	1.01	1.05	119	27	76	88
Kensington	174,220	1,236	1,175	122	133	2,666	15.3	0.76	0.69	836	983	1,819	10.4	1.03	0.91	64	24	40	39
Lambeth	229,400	2,024	1,768	159	157	4,108	17.9	0.93	0.98	1,377	1,359	2,736	11.9	1.01	1.02	119	29	74	79
Lewisham	227,700	1,858	1,731	126	113	3,828	16.8	0.94	0.94	1,191	1,135	2,326	10.2	1.03	0.89	73	19	48	63
Paddington	130,640	1,017	920	171	126	2,234	17.1	0.79	0.80	754	735	1,489	11.4	1.11	1.07	58	26	41	45
Poplar	74,570	644	660	28	25	1,357	18.2	0.98	1.05	525	432	957	12.8	1.14	1.24	50	36	25	31
St. Marylebone	78,050	391	409	47	54	901	11.5	0.76	0.52	432	505	937	12.0	0.97	0.99	20	22	16	25
St. Pancras	141,330	1,059	1,006	122	115	2,302	16.3	0.89	0.86	959	814	1,773	12.5	1.01	1.07	70	30	45	46
Shoreditch	45,200	427	388	31	22	868	19.2	1.00	1.14	297	297	594	13.1	1.06	1.18	33	38	23	14
Southwark	96,720	891	854	82	53	1,880	19.4	0.99	1.14	703	559	1,262	13.0	1.02	1.12	56	29	42	53
Stepney	100,550	857	832	81	73	1,843	18.3	0.98	1.06	751	589	1,340	13.3	1.07	1.21	59	32	36	39
Stoke Newington	46,510	494	416	21	21	952	20.5	0.90	1.09	255	247	502	10.8	1.04	0.95	15	16	13	19
Wandsworth	334,840	2,541	2,253	133	128	5,055	15.1	0.93	0.83	1,975	2,016	3,991	11.9	0.91	0.92	131	26	86	109
Westminster	102,160	571	539	79	61	1,250	12.2	0.84	0.61	564	547	1,111	10.9	1.06	0.98	42	33	23	23
Woolwich	144,000	1,239	1,177	48	55	2,519	17.5	0.99	1.03	862	705	1,567	10.9	0.93	0.86	71	28	43	38
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
MIDDLESEX :																			
Admin. County
Urban Districts
Acton M.B.
Brentford and Chiswick
M.B.
Ealing M.B.
Edmonton M.B.
Enfield
Feltham
Finchley M.B.
Friern Barnet
Harrow
Hayes and Harlington
Hendon M.B.
Heston and Isleworth
M.B.
Hornsey M.B.
Potters Bar
Ruislip Northwood
Southall M.B.
Southgate M.B.
Staines
Sunbury on Thames
Tottenham M.B.
Twickenham M.B.
Uxbridge
Wembley M.B.
Willesden M.B.
Wood Green M.B.
Yiewsley and West Drayton
NORFOLK
County Boroughs
Great Yarmouth
Norwich
Admin. County
Urban Districts
Cromer
Diss
Downham Market
East Dereham
Kings Lynn M.B.

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
NORFOLK—contd.																			
Urban Districts—contd.																			
...	3,351	26	24	1	4	55	16.4	1.01	0.98	21	40	61	18.2	0.78	1.20	5	90	5	2
New Hunstanton	3,351	38	35	4	1	78	16.9	1.11	1.11	35	29	64	13.9	0.75	0.88	—	38	—	3
...	4,604	44	29	2	4	79	15.9	1.17	1.10	38	45	83	16.7	0.69	0.98	3	90	—	—
...	3,014	17	15	—	1	33	10.9	1.16	0.75	27	18	45	14.9	0.78	0.98	4	56	—	—
...	4,388	34	32	1	4	71	16.2	1.12	1.07	31	31	62	14.1	0.79	0.94	—	—	—	—
...	2,512	22	16	—	—	38	15.1	1.09	0.97	14	23	37	14.7	0.72	0.90	—	—	—	—
...	5,576	35	47	1	3	86	15.4	1.10	1.01	38	33	71	12.7	0.87	0.94	1	12	1	2
Rural Districts																			
...	281,776	2,267	2,122	110	122	4,621	16.4	1.11	1.07	1,754	1,645	3,399	12.1	0.83	0.85	127	27	80	93
Blofield and Flegg	31,920	219	198	8	10	435	13.6	1.04	0.84	181	161	342	10.7	0.85	0.77	11	25	5	5
...	17,900	148	137	5	10	300	16.8	1.22	1.21	126	126	252	14.1	0.75	0.90	9	30	5	4
...	16,680	142	109	3	6	260	15.6	1.11	1.02	117	109	226	13.5	0.76	0.87	7	27	5	8
...	21,060	193	192	15	10	410	19.5	1.07	1.24	139	127	266	12.6	0.91	0.97	7	17	3	9
...	17,940	121	150	9	10	290	16.2	1.19	1.14	139	112	251	14.0	0.75	0.89	8	27	2	5
Forehoe and Henstead																			
...	22,660	175	146	8	5	334	14.7	1.09	0.95	148	117	265	11.7	0.82	0.81	9	27	8	7
Freebridge Lynn	10,550	85	97	9	9	200	19.0	1.17	1.31	66	71	137	13.0	0.82	0.90	4	20	4	3
...	12,560	98	87	3	3	191	15.2	1.15	1.03	64	69	133	10.6	0.83	0.75	4	21	2	8
...	16,800	127	131	5	13	276	16.4	1.06	1.03	102	75	177	10.5	1.01	0.90	7	25	6	8
...	16,910	139	136	6	12	293	17.3	1.20	1.22	98	91	189	11.2	0.78	0.74	8	27	5	8
St. Faiths and Aylsham																			
...	36,240	315	253	12	14	594	16.4	1.03	1.00	193	194	387	10.7	0.92	0.83	20	33	12	10
...	16,820	153	131	4	10	298	17.7	1.15	1.21	124	121	245	14.6	0.78	0.97	12	40	9	6
...	8,176	67	71	5	6	149	18.2	1.06	1.14	45	45	90	11.0	0.85	0.79	5	33	2	2
...	17,990	157	144	13	1	315	17.5	1.09	1.13	102	118	220	12.2	0.80	0.83	10	31	9	2
...	17,570	128	140	5	3	276	15.7	1.14	1.06	110	109	219	12.5	0.81	0.86	6	22	3	8
NORTHAMPTONSHIRE																			
...	354,800	2,815	2,596	139	139	5,689	16.0	1.06	1.00	2,213	2,071	4,284	12.1	0.91	0.93	186	32	116	102
County Borough :	104,300	832	716	53	38	1,639	15.7	1.02	0.95	627	634	1,261	12.1	0.93	0.95	49	30	30	31
...	250,500	1,983	1,880	86	101	4,050	16.2	1.08	1.03	1,586	1,437	3,023	12.1	0.91	0.93	137	33	86	71
Admin. County	...	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Urban Districts	131,598	1,005	986	44	44	2,079	15.8	1.05	0.98	832	705	1,537	11.7	0.96	0.95	68	32	39	38
Brackley M.B.	2,588	14	18	1	1	34	13.1	1.23	0.95	17	19	36	13.9	0.96	1.13	1	29	1	1
Burton Latimer	4,046	40	36	3	2	81	20.0	1.02	1.21	26	31	57	14.1	0.94	1.12	5	61	2	1
Corby ... M.B.	13,970	126	141	9	11	287	20.5	0.98	1.19	58	28	86	6.2	1.78	0.94	10	34	8	8
Daventry ... M.B.	4,070	32	37	—	—	69	17.0	1.07	1.08	29	23	52	12.8	0.82	0.89	3	43	3	3
Desborough ...	4,645	25	36	—	1	62	13.3	1.00	0.79	34	23	57	12.3	0.90	0.94	—	—	—	2
Higham Ferrers M.B.	3,644	31	26	2	1	60	16.5	1.00	0.97	22	18	40	11.0	0.92	0.86	2	33	1	3
Irthlingborough	4,967	36	42	1	1	80	16.1	1.03	0.98	39	36	75	15.1	0.93	1.19	4	50	2	1
Kettering M.B.	37,110	278	259	7	11	555	15.0	1.03	0.92	209	192	401	10.8	0.93	0.85	19	34	13	9
Oundle	2,728	17	13	3	1	34	12.5	1.57	1.16	10	17	27	9.9	0.95	0.80	—	—	—	—
Raunds	4,543	30	34	1	—	65	14.3	1.08	0.92	36	29	65	14.3	0.83	1.01	3	46	—	1
Rothwell	4,677	34	37	1	1	73	15.6	1.07	0.99	30	24	54	11.5	0.85	0.83	3	41	1	1
Rushden	16,410	114	99	3	6	222	13.5	1.09	0.87	112	109	221	13.5	0.91	1.04	3	13	—	2
Wellingborough	28,200	228	208	13	8	457	16.2	1.04	1.00	210	156	366	13.0	0.90	0.99	15	32	8	6
Rural Districts	118,902	978	894	42	57	1,971	16.6	1.11	1.09	754	732	1,486	12.5	0.86	0.91	69	35	47	33
Brackley	9,432	77	84	2	6	169	17.9	1.12	1.19	62	62	124	13.1	0.84	0.93	5	29	5	3
Brixworth	17,170	121	126	7	6	260	15.1	1.06	0.95	99	104	203	11.8	0.82	0.82	8	30	6	3
Daventry	15,860	139	101	5	8	253	16.0	1.11	1.05	116	101	217	13.7	0.83	0.96	14	55	10	5
Kettering	11,980	120	89	3	4	216	18.0	1.20	1.28	54	59	113	9.4	0.99	0.79	4	18	—	3
Northampton	18,760	134	136	6	9	285	15.2	1.12	1.01	115	115	230	12.3	0.85	0.89	13	45	7	—
Oundle and Thrapston	18,440	153	156	11	10	330	17.9	1.12	1.18	128	120	248	13.4	0.88	1.00	9	27	6	12
Towcester	14,300	135	111	5	7	258	18.0	1.13	1.20	93	86	179	12.5	0.86	0.91	8	31	7	2
Wellingborough	12,960	99	91	3	7	200	15.4	1.09	0.99	87	85	172	13.3	0.84	0.95	8	40	6	5
NORTHUMBERLAND	795,800	7,050	6,598	334	272	14,254	17.9	1.00	1.06	5,112	4,588	9,700	12.2	1.06	1.10	539	37	296	328
County Boroughs	361,020	3,310	3,016	173	146	6,645	18.4	0.98	1.07	2,387	2,132	4,519	12.5	1.10	1.17	261	39	138	136
Newcastle upon Tyne	294,540	2,678	2,406	145	119	5,348	18.2	0.98	1.05	1,989	1,768	3,757	12.8	1.10	1.19	213	39	109	100
Tynemouth	66,480	632	610	28	27	1,297	19.5	1.00	1.15	398	364	762	11.5	1.08	1.05	48	37	29	36
Admin. County	434,780	3,740	3,582	161	126	7,609	17.5	1.02	1.06	2,725	2,456	5,181	11.9	1.04	1.05	278	36	158	192
Urban Districts	335,210	2,956	2,857	129	96	6,038	18.0	1.01	1.08	2,080	1,908	3,988	11.9	1.08	1.09	226	37	129	157
Alnwick	7,290	59	66	1	1	127	17.4	1.01	1.04	41	46	87	11.9	1.01	1.02	4	31	2	4
Amble	4,547	38	41	5	1	85	18.7	1.04	1.15	32	32	64	14.1	0.96	1.15	2	23	1	4
Ashington	28,850	263	253	13	5	534	18.5	1.06	1.16	207	152	359	12.4	1.19	1.25	16	30	6	4
Bedlingtonshire	28,220	259	239	5	12	515	18.2	1.05	1.13	156	153	309	10.9	1.15	1.06	20	38	12	10
Berwick upon Tweed	12,250	119	119	15	7	260	21.2	1.01	1.27	86	85	171	14.0	0.89	1.06	1	38	1	6
M.B.	35,300	341	341	17	11	710	20.1	1.03	1.22	245	184	429	12.2	1.16	1.20	30	42	18	16
Blyth M.B.	24,310	199	172	5	4	380	15.6	0.97	0.89	101	140	241	9.9	0.99	0.83	11	29	5	10
Gosforth	9,120	60	60	3	4	127	13.9	1.00	0.82	79	83	162	17.8	0.89	1.34	5	39	3	4
Hexham	27,020	251	200	8	7	466	17.2	1.01	1.03	161	132	293	10.8	1.14	1.04	18	38	13	17
Longbenton	10,070	96	78	5	4	183	18.2	0.99	1.06	68	60	128	12.7	1.02	1.10	10	54	4	6
Morpeth M.B.	9,740	92	82	2	4	180	18.5	1.03	1.12	62	48	110	11.3	1.15	1.10	6	33	4	1
Newbiggin by the Sea	21,540	174	201	6	4	385	17.9	0.99	1.05	121	123	244	11.3	1.12	1.07	12	31	10	9
Newburn	9,343	68	81	1	3	153	16.4	0.97	0.94	57	32	89	9.5	1.17	0.94	8	52	4	3
Prudhoe	26,490	204	228	10	5	447	16.9	1.04	1.05	149	131	280	10.6	1.06	0.95	21	47	9	16
Seaton Valley	48,830	501	477	16	14	1,008	20.6	0.99	1.20	303	261	564	11.6	1.21	1.19	45	44	27	26
Wallsend M.B.	32,290	232	219	17	10	478	14.8	1.03	0.90	212	246	458	14.2	0.88	1.06	17	35	10	14
Whitley Bay																			

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)
NORTHUMBERLAND—contd.																			
Rural Districts	99,570	784	725	32	30	1,571	15.8	1.05	0.98	645	548	1,193	12.0	0.92	0.94	52	33	29	35
Alnwick	11,850	94	72	4	5	175	14.8	1.02	0.89	79	75	154	13.0	0.91	1.00	9	51	4	5
Belford	4,940	41	33	2	—	76	15.4	1.00	0.91	39	34	73	14.8	0.84	1.05	3	39	1	3
Bellingham	5,324	32	43	3	2	80	15.0	1.18	1.05	38	31	69	13.0	0.92	1.01	5	62	5	3
Castle Ward	14,090	122	97	5	3	227	16.1	1.06	1.01	81	61	142	10.1	0.89	0.76	7	31	3	3
Glendale	7,687	61	57	—	5	123	16.0	1.08	1.02	45	45	90	11.7	0.91	0.90	3	24	1	3
Haltwhistle	7,376	66	57	2	3	128	17.4	1.06	1.09	63	58	121	16.4	0.93	1.29	4	31	3	4
Hexham	20,790	150	139	5	2	296	14.2	1.04	0.88	155	104	259	12.5	0.87	0.92	7	23	4	7
Morpeth	17,320	151	156	6	8	321	18.5	1.03	1.13	82	69	151	8.7	1.09	0.80	7	22	5	6
Newcastle upon Tyne (Moot Hall and precincts)	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Island-shires	4,510	28	27	3	—	58	12.9	1.10	0.84	24	33	57	12.6	0.89	0.95	3	51	1	1
Rothbury	5,680	39	44	2	2	87	15.3	1.02	0.92	39	38	77	13.6	0.85	0.98	4	46	2	—
NOTTINGHAMSHIRE																			
County Borough :	823,800	7,158	6,770	460	421	14,809	18.0	1.00	1.06	4,698	4,394	9,092	11.0	1.08	1.01	515	34	259	318
Nottingham	300,640	2,686	2,598	229	214	5,727	19.0	0.98	1.10	1,806	1,750	3,556	11.8	1.09	1.09	219	38	95	117
Admin. County	523,160	4,472	4,172	231	207	9,082	17.4	1.01	1.04	2,892	2,644	5,536	10.6	1.08	0.97	296	32	164	201
Urban Districts	369,980	3,153	3,019	172	153	6,497	17.6	1.00	1.04	2,043	1,885	3,928	10.6	1.11	1.00	222	34	117	139
Arnold	20,980	166	168	12	4	350	16.7	0.97	0.96	123	116	239	11.4	1.10	1.06	12	34	6	6
Beeston and Stapleford	48,180	396	399	20	15	830	17.2	0.96	0.98	231	206	437	9.1	1.17	0.90	37	44	17	16
Carlton	33,980	270	281	15	18	584	17.2	0.98	1.00	201	180	381	11.2	1.06	1.01	24	41	13	8
East Retford M.B.	16,320	151	144	6	9	310	19.0	1.00	1.13	104	110	214	13.1	0.96	1.06	12	38	8	7
Eastwood	9,900	84	107	5	6	202	20.4	1.05	1.26	49	51	100	10.1	1.21	1.04	7	34	6	3
Hucknall	22,700	218	183	7	6	414	18.2	0.99	1.07	121	92	213	9.4	1.23	0.98	17	41	11	11
Kirkby in Ashfield	20,120	166	163	9	8	346	17.2	1.05	1.07	117	110	227	11.3	1.15	1.10	12	34	4	9
Mansfield M.B.	51,180	410	403	30	28	871	17.0	0.98	0.99	293	241	534	10.4	1.11	0.98	24	27	12	21
Mansfield Woodhouse	17,490	170	154	7	8	339	19.4	1.05	1.20	85	70	155	8.9	1.25	0.94	9	26	1	12
Newark M.B....	22,430	191	166	15	16	388	17.3	1.00	1.02	111	136	247	11.0	0.99	0.92	13	33	8	7
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Sutton in Ashfield ...	39,880	355	333	23	8	719	18.0	1.02	1.08	249	202	451	11.3	1.18	1.13	31	43	17	13
Warsop ...	10,880	112	79	4	4	199	18.3	1.01	1.10	53	41	94	8.6	1.27	0.93	5	25	2	7
West Bridgford ...	24,420	163	151	9	6	329	13.5	1.01	0.81	145	180	325	13.3	0.83	0.94	10	30	7	2
Worksop M.B. ...	31,520	301	288	10	17	616	19.5	1.06	1.22	161	150	311	9.9	1.19	1.00	9	14	5	17
Rural Districts ...	153,180	1,319	1,153	59	54	2,585	16.9	1.03	1.03	849	759	1,608	10.5	1.02	0.91	74	28	47	62
Basford ...	48,700	414	368	20	20	822	16.9	1.01	1.01	266	261	527	10.8	1.03	0.94	24	29	18	27
Bingham ...	18,338	142	120	5	5	272	14.8	0.89	0.89	125	99	224	12.2	0.83	0.86	9	33	7	4
East Retford ...	20,880	135	173	6	6	320	15.3	1.05	0.95	127	111	238	11.4	0.90	0.87	8	25	5	4
Newark ...	10,650	109	82	5	3	199	18.7	0.97	1.08	69	68	137	12.9	0.99	1.08	5	25	2	7
Nottingham (Shire Hall) ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwell ...	38,850	357	284	19	13	673	17.3	1.07	1.09	185	163	348	9.0	1.14	0.87	16	24	9	11
Worksop ...	15,760	162	126	4	7	299	19.0	1.04	1.16	77	57	134	8.5	1.28	0.92	12	40	6	9
OXFORDSHIRE ...	270,600	2,321	2,092	122	136	4,671	17.3	1.01	1.03	1,380	1,472	2,852	10.5	0.98	0.87	120	25	89	68
County Borough : ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oxford ...	107,100	781	750	48	56	1,635	15.3	0.97	0.88	503	568	1,071	10.0	1.07	0.91	44	27	36	21
Admin. County ...	163,500	1,540	1,342	74	80	3,036	18.6	1.04	1.14	877	904	1,781	10.9	0.93	0.86	76	25	53	47
Urban Districts ...	47,030	453	379	16	27	875	18.6	1.04	1.15	246	263	509	10.8	0.91	0.83	18	20	13	18
Banbury M.B. ...	18,930	184	147	4	6	341	18.0	1.04	1.11	89	100	189	10.0	1.02	0.86	5	15	2	6
Bicester ...	4,060	47	47	—	6	100	24.6	0.97	1.42	22	25	47	11.6	0.94	0.92	2	20	1	5
Chipping Norton M.B. ...	3,718	42	30	2	2	76	20.4	1.18	1.43	23	23	46	12.4	0.78	0.82	2	26	2	1
Henley on Thames ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	8,400	73	63	4	6	146	17.4	1.04	1.07	44	55	99	11.8	0.79	0.79	3	20	2	1
Thame... ...	3,500	33	30	1	2	66	18.9	1.08	1.21	27	23	50	14.3	0.88	1.07	5	75	5	—
Witney ...	6,710	58	41	3	2	104	15.5	0.99	0.91	29	27	56	8.3	0.97	0.68	1	10	1	3
Woodstock M.B. ...	1,712	16	21	2	3	42	24.5	1.08	1.57	12	10	22	12.9	0.74	0.81	—	—	—	2
Rural Districts ...	116,470	1,087	963	58	53	2,161	18.6	1.04	1.14	631	641	1,272	10.9	0.93	0.86	58	27	40	29
Banbury ...	14,590	133	122	8	5	268	18.4	1.13	1.23	90	87	177	12.1	0.85	0.87	5	18	3	1
Bullington ...	29,830	312	266	19	14	611	20.5	0.97	1.18	163	135	298	10.0	0.97	0.82	20	32	15	1
Chipping Norton ...	15,340	129	112	3	8	252	16.4	1.14	1.11	93	97	190	12.4	0.87	0.91	10	39	7	7
Henley ...	19,830	159	140	12	12	323	16.3	1.08	1.04	104	112	216	10.9	0.95	0.88	8	25	5	7
Ploughley ...	17,360	172	151	7	5	335	19.3	0.97	1.11	83	106	189	10.9	0.99	0.91	6	18	2	7
Witney ...	19,520	182	172	9	9	372	19.1	1.02	1.15	98	104	202	10.3	0.95	0.83	9	24	8	6
PETERBOROUGH, SOKE OF : ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Admin. County ...	63,689	488	452	34	34	1,008	15.8	1.00	0.94	380	339	719	11.3	0.98	0.94	27	27	13	28
Urban District : ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peterborough M.B. ...	54,120	400	352	30	33	815	15.1	1.00	0.90	331	297	628	11.6	0.99	0.97	23	28	11	20
Rural Districts ...	9,569	88	100	4	1	193	20.2	0.99	1.18	49	42	91	9.5	0.94	0.76	4	21	2	8
Barnack ...	2,327	25	30	2	—	57	24.5	0.93	1.35	10	12	22	9.5	0.92	0.74	2	35	1	2
Peterborough ...	7,242	63	70	2	1	136	18.8	1.01	1.12	39	30	69	9.5	0.94	0.76	2	15	1	6

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth Rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
RUTLANDSHIRE :	19,423	201	172	5	7	385	19.8	1.11	1.31	123	113	236	12.2	0.87	0.90	9	23	7	10
Admin. County
Urban District : Oakham ...	3,718	32	27	—	2	61	16.4	1.20	1.17	27	19	46	12.4	0.81	0.85	1	16	1	—
Rural Districts ...	15,705	169	145	5	5	324	20.6	1.09	1.33	96	94	190	12.1	0.89	0.91	8	24	6	10
Ketton ...	2,923	26	30	1	3	60	20.5	1.05	1.28	24	13	37	12.7	0.86	0.93	—	—	—	3
Oakham ...	6,882	84	65	2	1	152	22.1	1.03	1.34	29	42	71	10.3	0.95	0.83	4	26	3	4
Uppingham ...	5,900	59	50	2	1	112	19.0	1.22	1.37	43	39	82	13.9	0.84	0.99	4	35	3	3
SHROPSHIRE :	272,400	2,432	2,236	132	147	4,947	18.2	1.06	1.15	1,710	1,584	3,294	12.1	0.96	0.98	146	29	101	107
Admin. County
Urban Districts	139,272	1,143	1,113	64	70	2,390	17.2	1.05	1.07	901	867	1,768	12.7	0.96	1.03	75	31	53	61
Bishops Castle M.B.	1,300	9	15	2	—	26	20.0	1.24	1.47	6	12	18	13.8	0.62	0.73	—	—	—	2
Bridgnorth M.B.	6,060	60	71	1	4	136	22.4	1.05	1.40	48	53	101	16.7	0.85	1.20	2	15	2	3
Church Stretton	2,506	25	20	1	1	47	18.8	1.16	1.29	15	29	44	17.6	0.65	0.97	2	42	2	—
Dawley	8,374	81	70	11	11	173	20.7	1.03	1.26	58	51	109	13.0	1.02	1.12	11	63	7	1
Ellesmere	2,040	14	14	—	1	29	14.2	1.24	1.04	22	14	36	17.6	0.77	1.15	—	—	—	—
Ludlow M.B.	6,240	55	59	3	2	119	19.1	1.09	1.24	49	44	93	14.9	0.81	1.02	3	25	1	1
Market Drayton	5,690	49	45	2	3	99	17.4	0.96	0.99	37	34	71	12.5	0.94	1.00	—	—	—	2
Newport	3,890	40	24	1	1	66	17.0	1.07	1.03	28	27	55	14.1	0.92	1.10	1	15	1	2
Oakengates	11,100	89	99	6	3	197	17.7	0.99	1.07	77	48	125	11.3	0.97	0.93	6	30	5	6
Oswestry M.B.	11,040	88	89	5	3	185	16.8	1.04	1.03	72	66	138	12.5	0.98	1.04	7	37	6	6
Shrewsbury M.B.	45,360	329	307	16	27	679	15.0	1.02	0.91	250	274	524	11.6	1.03	1.01	24	35	18	18
Wellington	11,530	97	85	6	3	191	16.6	1.12	1.10	64	65	129	11.2	1.09	1.03	2	10	1	9
Wem	2,450	19	20	—	—	39	15.9	1.10	1.03	17	18	35	14.3	0.84	1.02	1	25	—	1
Wenlock M.B.	14,790	131	129	5	10	275	18.6	1.09	1.20	111	89	200	13.5	0.94	1.08	8	29	5	10
Whitchurch	6,902	57	66	5	1	129	18.7	1.07	1.18	47	43	90	13.0	0.90	0.99	8	19	6	5
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rural Districts ...	133,128	1,289	1,123	68	77	2,557	19.2	1.08	1.23	809	717	1,526	11.5	0.96	0.94	71	27	48	46
Atcham ...	20,090	203	186	12	15	416	20.7	1.06	1.30	147	125	272	13.5	0.94	1.08	13	31	8	5
Bridgnorth ...	13,050	104	88	5	8	205	15.7	1.12	1.04	71	62	133	10.2	0.99	0.86	6	29	3	3
Clun ...	9,690	79	68	8	6	161	16.6	1.23	1.21	59	62	121	12.5	0.82	0.87	5	31	4	1
Drayton ...	8,590	97	72	4	5	178	20.7	1.15	1.41	51	46	97	11.3	1.07	1.02	6	33	4	3
Ellesmere ...	7,068	75	58	5	2	140	19.8	1.27	1.48	34	27	61	8.6	1.04	0.76	2	14	2	1
Ludlow ...	13,980	125	93	9	6	233	16.7	1.15	1.14	114	78	192	13.7	0.82	0.95	8	34	5	6
Oswestry ...	17,510	158	144	2	10	314	17.9	1.05	1.11	111	102	213	12.2	0.95	0.98	6	19	4	4
Shifnal ...	10,460	114	106	6	4	230	22.0	0.98	1.28	60	51	111	10.6	1.06	0.95	6	26	3	3
Wellington ...	21,720	210	201	8	14	433	19.9	1.00	1.18	103	89	192	8.8	1.09	0.81	15	34	12	14
Wem ...	10,970	124	107	9	7	247	22.5	1.02	1.36	59	75	134	12.2	0.91	0.94	4	16	3	6
SOMERSETSHIRE	545,200	4,427	4,251	221	191	9,090	16.7	1.06	1.05	3,421	3,823	7,244	13.3	0.84	0.95	264	29	186	204
County Borough :																			
Bath ...	77,280	540	552	40	34	1,166	15.1	1.00	0.89	494	583	1,077	13.9	0.83	0.98	34	29	18	22
Admin. County ...	467,920	3,887	3,699	181	157	7,924	16.9	1.07	1.07	2,927	3,240	6,167	13.2	0.85	0.95	230	29	168	182
Urban Districts	224,079	1,792	1,722	92	73	3,679	16.4	1.05	1.02	1,402	1,662	3,064	13.7	0.84	0.98	95	26	69	84
Bridgwater M.B.	22,360	235	218	12	6	471	21.1	0.98	1.23	131	164	295	13.2	0.97	1.09	14	29	11	11
Burnham on Sea	9,152	57	59	4	1	121	13.2	1.12	0.87	47	68	115	12.6	0.79	0.84	1	8	1	3
Chard M.B.	5,284	46	47	5	1	99	18.7	1.09	1.21	34	37	71	13.4	0.88	1.00	2	20	1	2
Clevedon	9,799	71	78	3	2	154	15.7	1.13	1.05	71	103	174	17.8	0.68	1.03	5	32	3	2
Crewkerne	4,120	43	28	—	1	72	17.5	1.09	1.13	21	29	50	12.1	0.85	0.87	1	14	—	1
Frome	11,370	70	87	5	6	168	14.8	1.09	0.96	90	97	187	16.4	0.80	1.11	2	12	1	5
Glastonbury M.B.	5,199	50	37	1	1	89	17.1	1.06	1.07	36	39	75	14.4	0.84	1.03	1	11	—	1
Ilminster	2,656	25	26	—	—	51	19.2	1.02	1.16	7	29	27	10.2	0.93	0.80	—	—	—	2
Keynsham	7,738	58	52	2	—	112	14.5	1.05	0.90	47	53	100	12.9	0.85	0.93	2	18	—	2
Minehead	7,232	41	42	3	1	87	12.0	1.10	0.78	55	88	143	19.8	0.65	1.09	3	34	3	1
Norton Radstock	11,920	98	98	4	3	203	17.0	1.09	1.09	62	58	120	10.1	0.98	0.84	4	20	3	6
Portishead	4,416	40	43	—	—	83	18.8	1.10	1.22	29	30	59	13.4	0.80	0.91	1	12	1	2
Shepton Mallet	4,640	50	30	2	3	85	18.3	0.97	1.05	25	29	54	11.6	0.97	0.95	1	12	1	2
Street ...	5,389	45	46	3	2	96	17.8	0.98	1.03	33	35	68	12.6	0.92	0.98	4	41	4	1
Taunton M.B.	33,340	290	286	17	16	609	18.3	1.03	1.11	212	205	417	12.5	0.94	1.00	21	34	16	10
Watchet	2,515	22	25	—	1	48	19.1	1.12	1.26	12	23	35	13.9	0.85	1.00	—	—	—	3
Wellington	7,389	43	63	4	3	113	15.3	1.17	1.06	40	53	99	13.4	0.80	0.91	4	35	2	4
Wells M.B.	6,070	45	42	2	2	91	15.0	1.12	1.00	40	33	73	12.0	0.82	0.83	2	22	1	—
Weston Super Mare																			
M.B. ...	39,830	281	241	20	17	559	14.0	1.05	0.87	271	349	620	15.6	0.73	0.97	13	23	7	13
Yeovil M.B.	23,660	182	174	5	7	368	15.6	1.02	0.94	139	143	282	11.9	0.93	0.94	14	38	14	13
Rural Districts	243,841	2,095	1,977	89	84	4,245	17.4	1.08	1.11	1,525	1,578	3,103	12.7	0.85	0.91	135	31	99	98
Axbridge	25,340	215	190	11	10	426	16.8	1.10	1.09	152	176	328	12.9	0.83	0.91	16	37	11	9
Bathavon	22,210	224	205	7	6	442	19.9	0.98	1.16	157	124	281	12.7	0.88	0.95	11	25	9	13
Bridgwater	19,400	177	158	7	5	347	17.9	1.13	1.19	116	118	234	12.1	0.88	0.90	14	40	10	6
Chard ...	12,030	96	98	3	5	202	16.8	1.11	1.10	78	87	165	13.7	0.85	0.99	6	29	3	5
Clutton	17,220	137	140	8	5	290	16.8	1.10	1.09	111	98	209	12.1	0.88	0.90	8	27	7	6

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.
		F.		M.	F.		M.														
		M.	F.		M.	F.															
SOMERSETSHIRE—contd.																					
Rural Districts—contd.																					
Dulverton ...	4,600	36	34	1	3	74	16.1	1.10	1.05	26	33	59	12.8	0.83	0.90	1	13	—	4	6	
Frome ...	10,410	110	77	2	4	193	18.5	1.12	1.22	70	61	131	12.6	0.84	0.90	4	21	—	12	3	
Langport ...	12,890	104	130	5	1	240	18.6	1.08	1.19	86	90	176	13.7	0.81	0.94	15	62	12	12	3	
Long Ashton ...	24,480	199	209	3	10	421	17.2	1.02	1.03	127	129	256	10.5	0.90	0.80	10	24	6	10	3	
Shepton Mallet ...	10,730	81	79	6	3	169	15.8	1.20	1.12	73	74	147	13.7	0.93	1.08	6	35	5	3	10	
Taunton ...	18,620	137	138	13	8	296	15.9	1.09	1.02	118	112	230	12.4	0.85	0.89	7	23	6	6	9	
Wellington ...	7,801	84	63	—	2	149	19.1	1.07	1.21	51	62	113	14.5	0.83	1.02	6	40	4	4	3	
Wells ...	10,020	91	84	6	4	185	18.5	1.21	1.32	58	61	119	11.9	0.83	0.84	4	21	1	1	4	
Williton ...	12,760	69	82	8	4	163	12.8	1.09	0.83	85	99	184	14.4	0.77	0.94	4	24	3	3	5	
Wincanton ...	16,590	151	124	5	7	287	17.3	1.11	1.14	99	124	223	13.4	0.82	0.93	9	31	8	7	7	
Yeovil ...	18,740	184	166	4	7	361	19.3	1.03	1.18	118	130	248	13.2	0.89	1.00	14	38	10	9	9	
SOUTHAMPTON	1,116,030	9,554	9,124	609	597	19,884	17.8	1.01	1.06	6,701	6,634	13,335	11.9	0.90	0.91	565	28	353	173	431	
County Boroughs	537,420	4,369	4,254	299	318	9,240	17.2	1.00	1.02	3,409	3,466	6,875	12.8	0.89	0.97	282	30	173	34	220	
Bournemouth...	138,840	800	750	59	75	1,684	12.1	1.06	0.76	920	1,217	2,137	15.4	0.70	0.91	54	32	34	44	44	
Portsmouth ...	218,250	1,933	1,964	131	133	4,161	19.1	0.97	1.10	1,353	1,278	2,631	12.1	0.97	0.99	100	24	59	75	75	
Southampton	180,330	1,636	1,540	109	110	3,395	18.8	1.00	1.11	1,136	971	2,107	11.7	1.03	1.02	128	37	80	101	101	
Admin. County ...	578,610	5,185	4,870	310	279	10,644	18.4	1.02	1.11	3,292	3,168	6,460	11.2	0.90	0.85	283	26	180	211	211	
Urban Districts	328,560	2,961	2,739	160	149	6,009	18.3	0.99	1.08	1,848	1,824	3,672	11.2	0.93	0.88	158	26	100	108	108	
Aldershot M.B.	28,150	356	309	24	20	709	25.2	0.89	1.33	137	139	276	9.8	1.14	0.95	17	24	9	14	14	
Alton ...	8,390	76	65	6	5	152	18.1	1.00	1.08	55	65	120	14.3	0.90	1.09	1	7	1	1	1	
Andover M.B.	14,170	146	104	4	6	260	18.3	1.01	1.10	88	71	159	11.2	0.95	0.90	9	34	5	6	6	
Basingstoke M.B.	16,770	119	132	5	6	262	15.6	1.02	0.94	89	78	167	10.0	0.99	0.84	1	4	1	1	1	
Christchurch M.B.	19,040	159	149	8	9	325	17.1	0.98	0.99	128	133	261	13.7	0.73	0.85	12	37	9	7	7	
Eastleigh M.B.	29,980	282	232	18	15	547	18.2	1.04	1.13	181	162	343	11.4	0.98	0.95	25	45	13	11	11	
Fareham ...	40,180	307	330	21	22	680	16.9	0.99	0.99	216	179	395	9.8	0.97	0.81	16	23	10	15	15	
Farnborough	20,700	219	239	11	7	476	23.0	0.93	1.27	72	84	156	7.5	1.19	0.76	13	27	9	8	8	
Fleet ...	8,440	69	63	4	1	137	16.2	0.97	0.94	50	55	105	12.4	0.74	0.78	2	14	2	3	3	
Gosport M.B.	49,690	523	467	21	21	1,032	20.8	0.93	1.14	258	257	515	10.4	1.11	0.98	22	21	13	15	15	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(20)	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Havant and Waterloo	30,800	235	243	13	14	505	16.4	1.00	0.97	214	192	406	13.2	0.80	0.89	11	22	7	4
Lymington M.B.	22,240	174	149	10	7	340	15.3	1.08	0.98	132	156	288	12.9	0.71	0.78	7	20	5	4
Petersfield	6,770	42	45	2	2	91	13.4	1.13	0.89	44	42	86	12.7	0.84	0.90	1	11	1	2
Romsey M.B.	6,250	49	55	2	2	108	17.3	1.18	1.21	33	39	72	11.5	0.79	0.77	6	55	1	2
Winchester M.B.	26,990	205	157	11	12	385	14.3	1.09	0.92	151	172	323	12.0	0.90	0.92	15	39	14	9
Rural Districts	250,050	2,224	2,131	150	130	4,635	18.5	1.05	1.15	1,444	1,344	2,788	11.1	0.88	0.83	125	27	80	103
Alton	19,970	205	209	18	20	452	22.6	1.00	1.33	109	106	215	10.8	0.86	0.79	11	24	6	12
Andover	12,800	144	141	10	9	304	23.8	0.95	1.34	78	50	128	10.0	0.96	0.81	8	26	6	6
Basingstoke	15,940	105	128	6	3	242	15.2	1.20	1.08	84	71	155	9.7	0.85	0.70	7	29	6	4
Droxford	19,310	164	154	9	9	336	17.4	1.09	1.12	140	127	267	13.8	0.83	0.97	14	41	9	6
Hartley Wintney	18,620	156	160	17	8	341	18.3	1.04	1.13	134	101	235	12.6	0.84	0.90	12	35	9	3
Kingsclere and Whitechurch	17,130	151	136	12	7	306	17.9	1.04	1.10	86	92	178	10.4	0.86	0.76	4	13	2	6
New Forest	41,480	393	339	18	20	770	18.6	1.03	1.14	236	219	455	11.0	0.96	0.90	23	30	16	20
Petersfield	18,620	136	154	11	10	311	16.7	1.11	1.09	96	98	194	10.4	0.84	0.74	7	22	3	10
Ringwood and Fordingbridge	22,590	192	201	15	15	423	18.7	1.07	1.19	127	158	285	12.6	0.80	0.85	7	16	3	11
Romsey and Stockbridge	24,250	224	192	18	12	446	18.4	1.05	1.14	104	113	217	8.9	0.94	0.71	14	31	7	9
Winchester	39,340	354	317	16	17	704	17.9	1.05	1.12	250	209	459	11.7	0.88	0.87	18	25	13	16
STAFFORDSHIRE	1,598,700	14,403	13,426	583	502	28,914	18.1	0.99	1.06	9,329	8,404	17,733	11.1	1.15	1.08	1,105	38	619	755
County Boroughs	760,760	7,020	6,512	310	303	14,145	18.6	0.98	1.08	4,678	4,242	8,920	11.7	1.15	1.14	590	41	330	384
Burton upon Trent	48,660	464	423	23	23	933	19.2	1.03	1.18	331	310	641	13.2	0.98	1.10	36	38	20	22
Smethwick	77,430	656	600	33	33	1,322	17.1	0.98	1.00	493	484	977	12.6	1.06	1.13	56	42	31	29
Stoke on Trent	274,500	2,544	2,368	91	110	5,113	18.6	0.97	1.06	1,656	1,523	3,179	11.6	1.22	1.20	179	35	106	145
Walsall	113,400	1,076	1,021	56	48	2,201	19.4	1.01	1.16	726	601	1,327	11.7	1.13	1.12	123	55	68	62
West Bromwich	86,770	827	777	34	37	1,675	19.3	0.98	1.12	536	472	1,008	11.6	1.23	1.21	83	49	31	45
Wolverhampton	160,000	1,453	1,323	73	52	2,901	18.1	0.98	1.05	936	852	1,788	11.2	1.13	1.07	113	39	74	81
Admin. County	837,940	7,383	6,914	273	199	14,769	17.6	0.99	1.03	4,651	4,162	8,813	10.5	1.14	1.01	515	35	289	371
Urban Districts	633,940	5,650	5,270	197	149	11,266	17.8	0.98	1.03	3,501	3,136	6,637	10.5	1.18	1.05	399	35	216	288
Aldridge	28,450	229	226	5	5	465	16.3	0.88	0.85	119	99	218	7.7	1.30	0.85	11	23	8	7
Amblecote	3,136	26	18	1	1	46	14.7	0.97	0.84	18	22	40	12.8	0.88	0.95	1	22	—	2
Biddulph	10,790	78	78	—	3	159	14.7	1.01	0.88	62	56	118	10.9	1.21	1.12	4	25	2	9
Bilston M.B.	32,990	323	288	12	7	630	19.1	0.98	1.11	174	162	336	10.2	1.31	1.13	29	46	14	13
Brierley Hill	48,490	388	389	6	11	794	16.4	0.98	0.95	325	238	563	11.6	1.15	1.13	34	42	17	29
Brownhills	21,470	188	202	11	5	406	18.9	1.00	1.12	112	107	219	10.2	1.20	1.04	9	22	5	12
Cannock	40,890	397	344	13	11	765	18.7	1.04	1.15	239	212	451	11.0	1.16	1.08	29	38	14	21
Coseley	33,480	327	267	7	5	606	18.1	0.96	1.02	169	148	317	9.5	1.32	1.06	13	21	6	14
Darlaston	21,770	218	199	5	5	427	19.6	0.97	1.13	127	112	239	11.0	1.27	1.07	17	39	11	12
Kidsgrove	15,830	152	150	4	4	310	19.6	0.99	1.15	98	74	172	10.9	1.16	1.07	12	38	6	9
Leek	19,710	151	155	4	7	317	16.1	1.04	0.99	127	143	270	13.7	0.98	1.14	11	34	8	6
Lichfield M.B.	10,200	89	80	5	7	181	17.7	1.03	1.08	76	64	140	13.7	0.93	1.08	6	33	3	1
Newcastle under Lyme M.B.	69,950	603	542	32	19	1,196	17.1	0.97	0.98	356	360	716	10.2	1.18	1.02	43	36	30	39
Rowley Regis M.B.	49,440	389	387	7	2	785	15.9	0.95	0.89	271	231	502	10.2	1.23	1.06	28	35	16	16
Rugeley	8,383	86	79	4	4	173	20.6	1.04	1.27	44	25	69	8.2	1.08	0.75	5	29	2	5

TABLE 17—continued.

AREA.	Estimated Resident Population (Middle 1949).	LIVE BIRTHS.					DEATHS.					Deaths under 1 year.		Stillbirths.					
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.		Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.
		M.	F.	M.	F.														
STAFFORDSHIRE—contd.																			
Urban Districts—contd.																			
Sedgley	22,000	171	179	7	4	361	16.4	1.00	0.97	128	113	241	11.0	1.08	1.01	16	44	5	
Stafford M.B.	38,700	390	327	22	12	751	19.4	1.02	1.17	202	175	377	9.7	1.07	0.88	16	21	10	
Stone	8,130	68	64	8	2	142	17.5	0.97	1.01	48	58	106	13.0	0.99	1.09	4	28	1	
Tamworth M.B.	13,140	101	101	4	4	210	16.0	1.03	0.98	80	81	161	12.3	0.98	1.02	8	38	5	
Tettenhall	7,791	80	46	2	2	130	16.7	1.02	1.01	39	51	90	11.6	0.87	0.86	4	30	4	
Tipton M.B.	38,910	361	379	19	8	767	19.7	0.99	1.15	196	186	382	9.8	1.31	1.09	33	43	16	
Uttoxeter	7,440	64	58	—	2	124	16.7	1.02	1.01	52	36	88	11.8	1.03	1.03	3	24	1	
Wednesbury M.B.	34,910	351	284	5	8	648	18.6	0.97	1.06	201	177	378	10.8	1.24	1.13	26	40	12	
Wednesfield	17,140	155	147	2	2	306	17.9	0.93	0.99	83	69	152	8.9	1.34	1.01	10	32	6	
Willenhall	30,800	265	281	12	9	567	18.4	0.98	1.07	155	137	292	9.5	1.27	1.02	27	47	14	
Rural Districts																			
Cannock	204,000	1,733	1,644	76	50	3,503	17.2	1.02	1.04	1,150	1,026	2,176	10.7	1.04	0.94	116	33	73	
Cheadle	24,430	228	203	8	6	445	18.2	1.04	1.13	134	118	252	10.3	1.13	0.99	13	29	9	
Leek	32,340	267	230	8	5	510	15.8	1.07	1.00	179	169	348	10.8	1.05	0.96	16	31	8	
Lichfield	16,570	154	145	9	7	315	19.0	1.01	1.13	120	95	215	13.0	1.03	1.13	6	19	3	
Newcastle under Lyme	34,740	320	297	18	7	642	18.5	1.15	1.15	198	153	351	10.1	1.04	0.89	32	49	18	
Seisdon	16,780	118	126	5	1	250	14.9	1.05	0.93	98	91	189	11.3	0.97	0.93	5	20	5	
Stafford	21,960	171	157	15	9	352	16.0	1.01	0.95	111	101	212	9.7	1.08	0.89	13	37	8	
Stone	15,310	153	146	6	7	312	20.4	1.00	1.21	87	67	154	10.1	0.98	0.84	8	25	7	
Tutbury	16,790	119	129	4	2	254	15.1	0.84	0.75	83	85	168	10.0	1.07	0.91	10	39	9	
Uttoxeter	14,540	137	120	2	3	262	18.0	0.99	1.06	86	95	181	12.4	0.94	0.99	7	26	5	
	10,540	66	91	1	3	161	15.3	1.24	1.12	54	52	106	10.1	1.06	0.91	6	37	4	
SUFFOLK EAST																			
County Borough :	314,582	2,667	2,540	141	118	5,466	17.4	1.07	1.11	1,956	1,909	3,865	12.3	0.87	0.91	131	24	81	
Ipswich	103,800	946	889	54	47	1,936	18.7	1.00	1.10	607	588	1,195	11.5	0.97	0.95	36	18	26	
Admin. County	210,782	1,721	1,651	87	71	3,530	16.7	1.12	1.10	1,349	1,321	2,670	12.7	0.83	0.89	95	27	55	
Urban Districts																			
Aldeburgh M.B.	93,993	757	729	40	35	1,561	16.6	1.07	1.05	581	651	1,232	13.1	0.85	0.94	42	27	22	
Beccles M.B.	2,501	17	13	3	—	33	13.2	1.07	0.83	19	27	46	18.4	0.73	1.14	1	30	—	
	6,791	47	47	4	2	100	14.7	1.16	1.01	56	48	104	15.3	0.79	1.02	6	59	3	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(J)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Bungay ...	3,521	27	39	3	—	69	19.6	1.11	1.29	28	24	52	14.8	0.85	1.07	2	29	—	—
Eye M.B. ...	1,580	7	17	1	2	27	17.1	1.26	1.28	5	10	15	9.5	0.69	0.56	—	—	—	—
Felixstowe ...	13,800	125	128	6	4	263	19.1	0.98	1.11	91	111	202	14.6	0.76	0.94	3	11	1	4
Halesworth ...	2,110	10	9	—	—	19	9.0	1.10	0.58	18	14	32	15.2	0.85	1.09	—	—	—	1
Leiston cum Sizewell ...	3,985	26	37	—	1	64	16.1	1.22	1.16	20	36	56	14.1	0.75	0.90	1	15	1	4
Lowestoft M.B. ...	43,170	361	319	18	21	719	16.7	1.04	1.02	230	249	479	11.1	0.95	0.89	21	29	11	22
Saxmundham ...	1,420	3	6	—	1	10	7.0	1.16	0.48	2	10	12	8.5	0.74	0.53	—	—	—	—
Southwold M.B. ...	2,443	17	16	—	—	33	13.5	1.13	0.90	22	26	48	19.6	0.64	1.06	2	60	1	—
Stowmarket ...	7,292	62	60	2	2	126	17.3	1.08	1.10	50	49	99	13.6	0.94	1.08	1	8	—	3
Woodbridge ...	5,380	55	38	3	2	98	18.2	1.29	1.39	40	47	87	16.2	0.76	1.04	5	51	3	—
Rural Districts ...	116,789	964	922	47	36	1,969	16.9	1.16	1.16	768	670	1,438	12.3	0.82	0.85	53	27	33	42
Blyth ...	19,270	144	152	7	7	310	16.1	1.20	1.14	115	126	241	12.5	0.74	0.78	10	32	6	7
Deben ...	26,140	206	210	9	3	428	16.4	1.12	1.09	130	117	297	11.4	0.83	0.80	10	23	4	4
Gipping ...	18,960	156	166	8	4	334	17.6	1.09	1.13	138	102	240	12.7	0.87	0.94	10	30	7	13
Hartismere ...	16,980	141	122	8	10	281	16.5	1.23	1.20	125	109	234	13.8	0.81	0.95	10	35	8	5
Lothlingland ...	14,550	128	122	5	5	260	17.9	1.19	1.26	78	109	187	12.9	0.86	0.94	6	23	4	5
Samford ...	14,030	119	83	9	4	215	15.3	1.20	1.09	81	75	156	11.1	0.83	0.78	5	23	4	6
Wainford ...	6,859	70	67	1	3	141	20.6	1.11	1.35	51	32	83	12.1	0.84	0.86	2	14	—	2
SUFFOLK WEST : Admin. County ...	112,278	957	843	55	39	1,894	16.9	1.09	1.09	783	706	1,489	13.3	0.83	0.94	57	30	37	50
Urban Districts ...	42,554	334	285	17	12	648	15.2	1.06	0.95	275	289	564	13.3	0.84	0.95	22	34	14	14
Bury St Edmunds ...	18,870	170	131	6	5	312	16.5	1.02	1.00	100	122	222	11.8	0.91	0.91	9	29	6	6
M.B. ...	2,990	18	26	3	—	47	15.7	1.12	1.04	14	22	36	12.0	0.83	0.84	—	—	—	1
Hadleigh ...	4,064	31	32	1	—	64	15.7	1.11	1.03	32	24	56	13.8	0.78	0.91	2	31	1	—
Haverhill ...	9,740	70	56	6	2	134	13.8	1.06	0.87	75	62	137	14.1	0.87	1.04	137	9	67	4
Newmarket ...	6,890	45	40	1	5	91	13.2	1.11	0.87	54	59	113	16.4	0.71	0.99	2	22	1	3
Sudbury M.B. ...	69,724	623	558	38	27	1,246	17.9	1.10	1.17	508	417	925	13.3	0.82	0.92	35	28	23	36
Rural Districts ...	8,326	80	54	8	2	144	17.3	1.13	1.15	61	50	111	14.7	0.83	0.83	5	34	4	3
Clare ...	9,410	79	78	5	2	164	17.4	1.20	1.23	72	66	138	14.3	0.74	0.92	5	30	3	5
Cosford ...	12,390	111	93	7	11	222	17.9	1.04	1.10	96	94	190	15.3	0.79	1.02	4	18	—	5
Melford ...	14,390	157	133	6	6	302	21.0	1.05	1.30	103	65	168	11.7	0.92	0.91	9	30	7	9
Mildenhall ...	8,618	63	63	8	2	136	15.8	1.16	1.08	68	50	118	13.7	0.78	0.91	3	22	2	7
Thedwastre ...	16,590	133	137	4	4	278	16.8	1.11	1.11	108	92	200	12.1	0.87	0.89	9	32	7	7
Thingoe ...	1,587,000	11,645	10,955	563	534	23,697	14.9	0.98	0.86	8,117	8,496	16,613	10.5	0.95	0.85	589	25	396	486
SURREY ...	249,740	1,960	1,861	104	90	4,015	16.1	0.97	0.93	1,319	1,415	2,734	10.9	0.94	0.87	116	29	80	86
County Borough : Croydon ...	1,337,260	9,685	9,094	459	444	19,682	14.7	0.98	0.85	6,798	7,081	13,879	10.4	0.96	0.85	473	24	316	400
Admin. County ...	1,192,800	8,595	8,034	394	380	17,403	14.6	0.98	0.84	5,999	6,303	12,302	10.3	0.96	0.84	413	23	276	339
Urban Districts ...	32,610	206	187	4	8	405	12.4	1.09	0.80	142	154	296	9.1	0.94	0.72	9	22	7	13
Banstead ...	40,960	254	239	11	15	519	12.7	0.95	0.71	232	239	471	11.5	0.87	0.85	7	13	3	5
Barnes M.B. ...	32,890	245	183	4	4	436	13.3	0.98	0.77	166	216	382	11.6	0.93	0.91	4	9	3	7
Beddington and Walsington ...	62,260	440	351	16	16	823	13.2	0.95	0.74	250	271	521	8.4	1.26	0.90	24	29	15	16
M.B. ...	29,090	212	241	6	6	465	16.0	1.01	0.95	131	148	279	9.6	1.02	0.83	8	17	6	9
Carshalton ...																			
Caterham and Warling- ham ...																			

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.		
		Legitimate.		Illegitimate.													
		M.	F.	M.	F.												
SURREY—contd.																	
Urban Districts—contd.																	
Chertsey	30,100	228	244	9	16	497	16.5	1.00	0.97	115	135	250	8.3	1.12	0.79	10	20
Coulsdon and Purley	64,030	420	393	10	11	834	13.0	1.07	0.82	306	316	622	9.7	0.93	0.76	21	25
Dorking	19,640	150	148	26	12	336	17.1	1.00	1.02	143	149	292	14.9	0.85	1.07	12	35
Egham	24,630	171	168	10	12	361	14.7	1.08	0.94	107	102	209	8.5	1.00	0.72	10	27
†Epsom and Ewell M.B.	68,140	440	383	12	12	847	12.4	1.06	0.78	312	325	637	9.3	0.97	0.76	22	26
Esher	51,280	355	358	18	9	740	14.4	0.97	0.82	245	252	497	9.7	0.95	0.78	13	17
Farnham	24,120	179	185	9	9	382	15.8	1.01	0.95	148	183	331	13.7	0.79	0.92	9	23
Frimley and Camberley	17,250	178	173	5	6	362	21.0	0.88	1.09	86	86	181	10.5	0.97	0.86	11	30
Godalming M.B.	14,770	103	70	3	5	181	12.3	1.06	0.77	89	93	182	12.3	0.90	0.94	4	22
Guildford M.B.	46,350	398	352	31	24	805	17.4	0.95	0.98	259	249	508	11.0	0.93	0.87	21	26
Haslemere	11,850	90	105	10	4	209	17.6	1.00	1.04	56	92	148	12.5	0.87	0.92	7	33
Kingston upon Thames M.B.	40,660	341	341	23	27	732	18.0	0.93	0.99	250	250	500	12.3	0.89	0.93	15	20
Leatherhead	27,710	190	192	10	9	401	14.5	1.01	0.87	131	134	265	9.6	0.92	0.75	7	17
Malden and Coombe M.B.	44,580	275	262	10	9	556	12.5	0.97	0.72	234	199	433	9.7	1.04	0.85	14	25
Merton and Morden	75,470	510	451	21	19	1,001	13.3	0.94	0.74	358	320	678	9.0	1.15	0.88	24	24
Mitcham M.B.	67,060	544	491	22	17	1,074	16.0	0.94	0.89	327	288	615	9.2	1.17	0.91	27	25
Reigate M.B.	42,150	315	271	13	18	617	14.6	1.05	0.90	238	280	518	12.3	0.81	0.84	23	37
Richmond M.B.	42,060	339	326	25	18	708	16.8	0.98	0.97	245	263	508	12.1	0.82	0.84	15	21
Surbiton M.B.	59,720	429	436	14	13	892	14.9	0.93	0.82	277	297	574	9.6	1.02	0.83	21	23
Sutton and Cheam M.B.	81,180	531	475	27	24	1,057	13.0	0.95	0.73	373	423	796	9.8	0.98	0.81	23	22
Walton and Weybridge	37,770	298	267	13	21	599	15.9	0.94	0.88	181	186	367	9.7	0.96	0.79	13	21
Wimbledon M.B.	58,340	418	417	20	20	875	15.0	0.94	0.83	349	405	754	12.9	0.83	0.91	22	25
Woking	46,130	336	325	12	16	689	14.9	0.98	0.86	240	248	488	10.6	0.92	0.83	17	24
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
																	(19)
																	(20)

† A considerable proportion of the population of this area was enumerated in Mental Hospitals, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rural Districts ...	144,460	1,090	1,060	65	64	2,279	15.8	1.01	0.95	799	778	1,577	10.9	0.90	0.83	60	26	40	61
Bagshot ...	14,120	107	109	7	3	226	16.0	1.11	1.05	68	80	148	10.5	0.96	0.85	3	13	3	6
Dorking and Horley ...	25,140	208	184	12	14	418	16.6	0.99	0.97	133	119	252	11.8	0.92	0.78	8	19	5	11
Godstone ...	31,510	242	201	9	6	458	14.5	1.02	0.88	187	184	371	11.0	0.86	0.86	15	32	9	8
Guildford ...	41,810	322	333	16	25	696	16.6	0.98	0.96	235	226	461	11.0	0.91	0.85	21	30	16	21
Hambledon ...	31,880	211	233	21	16	481	15.1	1.04	0.93	176	169	345	10.8	0.89	0.81	13	27	7	15
SUSSEX EAST	613,150	4,146	3,826	288	248	8,508	13.9	1.09	0.90	4,083	4,851	8,934	14.6	0.75	0.93	221	26	138	172
County Boroughs	276,910	1,903	1,680	160	137	3,880	14.0	1.06	0.88	1,959	2,300	4,259	15.4	0.76	0.99	123	31	76	93
Brighton ...	155,050	1,093	965	88	88	2,234	14.4	1.03	0.88	1,101	1,184	2,285	14.7	0.81	1.01	82	36	44	51
Eastbourne ...	56,880	354	330	28	21	733	12.9	1.09	0.83	378	492	870	15.3	0.74	0.96	16	22	11	20
Hastings ...	64,980	456	385	44	28	913	14.1	1.11	0.92	480	624	1,104	17.0	0.68	0.98	25	27	21	22
Admin. County	336,240	2,243	2,146	128	111	4,628	13.8	1.12	0.92	2,124	2,551	4,675	13.9	0.74	0.87	98	21	62	79
Urban Districts	178,940	1,133	1,112	66	64	2,375	13.3	1.11	0.88	1,156	1,494	2,650	14.8	0.72	0.90	46	19	31	43
Bexhill M.B. ...	26,230	141	150	10	10	311	11.9	1.23	0.87	151	225	376	14.3	0.66	0.80	1	3	—	7
Burgess Hill ...	8,090	59	60	1	4	124	15.3	1.05	0.95	56	49	105	13.0	0.76	0.84	3	24	2	5
Cuckfield ...	16,370	114	99	6	7	226	13.8	1.13	0.92	91	109	200	12.2	0.78	0.81	6	26	3	2
East Grinstead ...	11,000	75	83	4	3	165	15.0	1.05	0.93	78	92	170	15.5	0.82	1.08	3	18	3	2
Hove M.B. ...	68,580	353	372	22	27	774	11.3	1.12	0.75	480	692	1,172	17.1	0.63	0.91	19	24	12	15
Lewes M.B. ...	12,950	97	105	3	3	208	16.1	1.08	1.03	86	92	178	13.7	0.86	1.00	4	19	2	3
Newhaven ...	7,572	87	57	5	3	152	20.1	1.04	1.24	54	38	92	12.2	0.90	0.93	4	26	3	4
Portslade by Sea ...	13,490	118	99	9	3	229	17.0	0.97	0.98	62	85	147	10.9	0.98	0.91	4	17	4	1
Rye M.B. ...	4,398	37	32	2	1	72	16.4	1.09	1.06	33	33	66	15.0	0.78	0.99	—	—	—	2
Seaford ...	10,260	52	55	4	3	114	11.1	1.29	0.85	65	79	144	14.0	0.81	0.96	2	17	2	2
Rural Districts	157,300	1,110	1,034	62	47	2,253	14.3	1.13	0.95	968	1,057	2,025	12.9	0.76	0.83	52	23	31	36
Battle ...	30,130	223	196	12	9	440	14.6	1.16	1.00	220	214	434	14.4	0.73	0.89	4	9	3	4
Chailey ...	20,480	148	133	9	4	294	14.4	1.13	0.96	115	133	248	12.1	0.75	0.77	14	47	8	4
Cuckfield ...	28,850	203	198	10	8	419	14.5	1.15	0.99	172	199	371	12.9	0.80	0.87	10	24	4	8
Hailsham ...	36,470	255	243	18	12	528	14.5	1.10	0.95	209	238	447	12.3	0.74	0.77	8	15	6	8
Uckfield ...	41,370	281	264	13	14	572	13.8	1.11	0.91	252	273	525	12.7	0.76	0.82	16	28	10	12
SUSSEX WEST :	312,700	2,230	2,116	117	143	4,606	14.7	1.11	0.97	2,000	2,313	4,313	13.8	0.74	0.87	124	27	83	103
Admin. County	168,110	1,122	1,046	55	62	2,285	13.6	1.12	0.90	1,127	1,379	2,506	14.9	0.69	0.87	58	25	37	55
Urban Districts	2,670	15	19	2	—	36	13.5	1.14	0.91	16	16	32	12.0	0.73	0.74	—	—	—	1
Arundel M.B. ...	25,530	144	163	10	14	331	13.0	1.08	0.83	141	220	361	14.1	0.74	0.88	8	24	4	9
Bognor Regis ...	17,970	139	149	4	5	297	16.5	1.12	1.10	118	118	212	11.8	0.87	0.87	7	23	4	6
Chichester M.B. ...	17,260	124	103	2	9	238	13.8	1.07	0.88	115	124	239	13.8	0.82	0.96	9	37	6	3
Horsham ...	13,620	111	113	5	10	239	17.5	1.08	1.12	75	85	160	11.7	0.88	0.87	6	25	3	4
Littlehampton ...	12,480	106	92	6	2	206	16.5	1.01	0.99	90	69	159	12.7	0.92	0.99	6	29	5	4
Shoreham-by-Sea ...	10,650	70	61	5	4	140	13.1	1.07	0.83	67	67	134	12.6	0.82	0.88	6	42	5	8
Southwick ...	67,930	413	346	21	18	798	11.7	1.19	0.83	529	680	1,209	17.8	0.56	0.84	16	20	10	20
Worthing M.B.																			

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.				
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.			Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Live Births.
		M.	F.	TOTAL.	M.	F.	TOTAL.														
SUSSEX WEST—contd.																					
Rural Districts ...	144,590	1,108	1,070	62	81	2,321	16.1	1.10	1.04	873	934	1,807	12.5	0.82	0.87	66	28	46	48		
Chancetonbury ...	20,100	169	158	11	10	348	17.3	1.10	1.12	124	144	268	13.3	0.80	0.90	13	37	10	8		
Chichester ...	41,030	332	333	16	23	704	17.2	1.04	1.06	235	233	468	11.4	0.90	0.87	18	25	13	10		
Horsham ...	27,880	224	208	17	13	462	16.6	1.06	1.04	145	155	300	10.8	0.92	0.84	13	28	4	12		
Midhurst ...	16,590	121	106	8	8	243	14.6	1.11	0.96	94	107	201	12.1	0.79	0.81	4	16	4	2		
Petworth ...	9,530	66	66	2	8	142	14.9	1.11	0.98	58	67	125	13.1	0.78	0.87	4	28	3	3		
Worthing ...	29,460	196	199	8	19	422	14.3	1.20	1.02	217	228	445	15.1	0.69	0.88	14	33	12	13		
WARWICKSHIRE																					
County Boroughs	1,838,900	16,024	15,353	958	863	33,198	18.1	0.97	1.04	10,096	9,188	19,284	10.5	1.12	1.00	1,042	31	606	727		
Birmingham ...	1,361,200	12,055	11,495	739	661	24,950	18.3	0.97	1.05	7,534	6,745	14,279	10.5	1.15	1.02	805	32	452	564		
Coventry ...	1,106,800	9,787	9,332	592	510	20,221	18.3	0.97	1.05	6,198	5,667	11,865	10.7	1.13	1.02	618	30	353	470		
...	254,400	2,268	2,163	147	151	4,729	18.6	0.95	1.04	1,336	1,078	2,414	9.5	1.27	1.02	187	39	99	94		
Admin. County ...	477,700	3,969	3,858	219	202	8,248	17.3	0.99	1.02	2,562	2,443	5,005	10.5	1.03	0.92	237	28	154	163		
Urban Districts...	312,710	2,552	2,513	120	124	5,309	17.0	0.98	0.99	1,694	1,648	3,342	10.7	1.04	0.94	150	28	99	103		
Bedworth ...	24,040	222	226	4	7	459	19.1	0.98	1.11	118	84	202	8.4	1.21	0.86	18	39	11	9		
Kenilworth ...	10,230	102	81	5	5	193	18.9	0.98	1.09	52	55	107	10.5	1.01	0.90	9	46	5	3		
Nuneaton M.B.	53,350	499	457	25	27	1,008	18.9	0.99	1.11	314	269	583	10.9	1.17	1.08	22	22	9	29		
Royal Leamington Spa M.B.	36,020	302	304	25	16	647	18.0	0.97	1.03	217	271	488	13.5	0.91	1.04	24	37	18	14		
Rugby M.B. ...	45,860	365	407	15	17	804	17.5	1.01	1.04	271	234	505	11.0	1.06	0.99	21	26	16	6		
Solihull ...	66,850	500	507	17	31	1,055	15.8	0.94	0.88	286	303	589	8.8	1.13	0.84	33	31	21	18		
Stratford upon Avon M.B.	14,610	129	105	10	4	248	17.0	1.01	1.02	95	106	201	13.8	0.86	1.01	5	20	2	5		
Sutton Coldfield M.B.	46,580	306	322	11	14	653	14.0	1.00	0.83	255	260	515	11.1	0.93	0.87	14	21	13	13		
Warwick M.B.	15,170	127	104	8	3	242	16.0	1.05	0.99	86	66	152	10.0	0.98	0.83	4	16	4	6		
Rural Districts ...	164,990	1,417	1,345	99	78	2,939	17.8	1.02	1.07	868	795	1,663	10.1	1.02	0.87	87	29	55	60		
Alcester ...	13,120	89	119	3	7	218	16.6	1.03	1.01	78	84	162	12.3	0.91	0.95	6	27	4	5		
Atherstone ...	23,710	214	189	14	8	425	17.9	1.02	1.08	121	112	233	9.8	1.11	0.92	12	28	9	7		
Meriden ...	36,160	313	319	20	15	667	18.4	1.06	1.15	158	155	313	8.7	1.18	0.87	17	25	10	13		
Rugby ...	18,220	181	166	8	8	363	19.9	0.99	1.17	95	84	179	9.8	1.05	0.87	9	25	6	11		
Shipston on Stour ...	8,090	61	69	10	1	141	17.4	1.09	1.12	58	44	102	12.6	0.76	0.81	3	21	—	4		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Southern ...	11,990	106	100	11	8	225	18.8	1.07	1.19	81	54	135	11.3	0.90	0.86	11	48	7	5
Stratford on Avon ...	18,380	176	156	15	11	358	19.5	1.01	1.16	108	99	207	11.3	0.90	0.86	11	30	7	4
Tamworth ...	15,900	137	125	7	3	272	17.1	0.99	1.00	79	69	148	9.3	1.07	0.84	3	11	2	6
Warwick ...	19,420	140	102	11	17	270	13.9	0.93	0.76	90	94	184	9.5	1.04	0.84	15	55	10	5
WESTMORLAND :																			
Admin. County ...	66,300	501	481	25	32	1,039	15.7	1.07	0.99	452	486	938	14.1	0.90	1.08	35	33	22	30
Urban Districts	31,750	223	209	12	9	453	14.3	1.01	0.86	213	255	468	14.7	0.89	1.11	16	35	7	13
Appleby M.B. ...	1,720	8	20	—	—	28	16.3	1.12	1.08	14	10	24	14.0	0.91	1.08	—	—	—	—
Kendal M.B. ...	18,320	139	118	9	7	273	14.9	1.01	0.89	115	139	254	13.9	0.96	1.13	14	51	7	7
The Lakes ...	5,290	30	20	3	2	55	10.4	1.03	0.64	34	52	86	16.3	0.80	1.11	—	—	—	3
Windermere ...	6,420	46	51	—	—	97	15.1	0.99	0.88	50	54	104	16.2	0.80	1.10	2	20	—	3
Rural Districts	34,550	278	272	13	23	586	17.0	1.12	1.13	239	231	470	13.6	0.90	1.04	19	32	15	17
North Westmorland	16,940	143	135	9	11	298	17.6	1.11	1.16	120	119	239	14.1	0.93	1.11	7	23	5	10
South Westmorland	17,610	135	137	4	12	288	16.4	1.13	1.09	119	112	231	13.1	0.87	0.97	12	41	10	7
WIGHT, ISLE OF :																			
Admin. County ...	92,600	660	623	42	37	1,362	14.7	1.08	0.94	648	642	1,290	13.9	0.76	0.90	42	31	32	40
Urban Districts	75,210	542	509	37	33	1,121	14.9	1.06	0.94	504	522	1,026	13.6	0.77	0.89	32	28	26	32
Cowes	16,360	139	129	6	8	282	17.2	1.05	1.07	119	93	212	13.0	0.81	0.89	7	25	6	11
Newport M.B. ...	19,650	120	141	9	9	279	14.2	1.07	0.90	104	137	241	12.3	0.86	0.90	10	35	7	10
Ryde M.B. ...	19,730	157	119	10	7	293	14.9	1.06	0.94	151	151	302	15.3	0.72	0.93	8	27	8	8
Sandown-Shanklin	12,650	85	68	9	5	167	13.2	1.05	0.82	81	83	164	13.0	0.71	0.78	5	30	3	1
Ventnor	6,820	41	52	3	4	100	14.7	1.12	0.98	49	58	107	15.7	0.71	0.94	2	20	2	2
Rural District :																			
Isle of Wight ...	17,390	118	114	5	4	241	13.9	1.16	0.95	144	120	264	15.2	0.71	0.91	10	41	6	8
WILTSHIRE :																			
Admin. County ...	350,600	2,895	2,899	141	156	6,091	17.4	1.04	1.07	2,034	2,002	4,036	11.5	0.92	0.90	151	25	97	124
Urban Districts	175,878	1,336	1,336	59	68	2,799	15.9	1.03	0.97	1,067	1,063	2,130	12.1	0.92	0.94	72	25	42	55
Bradford on Avon	5,300	46	53	1	2	102	19.2	1.01	1.15	34	46	80	15.1	0.84	1.07	1	10	—	—
Caine M.B. ...	5,433	40	41	1	—	82	15.1	0.94	0.84	37	40	77	14.2	0.87	1.05	2	24	2	2
Chippenham M.B.	12,800	82	80	—	4	166	13.0	1.08	0.83	69	70	139	10.9	0.89	0.82	5	30	3	9
Devizes M.B.	7,490	83	49	5	7	144	19.2	1.02	1.15	42	68	110	14.7	0.88	1.10	3	21	2	3
Malmesbury M.B.	2,541	16	19	—	—	35	13.8	1.11	0.91	20	20	40	15.7	0.79	1.05	—	—	—	1
Marlborough M.B.	5,397	23	34	2	2	61	11.3	1.23	0.83	25	24	49	9.1	1.08	0.83	2	32	2	—
Melksham ...	6,340	62	60	4	6	132	20.8	0.98	1.21	38	36	74	11.7	0.99	0.98	5	38	5	3
Salisbury M.B.	33,690	214	227	17	13	471	14.0	1.03	0.86	188	180	368	10.9	0.93	0.86	17	36	12	13
Swindon M.B.	68,380	540	529	25	24	1,118	16.3	1.04	1.00	441	384	825	12.1	0.95	0.97	23	20	9	12
Trowbridge ...	13,850	96	117	1	4	218	15.7	1.02	0.95	83	107	190	13.7	0.86	1.00	5	23	2	6

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths, under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
WILTSHIRE—contd.	Urban Districts—contd.																		
	Warminster ...	6,990	75	63	2	4	144	20.6	0.98	1.19	42	46	88	12.6	0.83	0.89	4	27	
	Westbury ...	5,130	42	46	—	1	89	17.3	1.01	1.04	30	30	60	11.7	0.91	0.90	3	33	
	Wilton M.B. ...	2,537	17	18	1	1	37	14.6	1.03	0.89	18	12	30	11.8	0.87	0.87	2	54	
	Rural Districts ...	174,722	1,559	1,563	82	88	3,292	18.8	1.04	1.16	967	939	1,906	10.9	0.92	0.85	79	24	
	Amesbury ...	14,170	180	191	9	5	385	27.2	0.84	1.35	73	63	136	9.6	1.06	0.86	9	23	
	Bradford and Melksham ...	10,150	75	75	1	3	154	15.2	1.06	0.95	44	57	101	10.0	0.87	0.74	3	19	
	Calne and Chippenham ...	27,650	258	265	16	17	556	20.1	1.01	1.20	128	132	260	9.4	1.04	0.83	13	23	
	Cricklade and Wootton Bassett ...	13,430	120	126	7	10	263	19.6	1.07	1.24	46	58	104	7.7	0.98	0.64	4	15	
	Devizes ...	13,540	91	97	4	3	195	14.4	1.32	1.13	70	71	141	10.4	0.83	0.73	7	36	
WORCESTERSHIRE	Highworth ...	20,330	166	154	9	10	339	16.7	1.03	1.02	116	95	211	10.4	1.01	0.89	10	29	
	Malmesbury ...	9,349	79	103	3	3	188	20.1	1.06	1.26	60	52	112	12.0	0.88	0.89	4	21	
	Marlborough and Ramsbury ...	9,973	97	81	4	8	190	19.1	1.09	1.24	68	64	132	13.2	0.88	0.98	7	36	
	Mere and Tisbury ...	11,550	99	92	6	6	203	17.6	1.12	1.16	82	91	173	15.0	0.82	1.04	1	5	
	Pewsey ...	14,310	136	125	8	7	276	19.3	0.98	1.12	86	72	158	11.0	0.95	0.89	7	25	
	Salisbury and Wilton ...	17,090	151	145	9	9	314	18.4	1.06	1.15	97	94	191	11.2	0.83	0.79	7	22	
	Warminster and Westbury ...	13,180	107	109	6	7	229	17.4	1.08	1.11	97	90	187	14.2	0.80	0.96	7	30	
	County Boroughs ...	516,300	4,311	4,082	218	221	8,832	17.1	1.01	1.03	3,008	2,926	5,934	11.5	1.02	0.99	283	32	
	Dudley ...	124,900	1,033	985	49	58	2,125	17.0	0.98	0.99	718	711	1,429	11.4	1.08	1.04	83	39	
	Worcester ...	62,880	550	532	14	23	1,119	17.8	0.99	1.04	383	345	728	11.6	1.19	1.17	53	47	
Admin. County ...	62,020	483	453	35	35	1,006	16.2	0.98	0.94	335	366	701	11.3	0.98	0.94	30	30		
	391,400	3,278	3,097	169	163	6,707	17.1	1.02	1.04	2,290	2,215	4,505	11.5	1.00	0.97	200	30		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Urban Districts	277,920	2,299	2,154	109	113	4,675	16.8	1.00	1.00	1,612	1,583	3,195	11.5	1.05	1.02	149	32	95	98
Bewdley M.B.	4,830	40	37	2	1	80	16.6	1.05	1.03	37	33	70	14.5	0.89	1.09	1	12	1	1
Bromsgrove	27,430	219	239	3	9	470	17.1	1.02	1.02	151	128	279	10.2	1.04	0.90	18	38	13	8
Droitwich M.B.	5,780	55	43	2	2	102	17.6	1.01	1.07	33	74	143	12.8	0.89	0.97	4	39	4	2
Evesham M.B.	11,850	98	95	5	4	202	17.0	1.01	1.02	69	74	143	12.1	0.90	0.92	4	20	4	5
Halesowen M.B.	39,860	297	272	6	7	582	14.6	0.95	0.82	216	210	426	10.7	1.16	1.05	20	34	15	14
Kidderminster M.B.	37,280	354	298	30	21	703	18.9	1.00	1.12	233	238	471	12.6	0.96	1.03	23	32	11	17
Malvern	22,560	173	173	2	19	367	16.3	1.16	1.12	117	150	267	11.8	0.82	0.82	4	11	3	6
Oldbury M.B.	53,380	428	405	24	19	876	16.4	0.97	0.94	281	254	535	10.0	1.31	1.11	30	34	19	18
Redditch	28,440	261	245	18	16	540	19.0	1.00	1.12	162	167	329	11.6	1.05	1.03	19	35	9	13
Stourbridge M.B.	36,830	271	262	15	6	554	15.0	1.02	0.91	246	238	484	13.1	1.01	1.12	19	34	11	11
Stourport on Severn	9,680	103	85	2	9	199	20.6	0.97	1.18	67	50	117	12.1	1.04	1.07	7	35	5	3
Rural Districts	113,480	979	943	60	50	2,032	17.9	1.08	1.14	678	632	1,310	11.5	0.91	0.89	51	25	35	55
Bromsgrove	27,130	224	194	13	7	438	16.1	1.01	0.96	150	131	281	10.4	1.00	0.88	11	25	7	11
Droitwich	13,650	116	101	5	8	230	16.8	1.04	1.04	78	61	139	10.2	0.92	0.80	6	26	3	5
Evesham	16,060	142	158	11	4	315	19.6	1.09	1.27	96	91	187	11.6	0.86	0.85	5	16	4	5
Kidderminster	10,730	100	82	5	3	190	17.7	1.04	1.09	65	45	110	10.3	1.00	0.87	6	31	5	9
Martley	11,530	111	100	4	8	223	19.3	1.13	1.29	78	67	145	12.6	0.92	0.98	8	36	5	4
Pershore	15,440	145	144	14	13	316	20.5	1.01	1.23	92	99	191	12.4	0.91	0.96	4	13	3	10
Tenbury	5,600	36	56	5	3	100	17.9	1.19	1.26	40	38	78	13.9	0.86	1.01	4	40	2	3
Upton on Severn	13,340	105	108	3	4	220	16.5	1.30	1.27	79	100	179	13.4	0.77	0.87	7	32	6	8
YORKSHIRE, EAST RIDING	501,993	4,610	4,368	285	247	9,510	18.9	1.03	1.15	3,181	2,914	6,095	12.1	1.03	1.06	357	37	175	234
County Borough :	296,400	2,977	2,880	197	162	6,216	21.0	1.01	1.25	1,868	1,729	3,597	12.1	1.15	1.18	259	41	124	160
Kingston upon Hull	205,593	1,633	1,488	88	85	3,294	16.0	1.06	1.00	1,313	1,185	2,498	12.2	0.90	0.93	98	29	51	74
Admin. County	103,372	777	696	37	37	1,547	15.0	1.03	0.91	649	651	1,300	12.6	0.88	0.94	39	25	21	35
Urban Districts	15,370	148	139	11	9	307	20.0	1.02	1.21	87	104	191	12.4	0.94	0.99	13	42	8	6
Beverley M.B.	24,110	181	152	12	9	354	14.7	1.08	0.94	161	190	351	14.6	0.80	0.99	8	22	4	8
Bridlington M.B.	7,043	37	45	2	2	86	12.2	1.01	0.73	45	49	94	13.3	0.77	0.87	1	12	1	4
Driffield	4,770	35	33	2	2	72	15.1	0.98	0.87	22	27	49	10.3	0.91	0.79	3	41	1	3
Filey	35,590	259	214	5	9	487	13.7	0.97	0.79	193	177	370	10.4	1.00	0.88	11	22	6	10
Haltemprice	1,810	15	14	—	2	31	17.1	1.11	1.13	17	9	26	14.4	0.80	0.98	—	—	—	1
Hedon M.B.	5,380	28	36	1	—	65	12.1	1.20	0.86	41	41	82	15.2	0.71	0.91	—	—	—	1
Hornsea	4,489	34	41	2	3	80	17.8	1.04	1.10	33	28	61	13.6	0.90	1.04	—	—	—	—
Norton	4,810	40	22	2	1	65	13.5	1.13	0.90	50	26	76	15.8	0.80	1.07	3	46	1	2
Withernsea	102,221	856	792	51	48	1,747	17.1	1.09	1.11	664	534	1,198	11.7	0.92	0.91	59	33	30	39
Rural Districts	18,330	134	138	8	4	284	15.5	1.04	0.95	101	70	171	9.3	0.93	0.73	7	24	4	6
Beverley	9,270	68	56	—	11	135	14.6	1.14	0.99	57	49	106	11.4	0.90	0.87	5	37	4	6
Bridlington	12,710	84	94	3	2	183	14.4	1.06	0.90	79	64	143	11.3	0.95	0.91	3	16	1	3
Derwent	9,897	95	96	5	4	200	20.2	1.14	1.36	60	60	120	12.1	0.88	0.90	10	50	6	3
Driffield	18,470	173	147	9	7	336	18.2	1.07	1.16	114	98	212	11.5	0.89	0.87	11	32	5	4
Holderness	12,030	97	90	14	8	209	17.4	1.11	1.14	90	68	158	13.1	0.91	1.01	8	38	5	2
Howden	7,074	79	57	3	10	149	21.1	1.19	1.48	58	51	109	15.4	0.92	1.20	5	33	2	3
Norton	14,440	126	114	9	2	251	17.4	1.11	1.14	105	74	179	12.4	0.98	1.03	10	39	3	12
Pocklington																			

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
YORKSHIRE, NORTH RIDING	498,837	4,582	4,409	262	260	9,513	19.1	1.04	1.17	3,216	3,004	6,220	12.5	1.01	1.07	409	43	207	236
County Borough of Middlesbrough	145,050	1,471	1,419	105	90	3,085	21.3	1.02	1.28	971	781	1,752	12.1	1.22	1.25	157	50	61	63
Admin. County	353,787	3,111	2,990	157	170	6,428	18.2	1.05	1.13	2,245	2,223	4,468	12.6	0.95	1.01	252	39	146	173
Urban Districts	202,484	1,766	1,735	88	103	3,692	18.2	1.04	1.12	1,314	1,331	2,645	13.1	0.97	1.08	154	41	88	119
Eston	33,060	385	342	18	18	763	23.1	1.06	1.45	226	159	385	11.6	1.27	1.25	42	54	20	28
Guisborough	8,700	68	73	2	3	146	16.8	1.05	1.05	58	40	98	11.3	0.99	0.95	3	20	3	4
Loftus	7,319	60	70	4	3	137	18.7	1.04	1.15	48	46	94	12.8	1.02	1.11	6	43	6	12
Malton	4,627	30	33	4	3	70	15.1	1.10	0.98	20	34	54	11.7	0.89	0.88	2	28	1	—
Northallerton	5,782	60	49	6	1	116	20.1	1.05	1.25	37	38	75	13.0	1.00	1.10	1	9	1	4
Pickering	4,305	27	28	2	4	61	14.2	1.13	0.95	30	33	63	14.6	0.75	0.93	2	32	—	1
Redcar M.B.	27,310	196	239	8	6	449	16.4	1.04	1.01	174	167	341	12.5	1.04	1.10	14	31	10	8
Richmond M.B.	5,640	57	53	5	5	120	21.3	0.95	1.19	33	20	53	9.4	1.11	0.88	5	41	2	4
Saltburn and Marske by the Sea	8,061	84	60	2	3	149	18.5	1.07	1.17	57	64	121	15.0	0.88	1.12	9	60	5	10
Scalby	6,120	40	36	1	—	77	12.6	1.08	0.80	32	45	77	12.6	0.71	0.76	1	13	1	3
Scarborough M.B.	43,810	279	293	22	33	627	14.3	1.02	0.86	309	380	689	15.7	0.78	1.04	31	49	20	23
Skelton and Brotton	12,880	123	121	3	9	256	19.9	1.07	1.26	93	86	179	13.9	1.07	1.26	15	58	6	8
Thornaby on Tees	22,990	269	246	8	12	535	23.3	1.04	1.43	125	131	256	11.1	1.25	1.18	18	33	11	10
M.B. Whitby	11,880	88	92	3	3	186	15.7	1.04	0.97	72	88	160	13.5	0.83	0.95	5	27	2	4
Rural Districts	151,303	1,345	1,255	69	67	2,736	18.1	1.05	1.12	931	892	1,823	12.0	0.92	0.94	98	35	58	54
Aysgarth	3,614	24	36	1	3	64	17.7	1.17	1.23	30	31	61	16.9	0.79	1.13	1	15	1	3
Bedale	6,858	65	56	3	5	129	18.8	1.04	1.16	47	43	90	13.1	0.90	1.00	4	31	2	1
Croft	2,680	33	38	3	2	76	28.4	0.96	1.62	13	16	29	10.8	1.19	1.09	4	52	—	2
Easingwold	10,940	99	91	7	6	203	18.6	1.08	1.19	68	64	132	12.1	0.88	0.90	3	15	1	4
Flaxton	19,500	159	131	8	7	305	15.6	0.97	0.89	97	97	194	9.9	1.02	0.86	17	55	10	5
Helmley	5,334	33	40	4	2	79	14.8	1.16	1.02	35	27	62	11.6	1.12	1.10	—	—	—	2
Kirkby Moorside	4,515	30	45	3	2	80	17.7	1.09	1.14	33	43	76	16.8	0.86	1.22	1	12	—	2
Leyburn	6,390	58	52	1	2	113	17.7	1.15	1.21	37	35	72	11.3	0.95	0.91	4	35	1	4
Malton	5,750	52	41	1	2	96	16.7	1.24	1.23	39	30	69	12.0	0.91	0.93	—	—	—	1
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Masham	1,721	10	9	—	2	21	12.2	1.10	0.80	11	13	24	13.9	0.92	1.08	2	94	1	—
Northallerton	8,238	71	68	3	5	147	17.8	1.08	1.14	41	50	91	11.0	0.91	0.85	5	34	3	1
Pickering	5,030	40	29	6	3	78	15.5	1.16	1.07	36	36	72	14.3	0.77	0.93	3	38	1	—
Reeth	2,103	10	9	—	2	21	10.0	1.26	0.74	9	21	30	14.3	0.74	0.90	1	47	1	1
Richmond	13,500	226	211	9	6	452	33.5	0.80	1.59	66	52	118	8.7	1.24	0.91	16	35	9	12
Scarborough	7,470	56	45	3	2	106	14.2	1.09	0.92	59	55	114	15.3	0.81	1.05	8	75	8	3
Startforth	3,920	36	32	1	2	71	18.1	1.05	1.12	23	25	48	12.2	0.89	0.92	1	14	1	—
Stokesley	17,420	134	143	5	8	290	16.6	1.07	1.05	112	109	221	12.7	0.93	1.00	8	27	5	4
Thirsk	12,500	112	91	7	4	214	17.1	1.08	1.09	89	70	159	12.7	0.86	0.93	15	69	10	5
Wath	2,040	16	10	—	—	26	12.7	0.94	0.71	13	12	25	12.3	0.98	1.02	—	—	—	1
Whitby	11,780	81	78	4	2	165	14.0	1.21	1.00	73	63	136	11.5	0.77	0.75	5	30	4	3
YORKSHIRE,																			
WEST RIDING																			
	3,568,570	29,516	27,793	1,624	1,531	60,464	16.9	1.01	1.01	23,031	21,794	44,825	12.6	1.05	1.12	2,185	36	1,368	1,448
County Boroughs																			
Barnsley	1,991,070	16,210	15,236	947	903	33,296	16.7	1.00	0.99	13,158	12,617	25,775	12.9	1.05	1.15	1,147	34	786	777
Bradford	75,250	739	635	34	29	1,437	19.1	1.05	1.19	433	371	804	10.7	1.19	1.08	59	41	28	27
Dewsbury	291,600	2,431	2,271	181	158	5,041	17.3	1.02	1.04	2,085	2,138	4,223	14.5	0.98	1.20	191	38	106	131
Doncaster	52,740	508	437	33	39	1,017	19.3	1.05	1.20	363	404	767	14.5	1.01	1.24	31	30	17	23
Halifax	80,010	678	669	39	39	1,425	17.8	1.02	1.07	475	409	884	11.0	1.15	1.07	56	39	36	30
	97,780	716	773	63	57	1,609	16.5	1.02	1.00	729	779	1,508	15.4	0.93	1.21	53	33	35	29
Huddersfield	128,300	945	894	64	54	1,957	15.3	1.02	0.92	977	910	1,887	14.7	0.96	1.20	67	34	48	56
Leeds	504,900	3,979	3,875	272	281	8,407	16.7	0.97	0.96	3,276	3,176	6,452	12.8	1.08	1.17	254	30	156	195
Rotherham	82,020	731	749	28	30	1,538	18.8	1.01	1.12	475	397	872	10.6	1.16	1.04	81	52	34	38
Sheffield	513,700	4,076	3,696	142	131	8,045	15.7	1.00	0.93	3,333	3,098	6,431	12.5	1.08	1.14	281	35	181	180
Wakefield	60,170	505	450	27	28	1,010	16.8	1.05	1.04	355	343	698	11.6	1.06	1.04	36	35	22	28
York	104,600	902	787	64	57	1,810	17.3	0.98	1.01	657	592	1,249	11.9	1.05	1.06	39	21	23	40
Admin. County	1,577,500	13,306	12,557	677	628	27,168	17.2	1.03	1.04	9,873	9,177	19,050	12.1	1.04	1.07	1,037	38	582	671
Urban Districts																			
Adwick le Street	1,163,630	9,577	9,037	482	463	19,559	16.8	1.02	1.02	7,471	7,115	14,586	12.5	1.02	1.08	720	36	401	485
Aireborough	19,080	169	180	6	12	367	19.2	1.04	1.18	105	82	187	9.8	1.34	1.11	24	65	15	13
Baildon	27,220	198	160	11	6	375	13.8	1.12	0.91	136	134	270	9.9	1.02	0.86	6	16	3	10
Barnoldswick	10,180	58	63	1	5	127	12.5	1.01	0.74	83	58	141	13.9	0.97	1.14	1	8	1	2
Batley M.E.	10,490	81	61	6	4	152	14.5	1.11	0.95	81	62	143	13.6	0.91	1.05	8	52	5	7
Bentley with Arksey	40,020	351	317	17	19	704	17.6	1.00	1.05	259	261	520	13.0	1.02	1.12	22	31	13	19
Bingley	20,020	204	176	13	7	400	20.0	0.98	1.16	117	85	202	10.1	1.33	1.14	18	45	11	5
Brighouse M.B.	22,010	152	139	11	8	310	14.1	1.00	0.83	149	158	307	13.9	0.93	1.10	4	13	4	9
Brighouse	30,760	240	252	11	3	506	16.4	1.04	1.01	213	220	433	14.1	0.93	1.11	12	23	7	9
Castleford	43,540	409	404	25	24	862	19.8	1.04	1.21	276	221	497	11.4	1.23	1.19	42	48	26	23
Colne Valley	22,230	166	159	10	4	339	15.2	1.04	0.93	157	160	317	14.3	0.92	1.12	8	23	3	15
Conisbrough	16,680	171	167	10	8	356	21.3	1.05	1.32	95	66	161	9.7	1.26	1.04	11	31	5	8
Cudworth	8,613	88	69	2	2	161	18.7	1.06	1.17	40	49	89	10.3	1.24	1.08	6	37	3	2
Darfield	6,152	51	51	4	4	110	17.9	1.06	1.12	35	35	70	11.0	1.12	1.08	7	63	3	—
Darton	14,300	130	139	4	5	278	19.4	1.07	1.23	87	70	157	11.0	1.18	1.10	9	32	5	13
Deane	24,170	254	264	10	9	537	22.2	1.07	1.40	130	122	252	10.4	1.30	1.15	24	44	14	8
Denby Dale	9,729	92	67	4	2	165	17.0	1.08	1.08	61	64	125	12.8	0.91	0.99	8	48	4	4
Denholme	2,564	22	18	1	3	44	17.2	1.01	1.03	10	8	18	7.0	0.89	0.53	—	—	—	—
Dodworth	4,344	39	54	3	2	98	22.6	1.03	1.38	23	13	36	8.3	1.31	0.92	2	20	1	1

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949)	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.			Illegitimate.			Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.			Ratio of local adjusted death rate to National Rate.	
		M.		F.	M.		F.												
YORKSHIRE, WEST RIDING—contd.																			
Urban Districts—contd.																			
Earby ...	5,287	55	38	1	2	96	18.2	1.02	1.09	36	29	65	12.3	0.96	1.00	3	31	3	2
Elland ...	19,430	144	131	7	8	290	14.9	1.03	0.91	135	141	276	14.2	0.92	1.11	8	27	5	3
Featherstone ...	13,580	138	138	1	5	282	20.8	1.01	1.24	90	68	158	11.6	1.21	1.19	10	35	6	10
Garforth ...	12,440	120	109	2	3	234	18.8	0.98	1.09	83	68	151	12.1	1.07	1.10	7	30	2	3
Goole M.B. ...	19,600	185	155	9	6	355	18.1	1.05	1.13	139	115	254	13.0	1.04	1.15	15	42	3	13
Harrogate M.B. ...	51,930	344	307	20	20	691	13.3	0.96	0.75	323	448	771	14.8	0.84	1.05	25	36	16	14
Hebden Royd ...	10,140	77	66	2	—	145	14.3	1.10	0.93	80	99	179	17.7	0.83	1.24	2	14	1	3
Heckmondwike ...	8,795	77	60	3	4	144	16.4	1.05	1.02	62	54	116	13.2	0.96	1.07	11	76	5	3
Hemsworth ...	13,260	150	123	5	4	282	21.3	1.06	1.33	80	49	129	9.7	1.23	1.01	17	60	5	8
Holmfirth ...	19,090	158	138	6	6	308	16.1	1.05	1.00	136	122	258	13.5	0.87	1.00	9	29	6	3
Horbury ...	7,954	53	47	1	2	103	12.9	1.03	0.79	49	42	91	11.4	0.99	0.96	6	58	2	2
Horsforth ...	14,320	98	97	6	6	207	14.5	0.93	0.80	79	91	170	11.9	1.01	1.02	9	43	7	5
Hoyland Nether ...	15,640	146	137	3	2	288	18.4	1.05	1.15	72	67	139	8.9	1.09	0.82	11	38	5	8
Ilkley ...	17,420	104	99	6	4	213	12.2	1.01	0.73	106	122	228	13.1	0.80	0.89	7	33	3	8
Keighley M.B. ...	56,570	434	436	30	27	927	16.4	1.02	0.99	423	449	872	15.4	0.94	1.23	29	31	20	27
Kirkburton ...	18,120	91	123	7	2	223	12.3	1.30	0.95	99	90	189	10.4	0.92	0.81	6	27	3	3
Knarborough ...	8,130	64	61	7	5	137	16.9	0.98	0.98	53	58	111	13.7	0.91	1.06	5	36	1	6
Knottingley ...	9,725	81	94	6	6	187	19.2	0.99	1.13	71	50	121	12.4	1.26	1.32	7	37	6	1
Maltby ...	12,580	122	131	2	10	265	21.1	1.01	1.26	68	37	105	8.3	1.44	1.01	19	71	11	2
Meltham ...	5,083	33	27	—	—	60	11.8	1.02	0.71	33	24	57	11.2	0.90	0.85	—	—	—	1
Mexborough ...	19,270	167	176	15	10	368	19.1	1.05	1.18	116	73	189	9.8	1.18	0.98	17	46	10	9
Mirfield ...	11,940	92	87	1	4	184	15.4	1.00	0.91	82	85	167	14.0	0.96	1.14	4	22	3	10
Morley M.B. ...	39,800	319	321	25	23	688	17.3	0.99	1.01	278	241	519	13.0	1.10	1.21	26	37	14	15
Normanton ...	19,170	154	152	5	5	316	16.5	1.03	1.01	136	99	235	12.3	1.11	1.16	9	28	5	8
Ossett M.B. ...	14,720	127	88	8	7	230	15.6	1.01	0.93	94	110	204	13.9	1.04	1.22	9	39	5	6
Otley ...	11,350	75	92	9	5	181	15.9	1.01	0.95	72	68	140	12.3	0.92	0.96	3	16	2	9
Penistone ...	6,490	54	47	2	—	103	15.9	1.07	1.01	49	38	87	13.4	0.91	1.03	—	—	—	1
Pontefract M.B. ...	22,800	192	179	15	15	401	17.6	1.01	1.05	132	99	231	10.1	1.14	0.98	17	42	8	11
Pudsey M.B. ...	30,420	218	207	3	11	439	14.4	1.02	0.87	184	227	411	13.5	1.00	1.14	14	32	9	12
Queensbury and Shelf ...	9,015	82	60	4	3	149	16.5	1.01	0.98	81	59	140	15.5	0.98	1.29	3	20	1	4
	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rawmarsh	18,900	180	141	5	8	334	17.7	1.06	1.11	92	84	176	9.3	1.15	0.91	9	27	3	16
Ripon M.B.	9,652	77	53	7	9	146	15.1	1.07	0.96	68	61	129	13.4	0.89	1.01	6	41	3	5
Ripponden	5,157	30	43	1	2	76	14.7	1.11	0.97	31	27	58	11.2	0.92	0.87	—	—	—	3
Rothwell	24,110	173	203	6	12	394	16.3	1.01	0.97	130	143	273	11.3	1.04	1.00	21	53	15	11
Royston	8,110	81	74	4	1	160	19.7	1.07	1.25	47	29	76	9.4	1.23	0.98	6	37	1	—
Saddleworth	16,760	129	117	5	7	258	15.4	1.04	0.94	135	131	266	15.9	0.91	1.23	8	31	6	4
Selby	10,370	83	74	3	5	165	15.9	1.05	0.98	85	58	143	13.8	0.95	1.11	12	72	4	5
Shipley	32,630	276	242	18	14	550	16.9	1.02	1.02	188	213	401	12.3	0.99	1.03	12	22	9	13
Silsden	5,854	47	30	4	6	87	14.9	0.99	0.87	48	47	95	16.2	1.44	1.44	6	68	2	3
Skipton	13,400	107	97	9	9	222	16.6	1.01	0.99	84	115	199	14.9	0.92	1.16	7	31	5	2
Sowerby Bridge	19,020	152	153	4	12	321	16.9	1.01	1.01	148	159	307	16.1	0.94	1.28	11	34	5	2
Spensborough	36,750	268	276	15	13	572	15.6	1.03	0.95	249	260	509	13.9	0.97	1.14	25	43	14	15
Stanley	16,620	139	131	5	3	278	16.7	0.99	0.98	98	73	171	10.3	1.12	0.98	7	25	2	4
Stocksbridge	10,270	91	79	2	3	175	17.0	1.02	1.03	71	44	115	11.2	1.18	1.12	7	40	4	5
Swinton	11,560	105	113	7	5	230	19.9	1.04	1.23	78	51	129	11.2	1.14	1.08	6	26	5	8
Tickhill	2,486	29	17	—	3	49	19.7	1.20	1.40	14	11	25	10.1	0.90	0.77	1	20	1	—
Todmorden M.B.	19,220	165	137	6	3	311	16.2	1.08	1.03	168	163	331	17.2	0.86	1.25	16	51	13	8
Wath upon Dearne	13,780	114	118	9	8	249	18.1	1.07	1.14	75	84	159	11.5	1.09	1.06	15	60	6	6
Wombwell	18,710	177	154	4	2	337	18.0	1.03	1.10	108	91	199	10.6	1.19	1.07	14	41	8	10
Worsborough	14,100	125	119	8	6	258	18.3	1.06	1.14	56	81	137	9.7	1.21	0.99	11	42	5	7
Rural Districts	413,870	3,729	3,520	195	165	7,609	18.4	1.04	1.13	2,402	2,062	4,464	10.8	1.11	1.02	317	41	181	186
Bowland	4,946	43	46	1	2	92	18.6	1.16	1.28	32	35	67	13.5	0.92	1.05	4	43	3	1
Doncaster	52,890	510	487	37	18	1,052	19.9	0.99	1.16	269	215	484	9.2	1.31	1.02	56	53	38	24
Goole	9,090	62	66	9	2	139	15.3	0.99	0.90	58	56	114	12.5	0.99	1.05	7	50	3	5
Hemsworth	48,370	451	479	27	25	982	20.3	1.07	1.28	279	211	490	10.1	1.32	1.13	42	42	16	27
Hepton	3,930	23	25	2	—	50	12.7	1.06	0.80	33	24	57	14.5	0.88	1.08	2	40	1	1
Kiveton Park	17,320	160	160	6	12	338	19.5	1.04	1.20	105	78	183	10.6	1.08	0.97	13	38	8	4
Nidderdale	12,620	102	84	5	6	197	15.6	1.11	1.03	84	85	169	13.4	0.91	1.03	6	30	4	3
Osgoldcross	7,560	57	61	10	6	134	17.7	1.08	1.13	44	41	85	11.2	1.05	1.00	6	44	5	1
Penistone	7,140	81	63	1	—	145	20.3	1.09	1.31	48	28	76	10.6	1.06	0.95	6	41	4	1
Ripon and Pateley Bridge	11,520	82	88	5	3	178	15.5	1.07	0.98	79	74	153	13.3	0.88	0.99	8	44	6	5
Rotherham	46,940	474	460	17	23	974	20.7	1.00	1.23	252	215	467	9.9	1.27	1.07	50	51	32	25
Sedburgh	4,014	19	27	2	—	48	12.0	1.23	0.88	27	38	65	16.2	0.97	1.33	3	62	1	1
Selby	6,100	59	44	2	6	111	18.2	1.05	1.13	37	24	61	10.0	0.93	0.79	1	9	—	4
Settle	14,380	117	121	3	5	246	17.1	1.13	1.14	91	98	189	13.1	0.89	0.99	6	24	3	2
Skipton	23,720	172	164	8	8	352	14.8	1.06	0.93	181	172	353	14.9	0.92	1.16	6	17	2	12
Tadcaster	25,530	216	182	11	9	418	16.4	1.01	0.98	148	140	288	11.3	1.06	1.02	10	24	6	12
Thorne	31,000	351	316	18	15	700	22.6	1.05	1.40	163	133	296	9.5	1.37	1.10	43	61	21	21
Wakefield	18,540	176	152	13	6	347	18.7	1.01	1.12	131	88	219	11.8	1.11	1.11	13	37	10	9
Wetherby	19,440	167	130	11	11	319	16.4	1.05	1.01	96	107	203	10.4	0.98	0.86	10	31	5	9
Wharfedale	5,860	43	35	1	—	79	13.5	0.96	0.77	32	34	66	11.3	1.01	0.97	2	25	1	1
Wortley	42,960	364	330	6	8	708	16.5	1.01	0.98	213	166	379	8.8	1.05	0.78	23	32	12	18

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Live Births.
		M.	F.	M.	F.														
WALES AND MONMOUTH ANGLESEY :	Admin. County ...	49,300	384	26	29	871	17.7	1.09	1.14	349	309	658	13.3	0.85	0.96	39	44	26	25
	Urban Districts ...	19,220	152	5	9	345	18.0	1.03	1.09	142	122	264	13.7	0.87	1.01	16	46	9	8
	Amlwch ...	2,713	12	—	1	29	10.7	1.02	0.65	25	16	41	15.1	0.78	1.00	1	34	—	1
	Beaumaris M.B. ...	2,100	21	—	—	48	22.9	1.07	1.45	6	20	26	12.4	0.82	0.86	4	82	2	1
	Holyhead ...	10,470	100	4	3	191	18.2	1.01	1.09	84	58	142	13.6	0.92	1.06	8	41	5	4
	Llangefni ...	2,082	27	1	4	49	23.5	1.06	1.47	14	10	24	11.5	0.92	0.90	2	40	1	—
	Menai Bridge ...	1,855	13	—	1	28	15.1	1.02	0.91	13	18	31	16.7	0.79	1.12	1	35	1	2
	Rural Districts ...	30,080	253	21	20	526	17.5	1.14	1.18	207	187	394	13.1	0.83	0.92	23	43	17	17
	Aethwy ...	10,410	88	5	9	180	17.3	1.15	1.17	78	78	156	15.0	0.86	1.09	10	55	7	9
	Twrcelyn ...	8,600	64	8	6	134	15.6	1.17	1.08	57	47	104	12.1	0.77	0.79	5	37	4	2
	Valley ...	11,070	101	98	8	5	212	19.2	1.11	1.26	72	62	134	12.1	0.86	0.88	8	37	6
BRECKNOCKSHIRE :	Admin. County ...	54,159	452	14	16	946	17.5	1.07	1.11	359	316	675	12.5	0.96	1.02	41	43	27	26
	Urban Districts ...	15,990	140	8	4	288	18.0	1.03	1.10	108	125	233	14.6	0.93	1.15	16	55	9	5
	Brecknock M.B. ...	5,658	47	1	2	109	19.3	0.99	1.14	39	43	82	14.5	0.93	1.14	5	45	5	1
	Brynmawr ...	6,569	55	3	1	119	18.1	1.03	1.10	38	43	81	12.3	1.02	1.06	7	58	2	2
	Builth Wells ...	1,674	17	2	1	30	17.9	1.07	1.13	13	16	29	17.3	0.87	1.28	1	33	—	—
	Hay ...	1,407	13	2	—	22	15.6	1.13	1.04	13	15	28	19.9	0.76	1.28	2	90	1	2
	Llanwrtyd ...	682	4	—	—	8	11.7	1.14	0.79	5	8	13	19.1	0.71	1.15	1	124	1	—
	Rural Districts ...	38,169	312	6	12	658	17.2	1.08	1.10	251	191	442	11.6	0.97	0.95	25	38	18	21
	Brecknock:— Defynnock and Llangorse Div. ...	5,237	39	—	—	84	16.0	1.14	1.05	34	26	60	11.5	—	—	1	12	—	4
	Merthyr Cynog Div. ...	1,805	11	—	1	26	14.4	—	—	4	5	9	5.0	0.88	0.37	1	38	1	—
	Builth ...	3,412	21	—	—	59	17.3	1.23	1.26	22	15	37	10.8	0.83	0.76	1	17	1	—
Crickhowell ...	7,000	55	64	3	5	127	18.1	1.12	1.20	42	32	74	10.6	0.92	0.83	6	47	4	7
Hay ...	3,655	26	33	1	1	61	16.7	1.18	1.17	29	21	50	13.7	0.85	0.99	2	32	2	2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Vaynor and Penderyn Ystradgynlais ...	5,520 11,540	57 96	47 94	1 1	2 3	107 194	19.4 16.8	1.02 1.00	1.18 0.99	44 76	37 55	81 131	14.7 11.4	1.03 1.18	1.28 1.14	4 10	37 51	2 8	5 3
CAERNARVONSHIRE :																			
Admin. County ...	123,348	922	844	53	46	1,865	15.1	1.06	0.95	840	856	1,696	13.7	0.87	1.01	65	35	40	45
Urban Districts	70,953	521	476	37	21	1,055	14.9	1.00	0.89	440	485	925	13.0	0.89	0.98	38	36	25	27
Bangor M.B. ...	13,800	102	107	13	4	226	16.4	0.97	0.94	72	80	152	11.9	1.07	1.00	10	44	5	5
Bethesda ...	4,456	37	33	3	—	73	16.4	1.11	1.08	30	32	62	13.0	0.90	1.06	2	27	—	—
Bettws y Coed ...	753	7	6	1	—	14	18.6	1.05	1.16	8	2	10	13.3	0.96	1.08	—	—	—	—
Caernarvon M.B. ...	9,120	72	76	4	2	154	16.9	1.02	1.02	48	62	110	12.1	0.94	0.96	4	26	2	6
Conway M.B. ...	9,725	85	62	2	4	153	15.7	1.05	0.97	66	57	123	12.6	0.89	0.95	8	52	7	2
Criccieth ...	1,610	9	10	—	—	19	11.8	0.98	0.68	12	17	29	18.0	0.70	1.07	—	—	—	1
Llandudno ...	16,310	101	76	8	5	190	11.6	0.95	0.65	115	134	249	15.3	0.83	1.08	8	42	6	6
Llanfairfechan ...	3,143	25	18	1	1	45	14.3	1.24	1.05	25	21	46	14.6	0.80	0.99	—	—	—	4
Penmaenmawr ...	4,026	24	26	1	—	51	12.7	1.06	0.80	21	24	45	11.2	0.77	0.73	1	19	—	1
Portmadoc ...	4,110	30	27	—	2	59	14.4	1.02	0.87	24	28	52	12.7	0.84	0.90	2	34	2	—
Pwllheli M.B. ...	3,900	29	35	4	3	71	18.2	0.94	1.02	19	28	47	12.1	0.85	0.87	3	42	3	2
Rural Districts ...	52,395	401	368	16	25	810	15.5	1.15	1.05	400	371	771	14.7	0.84	1.05	27	33	15	18
Gwyrfai ...	24,050	199	164	10	12	385	16.0	1.13	1.07	212	174	386	16.0	0.84	1.14	16	41	7	9
Lleyn ...	17,470	129	110	5	7	251	14.4	1.16	0.98	105	127	232	13.3	0.83	0.94	6	24	4	6
Nant Conway ...	6,095	41	49	—	4	94	15.4	1.16	1.06	50	39	89	14.6	0.89	1.10	2	21	2	3
Ogwen... ..	4,780	32	45	1	2	80	16.7	1.17	1.16	33	31	64	13.4	0.85	0.97	3	37	2	—
CARDIGANSHIRE :																			
Admin. County ...	54,001	358	352	18	25	753	13.9	1.12	0.92	395	467	862	16.0	0.77	1.04	27	35	15	14
Urban Districts	18,541	107	92	8	8	215	11.6	1.03	0.71	143	156	299	16.1	0.82	1.12	9	41	5	7
Aberayron ...	1,360	7	2	1	1	11	8.1	1.27	0.61	17	14	31	22.8	0.62	1.20	—	—	—	—
Aberystwyth M.B. ...	10,650	59	49	3	4	115	10.8	1.01	0.65	64	89	153	14.4	0.86	1.05	3	26	1	3
Cardigan M.B. ...	3,631	28	25	2	2	57	15.7	1.00	0.93	25	29	54	14.9	0.88	1.11	4	69	2	3
Lampeter M.B. ...	1,840	11	11	1	1	24	13.0	1.01	0.78	25	13	38	20.7	0.77	1.35	2	83	2	1
New Quay ...	1,060	2	5	1	—	8	7.5	1.18	0.52	12	11	23	21.7	0.73	1.34	—	—	—	—
Rural Districts ...	35,460	251	260	10	17	538	15.2	1.16	1.05	252	311	563	15.9	0.75	1.01	18	33	10	7
Aberayron ...	9,540	74	60	5	4	143	15.0	1.19	1.05	58	85	143	15.0	0.75	0.95	6	42	2	3
Aberystwyth North ...	6,177	30	42	2	2	76	12.3	1.16	0.87	43	53	96	15.5	0.70	0.92	3	39	2	1
Aberystwyth South ...	3,993	20	28	1	4	53	13.3	1.16	0.87	34	41	75	18.8	0.70	1.11	1	19	1	1
Teifside ...	10,330	84	77	1	4	166	16.1	1.13	1.08	78	81	159	15.4	0.78	1.02	4	24	4	1
Tregaron ...	5,420	43	53	1	3	100	18.5	1.21	1.32	39	51	90	16.6	0.77	1.08	4	40	1	1
CARMARTHENSHIRE :																			
Admin. County ...	170,800	1,272	1,218	48	46	2,584	15.1	1.02	0.91	1,197	997	2,194	12.8	1.02	1.11	111	43	71	68
Urban Districts	70,911	481	495	18	29	1,023	14.4	1.01	0.86	505	432	937	13.2	1.02	1.14	36	35	23	32
Ammanford ...	6,395	46	40	—	3	89	13.9	0.99	0.82	56	38	94	14.7	1.00	1.25	2	22	1	1
Burry Port ...	5,872	41	49	—	5	95	16.2	0.96	0.92	40	40	80	13.6	1.07	1.23	4	42	2	5
Carmarthen M.B. ...	12,540	92	89	6	6	193	15.4	1.04	0.95	75	72	147	11.7	1.07	1.06	7	36	5	4
Cwmamman ...	4,745	28	34	1	—	63	13.3	1.00	0.79	39	24	63	13.3	1.00	1.13	1	16	1	3

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)
CARMARTHENSHIRE—contd.																			
Urban Districts—contd.																			
Kidwelly M.B.	2,967	29	31	—	—	60	20.2	1.03	1.23	26	16	42	14.2	1.06	1.28	4	66	4	—
Llandilo	1,940	12	15	—	1	28	14.4	1.10	0.94	15	14	29	14.9	0.89	1.12	—	—	—	3
Llandoverly M.B.	2,036	12	16	—	3	31	15.2	1.08	0.97	12	21	33	16.2	0.86	1.18	1	32	1	—
Llanelly M.B.	33,630	218	218	9	11	456	13.6	1.01	0.81	238	204	442	13.1	1.03	1.14	17	37	9	16
Newcastle Emllyn	786	3	3	2	—	8	10.2	1.14	0.69	4	3	7	8.9	0.82	0.62	—	—	—	—
Rural Districts																			
Rural Districts	99,889	791	723	30	17	1,561	15.6	1.02	0.94	692	565	1,257	12.6	1.01	1.08	75	48	48	36
Carmarthen	27,800	242	238	11	9	500	18.0	1.06	1.12	195	163	358	12.9	1.00	1.09	35	69	24	9
Llandilo	25,840	173	174	8	3	358	13.9	1.04	0.85	204	153	357	13.8	1.00	1.17	11	30	7	7
Llanelly	37,720	308	254	6	3	571	15.1	0.96	0.86	220	177	397	10.5	1.12	1.00	24	42	13	18
Newcastle Emllyn	8,529	68	57	5	2	132	15.5	1.13	1.03	73	72	145	17.0	0.76	1.09	5	37	4	2
DENBIGHSHIRE :																			
Admin. County	168,452	1,436	1,284	79	68	2,867	17.0	1.08	1.08	1,098	1,097	2,195	13.0	0.93	1.02	115	40	56	110
Urban Districts																			
Abergele	77,530	605	575	31	33	1,244	16.0	1.06	1.01	484	573	1,057	13.6	0.86	0.99	53	42	27	48
Colwyn Bay M.B.	7,395	70	62	4	3	139	18.8	1.03	1.15	42	48	90	12.2	0.83	0.86	2	14	2	6
Denbigh M.B.	23,290	118	118	9	6	251	10.8	1.10	0.70	157	215	372	16.0	0.70	0.95	12	47	8	11
Llangollen	7,877	54	65	5	5	129	16.4	1.49	1.44	46	47	93	11.8	0.94	0.94	9	69	3	7
Llanrwst	3,033	31	25	1	—	57	18.8	1.00	1.11	15	26	41	13.5	0.76	0.87	—	—	—	2
	2,670	32	24	—	2	58	21.7	1.09	1.40	22	27	49	18.4	0.82	1.28	—	—	—	1
Ruthin M.B.	3,625	26	19	—	2	47	13.0	1.04	0.80	19	33	52	14.3	0.86	1.04	1	21	1	1
Wrexham M.B.	29,640	274	262	12	15	563	19.0	0.97	1.09	183	177	360	12.1	1.07	1.10	29	51	13	20
Rural Districts																			
Aled	90,922	831	709	48	35	1,623	17.9	1.09	1.15	614	524	1,138	12.5	0.99	1.05	62	38	29	62
Ceiriog	6,985	62	52	3	3	120	17.2	1.07	1.08	37	38	75	10.7	0.92	0.83	4	33	2	6
Hiraethog	7,360	66	54	5	2	127	17.3	1.15	1.17	58	58	116	15.8	0.91	1.22	1	8	1	7
Ruthin	5,272	40	25	2	1	68	12.9	1.17	0.89	42	23	65	12.3	0.89	0.93	3	44	2	2
Wrexham	9,305	74	67	6	1	148	15.9	1.12	1.06	68	65	133	14.3	0.88	1.07	5	33	3	6
	62,000	589	511	32	28	1,160	18.7	1.07	1.19	409	340	749	12.1	1.04	1.07	49	42	21	41
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
FLINTSHIRE :																			
Admin. County
Urban Districts																			
Buckley	70,830	609	549	36	37	1,231	17.4	1.02	1.05	433	462	895	12.6	0.96	1.03	47	38	27	35
Connah's Quay	7,622	79	53	3	2	137	18.0	1.00	1.06	46	30	76	10.0	1.03	0.87	—	—	—	4
Flint M.B.	7,455	79	77	—	8	158	21.2	0.95	1.20	32	30	62	8.3	1.25	0.88	4	25	1	5
Holywell	14,160	129	127	4	3	268	18.9	0.99	1.10	66	74	140	9.9	1.23	1.03	12	44	6	8
Mold	7,870	71	67	4	3	145	18.4	1.00	1.09	47	45	92	11.7	1.01	1.00	7	48	2	6
...	6,354	67	53	1	5	126	19.8	1.03	1.20	44	41	85	13.4	1.04	1.18	5	39	3	2
Prestatyn	8,659	50	51	7	4	112	12.9	1.18	0.90	74	91	165	19.1	0.66	1.07	8	71	7	3
Rhyl	18,710	134	121	17	13	285	15.2	1.01	0.91	124	151	275	14.7	0.86	1.07	11	38	8	7
Rural Districts																			
Hawarden	69,470	590	536	29	34	1,189	17.1	1.03	1.04	481	371	852	12.3	0.97	1.01	37	31	21	27
Holywell	32,450	279	279	9	14	581	17.9	0.97	1.03	195	136	331	10.2	1.10	0.95	18	37	11	12
Overton	21,920	172	137	8	14	331	15.1	1.12	1.00	133	147	280	12.8	0.88	0.95	13	39	9	9
St. Asaph	6,720	64	61	7	3	135	20.1	0.99	1.18	101	33	134	19.9	1.00	1.69	3	22	1	3
...	8,380	75	59	5	3	142	16.9	1.05	1.06	52	55	107	12.8	0.82	0.89	3	21	—	3
GLAMORGANSHIRE																			
...
County Boroughs																			
Cardiff	464,280	4,261	3,955	180	152	8,548	18.4	1.00	1.09	3,061	2,546	5,607	12.1	1.06	1.09	322	37	185	263
Merthyr Tydfil	243,300	2,369	2,179	109	103	4,760	19.6	0.97	1.13	1,544	1,240	2,784	11.4	1.07	1.03	149	31	81	140
Swansea	60,880	529	519	18	14	1,080	17.7	1.05	1.10	469	370	839	13.8	1.02	1.19	51	47	33	43
...	160,100	1,363	1,257	53	35	2,708	16.9	1.02	1.02	1,048	936	1,984	12.4	1.07	1.12	122	45	71	80
Admin. County	730,400	6,230	5,905	190	195	12,520	17.1	1.02	1.03	4,988	3,908	8,896	12.2	1.08	1.12	504	40	295	337
Urban Districts																			
Aberdare	535,620	4,630	4,464	144	142	9,380	17.5	1.02	1.06	3,838	2,970	6,808	12.7	1.08	1.16	391	41	229	253
Barry M.B.	40,850	282	302	6	14	604	14.8	1.04	0.91	353	289	642	15.7	0.98	1.30	31	51	26	10
Bridgend	41,680	393	357	16	15	781	18.7	0.96	1.07	219	227	446	10.7	1.04	0.94	23	29	14	13
Caerphilly	13,700	123	120	4	5	252	18.4	0.99	1.08	81	67	98	10.8	1.07	0.98	8	37	8	7
Cowbridge M.B.	34,430	377	309	15	8	709	20.6	1.04	1.26	262	169	431	12.5	1.17	1.24	42	59	22	23
...	1,140	6	8	—	—	14	12.3	1.15	0.84	5	6	11	9.6	1.00	0.81	—	—	—	—
Gelligaer	36,390	350	378	19	15	762	20.9	1.08	1.34	243	179	422	11.6	1.17	1.15	27	35	11	22
Glyncorwg	9,023	88	85	6	2	181	20.1	1.09	1.30	67	34	101	11.2	1.24	1.18	10	55	7	4
Llchwyr	25,680	166	180	—	8	354	13.8	1.00	0.82	158	113	271	10.5	1.11	1.00	7	20	4	9
Maesteg	23,100	224	220	5	6	455	19.7	1.04	1.21	176	127	303	13.1	1.17	1.30	22	48	11	11
Mountain Ash	31,900	279	249	7	4	539	16.9	1.04	1.04	251	199	450	14.1	1.09	1.30	25	46	15	13
Neath M.B.	32,030	267	236	8	5	516	16.1	0.99	0.94	206	173	379	11.8	1.04	1.04	22	42	9	15
Ogmore and Garw																			
Penarth	22,710	211	204	7	6	428	18.8	1.06	1.18	173	110	283	12.5	1.10	1.17	13	30	8	13
Pontypridd	18,040	169	118	5	3	295	16.4	0.99	0.96	110	103	213	11.8	0.91	0.91	8	27	5	8
Porthcawl	39,440	328	327	12	8	675	17.1	1.01	1.02	302	223	525	13.3	1.08	1.22	28	41	11	22
Port Talbot M.B.	9,207	70	64	3	2	139	15.1	0.97	0.86	65	74	139	15.1	0.86	1.10	1	7	1	3
Rhondda	43,670	382	385	9	12	788	18.0	0.99	1.05	277	215	492	11.3	1.17	1.12	43	54	26	25
...	112,630	915	922	22	29	1,888	16.8	1.04	1.03	890	662	1,552	13.8	1.07	1.25	81	42	51	55
Rural Districts																			
Cardiff	194,780	1,600	1,441	46	53	3,140	16.1	1.00	0.95	1,150	938	2,088	10.7	1.09	0.99	113	36	66	84
Cowbridge	36,300	220	213	2	4	439	12.1	1.01	0.72	196	168	364	10.0	0.99	0.84	13	29	6	17
Gower	13,820	176	137	5	1	319	23.1	0.95	1.30	72	53	125	9.0	1.15	0.88	10	37	8	8
Llantrisant and Llantwitfardre	11,430	101	76	3	1	181	15.8	1.03	0.96	54	74	128	11.2	0.92	0.87	7	38	4	5
Neath	24,970	254	198	9	13	474	19.0	1.03	1.16	148	144	292	11.7	1.12	1.11	18	38	12	14
Penybont	41,200	328	305	8	10	651	15.8	1.00	0.94	255	186	441	10.7	1.18	1.07	27	41	10	16
Pontardawe	34,280	284	285	12	20	601	17.5	0.98	1.01	185	121	306	8.9	1.12	0.84	14	23	11	13
...	32,780	237	227	7	4	475	14.5	1.01	0.87	240	192	432	13.2	1.07	1.20	24	50	15	11

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Stillbirths.							
		Legitimate.			Illegitimate.			TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.		Comparability Factor.	Ratio of local rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.	(1)	
		M.	F.	TOTAL.	M.	F.	TOTAL.																
MERIONETHSHIRE :																							
Admin. County	38,838	322	289	12	21	644	16.6	1.13	1.11	260	298	558	14.4	0.83	1.01	21	32	9	16	(17)	(18)	(19)	(20)
Urban Districts	17,453	132	116	5	7	260	14.9	1.10	0.97	128	148	276	15.8	0.86	1.15	7	27	3	4	(17)	(18)	(19)	(20)
Bala	1,510	12	12	—	1	25	16.6	1.05	1.03	11	11	22	14.6	0.83	1.03	1	40	1	—	(17)	(18)	(19)	(20)
Barmouth	2,406	15	7	—	2	24	10.0	0.97	0.57	16	24	40	16.6	0.81	1.14	—	—	—	—	(17)	(18)	(19)	(20)
Dolgelley	2,517	15	15	2	—	32	12.7	1.17	0.88	10	18	28	11.1	0.97	0.91	—	—	—	—	(17)	(18)	(19)	(20)
Ffestiniog	7,211	62	53	1	3	119	16.5	1.12	1.09	70	65	135	18.7	0.91	1.44	4	33	—	1	(17)	(18)	(19)	(20)
Towyn...	3,809	28	29	2	1	60	15.8	1.15	1.08	21	30	51	13.4	0.76	0.86	2	33	1	2	(17)	(18)	(19)	(20)
Rural Districts	21,385	190	173	7	14	384	18.0	1.15	1.22	132	150	282	13.2	0.81	0.91	14	36	6	12	(17)	(18)	(19)	(20)
Deudraeth	6,837	61	64	1	5	131	19.2	1.10	1.25	50	50	100	14.6	0.85	1.05	4	30	1	5	(17)	(18)	(19)	(20)
Dolgelley	7,225	56	45	1	6	108	14.9	1.15	1.01	36	51	87	12.0	0.80	0.81	6	55	4	3	(17)	(18)	(19)	(20)
Edeirnion	4,143	46	39	3	3	91	22.0	1.20	1.56	32	38	70	16.9	0.75	1.07	3	33	1	2	(17)	(18)	(19)	(20)
Penllyn	2,842	26	23	2	—	51	17.9	1.17	1.24	13	10	23	8.1	0.86	0.59	1	19	—	—	(17)	(18)	(19)	(20)
Civil Parish of Pennal, administered by R.D.C. of Machynlleth (Montgomeryshire)	338	1	2	—	—	3	8.9	1.42	0.75	1	1	2	5.9	0.59	0.30	—	—	—	2	(17)	(18)	(19)	(20)
MONMOUTHSHIRE																							
County Borough :	424,300	3,831	3,572	134	119	7,656	18.0	1.05	1.12	2,829	2,202	5,031	11.9	1.06	1.07	325	42	168	244	(17)	(18)	(19)	(20)
Newport	105,800	938	854	42	24	1,858	17.6	0.99	1.03	651	511	1,162	11.0	1.11	1.03	76	40	35	59	(17)	(18)	(19)	(20)
Admin. County	318,500	2,893	2,718	92	95	5,798	18.2	1.07	1.16	2,178	1,691	3,869	12.1	1.05	1.08	249	43	133	185	(17)	(18)	(19)	(20)
Urban Districts	275,027	2,517	2,406	79	80	5,082	18.5	1.07	1.07	1,881	1,476	3,357	12.2	1.07	1.11	229	45	123	157	(17)	(18)	(19)	(20)
Abercarn	18,620	181	187	6	3	377	20.2	1.06	1.27	130	87	217	11.7	1.11	1.10	12	32	5	11	(17)	(18)	(19)	(20)
Abergavenny	8,587	65	72	5	1	143	16.7	1.02	1.01	39	55	94	10.9	0.89	0.82	4	28	2	8	(17)	(18)	(19)	(20)
Aberthaw	28,070	239	234	13	8	494	17.6	1.09	1.13	219	153	372	13.3	1.07	1.21	31	62	16	13	(17)	(18)	(19)	(20)
Bedwas and Machen	8,581	81	76	1	2	160	18.6	1.08	1.19	55	46	101	11.8	1.07	1.07	4	25	1	4	(17)	(18)	(19)	(20)
Bedwelty	28,910	303	309	13	18	643	22.2	1.09	1.43	193	145	338	11.7	1.22	1.21	38	59	14	20	(17)	(18)	(19)	(20)
Blaenavon	9,975	85	65	—	4	154	15.4	1.11	1.01	83	54	137	13.7	1.04	1.21	8	51	4	2	(17)	(18)	(19)	(20)
Caerleon	4,760	38	50	2	2	92	19.3	1.27	1.45	22	16	38	8.0	1.14	0.77	2	22	—	4	(17)	(18)	(19)	(20)
Chepstow	5,020	34	49	1	2	86	17.1	1.08	1.09	23	24	47	9.4	0.90	0.72	1	12	—	3	(17)	(18)	(19)	(20)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Cwmbran ...	12,950	126	114	3	5	248	19.2	0.99	1.13	65	55	120	9.3	1.06	0.84	10	40	5	7
Ebbw Vale ...	29,440	261	238	7	8	514	17.5	1.06	1.10	246	158	404	13.7	1.13	1.31	37	71	25	13
Monmouth M.B. ...	5,360	52	57	1	4	114	21.3	1.05	1.32	46	49	95	17.7	0.83	1.25	4	35	2	2
Mynyddislwyn ...	14,400	150	135	6	1	292	20.3	1.06	1.28	70	59	129	9.0	1.22	0.93	10	34	7	10
Nantyglo and Blaina ...	11,490	111	92	—	4	207	18.0	1.11	1.18	91	65	156	13.6	1.01	1.16	12	57	8	12
Pontypool ...	42,650	392	328	8	6	734	17.2	1.05	1.07	286	245	531	12.5	1.07	1.13	28	38	19	24
Rhymney ...	9,137	86	68	4	3	161	17.6	1.06	1.11	71	60	131	14.3	1.07	1.30	8	49	6	7
Risca ...	15,270	111	131	5	3	250	16.4	1.05	1.02	82	88	170	11.1	1.02	0.96	7	28	2	12
Tredegar ...	20,090	188	189	4	4	385	19.2	1.04	1.18	147	109	256	12.7	1.04	1.12	13	33	7	5
Usk ...	1,717	14	12	—	2	28	16.3	0.96	0.92	13	8	21	12.2	0.96	0.99	—	—	—	—
Rural Districts ...	43,473	376	312	13	15	716	16.5	1.12	1.10	297	215	512	11.8	0.90	0.90	20	28	10	28
Abergavenny ...	8,693	70	51	3	6	130	15.0	1.34	1.19	46	32	78	9.0	0.83	0.63	2	15	1	7
Chepstow ...	10,020	81	72	6	1	160	16.0	1.05	0.99	72	54	126	12.6	0.98	1.05	6	37	3	10
Magor and St. Mellons ...	13,000	122	105	3	6	236	18.2	1.08	1.16	98	73	171	13.2	0.92	1.03	4	17	1	7
Monmouth ...	6,060	55	41	1	—	97	16.0	1.14	1.08	41	30	71	11.7	0.84	0.83	3	31	2	3
Pontypool ...	5,700	48	43	—	2	93	16.3	1.07	1.03	40	26	66	11.6	0.88	0.87	5	53	3	1
MONTGOMERYSHIRE :																			
Admin. County ...	45,762	376	381	23	29	809	17.7	1.14	1.19	304	286	590	12.9	0.87	0.95	37	45	27	18
Urban Districts ...	17,934	160	145	5	8	318	17.7	1.02	1.07	111	122	233	13.0	0.88	0.97	12	37	9	5
Llanfyllin M.B. ...	1,470	4	3	—	1	8	5.4	1.07	0.34	8	9	17	11.6	0.92	0.90	—	—	—	—
Llanidloes M.B. ...	2,225	20	14	—	—	34	15.3	1.05	0.95	16	20	36	16.2	0.79	1.08	2	58	—	—
Machynlleth ...	1,920	10	6	—	1	17	8.9	0.97	0.51	14	15	29	15.1	0.90	1.15	—	—	—	—
Montgomery M.B. ...	912	8	7	1	1	17	18.6	1.22	1.34	6	7	13	14.3	0.77	0.93	1	58	1	1
Newtown and Llan- llwchaearn ...	5,542	49	54	1	3	107	19.3	1.09	1.25	34	38	72	13.0	0.90	0.99	5	46	4	2
Welshpool M.B. ...	5,865	69	61	3	2	135	23.0	0.95	1.29	33	33	66	11.3	0.92	0.88	4	29	4	2
Rural Districts ...	27,828	216	236	18	21	491	17.6	1.22	1.28	193	164	357	12.8	0.85	0.92	25	50	18	13
Forden ...	4,967	29	45	2	3	79	15.9	1.18	1.11	29	29	58	11.7	0.84	0.83	3	38	2	3
Llanfyllin ...	10,380	80	86	12	9	187	18.0	1.29	1.37	75	60	135	13.0	0.86	0.95	10	53	8	1
Machynlleth ...	3,213	24	32	2	4	62	19.3	1.18	1.34	19	29	48	14.9	0.75	0.95	1	16	1	2
Newtown and Llanid- loes ...	9,268	83	73	2	5	163	17.6	1.20	1.25	70	46	116	12.5	0.90	0.95	11	67	7	7
PEMBROKESHIRE :																			
Admin. County ...	86,599	760	720	37	30	1,547	17.9	1.06	1.12	590	561	1,151	13.3	0.95	1.07	62	40	45	48
Urban Districts ...	41,640	381	377	11	15	784	18.8	1.02	1.14	270	257	527	12.7	0.99	1.07	33	42	26	21
Fishguard and Good- wick ...	4,775	33	49	1	—	83	17.4	1.07	1.10	36	31	67	14.0	0.92	1.09	5	60	2	3
Haverfordwest M.B. ...	7,300	69	59	2	1	131	17.9	0.97	1.03	44	50	94	12.9	1.01	1.10	5	38	5	2
Milford Haven ...	10,370	103	101	1	6	211	20.3	1.06	1.28	64	50	114	11.0	1.31	1.22	8	38	6	8
Narberth ...	1,000	8	10	1	—	19	19.0	1.14	1.28	7	8	15	15.0	0.84	1.07	4	208	3	—
Neyland ...	2,360	24	17	1	—	42	17.8	1.09	1.15	15	12	27	11.4	1.05	1.01	1	24	1	—
Pembroke M.B. ...	11,340	107	111	5	6	229	20.2	1.02	1.22	82	78	160	14.1	0.91	1.09	8	35	8	6
Tenby M.B. ...	4,495	37	30	—	2	69	15.4	0.93	0.85	22	28	50	11.1	0.80	0.75	2	29	1	2

TABLE 17—continued.

AREA.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.		Deaths under 4 weeks.	Stillbirths.		
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.			Number.	Rate per 1,000 Related Live Births.
		M.	F.	M.	F.														
PEMBROKESHIRE—contd.	Rural Districts ...	379	343	26	15	763	17.0	1.09	1.10	320	304	624	13.9	0.92	1.08	29	38	19	27
	Cemaes ...	71	53	5	4	133	14.9	1.17	1.03	76	82	158	17.8	0.81	1.22	5	37	4	4
	Haverfordwest ...	180	184	13	8	385	18.6	1.05	1.16	117	119	236	11.4	1.00	0.97	9	23	7	11
	Narberth ...	78	67	5	2	152	15.1	1.11	0.99	90	76	166	16.5	0.88	1.23	10	65	5	8
	Pembroke ...	50	39	3	1	93	17.7	1.10	1.15	37	27	64	12.2	0.90	0.93	5	53	3	4
RADNORSHIRE :	Admin. County ...	150	144	4	9	307	15.2	1.18	1.06	121	128	249	12.3	0.84	0.88	9	29	5	12
	Urban Districts ...	57	43	2	4	106	16.4	1.09	1.06	46	54	100	15.4	0.81	1.06	3	28	2	6
	Knighton ...	18	14	1	2	35	18.6	1.11	1.22	16	20	36	19.1	0.79	1.28	—	—	—	2
	Llandrindod Wells ...	31	20	1	1	53	15.4	1.05	0.96	17	29	46	13.4	0.82	0.93	3	56	2	3
	Presteign ...	8	9	—	1	18	15.6	1.21	1.12	13	5	18	15.6	0.80	1.06	—	—	—	1
	Rural Districts ...	93	101	2	5	201	14.6	1.22	1.05	75	74	149	10.8	0.86	0.79	6	30	3	6
	Colwyn ...	14	12	—	—	26	14.8	1.17	1.02	10	12	22	12.5	0.90	0.95	—	—	—	3
	Knighton ...	24	23	—	—	47	14.6	1.22	1.05	18	10	28	8.7	0.91	0.67	2	42	1	—
	New Radnor ...	12	13	1	2	28	12.5	1.27	0.94	11	10	21	9.3	0.85	0.67	1	35	1	—
	Paincastle ...	17	21	1	1	40	21.0	1.15	1.43	11	12	23	12.1	0.78	0.80	—	—	—	1
Rhayader ...	26	32	—	2	60	12.9	1.25	0.95	25	30	55	11.8	0.85	0.85	3	50	1	2	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)

TABLE 18.—Stillbirths by Sex and Legitimacy (with Ratio per 1,000 Total Births), 1949.

England and Wales, Geographical Regions; London and Metropolitan Boroughs, and County Boroughs; Aggregates of Urban and of Rural Districts in each Administrative County.

See Explanatory notes on page vi.

Area.							Legitimate		Illegitimate		Total	Stillbirths per 1,000 Total Births.
							M.	F.	M.	F.		
SUMMARY.												
ENGLAND AND WALES							8,503	7,321	626	497	16,947	23
SOUTH EAST							2,435	2,073	177	150	4,835	20
Greater London							1,326	1,141	101	85	2,653	20
Remainder of South East							1,109	932	76	65	2,182	20
NORTH							2,945	2,595	242	189	5,971	25
North I							512	479	34	25	1,050	24
North II							333	252	35	20	640	25
North III							735	597	64	52	1,448	23
North IV							1,365	1,267	109	92	2,833	25
MIDLAND							1,630	1,389	123	86	3,228	22
Midland I							1,113	932	82	53	2,180	23
Midland II							517	457	41	33	1,048	22
EAST							396	353	26	17	792	23
SOUTH WEST							422	365	27	19	833	22
WALES							675	546	31	36	1,288	28
Wales I							505	390	18	25	938	28
Wales II							170	156	13	11	350	28
Density summary of areas outside Greater London												
COUNTY BOROUGHES							2,779	2,464	242	189	5,674	24
OTHER URBAN DISTRICTS							2,787	2,364	190	148	5,489	23
RURAL DISTRICTS							1,611	1,352	93	75	3,131	22

TABLE 18—continued.

Area.		Legitimate.		Illegitimate.		Total	Still-births per 1000 Total births	Area.		Legitimate.		Illegitimate.		Total	Still-births per 1000 Total births
		M.	F.	M.	F.					M.	F.	M.	F.		
LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.															
London		560	470	55	44	1129	20								
City of London		1	1	1	1	4	11	County Boroughs							
Inner and Middle								—contd.							
Temples		—	—	—	—	—	—	Dudley	15	12	—	—	27	24	
Metropolitan								Eastbourne	7	12	1	—	20	27	
Boroughs :								East Ham	28	15	3	2	48	24	
Battersea		22	17	3	1	43	21	Exeter	14	16	—	1	31	25	
Bermondsey		10	10	—	1	21	18	Gateshead	23	30	2	—	55	24	
Bethnal Green		13	4	1	2	20	19	Gloucester	9	6	—	—	15	13	
Camberwell		32	30	1	2	65	20	Great Yarmouth	14	10	—	—	24	29	
Chelsea		8	6	1	2	17	19	Grimsby	25	12	—	2	39	20	
Deptford		15	10	1	—	26	18	Halifax	15	13	1	—	29	18	
Finsbury		9	5	2	—	16	23	Hastings	12	7	1	2	22	24	
Fulham... ..		23	20	3	3	49	23	Huddersfield	26	25	5	—	56	28	
Greenwich		15	9	—	—	24	15	Ipswich	16	8	2	2	28	14	
Hackney		28	22	2	1	53	19	Kingston upon Hull	88	59	10	3	160	25	
Hammersmith		18	18	2	4	42	21	Leeds	105	68	8	14	195	23	
Hampstead		16	8	2	2	28	19	Leicester	61	54	8	3	126	24	
Holborn		2	6	1	1	10	30	Lincoln	14	15	2	1	32	29	
Islington		35	42	8	3	88	20	Liverpool	170	165	12	10	357	21	
Kensington		15	24	—	—	39	14	Manchester	144	153	23	8	328	24	
Lambeth		42	34	2	1	79	19	Middlesbrough	30	28	3	2	63	20	
Lewisham		32	28	2	1	63	16	Newcastle upon							
Paddington		19	21	4	1	45	20	Tyne	48	47	2	3	100	18	
Poplar		14	14	2	1	31	22	Northampton... ..	15	14	1	1	31	19	
St. Marylebone		9	10	3	3	25	27	Norwich	20	29	2	3	54	26	
St. Pancras		26	16	3	1	46	20	Nottingham	57	45	9	6	117	20	
Shoreditch		8	3	1	2	14	16	Oldham	24	24	—	2	50	25	
Southwark		29	19	2	3	53	27	Oxford	9	9	2	1	21	13	
Stepney... ..		21	16	—	2	39	21	Plymouth	39	51	6	3	99	26	
Stoke Newington		11	8	—	—	19	20	Portsmouth	41	29	3	2	75	18	
Wandsworth		54	47	3	5	109	21	Preston	30	33	1	—	64	29	
Westminster		13	5	4	1	23	18	Reading	18	21	—	—	39	21	
Woolwich		20	17	1	—	38	15	Rochdale	20	15	2	2	39	28	
County Boroughs		2886	2534	257	195	5872	24	Rotherham	17	20	1	—	38	24	
Barnsley		18	7	1	1	27	18	St. Helens	36	33	—	2	71	34	
Barrow in Furness		12	13	3	1	29	23	Salford	43	38	2	6	89	24	
Bath		11	10	—	1	22	19	Sheffield	101	71	5	3	180	22	
Birkenhead		38	40	7	3	88	31	Smethwick	11	15	2	1	29	21	
Birmingham		236	200	18	16	470	23	Southampton	49	44	6	2	101	29	
Blackburn		26	22	4	3	55	32	Southend-on-Sea	22	15	—	—	37	16	
Blackpool		24	28	3	4	59	31	Southport	9	12	—	1	22	22	
Bolton		34	37	6	2	79	28	South Shields	22	17	1	2	42	20	
Bootle		18	10	2	3	33	21	Stockport	31	27	2	3	63	27	
Bournemouth		22	18	1	3	44	25	Stoke on Trent	72	63	6	4	145	28	
Bradford		64	47	12	8	131	25	Sunderland	53	40	2	6	101	27	
Brighton		20	25	2	4	51	22	Tynemouth	19	17	—	—	36	27	
Bristol		75	73	3	6	157	21	Wakefield	15	13	—	—	28	27	
Burnley		20	17	2	4	43	30	Wallasey	16	19	2	1	38	21	
Burton upon Trent		13	8	1	—	22	23	Walsall	31	27	2	2	62	27	
Bury		9	15	1	1	26	28	Warrington	30	20	4	—	54	35	
Canterbury		4	4	1	—	9	19	West Bromwich	27	16	—	2	45	26	
Carlisle		13	12	3	—	28	23	West Ham	35	23	6	—	64	19	
Chester		14	8	—	—	22	25	West Hartlepool	20	10	3	—	33	22	
Coventry		41	44	7	2	94	19	Wigan	33	31	1	2	67	45	
Croydon		44	32	6	4	86	21	Wolverhampton	39	39	3	—	81	27	
Darlington		13	18	1	2	34	24	Worcester	16	12	2	—	30	29	
Derby		22	21	3	2	48	19	York	16	21	2	1	40	22	
Dewsbury		9	11	—	3	23	22	Cardiff	75	55	2	8	140	29	
Doncaster		19	8	2	1	30	21	Merthyr Tydfil	23	18	1	1	43	38	
								Newport, Mon.	26	32	1	—	59	31	
								Swansea	43	33	3	1	80	29	

TABLE 18—continued.

Area.		Legitimate.		Illegitimate.		Total	Still-births per 1000 Total births	Area.		Legitimate.		Illegitimate.		Total	Still-births per 1000 Total births
		M.	F.	M.	F.					M.	F.	M.	F.		
ADMINISTRATIVE COUNTIES.															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Bedfordshire ...	U.D.	44	33	3	1	81	23	Shropshire ...	U.D.	30	28	2	1	61	25
	R.D.	13	22	—	4	39	24		R.D.	30	14	1	1	46	18
Berkshire ...	U.D.	14	15	—	1	30	18	Somersetshire ...	U.D.	43	37	4	—	84	22
	R.D.	35	20	3	3	61	19		R.D.	56	39	2	1	98	23
Buckinghamshire	U.D.	33	40	5	1	79	24	Southampton ...	U.D.	53	51	2	2	108	18
	R.D.	22	17	2	2	43	14		R.D.	58	37	3	5	103	22
Cambridgeshire ...	U.D.	7	15	1	1	24	18	Staffordshire ...	U.D.	146	126	10	6	288	25
	R.D.	20	18	1	—	39	29		R.D.	39	36	6	2	83	23
Cheshire ...	U.D.	136	104	8	12	260	26	Suffolk, East ...	U.D.	16	19	1	—	36	23
	R.D.	32	29	2	—	63	22		R.D.	24	18	—	—	42	21
Cornwall ...	U.D.	33	32	—	2	67	24	Suffolk, West ...	U.D.	5	8	1	—	14	21
	R.D.	34	24	2	3	63	25		R.D.	16	19	1	—	36	28
Cumberland ...	U.D.	20	21	2	2	45	27	Surrey ...	U.D.	156	158	13	12	339	19
	R.D.	35	27	2	3	67	28		R.D.	35	19	2	5	61	26
Derbyshire ...	U.D.	73	73	3	3	152	24	Sussex, East ...	U.D.	26	14	1	2	43	18
	R.D.	69	61	2	4	136	24		R.D.	16	18	2	—	36	16
Devonshire ...	U.D.	42	30	4	1	77	21	Sussex, West ...	U.D.	23	23	4	5	55	24
	R.D.	56	40	3	1	100	27		R.D.	19	27	—	2	48	20
Dorsetshire ...	U.D.	21	14	2	3	40	14	Warwickshire ...	U.D.	49	43	7	4	103	19
	R.D.	11	16	1	—	28	16		R.D.	30	30	—	—	60	20
Durham ...	U.D.	161	158	11	5	335	28	Westmorland ...	U.D.	7	4	1	1	13	28
	R.D.	59	53	5	5	122	24		R.D.	9	6	1	1	17	28
Ely, I. of ...	U.D.	12	10	—	—	22	22	Wight, I. of ...	U.D.	20	7	2	3	32	28
	R.D.	5	8	—	—	13	20		R.D.	6	2	—	—	8	32
Essex ...	U.D.	205	199	12	7	423	20	Wiltshire ...	U.D.	30	22	1	2	55	19
	R.D.	35	27	1	1	64	17		R.D.	32	34	2	1	69	21
Gloucestershire ...	U.D.	23	17	2	1	43	17	Worcestershire ...	U.D.	53	39	3	3	98	21
	R.D.	63	51	1	1	116	23		R.D.	34	18	3	—	55	26
Herefordshire ...	U.D.	18	5	1	1	25	24	Yorkshire, E.R.	U.D.	20	11	3	1	35	22
	R.D.	13	10	2	—	25	19		R.D.	17	18	3	1	39	22
Hertfordshire ...	U.D.	78	59	2	1	140	20	Yorkshire, N.R.	U.D.	68	40	6	5	119	31
	R.D.	30	21	5	—	56	20		R.D.	26	26	1	1	54	19
Huntingdonshire	U.D.	9	5	—	2	16	33	Yorkshire, W.R.	U.D.	238	209	24	14	485	24
	R.D.	5	8	1	—	14	21		R.D.	92	84	3	7	186	24
Kent ...	U.D.	222	169	7	6	404	21	Anglesey ...	U.D.	1	6	—	1	8	23
	R.D.	55	52	3	1	111	20		R.D.	9	8	—	—	17	31
Lancashire ...	U.D.	368	316	22	20	726	25	Brecknockshire ...	U.D.	3	2	—	—	5	17
	R.D.	48	58	—	2	108	24		R.D.	14	7	—	—	21	31
Leicestershire ...	U.D.	30	37	5	2	74	25	Caernarvonshire	U.D.	13	12	1	1	27	25
	R.D.	34	24	3	3	64	21		R.D.	11	6	1	—	18	22
Lincs., Holland ...	U.D.	13	7	2	—	22	28	Cardiganshire ...	U.D.	1	6	—	—	7	32
	R.D.	10	15	—	—	25	23		R.D.	3	4	—	—	7	13
Lincs., Kesteven	U.D.	6	6	1	—	13	16	Carmarthenshire	U.D.	19	13	—	—	32	30
	R.D.	17	9	—	—	26	18		R.D.	17	18	—	1	36	23
Lincs., Lindsey ...	U.D.	31	23	1	1	56	21	Denbighshire ...	U.D.	23	23	1	1	48	37
	R.D.	39	37	5	1	82	28		R.D.	34	22	2	4	62	37
Middlesex ...	U.D.	338	302	16	22	678	20	Flintshire ...	U.D.	17	14	3	1	35	28
Norfolk ...	U.D.	16	14	—	2	32	27		R.D.	18	8	1	—	27	22
	R.D.	51	35	5	2	93	20	Glamorganshire...	U.D.	130	111	7	5	253	26
Northamptonshire	U.D.	22	16	—	—	38	18		R.D.	50	31	1	2	84	26
	R.D.	16	16	1	—	33	16	Merionethshire	U.D.	1	3	—	—	4	15
Northumberland	U.D.	77	73	6	1	157	25		R.D.	3	7	—	2	12	30
	R.D.	17	16	1	1	35	22	Monmouthshire...	U.D.	92	55	3	7	157	30
Nottinghamshire	U.D.	74	55	3	7	139	21		R.D.	13	15	—	—	28	38
	R.D.	30	28	3	1	62	23	Montgomeryshire	U.D.	4	1	—	—	5	15
Oxfordshire ...	U.D.	7	10	1	—	18	20		R.D.	5	5	2	1	13	26
	R.D.	21	7	1	—	29	13	Pembrokeshire ...	U.D.	8	12	1	—	21	26
Peterborough,	U.D.	12	7	—	1	20	24		R.D.	14	12	1	—	27	34
Soke of ...	R.D.	2	6	—	—	8	40	Radnorshire ...	U.D.	3	3	—	—	6	54
Rutlandshire ...	U.D.	—	—	—	—	—	—		R.D.	2	4	—	—	6	29
	R.D.	5	5	—	—	10	30								

TABLE 19.—Civilian Deaths by Sex at each Year of Age } England and Wales.
(with Marital Conditions), 1949.

Included in this Table are 325 cases (171 Males and 154 Females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See Explanatory notes on page vi.

Age last birth-day.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
All Ages	509973	259942	44252	142831	60584	12275	250031	53332	83179	113326	194
0-4	28523	16430	16430	—	—	—	12093	12093	—	—	—
0	23882	13854	13854	—	—	—	10028	10028	—	—	—
1	1979	1081	1081	—	—	—	898	898	—	—	—
2	1211	640	640	—	—	—	571	571	—	—	—
3	826	484	484	—	—	—	342	342	—	—	—
4	625	371	371	—	—	—	254	254	—	—	—
5-9	2045	1213	1213	—	—	—	832	832	—	—	—
5	564	327	327	—	—	—	237	237	—	—	—
6	473	270	270	—	—	—	203	203	—	—	—
7	377	232	232	—	—	—	145	145	—	—	—
8	347	203	203	—	—	—	144	144	—	—	—
9	284	181	181	—	—	—	103	103	—	—	—
10-14	1586	903	903	—	—	—	683	683	—	—	—
10	302	164	164	—	—	—	138	138	—	—	—
11	300	177	177	—	—	—	123	123	—	—	—
12	272	159	159	—	—	—	113	113	—	—	—
13	322	176	176	—	—	—	146	146	—	—	—
14	390	227	227	—	—	—	163	163	—	—	—
15-19	2779	1442	1269	8	1	164	1337	1278	54	1	4
15	445	250	250	—	—	—	195	195	—	—	—
16	530	313	296	—	—	17	217	216	1	—	—
17	553	294	249	—	—	45	259	255	1	1	2
18	598	295	245	4	—	46	303	288	13	—	2
19	653	290	229	4	1	56	363	324	39	—	—
20-24	4363	2210	1462	244	8	496	2153	1330	804	11	8
20	714	350	269	9	—	72	364	297	65	1	1
21	802	408	294	13	—	101	394	276	115	—	3
22	921	479	312	50	1	116	442	268	170	3	1
23	928	457	286	71	3	97	471	264	203	1	3
24	998	516	301	101	4	110	482	225	251	6	—
25-29	5586	2821	1161	1078	21	561	2765	830	1868	65	2
25	981	484	244	136	2	102	497	174	313	10	—
26	1002	498	235	145	4	114	504	169	325	10	—
27	1117	573	214	223	6	130	544	172	357	14	1
28	1225	634	257	264	6	107	591	153	424	13	1
29	1261	632	211	310	3	108	629	162	449	18	—
30-34	5296	2680	742	1468	29	441	2616	597	1922	92	5
30	981	495	163	245	5	82	486	129	335	19	3
31	946	496	144	260	3	89	450	126	310	14	—
32	1038	524	134	282	5	103	514	117	373	23	1
33	1076	545	128	332	6	79	531	114	400	16	1
34	1255	620	173	349	10	88	635	111	504	20	—
35-39	7848	4159	859	2638	82	580	3689	750	2789	145	5
35	1412	731	177	432	10	112	681	154	502	24	1
36	1438	778	148	496	17	117	660	126	506	26	2
37	1566	844	168	549	16	111	722	142	551	27	2
38	1646	851	177	534	16	124	795	170	592	33	—
39	1786	955	189	627	23	116	831	158	638	35	—
40-44	11071	6254	1018	4389	148	699	4817	1027	3484	301	5
40	1956	1076	188	717	28	143	880	172	654	52	2
41	1962	1115	195	760	24	136	847	164	640	42	1
42	2222	1256	186	885	38	147	966	223	680	63	—
43	2337	1318	211	951	26	130	1019	218	724	76	1
44	2594	1489	238	1076	32	143	1105	250	786	68	1
45-49	16718	9808	1352	7265	314	877	6910	1241	5085	578	6
45	2777	1612	225	1183	55	149	1165	221	861	82	1
46	2978	1767	271	1266	52	178	1211	223	895	92	1
47	3189	1865	245	1401	56	163	1324	219	998	106	1
48	3721	2200	305	1630	77	188	1521	286	1095	139	1
49	4053	2364	306	1785	74	199	1689	292	1236	159	2

TABLE 19—continued.

Age last birth-day.	Persons.	MALES					FEMALES				
		Total.	Single.	Married.	Widowed.	No Statement.	Total.	Single.	Married.	Widowed.	No Statement.
50-54	22685	13165	1407	10197	671	890	9520	1651	6546	1315	8
50	3950	2272	247	1770	80	175	1678	294	1185	197	2
51	3987	2293	263	1762	116	152	1694	310	1172	211	1
52	4609	2647	290	2024	147	186	1962	352	1337	271	2
53	4846	2898	303	2240	171	184	1948	345	1318	282	3
54	5293	3055	304	2401	157	193	2238	350	1534	354	—
55-59	32034	18932	1743	14797	1338	1054	13102	2165	8270	2660	7
55	5285	3142	309	2460	183	190	2143	381	1434	327	1
56	5939	3464	301	2744	212	207	2475	413	1616	446	—
57	6230	3687	350	2877	260	200	2543	413	1628	501	1
58	6912	4048	379	3140	303	226	2864	483	1737	641	3
59	7668	4591	404	3576	380	231	3077	475	1855	745	2
60-64	45765	26933	2445	20174	3024	1290	18832	2779	10533	5510	10
60	7745	4572	394	3518	418	242	3173	502	1895	774	2
61	8023	4816	443	3675	488	210	3207	500	1811	894	2
62	9157	5324	530	3937	570	287	3833	587	2137	1107	2
63	10131	5914	504	4424	698	288	4217	580	2309	1325	3
64	10709	6307	574	4620	850	263	4402	610	2381	1410	1
65-69	60700	33647	3144	23332	5877	1294	27053	3953	12533	10555	12
65	10956	6292	652	4483	888	269	4664	698	2362	1600	4
66	11195	6203	575	4389	1000	239	4992	724	2412	1855	1
67	12097	6831	614	4859	1104	254	5266	795	2424	2046	1
68	12942	7029	635	4821	1288	285	5913	877	2663	2373	—
69	13510	7292	668	4780	1597	247	6218	859	2672	2681	6
70-74	76875	39543	3521	24192	10498	1332	37332	5496	13203	18596	37
70	14055	7402	641	4867	1626	268	6653	992	2661	2991	9
71	13876	7205	661	4664	1652	228	6671	900	2552	3215	4
72	15833	8160	760	4952	2176	272	7673	1150	2782	3730	11
73	16397	8332	734	4860	2442	296	8065	1233	2645	4181	6
74	16714	8444	725	4849	2602	268	8270	1221	2563	4479	7
75-79	78674	37584	2926	18939	14464	1255	41090	6281	9779	25001	29
75	16364	8142	692	4449	2731	270	8222	1258	2383	4574	7
76	16378	7887	607	4172	2839	269	8491	1303	2148	5032	8
77	15349	7407	573	3759	2824	251	7942	1180	1891	4871	—
78	15554	7251	549	3447	3013	242	8303	1264	1794	5240	5
79	15029	6897	505	3112	3057	223	8132	1276	1563	5284	9
80-84	60787	26036	1795	9970	13410	861	34751	5352	4690	24680	29
80	14007	6268	457	2618	2981	212	7739	1197	1320	5217	5
81	12959	5487	369	2252	2705	161	7472	1196	1131	5139	6
82	12127	5383	382	2068	2755	178	6744	1004	858	4876	6
83	11344	4716	308	1654	2591	163	6628	1007	765	4851	5
84	10350	4182	279	1378	2378	147	6168	948	616	4597	7
85-89	33915	12569	674	3526	7995	374	21346	3454	1415	16461	16
85	9376	3671	207	1122	2221	121	5705	895	490	4315	5
86	7933	2967	171	866	1855	75	4966	803	368	3792	3
87	6545	2429	135	657	1564	73	4116	634	257	3223	2
88	5547	1962	94	511	1305	52	3585	640	167	2772	6
89	4514	1540	67	370	1050	53	2974	482	133	2359	—
90-94	10633	3141	168	553	2331	89	7492	1266	187	6030	9
90	3501	1076	58	218	778	22	2425	410	77	1933	5
91	2585	821	44	146	605	26	1764	301	49	1412	2
92	1986	573	33	91	431	18	1413	225	24	1163	1
93	1540	404	16	60	315	13	1136	204	27	904	1
94	1021	267	17	38	202	10	754	126	10	618	—
95-99	1930	445	20	56	352	17	1485	253	17	1213	2
95	709	187	10	28	145	4	522	79	9	434	—
96	504	107	5	9	87	6	397	74	2	321	—
97	322	74	3	8	58	5	248	46	4	196	2
98	252	53	1	7	44	1	199	29	2	168	—
99	143	24	1	4	18	1	119	25	—	94	—
100 and over	160	27	—	5	21	1	133	21	—	112	—

TABLE 19A—Constructed Analysis of 1949 Civilian Deaths
by Age and Marital Condition.

} England and Wales.

Note.—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 19) have been distributed proportionately amongst those of stated condition in the age group.

Age Groups. (l.b.d.)	Persons.	MALES.				FEMALES.			
		Total.	Single.	Married.	Widowed.	Total.	Single.	Married.	Widowed.
All Ages	509973	259942	46438	150676	62828	250031	53369	83246	113416
0-4	28523	16430	16430	—	—	12093	12093	—	—
5-9	2045	1213	1213	—	—	832	832	—	—
10-14	1586	903	903	—	—	683	683	—	—
15-19	2779	1442	1432	9	1	1337	1282	54	1
20-24	4363	2210	1885	315	10	2153	1335	807	11
25-29	5586	2821	1449	1346	26	2765	831	1869	65
30-34	5296	2680	888	1757	35	2616	598	1926	92
35-39	7848	4159	998	3066	95	3689	751	2793	145
40-44	11071	6254	1146	4941	167	4817	1028	3488	301
45-49	16718	9808	1485	7978	345	6910	1242	5089	579
50-54	22685	13165	1509	10936	720	9520	1652	6552	1316
55-59	32034	18932	1846	15669	1417	13102	2166	8275	2661
60-64	45765	26933	2568	21189	3176	18832	2780	10539	5513
65-69	60700	33647	3270	24265	6112	27053	3955	12538	10560
70-74	76875	39543	3644	25035	10864	37332	5501	13216	18615
75-79	78674	37584	3027	19593	14964	41090	6285	9786	25019
80-84	60787	26036	1856	10311	13869	34751	5356	4694	24701
85-89	33915	12569	695	3634	8240	21346	3457	1416	16473
90-94	10633	3141	173	569	2399	7492	1268	187	6037
95-99	1930	445	21	58	366	1485	253	17	1215
100 and over	160	27	—	5	22	133	21	—	112

TABLE 20.—Deaths at Different Ages, 1949.

Non-Civilian deaths are shown for England and Wales only. They are excluded from the rest of the table.

England and Wales, Geographical Regions,
London and Metropolitan Boroughs,
County Boroughs.
Aggregates of other Urban and of Rural
Districts in each Administrative County.

See Explanatory notes on page vi.

Age.	Sex.	England and Wales.		South East.			North.				
		Total excluding Non-Civilians.	Non-Civilians.	Total.	Greater London.	Remainder.	Total.	North I.	North II.	North III.	North IV.
All Ages	M	259,942	744	82,965	45,017	37,948	86,841	14,340	8,643	23,031	40,827
	F	250,031	19	82,630	43,788	38,842	82,774	12,821	8,138	21,794	40,021
Under 4 weeks	M	8,218	—	2,355	1,313	1,042	2,877	573	283	716	1,305
4 weeks to 3 months	F	5,888	—	1,639	900	739	2,156	371	219	552	1,014
	M	2,098	—	471	263	208	922	174	96	190	462
	F	1,478	—	300	175	125	681	138	72	150	321
3-6 months	M	1,897	—	396	225	171	848	189	111	184	364
6-12 months	F	1,368	—	262	138	124	634	142	70	129	293
	M	1,641	—	378	187	191	666	140	73	144	309
	F	1,294	—	296	147	149	534	97	54	120	263
Total under 1 year	M	13,854	—	3,600	1,988	1,612	5,313	1,076	563	1,234	2,440
	F	10,028	—	2,497	1,360	1,137	4,005	748	415	951	1,891
1—	M	1,081	—	287	129	158	420	73	52	93	202
	F	898	—	220	113	107	359	51	43	98	167
2—	M	640	—	173	87	86	245	41	18	64	122
	F	571	—	153	84	69	239	40	33	64	102
3—	M	484	—	139	82	57	167	30	14	46	77
	F	342	—	99	54	45	132	18	14	34	66
4—	M	371	—	104	55	49	132	25	8	33	66
	F	254	—	77	36	41	86	10	10	26	40
Total under 5 years	M	16,430	—	4,303	2,341	1,962	6,277	1,245	655	1,470	2,907
	F	12,093	—	3,046	1,647	1,399	4,821	867	515	1,173	2,266
5—	M	1,213	—	372	200	172	382	53	40	106	183
	F	832	—	224	105	119	280	45	35	75	125
10—	M	903	—	272	149	123	311	58	21	95	137
	F	683	—	188	108	80	246	51	20	63	112
15—	M	1,442	146	415	214	201	504	108	59	102	235
	F	1,337	1	347	206	141	482	125	57	89	211
20—	M	2,210	177	634	347	287	746	162	72	181	331
	F	2,153	8	552	331	221	812	170	89	189	364
25—	M	2,821	125	866	498	368	918	182	99	230	407
	F	2,765	4	776	453	323	1,007	218	88	232	469
30—	M	2,680	42	803	471	332	893	183	92	214	404
	F	2,616	—	788	465	323	947	164	104	246	433
35—	M	4,159	73	1,232	732	500	1,484	265	183	341	695
	F	3,689	1	1,145	692	453	1,302	206	122	317	657
40—	M	6,254	60	1,888	1,135	753	2,230	383	213	553	1,081
	F	4,817	2	1,567	922	645	1,664	278	169	407	810
45—	M	9,808	43	3,079	1,891	1,188	3,468	574	345	887	1,662
	F	6,910	2	2,189	1,277	912	2,425	393	228	586	1,218
50—	M	13,165	37	4,167	2,561	1,606	4,656	761	442	1,222	2,231
	F	9,520	1	3,080	1,731	1,349	3,268	510	317	860	1,581
55—	M	18,932	23	5,879	3,520	2,359	6,731	1,098	626	1,711	3,296
	F	13,102	—	4,117	2,323	1,794	4,719	826	425	1,177	2,291
60—	M	26,933	13	8,532	4,942	3,590	9,441	1,456	820	2,598	4,567
	F	18,832	—	5,942	3,248	2,694	6,680	1,050	633	1,722	3,275
65—	M	33,647	4	11,006	6,277	4,729	11,413	1,735	1,044	3,185	5,449
	F	27,053	—	8,474	4,574	3,900	9,705	1,461	884	2,604	4,756
70—	M	39,543	—	12,432	6,758	5,674	13,664	2,109	1,303	3,719	6,533
	F	37,332	—	11,739	6,355	5,384	13,276	1,967	1,203	3,562	6,544
75—	M	37,584	1	12,184	6,068	6,116	12,065	1,983	1,194	3,313	5,575
	F	41,090	—	13,858	7,221	6,637	13,388	1,947	1,272	3,670	6,499
80—	M	26,036	—	8,833	4,252	4,581	7,770	1,297	873	2,122	3,478
	F	34,751	—	12,513	6,373	6,140	10,417	1,522	1,097	2,829	4,969
85 and over	M	16,182	—	6,068	2,661	3,407	3,888	688	562	982	1,656
	F	30,456	—	12,085	5,757	6,328	7,335	1,021	880	1,993	3,441

TABLE 20—continued.

Age.	Sex.	Midland.			East.	South West.	Wales.			Aggregates of areas outside Greater London.		
		Total.	Midland I.	Midland II.			Total.	Wales I.	Wales II.	County Boroughs.	Urban Districts.	Rural Districts.
All Ages	M	45,971	30,300	15,671	12,218	14,642	17,305	12,434	4,871	82,600	84,365	47,960
	F	42,564	28,040	14,524	11,613	15,646	14,804	9,969	4,835	79,049	82,488	44,706
Under 4 weeks	M	1,585	1,075	510	403	413	585	429	156	2,705	2,666	1,534
4 weeks to 3 months	F	1,117	773	344	228	316	432	317	115	2,034	1,891	1,063
	M	395	265	130	82	63	165	136	29	867	603	365
	F	278	190	88	60	53	106	72	34	608	457	238
3-6 months	M	368	241	127	75	60	150	112	38	761	601	310
6-12 months	F	278	186	92	51	45	98	69	29	556	445	229
	M	336	199	137	70	72	119	86	33	670	503	281
	F	265	171	94	53	39	107	82	25	505	440	202
Total under 1 year	M	2,684	1,780	904	630	608	1,019	763	256	5,003	4,373	2,490
	F	1,938	1,320	618	392	453	743	540	203	3,703	3,233	1,732
1—	M	205	135	70	49	46	74	52	22	412	324	216
	F	171	115	56	40	47	61	46	15	349	267	169
2—	M	124	94	30	25	26	47	37	10	229	196	128
	F	98	61	37	26	27	28	21	7	194	184	109
3—	M	98	61	37	21	28	31	24	7	155	161	86
	F	66	47	19	8	19	18	17	1	134	90	64
4—	M	82	60	22	16	14	23	18	5	128	113	75
	F	51	36	15	13	14	13	11	2	91	78	49
Total under 5 years	M	3,193	2,130	1,063	741	722	1,194	894	300	5,927	5,167	2,995
	F	2,324	1,579	745	479	560	863	635	228	4,471	3,852	2,123
5—	M	244	171	73	51	80	84	60	24	383	408	222
	F	182	117	65	38	55	53	43	10	253	300	174
10—	M	178	103	75	42	47	53	40	13	280	300	174
	F	145	105	40	22	28	54	40	14	224	238	113
15—	M	278	195	83	55	75	115	89	26	482	428	318
	F	282	208	74	51	68	107	89	18	508	423	200
20—	M	414	272	142	99	128	189	149	40	696	736	431
	F	447	290	157	79	92	171	119	52	829	647	346
25—	M	560	355	205	129	133	215	157	58	918	886	519
	F	524	356	168	98	124	236	174	62	1,035	881	396
30—	M	534	371	163	120	128	202	149	53	847	843	519
	F	481	337	144	85	124	191	142	49	909	844	398
35—	M	823	576	247	155	180	285	213	72	1,450	1,286	691
	F	699	460	239	154	181	208	154	54	1,238	1,150	609
40—	M	1,179	795	384	275	274	408	313	95	2,140	1,999	980
	F	865	568	297	188	239	294	209	85	1,605	1,468	822
45—	M	1,805	1,249	556	363	455	638	476	162	3,423	3,022	1,472
	F	1,244	816	428	255	327	470	328	142	2,262	2,256	1,115
50—	M	2,327	1,540	787	451	619	945	688	257	4,544	4,123	1,937
	F	1,701	1,106	595	333	516	622	442	180	3,100	3,120	1,569
55—	M	3,352	2,186	1,166	686	929	1,355	1,030	325	6,484	6,069	2,859
	F	2,218	1,472	746	494	744	810	575	235	4,369	4,313	2,097
60—	M	4,649	3,107	1,542	1,095	1,365	1,851	1,383	468	9,111	8,731	4,149
	F	3,221	2,096	1,125	790	1,036	1,163	812	351	6,170	6,269	3,145
65—	M	5,690	3,804	1,886	1,428	1,846	2,264	1,629	635	10,894	10,812	5,664
	F	4,502	2,955	1,547	1,207	1,533	1,632	1,133	499	8,844	8,998	4,637
70—	M	6,838	4,496	2,342	1,877	2,175	2,557	1,861	696	12,575	12,984	7,226
	F	6,209	4,045	2,164	1,680	2,172	2,256	1,538	718	11,985	12,552	6,440
75—	M	6,638	4,316	2,322	1,971	2,308	2,418	1,663	755	11,195	12,624	7,697
	F	6,980	4,590	2,390	2,019	2,618	2,227	1,417	810	12,883	13,608	7,378
80—	M	4,523	2,943	1,580	1,513	1,835	1,562	1,041	521	7,279	8,607	5,898
	F	5,545	3,619	1,926	1,838	2,526	1,912	1,209	703	10,145	11,669	6,564
85 and over	M	2,746	1,691	1,055	1,167	1,343	970	599	371	3,972	5,340	4,209
	F	4,995	3,321	1,674	1,803	2,703	1,535	910	625	8,219	9,900	6,580

TABLE 20—continued—Metropolitan Boroughs.

Age.	Sex.	Total London. Admin. County.	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ...	M	20,339	26	—	725	386	396	1,110	290	523	272	741	523	1,020	653	454
	F	19,116	14	—	701	337	352	1,025	298	402	223	758	421	939	656	564
Under 4 weeks	M	586	1	—	21	7	16	37	11	17	6	19	13	21	25	14
	F	402	1	—	13	14	9	12	4	9	5	14	13	15	15	16
	M	114	1	—	5	4	—	6	2	3	1	3	—	5	4	1
	F	74	—	—	3	2	2	5	—	3	—	3	—	2	1	1
3–6 months	M	110	—	—	3	1	1	5	2	2	1	4	4	4	4	2
	F	74	—	—	3	2	3	3	1	1	2	3	2	6	1	3
	M	89	—	—	2	1	—	7	1	3	2	4	2	7	3	2
	F	68	—	—	1	2	2	2	2	4	—	3	2	1	2	2
Total under 1 year	M	899	2	—	31	13	17	55	16	25	10	30	19	37	36	19
	F	618	1	—	20	20	16	22	7	17	7	23	17	24	19	22
1—	M	62	—	—	3	1	1	4	—	3	—	1	4	1	3	1
	F	50	—	—	3	—	—	1	2	1	1	4	2	1	5	1
2—	M	34	—	—	—	1	—	5	—	3	1	1	2	1	1	2
	F	42	—	—	1	1	2	3	—	2	—	1	—	2	—	—
3—	M	34	—	—	—	—	1	2	1	—	1	2	—	3	1	2
	F	23	—	—	1	2	—	2	1	—	1	1	—	1	1	1
4—	M	27	—	—	2	1	1	1	—	—	—	2	2	—	—	—
	F	12	—	—	—	2	1	2	—	—	1	1	—	1	2	—
Total under 5 years	M	1,056	2	—	36	16	20	67	17	31	12	36	27	42	41	24
	F	745	1	—	25	25	19	30	10	20	10	30	19	29	27	24
5—	M	88	—	—	4	2	2	8	1	4	—	2	1	9	3	1
	F	38	—	—	2	1	2	—	—	—	—	1	1	1	1	1
10—	M	58	—	—	4	—	1	3	—	5	—	2	1	3	2	—
	F	47	—	—	1	1	1	3	—	—	—	3	—	1	—	2
15—	M	92	—	—	2	1	—	9	—	1	2	4	5	3	3	3
	F	94	—	—	5	3	2	10	—	3	1	5	2	4	—	4
20—	M	157	—	—	4	4	4	9	3	3	3	3	3	7	6	3
	F	145	—	—	9	2	1	5	2	3	2	3	8	6	6	4
25—	M	228	—	—	10	6	4	12	1	8	1	6	6	16	10	3
	F	213	—	—	9	6	3	15	—	5	3	5	6	10	8	10
30—	M	227	—	—	7	4	2	12	4	7	2	9	9	12	7	7
	F	194	—	—	4	2	2	13	1	7	2	8	1	9	9	8
35—	M	343	2	—	10	7	5	15	6	10	7	13	5	20	8	5
	F	291	1	—	9	5	7	11	5	2	—	10	5	22	13	6
40—	M	465	—	—	13	5	9	23	5	9	4	22	10	25	23	12
	F	387	—	—	11	9	5	16	8	7	6	11	12	33	9	17
45—	M	824	1	—	28	18	11	47	8	19	11	26	22	45	23	27
	F	524	1	—	17	8	6	29	7	10	8	18	9	19	18	30
50—	M	1,123	—	—	39	24	23	69	11	18	15	38	24	53	44	26
	F	734	—	—	15	12	15	40	10	10	6	28	18	44	33	29
55—	M	1,563	3	—	68	30	30	78	16	33	23	47	44	72	43	42
	F	1,006	1	—	29	15	21	43	12	28	16	43	16	58	31	26
60—	M	2,301	6	—	82	58	45	116	34	56	27	85	49	137	86	38
	F	1,458	2	—	58	20	29	72	20	34	20	77	30	71	58	33
65—	M	2,952	—	—	89	55	77	149	38	84	44	117	72	135	109	56
	F	2,107	—	—	77	42	50	120	35	37	25	69	46	118	66	54
70—	M	3,131	4	—	118	76	56	180	40	70	46	129	81	165	78	74
	F	2,857	3	—	127	50	45	146	34	62	33	132	63	141	81	67
75—	M	2,784	3	—	100	34	54	164	50	68	41	95	78	146	70	57
	F	3,188	2	—	126	56	57	198	54	71	36	112	65	142	136	85
80—	M	1,827	5	—	60	30	37	85	35	63	19	65	57	85	68	47
	F	2,759	1	—	109	46	52	154	58	48	33	105	72	133	80	82
85 and over	M	1,120	—	—	51	16	16	64	21	34	15	42	29	45	29	29
	F	2,329	2	—	68	34	35	120	42	55	22	98	48	98	80	82

TABLE 20—continued—Metropolitan Boroughs.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ...	M	162	1,577	836	1,377	1,191	754	525	432	959	297	703	751	255	1,975	564	862
	F	122	1,381	983	1,359	1,135	735	432	505	814	297	559	589	247	2,016	547	705
Under 4 weeks	M	7	42	21	48	26	24	14	9	26	11	27	24	9	48	12	30
4 weeks to 3 months	F	2	34	19	26	22	17	11	7	19	12	15	12	4	38	11	13
	M	—	8	8	11	5	4	6	—	6	1	2	5	—	11	2	10
	F	—	5	4	6	3	4	3	1	4	1	6	7	1	2	—	5
3-6 months	M	1	10	2	12	3	6	7	2	5	2	1	4	—	13	4	5
6-12 months	F	1	8	6	7	4	—	4	—	2	—	—	1	—	6	5	—
	M	1	6	4	5	6	2	2	—	4	2	4	4	—	10	2	3
	F	—	6	—	4	4	1	3	1	4	4	1	2	1	3	6	5
Total under 1 year	M	9	66	35	76	40	36	29	11	41	16	34	37	9	82	20	48
	F	3	53	29	43	33	22	21	9	29	17	22	22	6	49	22	23
1—	M	—	6	3	3	4	4	3	1	1	4	1	4	—	3	1	2
	F	—	2	4	6	3	1	1	—	2	—	1	4	2	2	—	1
2—	M	—	1	—	4	1	2	—	—	1	—	1	—	1	4	2	—
	F	—	3	3	2	2	2	—	1	3	1	1	3	—	5	—	4
3—	M	—	3	—	2	4	3	2	—	—	—	1	1	—	2	1	2
	F	1	—	—	2	—	1	—	1	1	—	1	2	—	1	—	2
4—	M	—	1	2	—	3	—	1	—	—	—	—	3	2	3	—	1
	F	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Total under 5 years	M	9	77	40	87	52	45	35	12	43	20	37	45	12	94	24	53
	F	4	59	36	53	38	26	22	11	35	18	25	31	8	58	22	30
5—	M	—	6	3	4	4	3	1	—	6	2	6	2	—	8	2	4
	F	—	2	1	6	1	2	1	—	2	2	2	3	1	3	2	—
10—	M	—	4	2	5	3	1	2	1	4	2	2	2	1	4	1	3
	F	—	4	7	4	2	—	—	1	4	1	2	—	1	4	—	5
15—	M	—	5	4	6	8	5	4	2	8	1	3	—	2	7	1	3
	F	—	9	4	3	5	4	3	1	3	5	2	—	3	7	2	4
20—	M	1	13	13	10	6	5	3	4	8	4	8	7	1	16	3	3
	F	—	8	8	11	9	8	4	1	11	4	7	3	2	7	6	5
25—	M	2	21	10	20	8	11	4	5	10	4	10	7	1	18	8	6
	F	1	12	6	22	11	14	6	5	12	3	3	9	2	15	4	8
30—	M	2	19	12	16	16	15	3	5	7	3	5	7	—	16	6	13
	F	2	12	9	15	14	10	9	5	7	6	5	2	—	22	3	7
35—	M	6	26	12	24	19	17	11	6	14	7	15	11	7	33	11	11
	F	4	27	16	15	16	15	10	7	12	4	17	4	4	25	5	14
40—	M	1	39	21	38	18	17	8	13	22	7	20	13	10	45	21	12
	F	2	24	17	27	19	16	12	11	20	5	9	12	2	29	16	22
45—	M	12	45	30	62	41	40	29	14	43	12	23	35	8	72	36	36
	F	4	41	22	34	30	17	8	17	35	6	14	26	8	41	15	26
50—	M	13	84	55	66	62	44	29	26	72	19	40	45	16	94	35	39
	F	5	32	40	53	50	34	20	23	27	11	17	25	10	79	28	20
55—	M	12	125	63	105	98	78	43	29	91	20	48	55	22	119	55	71
	F	6	65	49	73	68	53	16	37	41	17	28	36	12	91	33	42
60—	M	19	159	82	151	138	66	60	59	116	29	84	97	39	211	63	109
	F	4	98	64	102	76	62	38	45	62	17	48	58	18	159	38	45
65—	M	23	225	120	211	184	111	84	70	129	52	111	115	25	264	85	118
	F	13	135	105	154	123	74	59	56	84	30	62	69	31	240	63	70
70—	M	22	226	136	218	170	120	81	70	148	45	105	122	36	314	68	133
	F	17	212	130	208	154	96	69	77	117	55	89	110	44	316	87	92
75—	M	24	242	116	172	158	99	65	55	116	31	101	110	47	304	74	110
	F	19	241	166	218	195	107	78	82	146	58	97	74	45	310	92	120
80—	M	8	169	81	121	120	46	41	36	71	25	54	49	18	210	32	90
	F	25	219	152	184	173	101	50	65	115	28	70	87	34	309	69	105
85 and over	M	8	92	36	61	86	31	22	25	51	14	31	29	10	146	39	48
	F	16	181	151	177	151	96	27	61	81	27	62	40	22	301	62	90

TABLE 20—continued — County Boroughs.

Age.		Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ...		M	433	484	494	925	6,198	864	1,041	1,132	410	920	2,085	1,101	2,481	638
		F	371	411	583	828	5,667	864	1,212	1,133	373	1,217	2,138	1,184	2,403	675
Under 4 weeks		M	17	21	9	28	199	24	17	27	20	16	55	33	78	26
4 weeks to 3 months		F	11	17	9	29	154	17	18	22	16	18	51	11	55	13
		M	3	5	3	11	64	11	1	4	13	7	26	13	8	5
		F	10	3	2	8	36	7	5	4	10	1	15	1	10	3
3-6 months		M	6	6	4	9	51	7	4	8	8	3	18	11	10	3
6-12 months		F	7	1	2	6	41	1	1	6	3	2	9	2	12	2
		M	4	4	3	6	33	8	—	1	6	4	8	6	11	3
		F	1	2	2	14	40	2	1	12	8	3	9	5	8	4
Total under 1 year		M	30	36	19	54	347	50	22	40	47	30	107	63	107	37
		F	29	23	15	57	271	27	25	44	37	24	84	19	85	22
1—		M	3	1	—	3	28	4	—	3	5	2	4	7	6	1
		F	1	3	1	4	20	1	2	4	4	—	10	3	6	4
2—		M	1	2	—	4	16	1	2	5	1	—	8	2	10	1
		F	1	—	—	—	10	3	1	2	3	1	8	—	5	1
3—		M	—	1	2	1	12	1	1	1	2	2	4	1	6	1
		F	1	1	2	1	12	1	—	2	2	1	2	1	4	2
4—		M	3	—	1	—	12	1	—	2	5	—	3	2	9	1
		F	2	—	2	2	8	3	—	1	1	3	1	1	2	1
Total under 5 years		M	37	40	22	62	415	57	25	51	60	34	126	75	138	41
		F	34	27	20	64	321	35	28	53	47	29	105	24	102	30
5—		M	—	3	2	5	30	6	1	7	5	2	8	10	10	2
		F	1	1	1	1	23	2	2	1	1	2	3	3	8	1
10—		M	4	1	1	4	20	3	3	4	4	1	6	2	6	3
		F	1	—	1	4	22	2	1	4	1	1	7	1	4	3
15—		M	8	3	5	5	45	2	6	6	3	3	7	3	12	5
		F	4	1	2	4	44	1	3	6	11	5	10	4	16	1
20—		M	4	6	7	8	49	7	4	11	4	4	11	3	23	6
		F	5	10	3	12	73	3	3	10	7	3	16	5	22	4
25—		M	7	8	4	11	80	9	10	15	6	3	18	8	24	11
		F	8	3	7	11	64	7	11	16	7	7	19	7	30	5
30—		M	12	7	4	7	73	7	10	3	8	3	14	5	27	5
		F	3	1	4	7	75	11	9	12	11	6	22	10	22	8
35—		M	7	12	3	13	146	18	11	14	5	12	23	13	45	11
		F	7	6	6	11	95	14	21	16	8	15	30	7	38	9
40—		M	9	11	6	28	186	20	19	34	16	15	43	16	62	22
		F	9	8	8	19	128	20	29	19	15	15	22	20	43	12
45—		M	15	15	19	36	279	35	31	55	20	17	83	31	97	23
		F	6	11	14	20	180	27	38	32	15	21	46	24	79	20
50—		M	25	19	31	48	377	53	53	70	27	43	116	63	112	32
		F	19	21	21	29	244	39	42	52	13	41	87	40	94	21
55—		M	24	32	36	77	451	60	84	88	22	63	155	76	171	52
		F	25	19	28	39	330	44	81	58	18	50	100	70	116	43
60—		M	43	60	46	98	668	101	121	126	51	93	253	95	273	65
		F	25	31	44	63	461	82	98	87	25	66	152	93	169	68
65—		M	55	62	62	111	817	112	149	135	52	105	302	134	306	82
		F	55	54	57	92	607	111	155	143	46	139	237	120	244	90
70—		M	75	82	67	162	928	131	192	204	55	125	345	175	392	120
		F	58	66	77	126	836	158	217	181	43	169	390	166	334	121
75—		M	58	73	59	116	855	119	170	164	38	163	305	183	364	85
		F	48	65	94	115	897	147	216	200	40	229	375	191	401	105
80—		M	34	33	72	92	500	82	104	95	25	132	194	117	263	52
		F	40	54	94	117	702	90	149	152	40	185	307	205	314	85
85 and over		M	16	17	48	42	279	42	48	50	9	102	76	92	156	21
		F	23	33	102	94	565	71	109	91	25	234	210	194	367	49

TABLE 20—continued.—County Boroughs.

Age.		Sex.	Burton upon Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages	...	M	331	400	159	408	310	1,336	1,319	494	961	363	475	383	378	708	457	761	411
		F	310	468	171	409	268	1,078	1,415	487	802	404	409	345	492	634	545	683	356
Under 4 weeks		M	12	9	4	14	13	66	46	21	31	10	15	12	3	18	9	27	18
4 weeks to 3 months		F	8	13	3	12	9	33	34	12	19	7	21	11	8	11	16	32	12
		M	4	3	1	3	1	22	12	5	9	—	7	5	2	5	1	9	4
		F	2	3	3	2	4	11	7	5	5	1	2	4	1	3	1	8	4
3-6 months		M	3	4	1	2	—	20	6	7	4	4	2	7	—	3	1	10	2
6-12 months		F	1	2	—	5	1	9	1	3	6	4	5	4	1	1	1	8	4
		M	4	2	1	2	—	21	4	5	10	3	1	6	1	3	—	10	2
		F	2	4	—	4	1	5	6	2	7	2	3	4	—	4	1	6	1
Total under 1 year		M	23	18	7	21	14	129	68	38	54	17	25	30	6	29	11	56	26
		F	13	22	6	23	15	58	48	22	37	14	31	23	10	19	19	54	21
1—		M	3	3	1	2	—	7	6	2	3	—	3	5	1	2	3	1	4
		F	1	2	1	—	—	8	4	1	3	—	3	2	1	1	—	6	1
2—		M	1	—	—	1	—	5	2	2	2	1	1	1	1	—	1	—	—
		F	2	—	—	2	—	2	3	—	1	—	2	—	—	1	2	1	1
3—		M	1	2	—	—	—	4	2	2	1	1	1	1	—	1	1	2	1
		F	1	—	—	1	1	4	2	—	1	1	—	1	2	1	—	1	—
4—		M	—	—	—	1	—	2	—	—	1	1	1	1	—	1	—	2	—
		F	—	—	—	1	—	1	—	—	2	—	—	1	—	3	—	—	1
Total under 5 years		M	29	23	8	25	14	147	78	44	61	20	31	38	8	33	16	61	31
		F	17	24	7	27	16	73	57	23	44	18	36	27	13	25	21	62	24
5—		M	—	2	—	4	3	11	7	2	3	1	—	6	1	3	7	5	1
		F	—	1	1	2	1	7	4	1	3	—	—	—	2	2	1	5	1
10—		M	—	4	—	—	1	4	7	4	1	—	1	1	—	—	3	3	2
		F	1	2	2	—	1	7	1	1	4	1	—	3	1	1	—	4	2
15—		M	1	—	1	7	2	9	6	4	6	1	5	3	—	3	2	5	2
		F	3	1	2	4	1	10	9	3	2	2	5	1	3	3	7	4	5
20—		M	1	6	1	3	3	11	8	6	14	4	8	3	4	5	3	7	5
		F	2	2	—	7	3	14	13	6	9	1	5	6	3	5	5	11	2
25—		M	—	2	2	5	4	22	14	5	14	4	4	2	3	8	7	9	7
		F	2	2	3	6	3	19	7	4	6	6	2	2	2	3	5	16	5
30—		M	6	2	3	6	4	16	14	4	9	1	7	8	4	11	5	8	3
		F	4	4	4	7	5	16	13	7	5	4	2	8	1	6	4	4	1
35—		M	8	5	3	9	6	32	13	6	18	2	6	6	3	9	7	15	5
		F	3	8	—	14	5	25	21	7	17	4	9	10	8	9	10	11	7
40—		M	2	11	5	7	7	36	37	16	21	7	11	14	15	18	11	18	12
		F	4	6	2	5	6	26	30	11	14	6	6	2	6	11	10	15	5
45—		M	10	10	5	21	10	52	45	22	35	18	20	22	5	29	13	26	19
		F	10	13	3	10	5	41	30	11	25	9	19	12	10	17	14	20	7
50—		M	14	19	6	23	16	75	60	22	40	21	27	19	11	34	34	39	22
		F	13	15	2	26	12	49	46	19	30	14	23	6	10	29	18	15	17
55—		M	34	39	8	36	22	124	90	39	78	33	45	30	16	62	32	61	32
		F	12	25	9	24	18	69	49	30	41	21	21	20	20	36	25	54	19
60—		M	38	34	19	49	47	141	153	45	97	49	49	41	42	64	46	88	42
		F	21	50	8	26	14	90	90	34	63	44	29	27	32	53	32	47	20
65—		M	42	45	16	44	52	173	179	65	117	37	62	51	42	97	55	105	39
		F	33	57	14	44	29	125	140	59	107	58	43	44	48	62	50	98	30
70—		M	46	88	23	54	43	197	198	69	162	69	80	52	63	106	62	111	64
		F	37	79	15	53	49	157	194	70	117	63	58	66	75	106	76	101	50
75—		M	54	51	24	48	36	148	170	58	124	54	56	44	66	102	57	109	58
		F	52	87	33	69	41	127	234	73	113	68	48	54	85	108	94	101	47
80—		M	30	39	18	43	28	94	135	58	103	28	40	31	46	81	59	53	40
		F	43	58	34	50	38	132	227	74	114	46	57	31	91	89	86	64	52
85 and over		M	14	20	17	24	12	44	105	25	58	14	23	12	49	43	38	38	27
		F	53	34	32	35	21	91	250	54	88	36	46	26	82	69	87	51	62

TABLE 20—continued—County Boroughs.

Age.		Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.
All Ages	...	M	310	620	729	480	977	607	1,868	3,276	1,595	415	4,913	4,544	971	1,989	627	728	1,806
		F	334	504	779	624	910	588	1,729	3,176	1,679	414	4,487	4,492	781	1,768	634	720	1,750
Under 4 weeks		M	10	28	20	13	26	16	58	88	38	12	188	142	34	65	9	23	60
4 weeks to 3 months		F	10	3	15	8	22	10	66	68	32	4	145	100	27	44	21	10	35
		M	1	7	5	—	1	2	30	20	9	1	88	54	16	19	6	4	19
		F	1	4	2	—	4	1	20	16	8	9	62	52	22	10	—	5	17
3-6 months		M	2	4	2	2	7	3	27	15	6	4	68	45	22	18	4	6	28
6-12 months		F	1	5	3	—	4	1	26	14	9	2	68	33	8	16	3	2	14
		M	2	6	4	—	2	2	18	22	13	3	67	46	18	25	4	8	30
		F	1	4	2	2	1	1	14	11	6	1	50	30	10	16	2	4	16
Total under 1 year		M	15	45	31	15	36	23	133	145	66	20	411	287	90	127	23	41	137
		F	13	16	22	10	31	13	126	109	55	16	325	215	67	86	26	21	82
1—		M	2	5	2	1	2	1	11	10	10	1	40	21	10	14	3	2	10
		F	1	3	4	—	2	1	15	17	5	2	36	15	3	9	2	2	6
2—		M	—	—	4	—	6	—	6	6	5	—	22	10	2	5	—	1	6
		F	1	3	1	—	3	1	9	5	2	1	18	14	6	4	1	1	3
3—		M	1	1	3	—	3	1	3	5	4	—	8	7	3	3	—	—	3
		F	—	1	—	—	2	—	5	5	2	—	11	14	3	—	1	—	1
4—		M	—	1	2	—	1	—	2	7	1	—	8	6	—	2	1	1	4
		F	—	1	—	—	—	—	5	2	—	1	7	8	1	1	—	—	2
Total under 5 years		M	18	52	42	16	48	25	155	173	86	21	489	331	105	151	27	45	160
		F	15	24	27	10	38	15	160	138	64	20	397	266	80	100	31	24	94
5—		M	2	3	3	—	6	1	10	12	4	3	28	14	7	3	1	1	11
		F	—	2	—	1	2	2	5	8	10	1	26	20	4	4	3	2	2
10—		M	2	2	1	1	4	1	7	17	6	—	21	16	1	2	—	2	11
		F	—	1	2	—	6	2	3	9	3	—	19	9	3	6	—	2	6
15—		M	—	—	1	2	4	2	12	15	4	3	43	21	5	10	1	6	11
		F	1	8	3	1	4	3	8	9	14	3	36	31	10	23	—	4	16
20—		M	2	4	5	—	4	4	16	31	15	5	54	37	12	24	4	5	15
		F	1	3	4	1	7	3	22	32	23	4	78	52	14	28	6	6	19
25—		M	2	6	8	4	9	8	29	31	23	5	66	50	12	28	10	3	24
		F	1	7	4	1	11	6	28	43	20	7	74	75	7	40	4	7	32
30—		M	3	9	3	4	7	3	17	26	20	7	59	46	10	31	8	4	17
		F	3	4	9	6	4	5	27	43	20	5	65	53	13	23	5	5	14
35—		M	4	7	8	3	17	6	50	65	24	7	102	92	16	42	8	7	27
		F	1	9	2	5	15	6	27	44	36	7	94	80	14	29	7	9	27
40—		M	5	15	16	8	29	18	46	77	38	8	142	143	34	45	12	18	41
		F	5	8	12	12	24	9	43	83	30	7	107	95	33	35	11	7	42
45—		M	13	27	32	18	43	19	88	121	66	15	221	219	45	85	30	29	73
		F	6	11	23	9	13	17	57	93	48	3	116	157	25	58	10	19	51
50—		M	15	31	37	21	45	28	110	195	91	21	278	300	60	118	35	29	103
		F	7	21	22	15	29	13	70	145	59	11	201	185	36	64	35	22	62
55—		M	16	41	54	22	70	57	168	282	124	26	417	434	85	182	51	54	130
		F	20	30	49	21	53	24	100	162	104	24	245	275	43	118	26	31	103
60—		M	36	66	88	44	109	71	205	406	173	42	559	522	95	228	64	80	182
		F	21	37	64	31	72	33	144	299	145	35	340	383	65	139	49	42	150
65—		M	47	78	105	64	148	77	227	462	210	65	669	621	131	239	75	90	223
		F	45	52	93	46	109	68	179	387	178	51	489	532	76	212	69	70	181
70—		M	45	100	126	81	161	87	267	504	242	65	693	637	153	285	92	112	271
		F	47	70	133	101	159	91	247	483	237	62	659	750	108	253	108	98	229
75—		M	46	84	117	85	145	83	226	420	211	51	567	620	102	270	95	104	264
		F	65	83	137	128	173	107	266	519	275	64	698	696	109	272	102	139	286
80—		M	29	56	64	55	91	68	151	305	164	44	331	308	72	157	57	78	164
		F	46	78	108	116	120	106	194	422	204	51	494	503	89	221	79	117	233
85 and over		M	25	39	19	52	37	49	84	134	94	27	174	133	26	89	57	61	79
		F	50	56	87	120	71	78	149	257	209	59	349	330	52	143	89	116	203

TABLE 20—continued—County Boroughs.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ...	M	894	503	1,296	1,353	727	610	622	475	644	1,243	3,333	493	1,136	888	623	731	909
	F	905	568	1,211	1,278	742	650	698	397	556	1,103	3,098	484	971	1,041	721	670	956
Under 4 weeks	M	27	27	43	34	24	13	22	19	21	49	112	16	48	16	15	21	29
4 weeks to 3 months	F	24	9	34	25	28	18	14	15	21	41	69	15	32	25	10	24	19
	M	9	2	11	10	13	4	7	12	9	26	17	8	7	4	3	13	12
	F	2	1	10	6	5	1	3	6	6	9	18	6	6	2	—	8	4
3-6 months	M	3	1	13	6	8	3	1	13	3	19	15	2	11	1	5	13	10
6-12 months	F	5	1	6	4	5	4	1	7	7	21	14	4	5	3	—	8	8
	M	6	3	5	9	8	3	6	4	10	12	22	1	14	5	1	6	8
	F	6	—	7	6	3	3	2	5	6	14	14	4	5	5	4	4	3
Total under 1 year	M	45	33	72	59	53	23	36	48	43	106	166	27	80	26	24	53	59
	F	37	11	57	41	41	26	20	33	40	85	115	29	48	35	14	44	34
1—	M	7	2	3	5	7	1	7	3	2	4	21	4	6	5	3	8	5
	F	4	2	5	5	7	3	1	1	3	5	14	2	6	3	—	3	3
2—	M	1	1	3	4	2	—	3	3	2	5	8	3	3	2	—	3	2
	F	2	—	3	3	1	3	1	4	4	2	6	1	4	3	2	2	1
3—	M	2	1	1	5	3	—	—	1	2	1	3	—	2	—	1	2	3
	F	2	—	1	4	3	2	1	1	1	—	6	—	—	1	—	2	—
4—	M	—	—	1	3	2	1	—	—	4	2	3	—	—	1	—	4	3
	F	1	—	—	3	—	1	—	—	—	2	6	2	1	1	—	1	1
Total under 5 years	M	55	37	80	76	67	25	46	55	53	118	201	34	91	34	28	70	72
	F	46	13	66	56	52	35	23	39	48	94	147	34	59	43	16	52	39
5—	M	2	3	8	3	5	2	4	2	3	4	16	1	5	4	—	3	5
	F	—	—	8	6	1	4	3	—	1	5	8	—	1	2	1	3	1
10—	M	2	1	5	5	3	1	1	2	6	4	13	2	1	4	—	—	—
	F	1	1	2	2	—	1	—	2	—	2	10	2	5	1	—	4	2
15—	M	5	2	9	7	3	4	3	3	7	6	7	1	9	6	5	3	3
	F	5	—	5	5	3	3	1	2	8	5	7	2	3	3	2	10	4
20—	M	2	9	11	10	3	2	2	3	4	13	20	4	12	5	1	9	10
	F	3	2	15	10	7	2	3	4	9	11	26	4	7	6	—	7	13
25—	M	15	7	16	11	3	6	5	4	5	11	45	8	7	7	3	15	6
	F	7	5	22	21	16	3	5	4	14	15	34	—	10	4	4	12	12
30—	M	9	4	13	11	7	3	3	3	12	16	32	3	12	4	3	12	7
	F	7	4	16	7	9	6	10	7	10	13	36	4	7	9	4	8	7
35—	M	16	8	16	12	13	9	11	8	9	27	60	5	22	8	4	19	19
	F	10	5	10	16	11	8	6	7	13	24	49	9	9	6	6	17	12
40—	M	18	10	24	28	19	13	8	13	19	39	96	16	27	12	17	22	20
	F	18	10	28	22	16	12	4	3	11	27	68	10	21	11	11	14	18
45—	M	37	19	58	53	35	18	27	24	29	56	122	25	37	23	18	29	35
	F	21	12	35	35	28	14	31	10	17	30	98	20	26	25	11	18	25
50—	M	54	26	58	69	36	30	33	19	43	90	179	20	56	35	19	53	52
	F	39	12	43	41	31	32	16	19	20	45	118	15	35	34	26	30	34
55—	M	69	36	91	90	68	37	49	38	57	98	255	51	80	61	56	51	65
	F	66	33	64	71	48	31	41	24	29	69	175	28	50	33	35	43	50
60—	M	104	36	162	149	89	62	72	45	54	129	390	53	119	103	67	71	114
	F	78	39	72	86	57	38	62	36	44	96	218	30	71	85	57	48	65
65—	M	119	59	182	209	112	84	85	71	85	178	496	63	157	123	95	88	104
	F	111	47	95	162	84	63	83	52	58	137	353	55	92	104	82	75	121
70—	M	167	62	196	194	99	98	105	65	95	178	553	68	169	134	113	97	150
	F	191	93	162	192	107	82	153	53	75	165	491	71	125	138	110	98	158
75—	M	121	71	167	207	89	95	87	57	85	147	465	77	146	145	93	99	129
	F	158	95	200	202	119	109	124	62	85	177	557	91	158	191	122	112	179
80—	M	80	61	119	136	46	68	54	52	57	85	256	43	115	104	69	60	86
	F	88	95	199	159	93	93	84	45	69	111	418	59	151	160	116	80	122
85 and over	M	19	52	81	83	30	53	27	11	21	44	127	19	71	76	32	30	32
	F	56	102	169	185	60	114	49	28	45	77	285	50	141	186	118	39	94

TABLE 20—continued—County Boroughs.

Age.		Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.
All Ages	...	M	1,656	1,265	398	355	668	726	581	536	1,069	455	552	936	335	657	1,544	469	651	1,048
		F	1,523	1,120	364	343	649	601	476	472	873	423	507	852	366	592	1,240	370	511	936
Under 4 weeks		M	59	63	19	16	19	39	30	21	31	24	14	45	9	15	56	20	17	39
4 weeks to 3 months		F	47	31	10	6	15	29	18	10	21	13	20	29	10	8	25	13	18	32
		M	13	26	—	2	7	12	13	14	5	11	11	8	1	3	15	4	16	12
		F	9	23	4	4	5	8	14	5	3	4	4	8	2	4	8	2	4	3
3-6 months		M	13	27	6	6	5	12	18	15	6	4	2	3	3	2	14	5	8	13
6-12 months		F	11	13	5	—	3	5	9	9	6	3	6	5	2	1	13	1	3	6
		M	14	15	3	—	7	6	11	6	4	1	8	6	3	1	6	5	7	13
		F	13	8	1	2	3	12	8	3	2	3	3	9	—	5	12	1	3	4
Total under 1 year		M	99	131	28	24	38	69	72	56	46	40	35	62	16	21	91	34	48	77
		F	80	75	20	12	26	54	49	27	32	23	33	51	14	18	58	17	28	45
1—		M	8	4	2	2	4	5	4	3	6	3	3	8	1	6	9	—	2	5
		F	12	6	—	—	3	4	5	3	1	1	2	5	2	7	3	2	1	8
2—		M	6	2	1	1	2	1	3	3	7	2	2	3	2	1	4	1	3	5
		F	5	6	2	1	1	1	2	1	1	3	1	1	—	2	2	—	2	1
3—		M	2	7	—	2	—	1	1	2	6	3	3	4	—	—	4	—	—	2
		F	2	5	—	1	—	1	1	2	1	1	—	—	1	1	2	—	1	2
4—		M	3	3	—	—	1	2	—	2	1	—	—	2	1	1	1	1	1	1
		F	3	2	—	—	—	—	1	1	3	1	—	1	—	—	—	—	—	1
Total under 5 years		M	118	147	31	29	45	78	80	66	66	48	43	79	20	29	109	36	54	90
		F	102	94	22	14	30	60	58	34	38	29	36	58	17	28	65	19	32	57
5—		M	9	8	—	3	4	2	6	6	1	1	—	7	2	1	6	1	4	5
		F	11	—	—	—	1	2	1	1	2	1	3	3	—	2	8	—	2	4
10—		M	6	9	1	—	3	3	2	4	3	—	1	2	—	5	6	1	2	5
		F	2	2	1	—	3	5	—	1	2	3	2	2	6	3	1	—	2	4
15—		M	10	19	6	3	3	3	1	5	6	2	—	9	1	4	16	3	6	7
		F	14	13	2	3	3	5	5	6	13	4	4	13	2	1	13	2	4	7
20—		M	17	16	4	3	3	6	1	3	10	2	10	7	1	4	12	5	9	10
		F	18	16	5	3	2	14	4	10	11	5	5	10	3	6	18	4	7	15
25—		M	15	16	3	2	3	12	2	4	18	5	5	7	5	5	18	5	6	9
		F	20	25	3	8	11	10	12	10	11	8	8	18	6	8	18	6	9	15
30—		M	21	16	2	2	8	10	5	9	12	1	9	12	3	2	22	4	12	10
		F	26	15	10	6	8	13	5	6	13	6	7	4	3	7	27	4	7	10
35—		M	23	25	3	3	21	23	10	15	19	9	8	21	5	7	19	12	8	23
		F	36	20	5	2	9	12	8	9	17	8	8	10	7	6	19	6	7	15
40—		M	45	36	11	10	20	23	24	20	25	20	13	25	7	14	44	8	17	27
		F	47	29	15	8	9	7	9	7	18	11	14	17	2	8	26	9	12	17
45—		M	88	57	26	10	26	29	28	29	56	20	22	39	11	35	80	20	32	38
		F	51	27	11	16	18	16	14	14	20	15	16	21	10	10	36	14	24	33
50—		M	85	69	21	13	20	35	38	39	75	21	37	53	18	35	86	28	40	60
		F	65	47	19	13	19	27	14	19	33	31	24	35	17	21	55	14	23	38
55—		M	132	88	35	28	45	59	59	43	74	35	54	64	28	37	140	35	44	73
		F	99	71	24	15	30	25	24	33	46	26	40	35	10	26	71	19	26	48
60—		M	203	121	54	46	72	70	47	54	120	52	61	97	27	77	182	50	77	112
		F	132	96	30	35	55	44	46	29	80	32	46	50	26	58	102	36	41	80
65—		M	239	146	35	43	90	94	65	50	161	54	72	107	46	93	165	67	92	166
		F	184	106	31	43	97	64	43	64	98	35	60	95	31	51	135	41	54	110
70—		M	251	178	55	59	105	99	71	63	140	62	96	139	58	95	226	78	84	156
		F	219	171	53	48	76	96	75	71	119	68	69	122	52	102	166	64	77	149
75—		M	214	166	59	57	99	84	66	64	142	59	61	138	49	104	199	65	69	133
		F	243	174	49	60	111	91	82	78	133	64	93	155	65	109	180	57	62	135
80—		M	137	103	31	31	65	66	44	48	85	45	44	84	31	58	128	33	59	82
		F	137	124	45	38	89	65	49	49	111	44	43	112	57	76	153	49	67	121
85 and over		M	43	45	21	13	36	30	32	14	56	19	16	46	23	52	86	18	36	42
		F	117	90	39	31	78	45	25	31	108	33	29	92	52	70	147	26	55	78

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.		Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	...	M	1,138	503	566	1,003	976	1,049	477	503	3,746	996	1,279	979	600	786	2,115	1,791
		F	1,104	530	611	913	915	985	486	491	3,757	1,000	1,418	1,013	539	786	1,914	1,589
Under 4 weeks		M	38	13	15	29	30	30	12	12	94	23	35	32	24	13	73	70
4 weeks to 3 months		F	19	14	14	20	17	22	14	5	82	20	21	21	17	18	54	46
		M	2	1	5	5	8	5	2	4	27	10	11	1	4	6	18	15
		F	4	—	3	3	2	3	1	1	16	4	7	4	2	2	9	11
3-6 months		M	9	4	2	3	2	2	2	1	20	12	6	1	6	12	24	15
6-12 months		F	5	4	3	2	4	2	3	3	20	5	1	3	5	4	12	10
		M	11	2	1	7	—	6	—	2	24	—	7	6	6	6	19	20
		F	6	2	3	4	3	7	1	4	15	2	6	3	4	4	14	11
Total under 1 year		M	60	20	23	44	40	43	16	19	165	45	59	40	40	37	134	120
		F	34	20	23	29	26	34	19	13	133	31	35	31	28	28	89	78
1—		M	7	5	2	5	4	6	2	3	11	6	9	2	4	9	9	3
		F	4	3	2	3	1	3	2	2	12	1	2	4	2	3	3	7
2—		M	3	—	2	2	—	3	1	—	9	3	2	2	—	3	1	3
		F	1	—	1	1	1	2	1	2	10	2	1	2	1	4	6	2
3—		M	2	1	2	2	—	1	—	2	7	2	—	—	1	2	5	4
		F	3	1	—	—	2	—	—	—	3	1	2	3	—	2	1	1
4—		M	4	2	—	1	2	3	—	3	5	1	—	2	1	2	2	4
		F	3	—	—	3	1	1	—	—	4	1	1	—	1	—	1	1
Total under 5 years		M	76	28	29	54	46	56	19	27	197	57	70	46	46	53	151	134
		F	45	24	26	36	31	40	22	17	162	36	41	40	32	37	100	89
5—		M	1	1	2	5	4	2	4	1	16	5	3	7	4	4	12	11
		F	4	4	—	4	3	2	—	—	14	4	3	2	4	4	8	15
10—		M	4	3	5	5	5	4	—	2	8	1	5	3	1	2	12	8
		F	5	1	1	2	4	2	3	2	11	4	3	2	1	4	5	2
15—		M	11	4	4	5	4	7	2	4	21	9	7	5	7	7	8	12
		F	6	2	3	2	3	2	—	2	16	2	11	4	7	6	8	9
20—		M	12	6	4	8	13	8	5	3	41	7	14	9	6	5	14	19
		F	8	4	3	7	6	6	3	3	30	3	8	8	10	10	21	18
25—		M	17	9	7	10	16	10	7	7	40	6	7	9	8	14	23	28
		F	10	—	5	2	15	8	1	3	27	8	12	9	8	5	26	9
30		M	10	6	6	7	12	11	4	10	36	14	17	9	10	9	23	19
		F	12	4	3	5	6	3	2	2	29	14	9	13	6	12	14	27
35—		M	18	3	10	12	13	13	3	2	56	13	16	11	14	19	33	25
		F	20	7	7	11	13	13	6	5	60	18	16	12	4	10	30	27
40—		M	35	14	11	20	20	19	16	8	100	15	33	15	11	16	62	38
		F	18	9	9	16	22	24	11	8	65	27	22	15	11	13	36	36
45—		M	43	18	11	27	43	26	14	15	146	39	36	39	24	28	66	52
		F	34	8	14	31	19	21	13	7	120	28	21	19	14	15	66	44
50—		M	60	16	28	46	41	50	20	10	174	44	54	32	40	39	112	85
		F	48	13	15	38	34	39	14	15	147	31	56	32	24	30	86	65
55—		M	94	23	33	61	80	53	34	26	276	54	78	44	39	47	170	145
		F	60	25	26	41	46	32	24	28	182	48	61	61	33	40	97	83
60—		M	112	35	47	87	94	84	51	44	424	95	149	79	58	65	209	161
		F	100	37	48	58	63	72	37	34	261	86	107	73	50	59	141	111
65—		M	140	64	70	116	117	95	62	65	492	122	164	122	58	82	251	196
		F	97	49	46	97	104	104	41	49	421	107	136	102	59	104	202	144
70—		M	168	68	88	140	154	165	66	78	604	162	200	146	93	123	298	281
		F	151	63	97	133	128	127	85	52	622	144	203	135	78	134	326	248
75—		M	144	94	86	167	150	173	76	86	581	151	180	170	79	122	350	266
		F	191	105	88	144	146	164	86	86	607	172	246	155	77	112	307	268
80—		M	113	58	76	134	98	172	60	58	347	129	149	133	69	86	191	188
		F	165	80	110	136	151	155	73	87	544	151	225	143	68	90	263	226
85 and over		M	80	53	49	99	66	101	34	57	187	73	97	100	33	65	130	123
		F	130	95	110	150	121	171	65	91	439	117	238	188	53	101	178	168

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Herefordshire.		Hertfordshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages ...	M	1,894	1,570	1,058	654	3,839	1,683	352	218	6,891	1,412	800	1,647	329	489	2,161	784
	F	2,267	1,620	1,134	613	3,406	1,444	310	184	6,574	1,222	922	1,537	296	424	2,309	813
Under 4 weeks	M	50	35	29	15	163	75	6	13	195	27	31	51	7	13	53	21
	F	36	32	21	17	96	46	7	4	168	21	22	46	5	12	42	12
4 weeks to 3 months	M	5	6	—	3	41	30	2	2	43	7	3	14	1	2	6	2
	F	3	6	2	1	40	19	—	1	31	2	4	9	—	4	8	5
3–6 months	M	4	4	—	5	57	23	5	—	34	5	1	6	5	3	5	5
	F	4	4	—	2	39	22	1	—	16	4	—	6	1	3	5	1
6–12 months	M	8	9	1	5	39	17	2	—	28	5	4	10	3	2	11	7
	F	4	2	2	3	34	8	—	—	29	2	7	7	2	1	7	4
Total under 1 year	M	67	54	33	28	300	145	15	15	300	44	39	81	16	20	75	35
	F	47	44	26	23	209	95	8	5	244	29	33	68	8	20	62	22
1—	M	5	3	3	4	17	10	—	3	20	7	2	7	—	2	3	3
	F	9	6	3	2	12	7	—	—	26	3	1	5	1	1	4	2
2—	M	2	6	1	—	13	6	—	1	21	2	2	3	—	1	2	4
	F	2	1	3	2	11	6	—	—	12	1	3	3	1	2	2	2
3—	M	1	5	1	—	6	—	1	—	12	1	3	1	—	—	5	2
	F	1	—	1	—	5	2	—	—	6	2	1	3	1	—	3	1
4—	M	4	1	—	—	5	7	—	—	13	—	2	4	—	—	—	2
	F	2	3	—	1	4	1	—	—	4	3	2	2	—	—	1	1
Total under 5 years	M	79	69	38	32	341	168	16	19	366	54	48	96	16	23	85	46
	F	61	54	33	28	241	111	8	5	292	38	40	81	11	23	72	28
5—	M	7	10	2	5	14	7	2	1	37	3	4	5	1	1	10	4
	F	3	8	4	2	17	7	—	—	22	3	5	4	4	1	4	4
10—	M	5	5	2	—	22	9	3	1	30	3	2	7	2	2	9	4
	F	1	4	2	4	12	9	1	—	26	1	5	3	—	1	2	1
15—	M	6	8	5	4	30	12	3	1	30	12	2	13	—	5	5	5
	F	7	7	1	1	38	13	1	1	25	3	3	10	3	3	6	6
20—	M	10	9	7	9	45	21	1	3	53	9	1	17	5	3	21	9
	F	4	9	4	3	41	24	2	1	42	6	5	9	1	3	12	7
25—	M	19	18	3	3	44	24	2	5	75	8	7	15	3	3	22	13
	F	19	8	10	3	63	17	1	5	77	10	10	18	3	3	25	7
30—	M	16	10	3	3	49	26	4	4	58	9	5	20	6	8	23	7
	F	12	12	10	5	54	11	1	—	69	6	12	13	4	5	30	8
35—	M	18	25	7	7	68	35	2	2	114	13	13	30	8	2	37	15
	F	25	20	12	5	56	22	7	5	106	8	11	22	3	3	28	11
40—	M	40	27	20	13	111	49	11	9	177	25	20	36	2	4	44	16
	F	19	33	21	8	75	30	5	2	121	24	18	28	3	6	46	19
45—	M	51	40	29	15	141	63	11	7	274	36	34	69	14	16	97	24
	F	52	26	15	9	107	50	8	4	195	29	20	37	6	6	66	18
50—	M	77	61	47	25	206	73	18	5	372	42	33	68	17	16	105	34
	F	70	57	37	24	136	64	12	3	252	33	30	58	7	15	88	27
55—	M	114	93	68	35	264	127	24	12	541	73	50	103	26	29	142	52
	F	101	76	53	22	210	100	17	9	386	57	40	87	14	22	101	37
60—	M	153	133	112	49	388	136	36	15	709	112	84	130	31	34	204	66
	F	145	103	87	39	283	128	18	10	508	78	62	104	17	22	167	55
65—	M	272	181	132	92	467	182	49	22	890	163	111	206	39	56	273	103
	F	214	173	116	75	390	171	36	21	659	123	93	139	24	36	239	76
70—	M	298	235	170	91	602	250	52	38	1,050	227	95	271	53	75	340	120
	F	324	230	168	69	530	218	50	42	894	170	122	200	39	61	345	119
75—	M	317	262	174	117	540	242	62	35	973	265	135	232	46	96	317	111
	F	401	290	184	101	518	204	60	27	1,084	213	159	234	56	74	379	138
80—	M	233	220	140	79	328	186	27	24	676	209	92	188	36	74	236	89
	F	379	237	197	91	393	168	42	27	951	186	147	227	53	82	358	127
85 and over	M	179	164	99	75	179	73	29	15	466	149	64	141	24	42	191	66
	F	430	273	180	124	242	97	39	22	865	234	140	263	48	58	341	125

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.		Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire, Parts of Holland.		Lincolnshire, Parts of Kesteven.		Lincolnshire, Parts of Lindsey.		Middlesex.	
			U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	...	M	188	208	6,780	1,849	11,360	1,601	914	1,004	257	333	284	459	874	897	11,151	—
		F	169	206	6,815	1,807	11,201	1,539	817	919	235	318	284	396	851	839	11,139	—
Under 4 weeks	}	M	1	8	173	53	374	49	37	27	10	12	9	20	36	28	351	—
		F	2	5	135	40	271	32	18	21	7	12	8	11	39	16	203	—
		M	1	—	40	14	102	17	6	9	—	1	3	5	1	11	67	—
		F	2	3	27	14	81	7	2	3	—	1	4	1	2	3	43	—
4 weeks to 3 months.	}	M	1	3	36	12	80	16	3	4	3	1	2	9	9	4	48	—
		F	—	—	18	9	72	7	3	4	2	4	1	1	5	7	35	—
		M	1	3	33	10	60	5	4	7	—	1	—	2	6	5	47	—
		F	—	3	25	6	59	7	8	5	4	3	4	3	5	5	24	—
3–6 months	}	M	1	3	36	12	80	16	3	4	3	1	2	9	9	4	48	—
		F	—	—	18	9	72	7	3	4	2	4	1	1	5	7	35	—
6–12 months	}	M	1	3	33	10	60	5	4	7	—	1	—	2	6	5	47	—
		F	—	3	25	6	59	7	8	5	4	3	4	3	5	5	24	—
Total under 1 year	}	M	4	14	282	89	616	87	50	47	13	15	14	36	52	48	513	—
		F	4	11	205	69	483	53	31	33	13	20	17	16	51	31	305	—
1—	}	M	—	1	23	7	48	10	3	4	2	1	—	3	3	5	27	—
		F	—	3	12	6	41	5	6	6	—	—	1	2	6	5	30	—
2—	}	M	—	1	15	3	32	8	1	2	1	3	—	1	1	4	23	—
		F	1	—	19	4	28	3	2	3	—	2	1	—	2	3	14	—
3—	}	M	—	—	11	2	25	2	3	1	1	—	2	1	1	—	20	—
		F	—	—	8	1	16	3	3	2	—	—	—	1	—	—	16	—
4—	}	M	—	—	7	2	23	2	—	2	—	2	—	—	1	3	12	—
		F	—	—	6	2	6	1	2	1	—	—	—	—	2	4	11	—
Total under 5 years	}	M	4	16	338	103	744	109	57	56	17	21	16	41	58	60	595	—
		F	5	14	250	82	574	65	44	45	13	22	19	19	61	43	376	—
5—	}	M	1	1	38	10	42	11	6	7	—	3	1	1	6	7	60	—
		F	1	1	21	6	24	9	3	5	1	1	—	—	6	2	28	—
10—	}	M	2	1	26	5	34	8	4	6	—	—	—	2	4	7	34	—
		F	—	1	12	6	38	3	3	1	2	—	1	—	2	2	30	—
15—	}	M	2	—	42	14	65	8	6	7	—	2	3	3	5	8	60	—
		F	—	1	30	12	52	5	1	3	2	1	2	1	5	8	42	—
20—	}	M	2	2	57	12	82	6	4	8	3	6	1	5	10	5	82	—
		F	2	1	57	16	79	11	9	5	2	3	2	2	8	6	85	—
25—	}	M	2	2	71	21	92	19	10	15	5	3	4	5	11	12	116	—
		F	1	1	78	14	105	11	10	6	3	1	3	8	9	11	111	—
30—	}	M	2	1	60	23	98	19	10	9	2	4	2	2	7	5	113	—
		F	4	1	78	11	111	13	6	8	4	4	2	2	11	8	131	—
35—	}	M	3	6	95	34	174	25	19	16	6	5	3	4	15	16	189	—
		F	—	5	82	23	172	28	10	22	3	4	1	4	13	15	197	—
40—	}	M	1	6	152	40	281	35	23	25	6	8	9	22	21	16	321	—
		F	1	2	126	42	215	30	15	19	4	7	5	4	18	10	242	—
45—	}	M	2	6	241	44	444	45	31	35	7	12	10	12	27	21	476	—
		F	6	8	167	63	361	42	28	26	2	5	3	7	34	17	360	—
50—	}	M	8	6	344	75	604	72	46	38	14	13	19	18	36	27	659	—
		F	6	1	260	61	448	57	36	36	9	8	8	16	30	29	497	—
55—	}	M	9	6	438	93	888	131	72	69	15	16	12	17	59	47	922	—
		F	6	6	327	78	684	80	44	39	12	12	8	23	29	38	602	—
60—	}	M	17	11	669	165	1,289	166	90	101	20	25	27	44	85	62	1,230	—
		F	10	13	464	123	953	128	61	70	13	18	17	29	76	63	819	—
65—	}	M	32	16	907	221	1,555	185	110	116	27	41	34	38	104	105	1,502	—
		F	16	22	697	182	1,371	183	95	88	30	35	28	37	95	71	1,115	—
70—	}	M	31	45	953	256	1,914	267	133	166	37	63	50	50	133	150	1,648	—
		F	28	27	932	242	1,862	288	113	134	39	46	36	45	119	138	1,562	—
75—	}	M	32	35	998	273	1,581	246	147	135	43	49	40	84	127	150	1,465	—
		F	42	39	1,170	278	1,823	237	149	179	32	47	49	66	135	140	1,787	—
80—	}	M	25	20	813	254	1,021	162	87	113	33	42	31	66	91	113	1,031	—
		F	22	33	1,050	271	1,426	204	108	115	30	49	51	64	109	131	1,655	—
85 and over	}	M	13	28	538	206	452	87	59	82	22	20	22	45	75	86	648	—
		F	19	30	1,014	297	903	145	82	118	34	55	49	69	91	107	1,500	—

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Norfolk.		Northampton-shire.		Northumber-land.		Nottingham-shire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	479	1,754	832	754	2,080	645	2,043	849	246	631	331	49	27	96	901	809
	F	499	1,645	705	732	1,908	548	1,885	759	263	641	297	42	19	94	867	717
Under 4 weeks	M	22	58	22	31	76	19	75	31	6	21	5	1	—	5	31	24
	F	7	22	17	16	53	10	42	16	7	19	6	1	—	11	22	24
	M	3	16	9	3	15	5	23	3	2	2	1	—	—	—	3	4
4 weeks to 3 months	M	3	9	4	3	12	5	14	10	1	1	2	—	—	—	4	4
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	2	5	8	5	20	4	18	5	1	4	3	—	—	1	4	6
3–6 months	M	1	7	2	5	22	3	21	3	—	4	—	—	—	—	2	3
	F	3	9	2	4	17	2	13	6	1	3	4	1	—	—	3	3
	M	1	1	4	2	11	4	16	—	—	4	2	1	—	—	6	3
6–12 months	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 1 year	M	30	88	41	43	128	30	129	45	10	30	13	2	—	7	41	37
	F	12	39	27	26	98	22	93	29	8	28	10	2	1	1	34	34
1—	M	—	4	5	2	12	—	11	7	1	5	—	—	—	—	5	2
	F	—	—	5	1	6	—	8	3	2	2	—	1	—	—	3	3
	M	—	—	1	2	4	3	6	—	—	3	—	1	—	—	1	1
2—	M	—	—	5	3	4	1	6	3	2	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	M	—	6	2	3	4	1	5	5	—	2	1	—	—	—	—	—
	F	—	3	—	—	2	—	4	3	—	2	—	—	—	—	1	—
	M	—	1	—	1	—	—	6	—	—	2	—	—	—	—	—	—
4—	M	—	4	1	1	—	—	3	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 5 years	M	34	107	49	51	150	34	157	57	11	42	14	3	—	7	48	42
	F	12	51	38	31	110	23	114	38	13	35	10	3	1	2	38	39
5—	M	1	2	2	6	10	—	5	4	2	3	1	—	—	2	3	3
	F	1	10	3	2	6	1	6	5	—	3	—	—	—	—	6	1
	M	2	5	3	3	6	2	15	5	—	4	1	—	—	—	2	—
10—	M	—	3	2	2	9	—	9	3	1	—	—	—	—	—	3	4
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	M	—	3	2	3	13	4	11	10	—	8	2	—	1	—	6	9
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	2	1	1	2	12	3	13	4	2	2	1	—	1	—	2	6
20—	M	5	12	7	6	23	5	18	14	3	4	4	—	—	—	9	4
	F	4	8	9	4	24	3	24	10	4	4	—	—	—	1	11	4
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	M	9	14	12	6	26	7	27	12	1	7	1	—	—	—	4	10
	F	4	6	8	6	28	2	30	9	1	2	2	—	—	—	8	9
	M	1	19	6	9	31	3	23	7	—	5	3	—	1	3	9	9
30—	M	2	8	8	9	25	1	22	4	—	5	2	—	—	1	12	7
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	M	9	20	11	19	33	10	37	8	3	5	2	—	—	1	11	23
	F	1	25	10	3	25	6	29	15	2	6	4	2	—	—	6	4
	M	9	29	22	6	48	7	65	22	2	12	9	—	—	1	22	19
40—	M	6	27	18	14	37	6	43	14	2	8	5	—	1	—	16	8
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	M	6	57	34	24	87	18	74	23	12	24	11	2	2	—	43	24
	F	11	28	21	25	64	12	65	16	4	15	2	1	—	3	18	23
	M	13	51	51	29	114	25	99	43	6	23	12	3	1	5	43	25
50—	M	11	42	27	25	68	17	82	36	11	25	14	2	1	2	28	30
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	M	23	87	51	46	169	47	155	51	12	21	22	2	3	1	50	45
	F	20	66	25	23	119	31	103	45	7	30	10	3	1	1	35	38
	M	37	136	67	66	219	54	210	82	32	46	38	2	1	8	84	66
60—	M	38	107	56	43	165	48	153	57	17	43	24	2	1	10	64	55
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	M	56	182	116	96	266	88	237	94	33	60	40	5	3	10	114	85
	F	48	170	79	63	226	58	205	87	26	55	41	8	2	14	86	78
	M	72	254	116	93	299	101	310	115	41	99	54	9	5	12	147	120
70—	M	70	234	110	115	315	90	278	103	44	74	42	4	4	12	122	94
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	M	83	296	119	123	285	96	291	139	34	112	52	6	5	20	147	162
	F	97	269	102	125	275	105	296	117	46	134	63	8	3	16	135	128
	M	65	239	94	91	190	86	187	96	31	90	33	12	3	17	105	99
80—	M	85	277	110	113	232	77	213	112	50	96	33	3	2	10	155	94
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	M	54	241	70	77	111	58	122	67	23	66	32	5	2	9	54	64
	F	87	313	78	127	168	65	200	84	33	104	44	6	2	22	122	95
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Somersetshire.		Southampton.		Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,402	1,525	1,848	1,444	3,501	1,150	581	768	275	508	5,999	799	1,156	968	1,127	873
	F	1,662	1,578	1,824	1,344	3,136	1,026	651	670	289	417	6,303	776	1,494	1,057	1,379	934
Under 4 weeks	M	43	58	63	55	123	47	16	18	8	20	168	24	19	12	24	27
4 weeks to 3 months	F	26	41	37	25	93	26	6	15	6	3	108	16	12	19	13	19
	M	5	11	16	9	41	9	2	4	2	7	27	8	3	5	3	3
	F	7	5	5	6	30	7	4	3	1	1	22	1	2	2	1	4
3-6 months	M	2	3	13	3	31	9	3	3	1	1	21	2	5	4	6	4
6-12 months	F	6	6	7	3	28	8	4	—	—	1	21	2	1	5	3	4
	M	5	9	9	13	30	6	4	8	3	—	22	4	2	—	3	4
	F	1	2	8	11	23	4	3	2	1	2	24	3	2	5	5	1
Total under 1 year	M	55	81	101	80	225	71	25	33	14	28	238	38	29	21	36	38
	F	40	54	57	45	174	45	17	20	8	7	175	22	17	31	22	28
1—	M	4	6	5	6	14	2	1	1	1	—	24	5	8	1	2	1
	F	2	5	6	6	19	9	2	2	—	2	12	1	1	5	2	2
2—	M	3	4	4	2	16	2	1	3	—	—	16	1	3	1	1	2
	F	2	3	4	6	7	5	1	4	—	—	12	1	—	—	2	3
3—	M	3	5	7	2	9	1	2	2	—	—	8	—	1	1	1	1
	F	1	4	1	3	5	2	1	1	1	—	8	1	1	1	—	1
4—	M	2	—	2	4	6	3	1	1	1	1	7	1	—	—	1	3
	F	2	2	3	—	4	1	1	—	—	—	3	2	2	—	1	—
Total under 5 years	M	67	96	119	94	270	79	30	40	18	30	293	45	41	24	41	45
	F	47	68	71	60	209	62	22	27	9	9	210	27	21	37	27	34
5—	M	7	8	9	11	31	3	4	2	1	1	22	4	3	4	3	3
	F	9	7	4	9	19	3	2	2	1	1	18	2	4	2	4	3
10—	M	3	4	8	6	23	4	1	3	1	1	22	1	1	2	3	2
	F	—	4	4	1	14	2	—	—	—	—	14	3	1	3	—	2
15—	M	2	13	8	5	27	6	2	4	1	—	23	3	1	4	5	5
	F	7	7	8	5	24	4	1	3	—	—	23	2	3	3	5	3
20—	M	13	17	14	11	42	14	5	4	4	3	47	4	8	6	4	4
	F	9	12	18	11	35	5	7	—	3	4	30	4	1	2	1	3
25—	M	14	14	24	11	64	17	2	10	2	3	52	10	8	11	5	8
	F	7	13	17	14	52	12	7	3	1	2	41	5	5	7	12	5
30—	M	10	17	17	17	53	13	5	7	4	7	60	4	8	7	12	10
	F	12	13	14	9	36	11	4	4	1	2	64	9	5	9	7	8
35—	M	20	16	21	17	73	16	8	11	4	4	78	9	17	13	9	11
	F	16	18	33	16	72	9	13	6	4	5	83	14	13	13	6	11
40—	M	28	23	27	24	96	30	9	18	5	7	146	10	20	18	12	18
	F	22	19	27	30	82	20	10	20	3	8	125	9	21	11	16	13
45—	M	50	39	63	42	134	41	11	18	6	16	261	17	29	20	27	25
	F	30	40	49	32	83	35	13	13	4	13	178	9	30	30	21	18
50—	M	46	72	88	47	196	45	20	24	6	13	288	34	48	32	34	22
	F	55	38	66	39	129	38	21	11	8	12	225	27	50	31	43	36
55—	M	89	110	121	80	267	72	37	28	20	16	452	54	66	50	64	41
	F	78	75	84	54	168	47	27	15	12	11	341	35	62	44	59	33
60—	M	130	124	189	131	378	92	63	52	29	37	605	72	100	85	109	85
	F	113	90	128	82	263	80	46	36	20	26	430	51	96	74	79	76
65—	M	171	180	215	154	430	130	61	85	25	54	786	112	144	108	150	110
	F	158	153	187	121	358	109	67	78	20	41	614	70	155	98	138	109
70—	M	206	219	260	229	475	183	113	110	37	72	855	114	179	153	189	141
	F	230	243	252	185	470	149	85	106	34	60	891	112	225	138	206	127
75—	M	243	231	286	262	461	179	86	143	47	104	876	124	212	178	213	165
	F	291	261	285	232	488	192	120	116	64	67	1,086	134	260	180	258	157
80—	M	179	198	209	171	314	130	81	115	47	81	671	91	163	151	134	114
	F	280	239	280	202	358	136	105	116	50	77	940	137	265	168	232	157
85 and over	M	124	144	170	132	167	96	43	94	18	59	462	91	108	102	113	64
	F	298	278	297	242	276	112	101	114	55	79	990	128	277	207	265	139

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages ...	M	1,694	868	213	239	504	144	1,067	967	1,612	678	649	664	1,314	931
	F	1,648	795	255	231	522	120	1,063	939	1,583	632	651	534	1,331	892
Under 4 weeks	M	59	34	5	9	16	4	23	32	60	21	12	17	60	37
4 weeks to 3 months	F	40	21	2	6	10	2	19	23	35	14	9	13	28	21
	M	9	3	3	1	2	—	2	4	11	2	2	9	11	11
	F	6	6	—	—	1	—	3	2	9	2	3	4	10	7
3-6 months	M	11	9	1	1	1	1	10	7	11	4	7	8	19	6
6-12 months	F	10	7	2	—	—	—	5	4	9	2	4	4	10	2
	M	11	5	3	—	—	3	9	2	7	2	1	2	9	8
	F	4	2	—	2	2	—	1	5	7	4	1	2	7	6
Total under 1 year	M	90	51	12	11	19	8	44	45	89	29	22	36	99	62
	F	60	36	4	8	13	2	28	34	60	22	17	23	55	36
1—	M	4	5	1	1	2	1	—	4	6	4	1	2	7	4
	F	4	1	1	1	1	1	4	4	1	1	3	4	7	4
2—	M	5	1	—	—	3	1	—	2	7	4	1	2	—	3
	F	5	5	—	—	—	—	3	3	—	—	—	2	9	—
3—	M	5	2	—	—	1	—	5	4	3	3	—	—	2	3
	F	—	2	—	1	—	—	2	2	3	1	—	—	1	1
4—	M	3	1	—	—	—	—	1	2	2	1	—	—	2	—
	F	3	1	—	—	—	—	1	—	2	—	—	—	1	1
Total under 5 years	M	107	60	13	12	25	10	50	57	107	41	24	40	110	72
	F	72	45	5	10	14	3	38	43	66	24	20	29	73	42
5—	M	13	4	—	1	1	1	6	8	10	6	1	2	6	1
	F	6	5	—	—	2	—	6	1	7	—	3	2	7	4
10—	M	5	—	—	1	1	1	6	5	3	3	1	3	3	2
	F	6	1	—	1	—	—	4	1	7	2	1	1	4	2
15—	M	4	8	1	3	3	3	4	5	9	5	3	4	4	6
	F	8	3	1	3	1	—	3	6	12	9	2	2	10	4
20—	M	18	11	2	4	5	—	10	9	10	8	2	6	9	7
	F	13	9	—	1	2	—	5	7	15	2	6	4	6	9
25—	M	17	8	1	2	6	2	9	10	16	5	2	10	14	2
	F	16	10	1	3	8	—	4	5	20	9	6	5	10	9
30—	M	25	10	2	5	1	—	10	11	18	4	3	7	13	10
	F	17	15	2	—	6	—	10	4	20	3	10	6	13	8
35—	M	25	6	2	5	5	1	20	14	26	9	10	13	25	20
	F	20	18	4	2	5	—	19	12	20	11	10	11	17	9
40—	M	48	14	6	5	9	2	22	12	44	12	14	14	38	22
	F	32	13	3	4	10	—	21	13	33	11	6	8	27	16
45—	M	76	29	7	7	15	4	43	23	52	17	24	16	55	30
	F	43	22	3	6	6	2	28	24	47	15	14	14	42	28
50—	M	76	43	13	14	18	3	40	42	84	25	38	26	54	25
	F	69	32	6	7	14	4	29	36	52	17	29	23	40	26
55—	M	125	60	14	19	30	5	83	56	104	36	48	36	86	48
	F	92	23	16	14	21	4	55	45	91	19	26	26	61	42
60—	M	181	79	18	18	56	8	109	73	174	67	53	54	125	80
	F	129	52	25	13	34	10	75	56	105	44	45	30	110	66
65—	M	211	104	28	22	71	20	106	127	204	87	87	78	172	115
	F	142	94	27	24	57	14	113	91	173	47	73	62	136	100
70—	M	251	125	32	26	70	26	154	131	247	97	105	99	199	152
	F	252	92	37	31	68	22	140	115	240	93	92	81	215	127
75—	M	243	133	36	38	91	32	174	157	222	111	102	114	189	138
	F	304	139	55	41	98	17	153	148	266	114	107	78	221	137
80—	M	166	101	22	35	55	14	121	133	184	87	73	79	125	118
	F	228	93	44	40	92	24	187	169	195	98	115	78	189	140
85 and over	M	103	73	16	22	42	12	100	94	98	58	59	63	87	83
	F	199	129	26	31	84	20	173	163	214	114	86	74	150	123

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardiganshire.		Carmarthen- shire.		Denbighshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	7,471	2,402	142	207	108	251	440	400	143	252	505	692	484	614
	F	7,115	2,062	122	187	125	191	485	371	156	311	432	565	573	524
Under 4 weeks	M	221	102	5	11	4	12	18	9	2	6	13	29	12	15
4 weeks to 3 months	F	180	79	4	6	5	6	7	6	3	4	10	19	15	14
	M	63	31	—	—	2	2	1	4	—	1	—	8	4	7
	F	51	17	3	2	—	—	1	2	1	3	3	7	4	3
3-6 months	M	65	29	2	3	—	3	3	2	1	—	4	2	6	6
6-12 months	F	41	20	1	1	3	1	3	2	—	2	—	5	4	6
	M	49	24	—	—	—	1	4	1	2	1	2	3	4	6
	F	50	15	1	—	2	—	1	1	—	1	4	2	4	5
Total under 1 year	M	398	186	7	14	6	18	26	16	5	8	19	42	26	34
	F	322	131	9	9	10	7	12	11	4	10	17	33	27	28
1—	M	24	13	1	1	—	—	1	6	—	2	1	5	2	—
	F	26	10	—	—	1	—	—	4	—	1	2	2	1	5
2—	M	19	5	—	—	1	1	1	1	—	1	1	2	—	1
	F	20	11	—	—	1	—	1	—	—	1	1	1	1	2
3—	M	14	9	—	—	—	1	1	1	—	—	3	1	1	—
	F	9	5	—	—	—	1	—	—	—	—	—	2	—	—
4—	M	8	3	—	—	—	—	1	2	—	—	1	1	—	—
	F	10	5	—	—	1	—	—	1	—	1	3	—	—	—
Total under 5 years	M	463	216	8	15	7	20	30	26	5	11	25	51	29	35
	F	387	162	9	9	13	8	13	16	4	13	23	38	29	35
5—	M	44	10	—	2	—	—	2	3	1	—	3	3	2	3
	F	40	8	—	2	1	2	—	—	1	—	3	5	2	2
10—	M	29	13	—	—	—	—	—	—	—	—	4	1	—	4
	F	15	7	—	—	—	1	1	2	—	—	3	4	1	4
15—	M	29	15	1	2	—	2	—	—	—	1	2	4	3	5
	F	30	9	1	—	—	1	2	4	—	—	6	2	5	1
20—	M	54	30	—	2	1	9	3	2	1	—	6	10	2	4
	F	56	24	2	2	1	—	4	8	1	6	3	5	5	4
25—	M	66	27	2	1	2	2	2	5	1	4	8	5	6	3
	F	65	20	—	3	2	1	6	2	3	1	10	13	6	16
30—	M	71	34	2	3	5	8	1	4	1	3	6	12	4	—
	F	77	26	3	1	—	3	3	4	1	6	5	9	4	1
35—	M	109	26	1	—	—	6	2	9	2	5	7	12	8	5
	F	103	39	4	—	—	2	5	4	—	—	2	11	12	6
40—	M	171	57	7	4	2	8	1	5	1	2	8	24	12	12
	F	108	50	3	2	4	8	6	4	4	4	10	17	11	13
45—	M	280	84	2	5	4	7	14	20	3	7	15	27	14	19
	F	199	44	6	5	4	6	10	7	3	8	16	10	18	16
50—	M	396	114	14	8	4	8	27	23	5	13	29	38	21	35
	F	260	90	4	7	2	8	27	19	5	16	14	26	25	15
55—	M	544	146	11	5	9	9	33	21	10	15	54	62	39	47
	F	401	105	4	7	3	13	26	15	3	11	25	32	31	32
60—	M	798	245	23	26	6	26	42	32	17	16	55	65	59	54
	F	535	155	11	15	11	14	32	34	12	19	36	42	36	45
65—	M	998	313	13	23	17	29	60	58	27	36	73	83	64	97
	F	880	243	16	18	8	19	57	43	14	28	48	68	49	47
70—	M	1229	358	16	18	17	39	77	61	14	29	66	108	62	86
	F	1237	287	15	19	21	31	59	75	32	51	56	89	84	82
75—	M	1,136	339	22	38	12	43	70	59	26	41	83	90	89	101
	F	1,189	325	18	28	19	32	83	56	28	59	76	77	91	89
80—	M	723	246	16	30	11	19	49	47	18	43	35	56	39	60
	F	905	247	17	33	20	23	73	41	19	45	60	62	80	68
85 and over	M	331	129	4	25	11	16	27	25	11	26	26	41	31	44
	F	628	221	9	36	16	19	78	37	26	44	36	55	84	48

TABLE 20—continued—Urban and Rural Aggregates of Administrative Counties.

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	433	481	3,838	1,150	128	132	1,881	297	111	193	270	320	46	75
	F	462	371	2,970	938	148	150	1,476	215	122	164	257	304	54	74
Under 4 weeks	M	17	11	127	41	1	4	70	1	7	9	14	13	2	—
4 weeks to 3 months	F	10	10	102	25	2	2	53	9	2	9	12	6	—	3
	M	5	1	39	12	—	1	22	4	—	—	—	3	1	1
	F	4	2	24	8	2	—	11	2	2	2	2	1	—	—
3-6 months	M	5	6	30	10	1	—	22	1	—	2	—	—	—	1
6-12 months	F	1	1	17	5	1	2	14	1	—	1	2	2	—	—
	M	3	6	24	4	—	2	20	1	1	—	—	2	—	—
	F	2	—	28	8	—	3	17	1	—	1	3	2	—	1
Total under 1 year	M	30	24	220	67	2	7	134	7	8	12	14	18	3	2
	F	17	13	171	46	5	7	95	13	4	13	19	11	—	4
1—	M	1	4	15	5	—	1	8	2	—	—	2	—	—	1
	F	—	—	12	4	1	—	11	—	—	1	1	1	—	—
2—	M	1	—	6	6	—	1	4	3	—	2	—	2	—	—
	F	1	—	7	2	—	—	4	—	—	—	—	1	—	—
3—	M	—	—	8	1	1	—	3	1	—	1	1	1	—	—
	F	—	—	4	4	—	—	—	1	1	—	—	—	—	—
4—	M	1	—	6	2	—	—	3	1	—	—	1	—	—	—
	F	—	—	3	2	—	—	—	1	—	—	—	—	—	—
Total under 5 years	M	33	28	255	81	3	9	152	14	8	15	18	21	3	3
	F	18	13	197	58	6	7	110	15	5	14	20	13	—	4
5—	M	3	2	21	5	—	1	12	—	—	—	3	1	—	1
	F	1	—	8	3	—	—	7	—	—	—	1	1	—	—
10—	M	2	—	14	6	—	—	1	—	—	2	2	2	—	1
	F	—	1	15	3	4	—	6	1	—	—	1	—	—	—
15—	M	3	4	21	13	1	—	12	3	—	1	2	3	—	—
	F	2	—	32	6	2	—	13	3	—	—	1	—	—	—
20—	M	4	8	50	13	1	4	22	2	1	1	2	3	—	2
	F	1	3	38	9	1	2	17	2	—	1	4	7	—	1
25—	M	8	7	51	13	2	3	36	2	1	2	2	5	2	2
	F	6	6	52	19	1	—	27	2	2	4	—	5	—	1
30—	M	4	17	37	11	1	2	20	2	3	—	3	2	—	3
	F	6	4	40	10	1	1	25	2	2	4	4	2	—	2
35—	M	7	13	77	21	3	2	25	3	2	2	3	4	4	—
	F	6	5	46	17	—	—	26	3	1	3	4	3	—	1
40—	M	6	17	88	28	4	5	52	7	4	3	3	6	1	2
	F	10	9	52	24	2	2	29	1	1	—	8	3	2	1
45—	M	18	23	127	48	6	4	69	9	4	4	6	11	1	1
	F	17	16	85	33	8	5	62	5	3	6	2	10	1	1
50—	M	29	26	219	67	4	6	92	17	6	5	20	11	2	2
	F	15	11	139	46	6	6	69	8	2	3	9	6	2	2
55—	M	33	35	330	94	9	8	157	23	3	7	26	19	1	3
	F	24	12	183	56	6	10	87	12	9	9	15	13	5	3
60—	M	42	42	439	132	15	11	205	34	5	16	24	32	7	5
	F	32	24	246	72	10	9	111	21	15	8	18	26	3	2
65—	M	48	65	505	156	18	12	238	38	13	14	36	43	1	7
	F	55	38	358	106	15	14	162	24	13	20	25	34	7	6
70—	M	70	69	606	162	17	16	270	49	22	33	41	45	9	11
	F	71	59	467	147	23	18	241	30	16	21	28	51	2	12
75—	M	52	58	524	149	19	26	259	37	19	40	32	44	8	11
	F	74	69	429	121	22	23	197	32	26	26	49	40	12	17
80—	M	43	31	316	101	16	17	168	33	11	24	25	32	4	16
	F	64	51	353	119	22	29	156	26	17	28	44	52	9	11
85 and over	M	28	36	158	50	9	6	91	24	9	24	22	36	3	5
	F	60	50	230	89	19	24	131	28	10	17	24	38	11	10

TABLE 21.—Causes of Death at Different Age-Periods, 1949, in England and Wales. Non-civilian deaths are excluded from this table but shown separately in Table 21A, page 175.

The sequence of causes of death followed in this table is that of the full detailed International List of Causes of Death (Fifth revision, 1938). Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 24 (c) Gas-Gangrene, 20, 45, 55, 65, 65, 70, 75, 55, 65, denotes that 7 male deaths (1 in each age group 20—, 45—, 55—, 70—, 75—, and 2 in age group 65—) and 2 female deaths (1 in age group 55— and 1 in 65—) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

See Explanatory notes on page vi.

Causes of Death.	All Causes.		I. 1-44 Infective and Parasitic Diseases.		1-26 Diseases due to bacteria.		1 Typhoid fever.		2 Paratyphoid fevers.		3, 4, 5*		7*	
											6 Cerebro-spinal (meningococcal) meningitis.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	259942	250031	17892	13062	12530	8437	10	9	5	8	154	133	10	8
0—	13854	10028	570	465	366	310	—	—	1	1	67	45	—	—
1—	2576	2065	657	622	470	450	1	1	1	—	49	41	1	1
5—	1213	832	261	188	155	121	—	1	—	1	8	8	4	5
10—	903	683	145	154	86	116	—	1	—	—	2	5	1	1
15—	1442	1337	351	646	279	590	—	—	—	—	6	2	2	—
20—	2210	2153	717	1216	644	1122	—	1	—	1	1	4	—	—
25—	2821	2765	1054	1366	938	1285	2	—	—	—	1	2	—	—
30—	2680	2616	938	988	807	901	—	—	—	4	2	7	—	—
35—	4159	3689	1186	858	1037	726	—	—	—	1	—	2	—	—
40—	6254	4817	1322	703	1101	578	2	—	—	—	8	5	—	1
45—	9808	6910	1533	661	1284	486	—	—	1	—	2	2	—	—
50—	13165	9520	1628	584	1268	388	1	—	—	—	2	1	—	—
55—	18932	13102	1771	638	1272	387	1	—	1	—	1	2	1	—
60—	26933	18832	1777	690	1182	321	2	2	1	—	2	2	—	—
65—	33647	27053	1592	800	933	292	—	3	—	—	2	2	1	—
70—	39543	37332	1062	815	440	195	—	—	—	—	—	—	—	—
75—	37584	41090	737	691	197	107	1	—	—	—	1	2	—	—
80—	26036	34751	381	546	54	41	—	—	—	—	—	1	—	—
85 and over	16182	30456	210	431	17	21	—	—	—	—	—	—	—	—

* 3, Plague, — ; 4, Cholera, — ; 5, Undulant fever (Brucellosis), 25, 45, 60 ; 7, Malignant pustule and anthrax, 45, 60.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Erysipelas.		12 Tetanus.		Tuberculosis.					
									13-22 All forms.		13 Respiratory system.		13 (a) With mention of occupational disease of lung.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	238	289	45	39	27	27	61	18	11879	7842	10612	6776	262	9
0—	179	178	1	1	1	—	1	1	91	72	21	17	—	—
1—	50	105	22	19	1	—	11	3	328	274	42	42	—	—
5—	9	4	11	7	—	—	6	—	114	93	9	13	—	—
10—	—	—	1	5	—	—	6	1	75	101	19	42	—	—
15—	—	—	—	—	—	—	3	1	266	586	178	491	—	—
20—	—	—	2	—	—	—	2	—	635	1115	549	1037	—	—
25—	—	—	2	2	—	—	1	1	930	1277	842	1193	—	2
30—	—	—	—	—	1	—	1	1	798	886	745	833	6	1
35—	—	—	1	1	—	—	1	1	1031	718	970	669	10	—
40—	—	—	3	—	1	—	2	1	1083	569	1019	525	26	3
45—	—	—	—	2	1	—	3	2	1265	477	1194	437	26	—
50—	—	—	1	1	2	2	4	1	1255	378	1186	335	35	1
55—	—	—	—	—	—	3	4	1	1256	379	1216	332	65	—
60—	—	—	—	—	—	5	7	—	1164	312	1121	277	38	1
65—	—	—	—	—	2	2	4	2	917	276	877	253	30	1
70—	—	—	—	—	5	4	3	1	429	187	399	162	22	—
75—	—	2	1	—	4	1	2	—	184	95	172	82	4	—
80—	—	—	—	1	6	2	—	1	46	34	41	27	—	—
85 and over	—	—	—	—	3	8	—	—	12	13	12	9	—	—

TABLE 21—continued.

Causes of Death.	Tuberculosis.															
	13 (b) Without mention of occupational disease of lung.		13 (c)* 14 Meninges and central nervous system.		15 Intestines and peritoneum.		16 Vertebral column.		17 Other bones and joints.		18 Skin and subcutaneous cellular tissue.		19 Lymphatic system.		20 Genito- urinary system.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10345	6765	558	533	146	148	109	101	38	20	5	8	21	36	208	93
0—	20	17	48	37	3	1	—	—	—	—	—	—	1	2	—	—
1—	42	41	243	190	14	17	1	2	1	1	—	—	5	7	1	—
5—	9	13	82	66	8	5	4	—	1	—	—	—	3	4	3	—
10—	19	42	36	49	5	4	5	1	—	1	—	—	—	—	2	—
15—	178	491	38	55	16	17	6	4	1	3	—	1	1	2	15	3
20—	549	1037	27	42	11	13	9	3	4	1	—	—	—	1	19	6
25—	842	1191	21	28	13	22	9	10	3	1	—	—	1	2	25	11
30—	739	832	6	18	7	13	10	8	2	—	1	1	—	—	19	8
35—	960	669	10	16	13	7	9	4	—	1	—	—	—	—	17	11
40—	992	522	18	8	6	7	6	10	3	1	—	—	1	2	19	9
45—	1168	437	8	6	13	8	11	8	2	1	1	—	—	—	24	10
50—	1151	334	4	5	11	12	5	9	4	2	—	—	1	2	27	8
55—	1150	331	4	6	4	7	14	12	2	2	1	1	1	3	5	8
60—	1082	276	6	4	3	2	8	9	1	1	1	1	3	4	15	7
65—	847	252	4	2	11	6	5	5	3	1	1	—	1	1	9	2
70—	377	162	2	1	5	4	6	8	5	1	—	1	1	3	5	7
75—	167	82	1	—	2	1	1	5	3	2	—	1	2	1	2	2
80—	41	27	—	—	1	1	—	3	3	—	—	1	—	1	1	1
85 and over	12	9	—	—	—	1	—	—	—	1	—	1	—	1	—	—

* 13 (c), Tuberculosis of unspecified site, 0, 40, 55, 60, 75, 1, 55.

Causes of Death.	Tuberculosis.															
	21 Other organs.		21 (a) Addison's disease specified as tuberculous.		21 (b) Other sites included under 21.		22 Dis- seminated tuberculosis.		22 (a) Acute generalised miliary tuberculosis.		22 (b) Chronic generalised tuberculosis.		22 (c) Not dis- tinguished as acute or chronic.		23* 24 Purulent infection and septicæmia.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23	17	18	10	5	7	159	110	32	16	2	2	125	92	93	62
0—	—	1	—	—	—	1	18	14	3	2	—	—	15	12	25	12
1—	—	—	—	—	—	—	21	15	4	1	—	—	17	14	6	6
5—	—	—	—	—	—	—	4	5	3	1	—	—	1	4	3	2
10—	1	—	—	—	1	—	7	4	—	—	—	—	7	4	1	2
15—	1	1	—	1	1	—	10	9	2	2	—	—	8	7	2	1
20—	1	3	1	3	—	—	15	9	1	3	—	—	14	6	4	—
25—	1	—	1	—	—	—	15	10	3	2	—	—	12	8	1	3
30—	3	—	2	—	1	—	5	5	2	2	—	—	3	3	5	2
35—	2	1	1	1	1	—	10	9	4	1	—	—	6	8	3	3
40—	3	2	3	—	—	2	8	5	2	1	—	—	6	4	2	2
45—	4	1	4	1	—	—	8	6	2	—	—	1	6	5	9	3
50—	2	1	2	1	—	—	15	4	2	—	1	—	12	4	3	5
55—	3	4	3	2	—	2	6	4	1	1	—	1	5	2	8	2
60—	1	—	—	—	1	—	5	7	1	—	—	—	4	7	4	—
65—	—	3	—	1	—	2	6	3	1	—	1	—	4	3	7	7
70—	1	—	1	—	—	—	5	—	1	—	—	—	4	—	3	3
75—	—	—	—	—	—	—	1	1	—	—	—	—	1	1	3	7
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—

* 23, Leprosy.—

TABLE 21—continued.

Causes of Death.	24 (a) Septicæmia.		24 (b) Pyæmia.		24 (c) (d)*		26*		27 (a) Bacillary dysentery.		27 (b) Amœbic dysentery.		27 (c)*		28-29 [‡] Diseases due to protozoa.	
	25 Gonococcal infections.		27 Dysentery.		27 (d) Other or unspecified forms of dysentery.											
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	75	48	10	12	3	2	25	15	17	8	5	3	3	4	7	1
0—	22	9	2	3	—	—	4	3	4	2	—	—	—	1	—	1
1—	6	6	—	—	—	—	3	—	3	—	—	—	—	—	—	—
5—	3	2	—	—	—	—	2	—	2	—	—	—	—	—	1	—
10—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	2	—	1	—	—	1	—	2	—	—	—	1	—	1	—	—
25—	1	3	—	—	—	—	2	1	—	1	2	—	—	—	1	—
30—	3	1	2	1	—	1	2	—	1	—	1	—	—	—	1	—
35—	3	2	—	1	1	—	—	1	—	—	—	—	—	1	—	—
40—	1	1	1	1	—	—	4	—	3	—	1	—	—	—	1	—
45—	7	3	1	—	1	—	2	—	1	—	1	—	—	—	—	—
50—	2	4	1	1	—	—	2	—	2	—	—	—	—	—	—	—
55—	7	1	—	—	—	—	—	1	—	1	—	—	—	—	1	—
60—	3	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—
65—	4	5	1	1	—	—	—	1	—	1	—	—	—	—	—	—
70—	2	2	—	1	—	—	2	1	1	1	—	—	1	—	—	—
75—	2	5	—	2	1	—	2	3	—	2	—	1	2	—	2	—
80—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 24 (c), Gas gangrene, 20, 45, 55, 65, 65, 70, 75, 55, 65 ; 24 (d), Generalised infection by bacillus coli, 0 ; 26, Other bacterial diseases (dysentery excepted), — ; 27 (c), Other protozoal dysentery, —

Causes of Death.	28 Malaria.		29* 30-32 Diseases due to spirochætes.		30 Syphilis.		30 (a) Locomotor ataxia (tabes dorsalis).		30 (b) General paralysis of the insane.		30 (c) Aneurysm of aorta.		30 (d) Other forms of syphilis.		30 (da) Congenital syphilis.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	—	1452	644	1413	642	114	20	162	65	683	349	454	208	42	34
0—	—	—	35	27	34	27	—	—	—	—	—	—	34	27	34	27
1—	—	—	1	2	1	1	—	—	—	—	—	—	1	1	1	1
5—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1
10—	—	—	3	2	3	2	—	—	—	1	2	—	1	1	1	1
15—	—	—	4	1	4	1	—	—	2	—	1	—	1	1	1	1
20—	—	—	6	—	5	—	—	—	4	—	1	—	—	—	—	—
25—	1	—	10	3	9	3	—	—	1	1	1	—	7	2	2	—
30—	—	—	14	8	12	8	—	—	3	1	4	3	5	4	2	1
35—	—	—	20	10	17	10	—	—	4	4	6	2	7	4	—	—
40—	1	—	45	22	39	21	1	—	12	6	7	11	19	4	—	1
45—	—	—	84	49	78	49	2	—	18	14	30	19	28	16	—	—
50—	—	—	145	57	140	57	9	4	23	17	56	13	52	23	—	—
55—	1	—	211	73	207	73	17	7	30	8	97	32	63	26	—	—
60—	—	—	262	76	259	76	25	6	24	6	135	37	75	27	—	—
65—	—	—	259	91	254	91	27	2	25	6	124	54	78	29	1	—
70—	—	—	179	102	178	102	23	1	13	—	99	74	43	27	—	—
75—	2	—	116	65	116	65	6	—	2	—	81	52	27	13	—	1
80—	—	—	47	39	46	39	2	—	1	1	32	37	11	1	—	—
85 and over	—	—	11	16	11	16	2	—	—	—	7	15	2	1	—	—

* 29, Other diseases due to parasitic protozoa, except Spirochætes, 5, 30, 0.

TABLE 21—continued.

Causes of Death.	30 (db, dc, dd) Other or unspecified syphilis.		31* 32 Other diseases due to spirochaetes.		32 (a) Spirochaetosis ictero-hæmorrhagica (Weil's Disease).		32 (b) Other diseases included under 32.		33-38 Diseases due or attributed to filterable viruses.		33 Influenza.		33 (a) With respiratory complications specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	412	174	39	2	36	1	3	1	3381	3675	2669	2989	1879	2025
0—	—	—	1	—	—	—	1	—	155	121	92	59	60	34
1—	—	—	—	1	—	—	—	1	180	167	35	35	22	23
5—	—	—	—	—	—	—	—	—	95	66	9	8	7	7
10—	—	—	—	—	—	—	—	—	49	34	10	8	7	7
15—	—	—	—	—	—	—	—	—	50	46	14	15	9	9
20—	—	—	1	—	1	—	—	—	42	73	10	26	8	16
25—	5	2	1	—	1	—	—	—	64	61	22	21	13	19
30—	3	3	2	—	2	—	—	—	81	61	29	28	21	23
35—	7	4	3	—	3	—	—	—	80	90	39	47	30	34
40—	19	3	6	1	5	1	1	—	111	86	73	57	60	45
45—	28	16	6	—	6	—	—	—	120	100	103	70	88	51
50—	52	23	5	—	5	—	—	—	166	111	144	90	116	64
55—	63	26	4	—	4	—	—	—	245	158	227	134	171	87
60—	75	27	3	—	3	—	—	—	301	257	284	238	202	174
65—	77	29	5	—	5	—	—	—	362	389	339	369	254	265
70—	43	27	1	—	—	—	1	—	416	499	398	475	278	336
75—	27	12	—	—	—	—	—	—	407	505	399	492	258	336
80—	11	1	1	—	1	—	—	—	275	461	266	443	173	269
85 and over	2	1	—	—	—	—	—	—	182	390	176	374	102	226

* 31, Relapsing fever, —.

Causes of Death.	33 (a) (1) With pneumonic complications.		33 (a) (2) With other respiratory complications.		33 (b) Without respiratory complications specified.		33 (b) (1) With non-respiratory complications.		33 (b) (2) Without stated complications.		34 Smallpox.		35 Measles.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1209	1282	670	743	790	964	539	612	251	352	1	4	152	155
0—	44	29	16	5	32	25	23	20	9	5	—	—	45	41
1—	16	18	6	5	13	12	11	11	2	1	—	—	75	81
5—	6	4	1	3	2	1	2	1	—	—	—	—	22	18
10—	7	7	—	—	3	1	2	1	1	—	—	—	3	1
15—	9	9	—	—	5	6	5	3	—	3	—	—	2	—
20—	8	14	—	2	2	10	1	9	1	1	—	1	—	4
25—	12	15	1	4	9	2	6	1	3	1	—	—	1	2
30—	14	22	7	1	8	5	7	4	1	1	—	1	1	1
35—	27	30	3	4	9	13	7	8	2	5	—	—	—	2
40—	44	35	16	10	13	12	11	9	2	3	—	—	—	1
45—	71	38	17	13	15	19	12	13	3	6	—	—	1	—
50—	76	46	40	18	28	26	22	22	6	4	—	—	1	—
55—	121	60	50	27	56	47	45	33	11	14	—	—	—	—
60—	128	120	74	54	82	64	66	54	16	10	1	1	—	—
65—	170	157	84	108	85	104	68	76	17	28	—	1	—	1
70—	173	207	105	129	120	139	82	95	38	44	—	—	—	2
75—	141	187	117	149	141	156	92	102	49	54	—	—	—	—
80—	97	158	76	111	93	174	52	90	41	84	—	—	1	—
85 and over	45	126	57	100	74	148	25	60	49	88	—	—	—	1

TABLE 21—continued.

Causes of Death.	36 Acute poliomyelitis and polio-encephalitis.		36 (1) Acute poliomyelitis.		36 (2) Acute polio-encephalitis.		37 Acute infectious encephalitis (lethargic or epidemic).		37 (a) Acute lethargic (or epidemic) encephalitis.		37 (b) Sequelæ of encephalitis lethargica.		37 (c) Unspecified encephalitis lethargica.		38 Other diseases due to viruses.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	359	292	235	197	124	95	171	189	31	33	91	103	49	53	29	46
0—	9	16	5	8	4	8	6	3	6	3	—	—	—	—	3	2
1—	61	43	32	26	29	17	6	5	6	5	—	—	—	—	3	3
5—	58	34	38	24	20	10	4	4	3	4	—	—	1	—	2	2
10—	33	24	24	18	9	6	3	1	—	—	—	1	3	—	—	—
15—	32	30	23	21	9	9	2	1	1	—	—	—	1	1	—	—
20—	31	39	22	29	9	10	1	3	—	2	—	—	1	1	—	—
25—	37	34	22	21	15	13	4	4	1	1	—	2	3	1	—	—
30—	41	25	30	18	11	7	10	5	3	1	5	4	2	—	—	1
35—	23	20	16	17	7	3	17	21	1	3	13	14	3	4	1	—
40—	14	10	10	7	4	3	24	18	3	1	14	12	7	5	—	—
45—	6	6	3	3	3	3	10	24	—	4	5	10	5	10	—	—
50—	5	6	4	1	1	5	15	15	—	1	9	10	6	4	1	—
55—	2	3	1	2	1	1	16	21	3	3	7	10	6	8	—	—
60—	3	1	3	1	—	—	12	16	—	2	9	9	3	5	1	1
65—	4	—	2	—	2	—	19	15	3	1	13	12	3	2	—	3
70—	—	1	—	1	—	—	17	20	1	2	12	11	4	7	1	1
75—	—	—	—	—	—	—	5	8	—	—	4	7	1	1	3	5
80—	—	—	—	—	—	—	—	5	—	—	—	1	—	4	8	13
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	15

Causes of Death.	38 (a, b, d, f)*		38 (e) Varicella.		39 (a), (bc)*		40*		41 (b)*		42*		44 Other infective or parasitic diseases.		44 (a)*	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	36	7	7	6	9	6	9	5	5	37	28	454	253	451	246
0—	—	—	2	2	—	—	—	—	—	—	8	3	2	—	2	—
1—	—	—	3	3	—	—	—	—	—	—	2	1	1	2	1	1
5—	—	—	1	1	—	—	—	—	—	—	—	—	8	—	8	—
10—	—	—	—	—	—	—	—	—	—	—	1	—	6	2	6	2
15—	—	—	—	—	—	—	—	—	—	—	2	1	16	8	16	8
20—	—	—	—	—	—	1	—	1	—	—	—	1	25	17	24	17
25—	—	—	—	—	—	—	—	—	—	—	1	—	38	16	38	16
30—	—	—	—	—	—	—	—	—	—	—	—	—	33	18	33	18
35—	—	—	1	—	—	1	—	1	—	1	2	—	47	30	46	28
40—	—	—	—	—	1	—	1	—	—	—	1	3	58	14	58	14
45—	—	—	—	—	1	—	1	—	1	—	1	4	41	22	41	22
50—	1	—	—	—	—	—	—	—	—	—	4	4	43	24	42	24
55—	—	—	—	—	1	3	1	3	1	1	1	1	40	15	40	15
60—	1	1	—	—	—	3	—	3	—	2	2	3	30	28	30	26
65—	—	2	—	—	3	1	3	1	3	1	4	3	31	23	31	22
70—	1	1	—	—	—	—	—	—	—	—	3	—	22	18	22	18
75—	3	4	—	1	—	—	—	—	—	—	3	3	10	8	10	8
80—	8	13	—	—	—	—	—	—	—	—	2	—	3	5	3	5
85 and over	6	15	—	—	—	—	—	—	—	—	—	1	—	3	—	2

* 38 (a), Yellow fever, —; 38 (b), Rabies, —; 38 (d), German measles, 0, 5; 38 (f), Other diseases included under 38, 5, 30, 65; 39 (a), Louse borne exanthematic typhus, —; 39 (bc), Other or unspecified typhus-like diseases, —; 40, Ankylostomiasis, —; 41 (b), Hydatid disease of other or unspecified organs, 40, 20, 55, 55, 60; 42, Other diseases due to helminths, —; 44 (a), Venereal diseases (other than syphilis and gonorrhœa), —; † Hodgkin's disease.

TABLE 21—continued.

Causes of Death.	44 (c)*		Cancer and other malignant tumours.											
	44 (d) Other diseases included under 44.		II. 45-57 Cancer and other Tumours.		45-55 Total.		45 Buccal cavity and pharynx.		45 (a) Lips.		45 (b) Tongue.		45 (c) Other, etc. parts of buccal cavity.†	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.														
All Ages	3	4	41732	40962	40772	39891	1627	532	160	19	499	156	968	357
0—	—	—	42	28	22	14	—	—	—	—	—	—	—	—
1—	—	—	111	113	91	95	1	1	—	—	—	—	1	1
5—	—	—	79	53	60	42	2	3	—	—	—	—	2	3
10—	—	—	71	32	47	26	3	1	—	—	—	—	3	1
15—	—	—	63	68	52	52	3	2	—	—	—	—	3	2
20—	1	—	142	89	120	73	—	—	—	—	—	—	—	—
25—	—	—	217	208	192	175	3	1	—	—	—	—	3	1
30—	—	—	268	380	238	348	6	5	—	—	1	2	5	3
35—	1	2	578	867	526	808	16	9	1	—	5	—	10	9
40—	—	—	1209	1527	1137	1428	16	10	1	—	—	2	15	8
45—	—	—	2206	2519	2121	2393	44	22	1	—	10	3	33	19
50—	1	—	3153	3327	3068	3208	57	35	6	—	13	12	38	23
55—	—	—	4449	4226	4318	4114	85	49	7	—	30	11	48	38
60—	—	2	5924	5011	5823	4901	155	68	6	1	45	22	104	45
65—	—	—	7000	5947	6917	5864	277	76	15	1	91	24	171	51
70—	—	—	7187	6253	7114	6176	372	85	33	3	133	24	206	58
75—	—	—	5412	5298	5361	5224	335	81	41	2	107	33	187	46
80—	—	—	2640	3267	2609	3224	184	58	31	7	55	17	98	34
85 and over	—	—	981	1749	956	1726	68	26	18	5	9	6	41	15

* 44 (c), Mumps, 1, 65, 85.

† The full title according to the detailed International List is 45 (c), Other or unspecified parts of buccal cavity and pharynx.

Causes of Death.	Cancer and other malignant tumours.													
	46 Digestive organs and peritoneum.		46 (a) Esophagus.		46 (b) Stomach and duodenum.		46 (c) Intestines other than duodenum or rectum.		46 (d) Rectum.		46 (e) Liver and biliary passages.		46 (f) Pancreas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20629	18545	1439	786	8096	6157	4591	6016	3762	2609	1050	1375	1514	1363
0—	5	1	—	—	—	—	—	—	—	—	1	1	—	—
1—	13	8	—	—	—	—	2	1	—	—	3	1	—	1
5—	6	1	—	—	—	—	3	—	—	—	—	—	—	—
10—	4	—	—	—	—	—	1	—	—	—	—	—	—	—
15—	4	9	1	—	1	1	—	5	1	1	1	—	—	—
20—	18	13	1	—	1	2	6	1	7	4	1	2	—	2
25—	54	42	2	1	20	16	12	10	12	4	4	6	1	2
30—	85	79	2	2	41	28	21	25	12	14	5	5	2	3
35—	224	227	7	8	84	77	58	78	41	37	10	13	15	8
40—	481	347	15	21	242	105	106	114	57	53	21	25	31	20
45—	832	664	29	22	390	199	166	201	107	129	49	50	81	47
50—	1275	1065	68	47	597	320	240	361	183	175	67	71	104	70
55—	1912	1494	123	82	892	457	310	474	266	223	105	104	191	124
60—	2795	2126	185	93	1204	701	545	672	475	268	140	172	217	193
65—	3655	2824	269	134	1481	1001	782	827	651	387	176	233	278	206
70—	4069	3521	322	140	1480	1239	932	1076	857	500	196	253	266	272
75—	3156	3137	268	134	1046	1111	800	1017	658	419	162	230	210	208
80—	1508	1964	112	69	459	617	431	755	335	253	73	123	91	135
85 and over	533	1023	35	33	158	283	176	399	100	142	36	86	27	72

TABLE 21—continued.

Causes of Death*	Cancer and other malignant tumours.											
	46 (g) Peritoneum.		46 (h)*		47 (a) Larynx and trachea.		47 (b) Lung and pleura.		47 (c)*	48 (a) Specified as cancer of cervix.	48 (b) Other or unspecified cancer of uterus.	49 Other female genital organs.
			47 Respiratory system.						48 Uterus.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.	F.	F.
All Ages	173	233	10163	2232	836	287	9327	1945	4247	2138	2109	2775
0—	4	—	1	—	—	—	1	—	—	—	—	—
1—	8	5	4	2	—	—	4	2	2	1	1	1
5—	3	1	4	1	—	—	4	1	—	—	—	1
10—	3	—	2	1	—	—	2	1	—	—	—	5
15—	—	2	5	4	—	1	5	3	1	—	1	6
20—	2	2	25	6	—	—	25	6	4	2	2	12
25—	3	3	34	14	2	2	32	12	22	15	7	17
30—	2	2	58	26	1	3	57	23	47	36	11	35
35—	9	6	158	58	7	8	151	50	115	78	37	67
40—	9	9	395	99	7	4	388	95	182	113	69	175
45—	10	16	895	132	36	13	859	119	369	244	125	290
50—	15	21	1268	196	42	26	1226	170	481	270	211	342
55—	25	30	1650	301	84	49	1566	252	624	307	317	375
60—	28	26	1933	319	134	35	1799	284	631	327	304	364
65—	17	34	1745	428	148	55	1597	373	602	272	330	370
70—	16	41	1152	307	171	39	981	268	503	213	290	317
75—	11	16	566	191	121	27	445	164	375	150	225	230
80—	7	11	204	111	61	22	143	89	190	72	118	113
85 and over	1	8	64	36	22	3	42	33	99	38	61	55

* 46 (h), Other or unspecified digestive organs, 50, 60, 65, 75, 60, 65, 65, 75, 75, 80 ;
47 (c), Unspecified respiratory organs, —.

Causes of Death.	Cancer and other malignant tumours.											
	50 Breast.		51 Male genital organs.	51 (a) Scrotum.	51 (b) Prostate.	51 (c) Other or unspecified male genital organs.	52 Urinary organs.		53 Skin (Scrotum excepted).		54 Brain and other parts of the nervous system.	
Ages at Death.	M.	F.	M.	M.	M.	M.	M.	F.	M.	F.	M.	F.
All Ages	78	7875	3308	28	2963	317	2179	1085	524	465	677	464
0—	—	—	1	—	1	—	3	3	—	—	7	4
1—	—	—	1	—	—	1	29	28	3	—	24	25
5—	—	—	2	—	—	2	11	6	1	—	21	15
10—	—	—	1	—	—	1	1	—	—	1	21	10
15—	—	1	4	—	—	4	1	—	—	1	12	7
20—	—	1	22	—	—	22	2	1	3	2	20	13
25—	—	17	30	—	2	28	5	1	1	12	25	24
30—	1	91	25	—	—	25	5	1	6	10	28	26
35—	—	233	23	—	—	23	11	17	6	10	41	33
40—	2	474	40	—	8	32	52	16	11	20	69	33
45—	4	688	43	4	21	18	104	42	16	18	94	54
50—	5	815	54	1	40	13	156	63	23	22	85	55
55—	13	915	136	1	122	13	219	91	29	31	101	66
60—	9	985	273	3	253	17	318	135	48	23	73	47
65—	9	1062	533	3	508	22	374	172	52	50	37	27
70—	16	958	808	5	770	33	388	187	102	54	12	16
75—	14	793	756	5	718	33	295	175	76	70	7	7
80—	4	519	411	4	382	25	149	104	84	66	—	2
85 and over	1	323	145	2	138	5	56	43	63	75	—	—

TABLE 21—continued.

Causes of Death.	Cancer and other malignant tumours.															
	54 (a) Glioma (not specified as benign).		54 (b) Sarcoma (of brain, etc.)		54 (c) Other or unspecified forms of cancer included under 54.		55 Other or unspecified organs.		55 (a) Adrenal glands.		55 (b) Bones.		55 (c) Thyroid gland.		55 (d) Others included under 55.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	505	349	23	27	149	88	1587	1671	31	46	488	458	82	254	986	913
0—	4	2	1	2	2	—	5	6	1	—	1	3	—	—	3	3
1—	17	22	4	1	3	2	16	28	5	12	2	7	—	—	9	9
5—	13	10	3	2	5	3	13	15	—	5	4	7	—	—	9	3
10—	17	5	—	2	4	3	15	8	—	—	11	5	—	—	4	3
15—	10	5	—	2	2	—	23	21	—	1	19	12	—	—	4	8
20—	16	10	1	1	3	2	30	21	—	4	15	11	—	1	15	5
25—	21	21	1	—	3	3	40	25	1	—	16	10	—	—	23	15
30—	23	22	1	—	4	4	24	28	1	2	8	9	3	1	12	16
35—	33	24	1	3	7	6	47	39	1	2	15	6	3	3	28	28
40—	51	27	—	—	18	6	71	72	3	2	13	20	2	11	53	39
45—	66	39	4	3	24	12	89	114	5	5	26	26	1	16	57	67
50—	63	44	4	3	18	8	145	134	4	3	43	35	6	21	92	75
55—	77	51	—	—	24	15	173	168	2	2	54	40	9	23	108	103
60—	54	34	2	2	17	11	219	203	1	1	64	57	11	30	143	115
65—	29	20	—	1	8	6	235	253	4	2	62	69	14	46	155	136
70—	7	9	—	3	5	4	195	228	2	4	61	59	12	42	120	123
75—	4	3	1	2	2	2	156	165	1	—	42	41	10	34	103	90
80—	—	1	—	—	—	1	65	97	—	1	24	30	7	17	34	49
85 and over	—	—	—	—	—	—	26	46	—	—	8	11	4	9	14	26

Causes of Death.	Cancer and other malignant tumours.				Non-malignant tumours.									
	55 (d) (1) Nose or nasal cavity.		55 (d) (2) Others included under 55 (d).		56 Total.		56 (a) Ovaries.	56 (b) Uterus.	56 (c) Other female genital organs.	56 (d) Brain and other parts of the nervous system.		56 (e) Other and unspecified organs.		
	M.	F.	M.	F.	M.	F.	F.	F.	F.	M.	F.	M.	F.	
All Ages	13	14	973	899	403	650	141	186	8	125	161	278	154	
0—	—	—	3	3	12	9	—	—	1	4	3	8	5	
1—	1	—	8	9	8	7	—	—	—	2	3	6	4	
5—	—	—	9	3	9	4	—	—	—	5	3	4	1	
10—	—	1	4	2	5	1	—	—	—	4	1	1	—	
15—	—	—	4	8	4	10	—	—	—	1	7	3	3	
20—	—	—	15	5	14	10	4	—	—	9	4	5	2	
25—	—	—	23	15	9	19	4	2	—	5	7	4	6	
30—	—	1	12	15	11	20	2	8	—	3	6	8	4	
35—	—	1	28	27	23	34	4	13	—	9	11	14	6	
40—	—	1	53	38	26	67	10	28	1	15	17	11	11	
45—	2	1	55	66	28	88	11	49	2	15	17	13	9	
50—	2	2	90	73	21	68	10	31	—	10	18	11	9	
55—	1	1	107	102	38	59	13	12	1	12	22	26	11	
60—	—	1	143	114	38	61	20	7	—	12	19	26	15	
65—	4	1	151	135	37	54	16	10	—	10	14	27	14	
70—	2	1	118	122	46	47	17	5	2	6	5	40	18	
75—	1	3	102	87	36	48	14	14	1	2	4	34	15	
80—	—	—	34	49	21	27	10	5	—	1	—	20	12	
85 and over	—	—	14	26	17	17	6	2	—	—	—	17	9	

TABLE 21—continued.

Causes of Death.	Tumours of undetermined nature.						III. 58-71 Rheumatism and Other General Diseases.†		58 Rheumatic fever.		58 (a) Acute rheumatic pericarditis.		58 (b) Acute rheumatic endocarditis.		58 (c) Acute rheumatic myocarditis.	
	57 Total.		57 (a) (b) (c)*		57 (e) Other and unspecified organs.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.										
All Ages	557	421	443	340	114	75	2054	4733	154	174	19	14	90	97	8	22
0—	8	5	3	5	5	—	60	41	—	2	—	—	—	2	—	—
1—	12	11	12	11	—	—	35	37	7	6	—	—	7	4	—	1
5—	10	7	10	7	—	—	36	38	28	29	5	3	17	18	—	1
10—	19	5	15	5	4	—	42	70	31	54	7	8	18	32	2	4
15—	7	6	7	6	—	—	42	35	20	13	2	1	14	8	2	2
20—	8	6	7	5	1	1	34	42	7	9	1	—	5	9	1	—
25—	16	14	15	12	1	2	30	61	8	12	—	—	7	7	—	1
30—	19	12	19	11	—	1	27	45	7	7	—	—	4	3	—	2
35—	29	25	23	22	6	2	47	69	10	8	—	—	6	3	—	3
40—	46	32	43	29	3	3	63	80	5	5	—	—	1	2	1	2
45—	57	38	52	36	5	1	80	139	9	5	2	—	5	2	1	—
50—	64	51	56	51	8	—	95	216	1	10	—	—	—	4	—	2
55—	93	53	74	47	19	5	128	311	6	3	—	1	1	1	—	—
60—	63	49	56	41	7	7	190	528	4	5	1	1	1	2	—	1
65—	46	29	31	24	15	5	266	730	4	—	1	—	—	—	—	—
70—	27	30	15	15	12	13	354	919	1	3	—	—	1	—	—	1
75—	15	26	4	8	11	18	304	731	5	1	—	—	2	—	1	—
80—	10	16	1	5	9	11	161	441	1	1	—	—	1	—	—	1
85 and over	8	6	—	—	8	6	60	200	—	1	—	—	—	—	—	1

* 57 (a), Ovaries, 45, 55, 60, 70 ; 57 (b), Uterus, 70 ; 57 (c), Other female genital organs, 35.

† The full title according to the detailed International List is III. 58-71, Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases and Vitamin Deficiency Diseases.

Causes of Death.	58 (d) Other diseases included under 58.		59 Chronic rheumatism and other rheumatic diseases.		59 (a) Rheumatoid arthritis.		59 (b) Other chronic articular rheumatism.		59 (c) Other forms of chronic rheumatism.		60 Gout.		61 Diabetes mellitus.		62 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	37	41	428	1140	286	910	127	208	15	22	14	4	1102	2342	19	31
0—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
1—	—	1	1	1	1	1	—	—	—	—	—	—	3	2	—	—
5—	6	7	1	—	—	—	1	—	—	—	—	—	3	4	—	—
10—	4	10	1	—	1	—	—	—	—	—	—	—	5	14	2	—
15—	2	2	1	—	—	—	1	—	—	—	—	—	17	16	—	—
20—	—	—	2	1	1	1	1	—	—	—	—	—	18	15	—	5
25—	1	4	3	1	3	1	—	—	—	—	—	—	13	23	1	2
30—	3	2	5	1	4	1	1	—	—	—	—	—	8	17	1	3
35—	4	2	5	8	3	6	2	1	—	1	—	—	17	12	—	2
40—	3	1	11	11	9	9	2	1	—	1	—	—	20	21	3	2
45—	1	3	13	23	10	18	3	5	—	—	—	—	36	46	1	4
50—	1	4	12	37	8	35	4	2	—	—	1	—	49	85	3	5
55—	5	1	31	59	23	52	7	7	1	—	1	1	61	137	2	2
60—	2	1	43	127	34	103	9	19	—	5	3	—	101	264	3	3
65—	3	—	66	137	47	118	16	19	3	—	2	—	165	428	1	—
70—	—	2	81	234	58	192	23	37	—	5	4	—	244	521	—	3
75—	2	1	83	214	51	167	28	42	4	5	1	1	196	432	1	—
80—	—	—	49	173	23	128	22	41	4	4	2	2	106	229	—	—
85 and over	—	—	20	113	10	78	7	34	3	1	—	—	39	76	—	—

TABLE 21—continued.

Causes of Death.	62 (1) Hyperpituitarism.		62 (2) Hypopituitarism.		62 (3)* 63 Diseases of the thyroid and parathyroid glands.		63 (a) Simple goitre.		63 (b) Exophthalmic goitre.		63 (c) Myxœdema and cretinism.		63 (d) Other diseases of the thyroid gland.		63 (e) Diseases of the parathyroid gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	9	8	21	117	767	16	87	79	504	20	158	2	12	—	6
0—	—	—	1	—	2	3	1	—	—	—	1	3	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—
20—	—	—	—	4	2	6	—	—	2	5	—	1	—	—	—	—
25—	—	1	1	1	2	12	—	1	2	8	—	3	—	—	—	—
30—	1	1	—	2	—	5	—	—	—	5	—	—	—	—	—	—
35—	—	1	—	1	6	19	1	3	5	13	—	—	—	2	—	1
40—	2	1	1	1	8	28	1	2	7	23	—	2	—	1	—	—
45—	1	—	—	4	9	41	1	5	8	31	—	4	—	1	—	—
50—	1	3	2	2	17	58	—	6	12	42	4	7	1	1	—	2
55—	1	—	—	2	11	94	1	7	7	78	3	6	—	1	—	2
60—	2	2	1	1	19	113	1	15	15	70	2	26	1	1	—	1
65—	—	—	1	—	14	146	1	11	9	98	4	36	—	1	—	—
70—	—	—	—	3	14	127	5	14	8	77	1	34	—	2	—	—
75—	1	—	—	—	10	72	2	13	4	37	4	20	—	2	—	—
80—	—	—	—	—	1	32	1	6	—	13	—	13	—	—	—	—
85 and over	—	—	—	—	1	8	—	4	—	1	1	3	—	—	—	—

*62 (3), Other diseases included under 62, 10, 55, 20.

Causes of Death.	64 Diseases of the thymus (including status lymphaticus).		65 Diseases of the adrenal glands (not specified as tuberculous.)		65 (a) Addison's disease, (not specified as tuberculous).		65 (b) Other diseases included under 65.		66 Other general diseases.		66 (a) Osteomalacia.		66 (b) Other diseases included under 66.		66 (b) (1) "Pink" disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23	7	58	101	43	76	15	25	128	154	4	10	124	144	36	30
0—	17	4	7	2	—	—	7	2	28	28	—	—	28	28	25	22
1—	2	1	2	5	1	—	1	5	19	21	—	—	19	21	11	8
5—	—	—	1	—	—	—	1	—	2	5	—	—	2	5	—	—
10—	—	—	—	1	—	1	—	—	2	1	—	—	2	1	—	—
15—	3	—	—	2	—	1	—	1	1	1	—	—	1	1	—	—
20—	—	—	3	2	3	1	—	1	2	4	—	—	2	4	—	—
25—	—	1	2	7	1	6	1	1	1	3	—	—	1	3	—	—
30—	1	—	3	6	3	3	—	3	2	6	—	—	2	6	—	—
35—	—	—	3	16	2	14	1	2	6	3	—	—	6	3	—	—
40—	—	—	4	7	4	5	—	2	12	5	—	—	12	5	—	—
45—	—	—	4	11	4	10	—	1	8	8	—	—	8	8	—	—
50—	—	—	4	15	4	12	—	3	8	5	—	1	8	4	—	—
55—	—	—	6	4	4	3	2	1	9	11	—	—	9	11	—	—
60—	—	—	6	7	5	6	1	1	11	9	—	1	11	8	—	—
65—	—	—	5	7	5	6	—	1	8	11	2	1	6	10	—	—
70—	—	—	4	5	3	4	1	1	4	21	—	5	4	16	—	—
75—	—	1	3	2	3	2	—	—	4	8	2	1	2	7	—	—
80—	—	—	1	2	1	2	—	—	1	2	—	—	1	2	—	—
85 and over	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—

TABLE 21—continued.

Causes of Death.	66 (b) (2) Idiopathic steatorrhœa.		66 (b) (3) Other diseases included under 66 (b).		67-71 Vitamin deficiency diseases.		67 (a) (b)*		68, 69*		71 Other vitamin deficiency diseases.		IV. 72-76 Diseases of the Blood and Blood-forming Organs.		72 Hæmorrhagic conditions.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	22	70	92	11	13	6	1	3	4	1	4	1752	2233	80	73
0—	1	1	2	5	4	2	2	—	2	2	—	—	28	21	10	6
1—	5	10	3	3	1	1	1	1	—	—	—	—	101	79	6	4
5—	—	2	2	3	1	—	—	—	1	—	—	—	47	36	5	—
10—	—	—	2	1	—	—	—	—	—	—	—	—	47	35	6	7
15—	—	—	1	1	—	—	—	—	—	—	—	—	47	48	5	4
20—	—	—	2	4	—	—	—	—	—	—	—	—	38	32	5	2
25—	—	—	1	3	—	—	—	—	—	—	—	—	45	37	4	4
30—	1	—	1	6	—	—	—	—	—	—	—	—	52	42	1	—
35—	1	—	5	3	—	1	—	—	—	—	—	—	56	62	2	5
40—	2	—	10	5	—	1	—	—	—	—	—	1	77	71	3	1
45—	3	3	5	5	—	1	—	—	—	1	—	—	81	107	3	2
50—	1	—	7	4	—	1	—	—	—	—	—	—	88	110	4	3
55—	2	—	7	11	1	—	1	—	—	—	—	—	138	176	3	3
60—	1	2	10	6	—	—	—	—	—	—	—	—	170	231	3	2
65—	1	1	5	9	1	1	1	—	—	—	—	1	207	290	8	11
70—	—	3	4	13	2	5	—	—	—	1	1	2	209	345	3	10
75—	—	—	2	7	1	—	1	—	—	—	—	—	189	264	3	4
80—	—	—	1	2	—	—	—	—	—	—	—	—	92	179	4	5
85 and over	—	—	—	1	—	—	—	—	—	—	—	—	40	68	2	—

* 67 (a), Infantile scurvy (Barlow's Disease), 0, 0 ; 67 (b), Other forms of scurvy, 1, 55, 65, 75, 1 ; 68, Beri-beri, 70, 35, 70 ; 69, Pellagra, 50, 70.

Causes of Death.	72 (a) Primary purpura.		72 (b) Hæmophilia.		72 (c)* 73 Anæmias.		73 (a) Pernicious anæmia.		73 (b) Other hyperchromic anæmias.		73 (c) Hypochromic anæmias.		73 (d) Other anæmias included under 73.		74 Leukæmias and aleukæmias.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	62	73	18	—	643	1185	415	796	7	28	35	90	186	271	905	798
0—	7	6	3	—	6	5	—	—	—	1	—	—	6	4	12	10
1—	5	4	1	—	7	5	—	—	—	—	—	—	7	5	87	68
5—	4	—	1	—	7	5	—	—	—	—	—	—	7	5	32	30
10—	3	7	3	—	1	—	—	—	—	—	—	—	1	—	38	27
15—	1	4	4	—	4	6	1	—	—	—	—	—	3	6	34	31
20—	4	2	1	—	4	6	—	2	—	—	—	1	4	3	26	22
25—	2	4	2	—	3	11	1	1	—	1	—	1	2	8	32	19
30—	1	—	—	—	3	11	1	—	—	—	—	1	2	10	41	28
35—	1	5	1	—	8	19	2	4	—	—	—	2	6	13	34	33
40—	3	1	—	—	15	19	6	10	—	—	—	—	9	9	52	40
45—	3	2	—	—	12	37	3	20	—	1	—	5	9	11	59	56
50—	4	3	—	—	20	38	9	21	1	—	1	5	9	12	51	53
55—	2	3	1	—	38	72	21	44	1	5	2	4	14	19	83	74
60—	2	2	1	—	55	126	33	80	1	2	4	14	17	30	98	79
65—	8	11	—	—	95	169	64	122	—	2	5	16	26	29	88	88
70—	3	10	—	—	125	235	98	168	3	5	8	18	16	44	69	82
75—	3	4	—	—	135	208	97	163	1	5	6	9	31	31	49	39
80—	4	5	—	—	73	153	56	121	—	3	8	12	9	17	14	11
85 and over	2	—	—	—	32	60	23	40	—	3	1	2	8	15	6	8

* 72 (c), Other diseases included under 72, —.

TABLE 21—continued.

Causes of Death.	74 (a) Leukæmia.		74 (b) Aleukæmia.		75 Diseases of the spleen.		75 (a) Splenic anæmia.		75 (b) Banti's disease.		75 (c) Other diseases included under 75.		76 Other diseases of the blood & blood forming organs.		76 (a) Agranulocytosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	855	756	50	42	84	124	31	59	40	50	13	15	40	53	11	26
0—	10	10	2	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	83	61	4	7	1	—	1	—	—	—	—	—	—	2	—	1
5—	30	29	2	1	2	1	1	1	—	—	1	—	1	—	1	—
10—	37	25	1	2	1	1	1	1	—	—	—	—	1	—	1	—
15—	31	29	3	2	4	6	2	1	2	5	—	—	—	1	—	1
20—	26	21	—	1	3	2	—	—	3	2	—	—	—	—	—	—
25—	32	17	—	2	6	3	2	—	3	3	1	—	—	—	—	—
30—	41	25	—	3	6	3	1	—	5	3	—	—	1	—	1	—
35—	33	33	1	—	10	4	4	—	5	4	1	—	2	1	1	1
40—	50	37	2	3	7	10	1	5	5	5	1	—	—	1	—	1
45—	56	54	3	2	3	9	—	5	2	2	1	2	4	3	1	2
50—	48	48	3	5	9	9	5	5	3	2	1	2	4	7	—	3
55—	76	74	7	—	8	16	4	6	2	9	2	1	6	11	—	5
60—	87	77	11	2	7	16	3	7	3	9	1	—	7	8	1	3
65—	84	82	4	6	5	13	2	8	2	4	1	1	11	9	4	5
70—	65	77	4	5	10	11	3	7	5	2	2	2	2	7	—	3
75—	47	38	2	1	1	11	1	8	—	—	—	3	1	2	1	—
80—	13	11	1	—	1	9	—	5	—	—	1	4	—	1	—	1
85 and over	6	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	76 (c) (d)*		V. 77-79 Chronic Poisoning and Intoxication.		77 Alcoholism (ethylysm).		78 Lead poisoning.		78 (b)*		79 Chronic poisoning by other mineral and organic substances.		79 (a, ba, c, d)*		VI. 80-89 Diseases of the Nervous System and Sense Organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27	24	34	24	26	24	3	—	2	—	5	—	3	—	27831	37406
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	338	238
1—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	177	128
5—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	70	61
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	64	48
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	85	68
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	103	94
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	144	110
30—	—	—	3	1	2	1	1	—	1	—	—	—	—	—	114	131
35—	1	—	2	—	2	—	—	—	—	—	—	—	—	—	205	228
40—	—	—	7	—	7	—	—	—	—	—	—	—	—	—	370	391
45—	2	—	2	7	2	7	—	—	—	—	—	—	—	—	662	732
50—	4	4	6	3	4	3	—	—	—	—	2	—	1	—	989	1296
55—	6	6	3	3	2	3	—	—	—	—	1	—	1	—	1610	1936
60—	5	4	2	2	2	2	—	—	—	—	—	—	—	—	2765	3066
65—	7	3	3	3	2	3	1	—	1	—	—	—	—	—	4068	4778
70—	2	4	3	1	2	1	1	—	—	—	—	—	—	—	5536	6985
75—	—	2	1	3	1	3	—	—	—	—	—	—	—	—	5276	7607
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3506	5594
85 and over	—	—	1	1	—	1	—	—	—	—	1	—	—	—	1749	3915

* 76 (c), Hæmoglobinæmia, —; 76 (d), Other diseases included under 76, 45, 60, 45, 60, 65; 78 (b), Not specified as occupational, 70; 79 (a), Occupational poisoning (not lead), —; 79 (ba), Narcotics, —; 79 (c), Other non-occupational chronic poisoning, 50, 85; 79 (d), Unspecified (Chronic) poisoning, —.

TABLE 21—continued.

Causes of Death.	80 Encephalitis (non-epidemic).		80 (a) Intra-cranial abscess.		80 (b) Other diseases included under 80.		81 Meningitis (non-meningococcal).		82 Diseases of the medulla and spinal cord.		82 (1) Motor neurone disease.		82 (2) Sub-acute combined degeneration.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	131	93	77	38	54	55	244	175	467	366	335	251	19	27
0—	12	9	2	2	10	7	81	57	2	2	1	2	—	—
1—	26	19	4	1	22	18	37	30	4	1	2	—	—	—
5—	5	5	4	2	1	3	16	13	1	1	—	—	—	—
10—	6	5	3	1	3	4	9	3	4	—	3	—	—	—
15—	7	9	5	5	2	4	5	2	7	5	3	1	—	—
20—	5	8	5	3	—	5	6	5	7	1	4	—	1	—
25—	9	5	8	2	1	3	9	5	5	5	2	2	—	—
30—	3	3	3	3	—	—	6	6	6	4	3	1	—	—
35—	9	4	6	2	3	2	11	5	8	11	4	8	—	—
40—	12	5	8	3	4	2	7	8	17	15	14	6	1	—
45—	5	5	5	2	—	3	10	4	39	21	24	12	2	1
50—	12	3	8	3	4	—	7	10	46	30	32	20	1	3
55—	8	2	7	—	1	2	20	6	42	56	36	49	—	3
60—	5	4	5	4	—	—	6	4	84	51	60	36	2	3
65—	5	3	2	2	3	1	5	9	67	58	51	45	4	5
70—	2	2	2	1	—	1	5	7	85	57	64	39	6	6
75—	—	1	—	1	—	—	3	—	26	31	21	23	1	5
80—	—	1	—	1	—	—	1	1	14	9	10	3	1	1
85 and over	—	—	—	—	—	—	—	—	3	8	1	4	—	—

Causes of Death.	82 (3) Myelitis of unstated origin.		82 (4) Other diseases included under 82.		83 Intra-cranial lesions of vascular origin.		83 (a) Cerebral hæmorrhage.		83 (b) (c) Cerebral embolism, thrombosis and softening.		83 (d) Hemiplegia and other paralyses of unstated origin.		83 (e) Other intra-cranial effusions.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	53	46	60	42	24808	34428	14031	20096	10066	13400	695	917	16	15
0—	—	—	1	—	16	10	11	8	5	2	—	—	—	—
1—	1	—	1	1	4	3	2	3	1	—	1	—	—	—
5—	1	—	—	1	1	4	1	4	—	—	—	—	—	—
10—	1	—	—	—	—	6	—	6	—	—	—	—	—	—
15—	1	3	3	1	7	10	7	7	—	1	—	2	—	—
20—	—	—	2	1	17	18	17	17	—	1	—	—	—	—
25—	2	2	1	1	25	24	23	21	2	3	—	—	—	—
30—	1	3	2	—	37	44	33	38	4	6	—	—	—	—
35—	1	1	3	2	79	112	69	97	10	11	—	4	—	—
40—	1	5	1	4	213	225	171	178	38	40	2	5	2	2
45—	5	4	8	4	466	544	391	472	73	63	2	8	—	1
50—	8	4	5	3	803	1099	638	888	147	190	15	21	3	—
55—	3	1	3	3	1386	1716	948	1288	398	397	39	30	1	1
60—	10	6	12	6	2504	2804	1634	1888	809	855	60	60	1	1
65—	7	4	5	4	3791	4466	2237	2851	1430	1514	123	100	1	1
70—	7	6	8	6	5228	6628	2861	3893	2213	2557	151	178	3	—
75—	3	1	1	2	5089	7374	2618	4054	2311	3102	159	214	1	4
80—	1	2	2	3	3419	5484	1625	2655	1699	2654	92	173	3	2
85 and over	—	4	2	—	1723	3857	745	1728	926	2004	51	122	1	3

TABLE 21—continued.

Causes of Death.	84 Mental disorders and deficiency.		84 (a) Mental deficiency.		84 (b) Schizophrenia (dementia præcox).		84 (c) Manic-depressive psychosis.		84 (d) Other mental disorders included under 84.		85 Epilepsy.		86 Convulsions in children under 5 years of age.		87 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	218	308	82	98	27	33	2	11	107	166	483	440	86	71	1057	1316
0—	30	34	30	34	—	—	—	—	—	—	12	7	73	60	7	3
1—	28	21	24	20	—	—	—	—	4	1	28	22	13	11	12	6
5—	10	8	8	6	—	1	—	—	2	1	26	13	—	—	5	7
10—	3	8	3	8	—	—	—	—	—	—	23	12	—	—	8	4
15—	5	8	1	6	1	—	1	—	2	2	38	20	—	—	7	7
20—	8	7	1	1	6	4	—	—	1	2	33	39	—	—	9	8
25—	19	13	7	5	5	3	—	—	7	5	45	32	—	—	13	17
30—	11	9	3	2	4	5	—	—	4	2	24	33	—	—	20	25
35—	11	12	—	—	5	6	—	1	6	5	35	37	—	—	34	40
40—	8	22	—	3	4	5	—	2	4	12	35	38	—	—	59	69
45—	12	25	1	1	1	3	1	2	9	19	44	45	—	—	67	76
50—	15	32	1	3	—	3	—	1	14	25	25	35	—	—	65	77
55—	20	30	2	3	—	1	—	2	18	24	29	24	—	—	90	93
60—	15	24	—	3	—	1	—	1	15	19	21	23	—	—	116	146
65—	7	30	1	2	—	—	—	—	6	28	23	21	—	—	158	186
70—	7	10	—	—	1	1	—	1	6	8	24	12	—	—	173	258
75—	4	9	—	1	—	—	—	1	4	7	10	17	—	—	138	168
80—	5	2	—	—	—	—	—	—	5	2	6	6	—	—	56	86
85 and over	—	4	—	—	—	—	—	—	—	4	2	4	—	—	20	40

Causes of Death.	87 (a) Chorea.		87 (b) Neuritis (non-rheumatic).		87 (c) Paralysis agitans.		87 (d) Disseminated sclerosis.		87 (e) Other diseases included under 87.		87 (e) (1)*		88 Diseases of the organs of vision.		89 Diseases of the ear and of the mastoid antrum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	87 (e) (2) Other diseases included under 87 (e).		M.	F.	M.	F.
All Ages	4	13	55	47	588	784	319	404	91	68	91	68	18	28	319	181
0—	—	—	—	—	—	—	—	—	7	3	7	3	3	4	102	52
1—	—	—	2	—	—	—	—	—	10	6	10	6	—	3	25	12
5—	—	—	1	1	—	—	—	—	4	6	4	6	1	—	5	10
10—	—	1	—	—	—	—	—	—	8	3	8	3	—	—	11	10
15—	—	1	—	—	—	—	1	2	6	4	6	4	—	—	9	7
20—	—	1	2	1	—	—	4	5	3	1	3	1	—	1	18	7
25—	1	1	1	2	—	—	9	13	2	1	2	1	2	—	17	9
30—	—	3	—	4	—	1	18	16	2	1	2	1	—	—	7	7
35—	—	2	5	2	2	2	23	28	4	6	4	6	—	—	18	7
40—	2	—	4	3	3	8	46	54	4	4	4	4	—	—	19	9
45—	—	—	5	—	8	7	52	66	2	3	2	3	—	—	19	12
50—	—	—	5	4	13	11	37	59	10	3	10	3	3	1	13	9
55—	—	—	10	4	36	38	40	44	4	7	4	7	2	2	13	7
60—	1	—	6	5	67	81	32	54	10	6	10	6	1	2	13	8
65—	—	1	4	4	120	149	27	28	7	4	7	4	—	—	12	5
70—	—	2	5	9	146	214	18	27	4	6	4	6	2	6	10	5
75—	—	1	3	2	125	156	8	6	2	3	2	3	—	5	6	2
80—	—	—	1	4	51	81	2	—	2	1	2	1	3	3	2	2
85 and over	—	—	1	2	17	36	2	2	—	—	—	—	1	1	—	1

* 87 (e) (1), Convulsions of undetermined origin (ages 5 and over), —.

TABLE 21—continued.

Causes of Death.	89 (a) Otitis and other diseases of the ear (without mention of mastoid disease).		89 (b) Diseases of the mastoid antrum.		VII. 90-103 Diseases of the Circulatory System.		90-95 Heart diseases.		90 Pericarditis.		90 (a) Chronic pericarditis specified as rheumatic.		90 (b) Other pericarditis included under 90.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	245	131	74	50	86906	89611	76263	77996	194	128	6	15	188	113
0—	81	38	21	14	15	9	5	3	1	1	—	—	1	1
1—	18	10	7	2	18	15	14	12	4	3	—	1	4	2
5—	3	9	2	1	20	35	19	34	2	3	1	2	1	1
10—	6	7	5	3	65	61	59	58	7	3	3	1	4	2
15—	5	3	4	4	109	95	102	89	4	1	—	—	4	1
20—	17	3	1	4	144	147	127	137	3	2	—	—	3	2
25—	10	5	7	4	240	269	213	249	4	5	—	—	4	5
30—	5	5	2	2	284	313	256	281	4	4	—	—	4	4
35—	15	4	3	3	593	562	533	495	6	6	—	1	6	5
40—	13	8	6	1	1168	851	1069	729	8	5	—	1	8	4
45—	16	9	3	3	2269	1275	2041	1097	16	12	—	2	16	10
50—	10	8	3	1	3419	2067	3073	1754	15	11	—	2	15	9
55—	8	6	5	1	5640	3263	5057	2791	22	10	—	1	22	9
60—	11	5	2	3	8990	5737	8043	4942	27	16	1	—	26	16
65—	12	2	—	3	12082	9550	10636	8348	34	15	—	1	34	14
70—	8	5	2	—	15769	15069	13857	13153	14	13	—	2	14	11
75—	5	2	1	—	16179	18354	14008	16014	14	10	1	1	13	9
80—	2	1	—	1	12040	16576	10361	14404	5	5	—	—	5	5
85 and over	—	1	—	—	7862	15363	6790	13406	4	3	—	—	4	3

Causes of Death.	91 Acute endocarditis.		91 (a) (b) Acute or sub-acute bacterial endocarditis.		91 (c) Other acute and sub-acute endocarditis.		92 Chronic affections of the valves and endocardium.		92 (a) Aortic valvular disease (without mitral disease.)		92 (b) Other specified valvular diseases (including sequelæ of rheumatic fever).		92 (b) (1) Mitral valve disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	243	210	233	204	10	6	5850	7946	1037	545	3531	5817	2738	4814
0—	2	1	1	1	1	—	1	—	—	—	1	—	—	—
1—	4	4	3	4	1	—	3	1	—	—	3	1	2	—
5—	1	3	1	2	—	1	15	24	1	—	13	21	4	12
10—	6	4	6	4	—	—	40	45	1	—	36	44	15	31
15—	9	11	9	11	—	—	73	69	3	—	61	65	37	43
20—	9	18	9	17	—	1	92	98	5	1	81	92	54	66
25—	24	20	24	20	—	—	128	182	7	3	115	165	83	138
30—	22	12	22	12	—	—	137	209	13	5	116	194	85	159
35—	23	19	23	18	—	1	211	347	25	7	171	314	124	244
40—	30	20	30	19	—	1	283	447	24	7	238	412	177	331
45—	22	16	21	16	1	—	388	522	66	13	266	445	208	366
50—	19	11	17	11	2	—	409	623	83	42	263	501	193	397
55—	23	22	22	21	1	1	564	684	120	40	334	540	255	453
60—	26	19	25	18	1	1	712	784	159	61	383	569	301	463
65—	15	12	12	12	3	—	789	940	160	86	443	633	352	536
70—	6	9	6	9	—	—	854	1053	172	83	426	687	344	584
75—	2	7	2	7	—	—	670	950	127	86	345	587	294	507
80—	—	2	—	2	—	—	332	627	57	66	157	367	138	321
85 and over	—	—	—	—	—	—	149	341	14	45	79	180	72	163

TABLE 21—continued.

Causes of Death.	92 (b) (2) Other diseases included under 92 (b).		92 (c) Unspecified valvular lesions or endocarditis.		93 Diseases of the myocardium.		93 (a) Acute myocarditis.		93 (b) Chronic myocarditis specified as rheumatic.		93 (c) Myocardial degeneration, infarction, sclerosis and other chronic myocarditis.		93 (c) (1) Cardio-vascular degeneration.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	793	1003	1282	1584	40547	51836	92	114	183	283	37153	47981	15435	18339
0—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
1—	1	1	—	—	2	4	1	—	—	—	—	4	—	—
5—	9	9	1	3	1	3	—	—	1	1	—	1	—	—
10—	21	13	3	1	5	6	1	2	—	2	2	1	—	—
15—	24	22	9	4	10	7	1	—	2	2	4	3	1	—
20—	27	26	6	5	9	11	1	—	2	4	4	6	—	—
25—	32	27	6	14	23	29	—	6	3	5	14	12	1	—
30—	31	35	8	10	29	34	1	2	4	8	19	20	4	—
35—	47	70	15	26	81	71	4	3	11	15	49	45	7	5
40—	61	81	21	28	152	146	4	7	13	13	115	104	29	20
45—	58	79	56	64	334	271	5	3	11	15	267	220	90	69
50—	70	104	63	80	644	556	10	5	14	20	525	469	194	150
55—	79	87	110	104	1324	1043	7	7	20	18	1129	890	467	348
60—	82	106	170	154	2817	2178	9	16	21	29	2439	1898	1072	817
65—	91	97	186	221	4641	4288	13	15	21	31	4095	3832	1893	1676
70—	82	103	256	283	7470	8198	15	12	28	33	6796	7434	3105	3195
75—	51	80	198	277	9215	11544	10	17	18	48	8558	10712	3637	4333
80—	19	46	118	194	7983	11636	7	8	12	27	7555	10996	2936	3972
85 and over	7	17	56	116	5807	11810	3	10	2	12	5582	11334	1999	3754

Causes of Death.	93 (c) (2) Myocardial degeneration described as fatty.		93 (c) (3) Other myocardial degeneration.		93 (d) Myocarditis not distinguished as acute or chronic.		94 Diseases of the coronary arteries, angina pectoris.		94 (a) Diseases of the coronary arteries.		94 (b) Angina pectoris without mention of coronary disease.		95 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	220	459	21498	29183	3119	3458	27555	15367	26562	14847	993	520	1874	2509
0—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
1—	—	—	—	4	1	—	—	—	—	—	—	—	1	—
5—	—	—	—	1	—	1	—	1	—	1	—	—	—	—
10—	—	—	2	1	2	1	—	—	—	—	—	—	1	—
15—	1	—	2	3	3	2	2	1	2	1	—	—	4	—
20—	1	—	3	6	2	1	7	2	7	2	—	—	7	6
25—	2	1	11	11	6	6	28	5	28	5	—	—	6	8
30—	2	2	13	18	5	4	60	7	60	6	—	1	4	15
35—	2	5	40	35	17	8	196	35	194	34	2	1	16	17
40—	9	9	77	75	20	22	564	75	557	71	7	4	32	36
45—	12	21	165	130	51	33	1233	209	1199	201	34	8	48	67
50—	17	43	314	276	95	62	1910	448	1854	428	56	20	76	105
55—	14	54	648	488	168	128	2983	883	2868	848	115	35	141	149
60—	49	70	1318	1011	348	235	4240	1726	4073	1657	167	69	221	219
65—	42	85	2160	2071	512	410	4874	2789	4674	2698	200	91	283	304
70—	24	72	3667	4167	631	719	5123	3418	4926	3308	197	110	390	462
75—	32	52	4889	6327	629	767	3780	3013	3640	2915	140	98	327	490
80—	7	29	4612	6995	409	605	1818	1771	1761	1715	57	56	223	363
85 and over	6	16	3577	7564	220	454	737	984	719	957	18	27	93	268

TABLE 21—continued.

Causes of Death.	95 (a) Functional heart disease (without mention of organic lesion).		95 (b) Heart disease specified as rheumatic but otherwise ill-defined.		95 (c) Other diseases included under 95.		96 Aneurysm (except of heart and aorta).		97 Arterio-sclerosis.*		98 Gangrene.		99 Other diseases of the arteries.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1039	1668	87	137	748	704	180	215	6573	7090	206	203	234	204
0—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
1—	—	—	—	—	1	—	—	—	—	—	1	—	1	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	1	—	—	—	3	2	—	—	—	—	1	—
15—	—	—	1	—	3	—	3	2	—	—	—	—	1	—
20—	1	1	3	4	3	1	5	4	—	—	—	—	3	1
25—	2	1	3	4	1	3	9	9	2	1	—	—	1	1
30—	1	5	1	6	2	4	8	5	2	2	—	1	4	3
35—	7	10	4	5	5	2	8	12	5	5	2	—	7	7
40—	11	22	8	9	13	5	16	22	10	6	—	1	11	8
45—	15	35	14	15	19	17	32	22	33	20	1	2	19	10
50—	33	55	7	20	36	30	15	30	74	56	3	—	30	13
55—	54	94	11	20	76	35	25	28	181	99	3	3	30	18
60—	114	139	9	12	98	68	16	28	428	269	7	6	33	21
65—	177	190	10	12	96	102	11	22	796	580	21	14	28	25
70—	232	325	6	11	152	126	17	12	1227	1142	31	22	32	33
75—	203	350	5	13	119	127	7	8	1582	1606	60	49	18	28
80—	136	260	4	4	83	99	5	4	1311	1654	41	57	12	22
85 and over	53	181	—	2	40	85	—	5	922	1650	36	48	2	13

* Excluding coronary or renal sclerosis or cerebral hæmorrhage.

Causes of Death.	100 Diseases of the veins.		100 (a) Varices.		100 (b) Other diseases of the veins.		101 Diseases of the lymphatic system.		102 High blood pressure (idiopathic).		103 Other diseases of the circulatory system.		VIII. 104-114 Diseases of the Respiratory System.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	398	690	111	251	287	439	18	16	3022	3179	12	18	33655	24650
0—	3	1	—	—	3	1	5	4	—	—	1	1	2514	1879
1—	1	1	—	—	1	1	1	1	—	—	—	—	510	420
5—	—	—	—	—	—	—	—	1	1	—	—	—	68	57
10—	—	—	—	—	—	—	—	—	2	1	—	—	36	51
15—	1	1	—	1	1	—	2	—	—	3	—	—	93	66
20—	3	3	—	—	3	3	1	—	5	2	—	—	117	103
25—	5	4	2	—	3	4	—	—	10	5	—	—	140	145
30—	5	9	1	1	4	8	1	—	8	12	—	—	179	164
35—	12	13	5	2	7	11	2	—	24	30	—	—	298	280
40—	13	32	3	10	10	22	—	—	48	53	1	—	570	382
45—	23	36	7	10	16	26	1	—	119	86	—	2	1112	498
50—	33	57	13	15	20	42	1	—	189	154	1	3	1821	728
55—	41	67	7	24	34	43	—	—	300	256	3	1	2876	1095
60—	57	103	14	35	43	68	1	3	404	362	1	3	4163	1683
65—	67	97	14	39	53	58	—	1	521	461	2	2	4837	2496
70—	52	112	17	48	35	64	3	3	549	588	1	4	5024	3677
75—	46	88	14	34	32	54	—	—	457	560	1	1	4458	4036
80—	26	43	9	22	17	21	—	1	283	391	1	—	2923	3600
85 and over	10	23	5	10	5	13	—	2	102	215	—	1	1916	3290

TABLE 21—continued.

Causes of Death.	104 Diseases of the nasal fossæ and annexa.		105 Diseases of the larynx.		106 Bronchitis.		106 (a) Acute bronchitis.		106 (b) Chronic bronchitis.		106 (c) Bronchitis not distinguished as acute or chronic.		107-109 Pneumonia (all forms).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	61	53	58	20	18446	11987	2655	3061	13519	6934	2272	1992	10887	9894
0—	10	9	11	1	292	218	179	146	5	4	108	68	2171	1632
1—	1	5	32	9	57	47	34	27	11	10	12	10	402	344
5—	2	1	1	1	12	17	5	7	6	8	1	2	45	37
10—	1	2	—	—	6	11	2	3	3	7	1	1	23	34
15—	3	3	—	—	17	14	7	4	8	9	2	1	56	34
20—	11	3	—	1	36	37	5	10	28	25	3	2	44	40
25—	5	1	—	1	45	28	9	7	33	18	3	3	57	81
30—	4	1	—	—	47	40	8	7	36	32	3	1	78	77
35—	3	1	1	—	94	70	11	13	76	48	7	9	118	131
40—	5	3	—	—	250	114	28	22	203	85	19	7	186	131
45—	5	2	—	—	552	183	47	24	461	144	44	15	287	179
50—	2	4	2	1	996	294	99	55	832	199	65	40	433	235
55—	—	2	1	1	1635	451	166	75	1313	313	156	63	691	396
60—	2	4	1	—	2599	843	234	142	2103	591	262	110	929	565
65—	1	4	2	1	2984	1324	287	250	2388	888	309	186	1191	841
70—	1	2	3	2	3135	2032	433	451	2316	1276	386	305	1320	1305
75—	4	2	1	—	2725	2390	447	616	1900	1387	378	387	1370	1361
80—	—	3	1	—	1838	2057	375	607	1156	1091	307	359	854	1288
85 and over	1	1	2	2	1126	1817	279	595	641	799	206	423	632	1183

Causes of Death.	107-109 (1) With mention of influenza as a contributory or secondary cause.		107-109 (2) Without mention of influenza.		107 Broncho-pneumonia.		107 (1)* Without mention of influenza.		108 Lobar pneumonia.		108(1)* Without mention of influenza.		109 (1)* Pneumonia (unspecified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	16	10882	9878	7549	7340	7547	7327	2428	1787	2426	1786	910	767
0—	—	—	2171	1632	1829	1372	1829	1372	184	122	184	122	158	138
1—	—	—	402	344	324	283	324	283	45	35	45	35	33	26
5—	—	—	45	37	28	29	28	29	14	6	14	6	3	2
10—	—	—	23	34	15	24	15	24	6	8	6	8	2	2
15—	—	—	56	34	34	16	34	16	15	13	15	13	7	5
20—	—	—	44	40	30	22	30	22	9	13	9	13	5	5
25—	—	—	57	81	30	54	30	54	23	20	23	20	4	7
30—	—	—	78	77	39	40	39	40	27	31	27	31	12	6
35—	—	—	118	131	61	61	61	61	43	50	43	50	14	20
40—	—	—	186	131	102	77	102	77	68	40	68	40	16	14
45—	—	—	287	179	151	105	151	105	106	61	106	61	30	13
50—	1	1	432	234	229	139	229	138	157	73	156	73	47	23
55—	1	2	690	394	379	256	378	255	232	109	232	109	80	31
60—	—	4	929	561	537	367	537	364	320	151	320	150	72	47
65—	1	1	1190	840	742	556	742	555	337	217	336	217	112	68
70—	—	2	1320	1303	895	945	895	943	323	272	323	272	102	88
75—	1	4	1369	1357	996	1040	996	1037	276	233	276	233	98	88
80—	—	1	854	1287	625	1006	625	1005	161	191	161	191	68	91
85 and over	1	1	631	1182	503	948	502	947	82	142	82	142	47	93

* With mention of Influenza as a contributory or secondary cause ; 107 (1), 55, 85, 50, 55, 60, 60, 60, 65, 70, 70, 75, 75, 75, 80, 85 ; 108 (1) 50, 65, 60 ; 109 (1), 75, 55, 75.

TABLE 21—continued.

Causes of Death.	109 (2) Without mention of influenza.		110 Pleurisy.		110 (a) Empyema.		110 (b) Other or unspecified forms of pleurisy.		111 Congestion etc., of the lungs.†		111 (a) Hæmorrhagic infarction of lung.		111 (b) Acute œdema of lung.		111 (c) Chronic or unspecified congestion of lung.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	909	765	243	132	116	40	127	92	666	852	284	312	71	54	311	486
0—	158	138	10	5	8	3	2	2	7	6	1	—	2	2	4	4
1—	33	26	4	2	3	2	1	—	2	1	—	—	—	—	2	1
5—	3	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—
10—	2	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—
15—	7	5	4	1	2	1	2	—	1	—	1	—	—	—	—	—
20—	5	5	4	2	3	—	1	2	2	1	2	1	—	—	—	—
25—	4	7	6	3	6	1	—	2	7	6	5	6	1	—	1	—
30—	12	6	3	3	1	2	2	1	5	9	4	8	1	—	—	11
35—	14	20	9	4	8	1	1	3	10	11	7	9	3	1	—	11
40—	16	14	6	5	4	2	2	3	9	21	9	19	—	1	—	11
45—	30	13	14	4	7	3	7	1	34	22	27	18	2	3	5	11
50—	47	23	12	9	5	5	7	4	34	28	30	22	3	4	1	22
55—	80	30	21	9	10	4	11	5	39	50	26	45	10	2	3	33
60—	72	47	28	10	14	3	14	7	58	61	39	47	13	8	6	65
65—	112	68	37	16	17	5	20	11	66	72	43	52	9	10	14	100
70—	102	88	36	19	13	4	23	15	89	78	47	33	9	9	33	365
75—	97	87	22	22	7	3	15	19	100	98	22	28	8	4	70	665
80—	68	91	21	8	8	—	13	8	100	148	14	15	4	5	82	128
85 and over	47	93	5	10	—	1	5	9	102	240	7	9	6	5	89	226

† The full title according to the detailed International List is 111, Congestion, œdema, hæmorrhagic infarction and thrombosis of the lungs.

Causes of Death.	112 Asthma														113 Pulmonary emphysema.	
	Total.		With contributory or secondary causes.										(6) Without any of the complications here specified in (1)–(5).			
			(1) Influenza.		(2) Chronic endocarditis, etc.		(3) Myocardial disease.		(4) Arterio-sclerosis.		(5) Chronic nephritis.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1681	1425	9	12	12	7	576	427	11	7	2	1	1071	971	820	155
0—	3	4	—	—	—	—	—	—	—	—	—	—	3	4	—	1
1—	5	11	—	—	—	—	—	—	—	—	—	—	5	11	1	—
5—	6	1	—	—	—	—	—	—	—	—	—	—	6	1	—	—
10—	4	4	—	—	—	—	1	—	—	—	—	—	3	4	—	—
15—	9	13	—	—	—	—	1	—	—	—	—	—	8	13	—	—
20—	16	17	—	—	—	—	3	1	—	—	—	—	13	16	2	—
25—	15	20	—	—	—	—	2	4	—	—	—	—	13	16	2	1
30—	27	29	—	2	—	1	1	4	—	—	—	—	26	22	5	1
35—	39	58	—	—	1	1	11	9	—	—	—	—	27	48	7	2
40—	70	96	2	1	2	—	15	11	—	—	1	—	50	84	13	6
45—	112	95	1	1	—	—	30	14	—	—	—	—	81	80	47	8
50—	177	138	—	1	4	—	56	40	1	—	—	—	116	97	72	7
55—	219	161	—	2	1	1	63	60	1	—	—	—	154	98	126	13
60—	258	165	1	1	1	—	106	62	3	1	—	—	147	101	151	18
65—	280	191	3	—	1	—	110	55	2	1	1	—	163	135	135	23
70—	225	192	2	4	1	—	88	75	3	2	—	1	131	110	121	29
75—	130	132	—	—	1	4	54	54	—	1	—	—	75	73	75	24
80—	66	72	—	—	—	—	28	25	1	1	—	—	37	46	36	15
85 and over	20	26	—	—	—	—	7	13	—	1	—	—	13	12	27	7

TABLE 21—continued.

Causes of Death.	114 Other diseases of the respiratory system.		114 (a) Silicosis and other occupational pneumoconioses.		114 (b)*		114 (d) Abscess of lung.		114 (e) Other diseases included under 114, not specified as occupational		114 (e) (1) Chronic interstitial pneumonia not indicated as occupational.		114 (e) (2) Other diseases included under 114 (e).		IX. 115-129 Diseases of the Digestive System.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	793	132	522	8	7	2	51	26	213	96	182	79	31	17	9836	7478
0—	10	3	—	—	—	—	4	2	6	1	1	—	5	1	1299	903
1—	6	1	—	—	1	—	1	—	4	1	3	1	1	—	240	154
5—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	88	76
10—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	66	53
15—	3	1	—	—	—	—	2	—	1	1	—	—	1	1	69	54
20—	2	2	—	—	—	—	1	—	1	2	—	1	1	1	80	62
25—	3	4	—	—	—	—	1	3	2	1	1	1	1	—	127	102
30—	10	4	3	—	—	—	4	2	3	2	1	1	2	1	139	84
35—	17	3	6	2	—	—	5	1	6	—	4	—	2	—	245	159
40—	31	6	19	—	—	—	1	1	11	5	10	4	1	1	393	184
45—	61	5	45	2	—	—	4	1	12	2	11	2	1	—	628	266
50—	93	12	63	2	1	—	6	3	23	7	21	5	2	2	742	378
55—	144	12	110	1	1	—	1	—	32	11	28	11	4	—	874	506
60—	137	17	100	—	2	—	7	5	28	12	25	10	3	2	1068	716
65—	141	24	95	—	2	2	8	4	36	18	33	12	3	6	1149	903
70—	94	18	62	1	—	—	5	—	27	17	25	16	2	1	1111	993
75—	31	7	16	—	—	—	1	—	14	7	14	6	—	1	846	877
80—	7	9	2	—	—	—	—	3	5	6	5	6	—	—	442	579
85 and over	1	4	1	—	—	—	—	1	—	3	—	3	—	—	230	429

* 114 (b), Other occupational respiratory disease, —.

Causes of Death.	115 Diseases of the buccal cavity, etc.†		115 (a) Diseases of the teeth and gums.		115 (b) Septic sore throat.		115 (b) (1)*		115 (b) (3) Other diseases included under 115 (b).		115 (c) Other diseases of the pharynx and tonsils.		115 (e) (1) With mention of tonsillectomy.		115 (c) (2) Others with mention of tonsils.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	175	209	30	24	28	52	17	33	11	19	79	86	13	13	42	42
0—	11	8	2	3	1	2	1	—	—	2	7	3	—	—	2	1
1—	16	16	1	—	5	8	3	6	2	2	10	8	3	4	4	1
5—	16	13	1	—	2	3	2	3	—	—	13	10	7	5	4	4
10—	2	8	—	—	2	5	1	4	1	1	—	3	—	1	—	2
15—	1	6	1	2	—	2	—	—	—	2	—	2	—	1	—	—
20—	5	2	1	—	1	—	1	—	—	—	2	2	—	—	2	1
25—	7	10	—	2	1	4	—	3	1	1	6	4	1	—	4	3
30—	5	5	2	1	—	1	—	—	—	1	3	3	—	—	2	2
35—	6	8	—	2	4	3	3	2	1	1	2	3	—	1	2	1
40—	6	5	1	—	1	4	1	4	—	—	3	1	1	—	2	1
45—	14	7	6	1	1	1	1	—	—	1	4	4	—	—	3	3
50—	9	12	2	2	—	1	—	1	—	—	5	7	—	1	4	5
55—	12	8	2	1	—	3	—	2	—	1	9	4	1	—	4	2
60—	10	19	2	3	4	5	2	3	2	2	4	8	—	—	3	5
65—	8	13	4	—	2	4	—	3	2	1	1	6	—	—	—	4
70—	6	15	1	1	3	1	1	—	2	1	1	7	—	—	1	2
75—	16	17	2	3	1	—	1	—	—	—	7	5	—	—	3	2
80—	12	15	1	2	—	3	—	1	—	2	2	3	—	—	2	2
85 and over	13	22	1	1	—	2	—	1	—	1	—	3	—	—	—	1

* 115 (b) (1), With mention of tonsillectomy, —.

† The full title according to the detailed International List is 115. Diseases of the buccal cavity and annexe and of the pharynx and tonsils.

TABLE 21—continued.

Causes of Death.	115 (c) (3) Other diseases included under 115 (c).		115 (d) Other diseases included under 115.		116 Diseases of the œsophagus.		117 Ulcer of the stomach or duodenum.		117 (a) Ulcer of the stomach.		117 (b) Ulcer of the duodenum.		118 Other diseases of the stomach.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	31	38	47	58	53	3811	1118	2074	808	1737	310	148	172
0—	5	2	1	—	—	—	—	1	—	1	—	—	17	13
1—	3	3	—	—	1	—	—	—	—	—	—	—	5	3
5—	2	1	—	—	1	—	—	1	—	—	—	1	—	1
10—	—	—	—	—	1	—	2	—	—	—	2	—	—	—
15—	—	1	—	—	1	—	5	6	3	6	2	—	3	—
20—	—	1	1	—	—	1	17	5	7	1	10	4	1	2
25—	1	1	—	—	1	1	35	5	11	2	24	3	1	—
30—	1	1	—	—	2	—	50	6	21	4	29	2	1	2
35—	—	1	—	—	3	3	117	18	47	15	70	3	1	2
40—	—	—	1	—	1	2	209	31	101	17	108	14	4	5
45—	1	1	3	1	2	3	370	58	183	40	187	18	7	4
50—	1	1	2	2	5	2	415	66	226	40	189	26	15	3
55—	4	2	1	—	4	7	489	80	268	53	221	27	2	9
60—	1	3	—	3	5	3	573	159	331	116	242	43	16	10
65—	1	2	1	3	8	10	550	164	295	121	255	43	18	21
70—	—	5	1	6	12	11	450	205	264	156	186	49	19	21
75—	4	3	6	9	8	7	328	162	191	127	137	35	22	28
80—	—	1	9	7	1	1	138	101	83	79	55	22	5	22
85 and over	—	2	12	16	2	2	63	50	43	30	20	20	11	26

Causes of Death.	118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119* & 120 Enteritis and diarrhœa.		119(a) & 120(a) Enteritis and diarrhœa without mention of ulceration.		119 (b) & 120 (b) Ulceration of the intestines (except duodenum).		121 Appendicitis.		121 (1) Without mention of intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	79	128	69	44	1672	1499	1488	1210	184	289	739	507	554	414
0—	14	11	3	2	1158	805	1155	802	3	3	5	3	5	1
1—	2	2	3	1	101	61	98	61	3	—	58	38	49	33
5—	—	1	—	—	4	12	4	10	—	2	37	27	34	23
10—	—	—	—	—	6	2	3	2	3	—	37	29	30	25
15—	2	—	1	—	6	7	3	1	3	6	43	16	30	15
20—	—	1	1	1	13	13	7	5	6	8	27	13	22	10
25—	—	—	1	—	18	26	4	3	14	23	24	19	15	16
30—	1	1	—	1	11	23	2	2	9	21	22	14	15	10
35—	1	2	—	—	18	29	4	5	14	24	36	21	23	18
40—	2	2	2	3	29	25	11	1	18	24	42	18	33	11
45—	2	1	5	3	22	27	10	11	12	16	48	27	29	19
50—	8	1	7	2	27	35	16	12	11	23	46	40	35	37
55—	—	4	2	5	47	53	18	22	29	31	52	35	32	27
60—	6	7	10	3	38	47	19	19	19	28	63	44	46	34
65—	8	18	10	3	43	84	32	50	11	34	66	49	54	43
70—	8	14	11	7	47	69	32	50	15	19	67	54	51	45
75—	14	23	8	5	45	66	37	49	8	17	39	40	30	30
80—	4	16	1	6	24	57	19	51	5	6	21	13	17	13
85 and over	7	24	4	2	15	58	14	54	1	4	6	7	4	4

* 119, Enteritis and Diarrhœa under 2 years : Males, 1,232 ; Females, 852.

TABLE 21—continued.

Causes of Death.	121 (2) With mention of intestinal obstruction.		122 Hernia; intestinal obstruction.		122 (a) Hernia.		122 (b) Intestinal obstruction.		122 (b) (1) Intussusception.		122 (b) (2) Paralytic ileus without stated cause.		122 (b) (3) Other or unspecified forms of intestinal obstruction.		123 Other diseases of the intestines.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	185	93	1473	1534	764	843	709	691	96	53	15	8	598	630	353	427
0—	—	2	60	32	2	—	58	32	58	31	—	—	—	1	1	6
1—	9	5	36	17	10	1	26	16	17	13	—	—	9	3	—	—
5—	3	4	9	7	2	2	7	5	5	2	—	—	2	3	—	—
10—	7	4	11	6	1	—	10	6	4	—	—	—	6	6	1	—
15—	13	1	3	7	1	—	2	7	—	1	—	—	2	6	—	—
20—	5	3	8	9	—	2	8	7	1	—	—	—	7	7	1	1
25—	9	3	21	16	2	3	19	13	1	—	—	1	18	12	1	1
30—	7	4	18	14	2	5	16	9	—	1	—	—	16	8	3	3
35—	13	3	27	25	12	11	15	14	—	1	—	—	15	13	9	5
40—	9	7	34	38	14	18	20	20	2	—	1	—	17	20	4	3
45—	19	8	62	50	31	20	31	30	—	—	—	1	31	29	13	8
50—	11	3	82	65	31	31	51	34	—	1	3	2	48	31	28	21
55—	20	8	100	102	51	60	49	42	1	—	1	1	47	41	34	35
60—	17	10	143	144	83	86	60	58	3	—	3	—	54	58	48	55
65—	12	6	194	193	98	124	96	69	2	1	2	—	92	68	62	72
70—	16	9	239	248	141	157	98	91	2	—	3	—	93	91	65	87
75—	9	10	204	246	127	155	77	91	—	1	1	1	76	89	45	64
80—	4	—	139	177	99	93	40	84	—	1	1	1	39	82	30	40
85 and over	2	3	83	138	57	75	26	63	—	—	—	1	26	62	8	26

Causes of Death.	123 (a) Diverticulitis.		123 (b) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (a) With mention of alcoholism.		124 (b) Without mention of alcoholism.		125 Other diseases of the liver.		125 (a) Acute yellow atrophy (not associated with pregnancy).		125 (b) Other diseases included under 125.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	252	302	101	125	550	361	34	20	516	341	211	241	40	66	171	175
0—	—	—	1	6	5	—	—	—	5	—	17	12	3	3	14	9
1—	—	—	—	—	—	—	—	—	—	—	16	11	2	4	14	7
5—	—	—	—	—	3	2	—	—	3	2	14	9	3	4	11	5
10—	—	—	1	—	2	4	—	—	2	4	2	2	—	—	2	2
15—	—	—	—	—	3	3	—	—	3	3	3	8	—	2	3	6
20—	—	—	1	1	—	4	—	—	—	4	5	6	—	2	5	4
25—	—	—	1	1	3	1	—	—	3	1	12	16	2	9	10	7
30—	2	2	1	1	8	3	—	—	8	3	11	6	4	1	7	5
35—	1	4	8	1	11	14	1	—	10	14	7	12	1	3	6	9
40—	2	3	2	—	28	15	3	2	25	13	15	14	3	2	12	12
45—	10	5	3	3	49	21	8	2	41	19	13	19	4	6	9	13
50—	18	18	10	3	54	48	4	2	50	46	17	15	3	6	14	9
55—	20	23	14	12	73	43	7	3	66	40	12	16	2	5	10	11
60—	39	46	9	9	73	64	4	4	69	60	20	23	5	3	15	20
65—	53	53	9	19	88	50	2	3	86	47	16	25	3	12	13	13
70—	45	71	20	16	88	49	5	4	83	45	17	15	4	1	13	14
75—	34	46	11	18	35	26	—	—	35	26	7	14	1	2	6	12
80—	23	23	7	17	20	9	—	—	20	9	5	5	—	1	5	4
85 and over	5	8	3	18	7	5	—	—	7	5	2	13	—	—	2	13

TABLE 21—continued.

Causes of Death.	126 Biliary calculi.		127 Other diseases of the gall bladder and bile ducts.		127 (a) Cholecystitis without record of biliary calculi.		127 (b) Other diseases included under 127.		128 Diseases of the pancreas (other than diabetes).		129 Peritonitis without stated cause.		X. 130-139 Diseases of the Urinary and Genital Systems.†	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	216	537	205	550	169	482	36	68	172	233	53	37	11895	6737
0—	—	—	2	—	—	—	2	—	17	21	6	2	49	27
1—	—	—	—	1	—	—	—	1	6	6	1	1	30	27
5—	—	—	—	—	—	—	—	—	1	2	3	2	30	24
10—	—	—	—	—	—	—	—	—	—	—	2	2	36	49
15—	—	—	—	1	—	1	—	—	1	—	—	—	57	68
20—	1	2	—	—	—	—	—	—	2	4	—	—	79	78
25—	—	1	1	1	1	1	—	—	3	3	—	2	119	98
30—	3	1	1	2	—	2	1	—	3	3	1	2	129	138
35—	3	10	2	5	1	2	1	3	4	6	1	1	184	171
40—	4	11	4	11	2	9	2	2	11	5	2	1	257	229
45—	5	15	9	14	8	10	1	4	8	10	6	3	313	309
50—	13	24	10	31	8	21	2	10	15	14	6	2	391	374
55—	20	50	13	41	11	34	2	7	13	23	3	4	543	476
60—	25	52	24	60	21	53	3	7	24	35	6	1	945	604
65—	40	98	29	87	24	74	5	13	23	32	4	5	1515	827
70—	38	101	38	80	31	74	7	6	21	31	4	7	2020	980
75—	37	89	40	95	36	85	4	10	14	22	6	1	2346	986
80—	21	51	19	74	16	72	3	2	5	13	2	1	1775	683
85 and over	6	32	32	47	10	44	3	3	1	3	—	—	1077	589

† Not Venereal or connected with Pregnancy or the Puerperium.

Causes of Death.	130-132 Nephritis.		130 Acute nephritis.		131 Chronic nephritis.		131 (a) Secondary to acute nephritis.		131 (b) Arterio-sclerotic kidney.		131 (c) Chronic nephritis not otherwise specified.		132 Nephritis not stated to be acute or chronic (over 10 yrs. of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5656	5517	272	229	5026	4971	176	158	3210	3185	1640	1628	358	317
0—	20	11	18	9	2	2	—	—	—	1	2	1	—	—
1—	17	18	10	13	7	5	2	4	—	—	5	1	—	—
5—	22	20	13	9	9	11	3	2	2	2	4	7	—	—
10—	31	42	9	15	18	25	2	4	3	8	13	13	4	2
15—	53	64	12	16	40	45	7	4	9	11	24	30	1	3
20—	76	56	11	14	61	41	10	6	12	14	39	21	4	1
25—	110	65	13	12	95	52	10	3	30	19	55	30	2	1
30—	117	110	11	14	101	94	9	10	29	28	63	56	5	2
35—	157	127	13	10	140	114	22	3	49	53	69	58	4	3
40—	212	170	14	16	191	144	11	5	94	72	86	67	7	10
45—	261	230	25	12	228	206	13	21	127	103	88	82	8	12
50—	304	290	24	14	272	268	11	7	171	152	90	109	8	8
55—	381	368	21	9	340	346	13	16	211	209	116	121	20	13
60—	502	492	16	22	464	447	19	10	296	270	149	167	22	23
65—	740	656	19	22	685	601	18	26	446	371	221	204	36	33
70—	780	843	18	6	706	795	12	12	491	537	203	246	56	42
75—	861	844	14	12	775	783	6	12	546	575	223	196	72	49
80—	636	594	7	3	561	535	6	10	426	401	129	124	68	56
85 and over	376	517	4	1	331	457	2	3	268	359	61	95	41	59

TABLE 21—continued.

Causes of Death.	133 Other diseases of the kidneys and ureters.		133 (a) Pyelitis, pyelonephritis, pyelocystitis.		133 (b) Other diseases included under 133.		134 Calculi of the urinary passages.		134 (a) Calculi of kidneys and ureters.		134 (b) Calculi of the bladder.		134 (c) Calculi of unstated site.		135 Diseases of the bladder.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	521	608	421	514	100	94	165	125	135	119	27	3	3	3	290	222
0—	17	15	15	12	2	3	3	—	3	—	—	—	—	—	—	—
1—	6	4	1	4	5	—	—	2	—	2	—	—	—	—	2	—
5—	6	4	3	3	3	1	1	—	—	—	1	—	—	—	—	—
10—	4	4	1	1	3	3	—	—	—	—	—	—	—	—	1	1
15—	3	3	2	3	1	—	1	—	1	—	—	—	—	—	—	—
20—	2	11	1	9	1	2	—	2	—	2	—	—	—	—	—	—
25—	6	14	2	12	4	2	—	4	—	4	—	—	—	—	2	3
30—	9	11	7	7	2	4	—	3	—	3	—	—	—	—	3	3
35—	11	12	8	9	3	3	7	5	7	5	—	—	—	—	6	8
40—	24	18	15	16	9	2	11	9	9	9	1	—	1	—	5	4
45—	17	32	9	26	8	6	16	5	16	5	—	—	—	—	4	5
50—	29	34	22	25	7	9	18	12	16	11	2	—	—	1	9	11
55—	30	62	24	53	6	9	14	16	11	15	2	1	1	—	10	14
60—	63	62	56	50	7	12	23	13	22	13	1	—	—	—	18	13
65—	76	91	63	76	13	15	19	20	15	20	4	—	—	—	33	30
70—	87	72	74	64	13	8	25	15	18	13	7	1	—	1	45	33
75—	62	82	55	75	7	7	19	9	13	9	5	—	1	—	57	37
80—	44	53	40	49	4	4	7	7	4	5	3	1	—	1	62	23
85 and over	25	24	23	20	2	4	1	3	—	3	1	—	—	—	33	37

Causes of Death.	135 (a) Cystitis.		135 (b) Other diseases of the bladder.		136 Diseases of the urethra, urinary abscess, etc.		136 (a) Stricture of the urethra.		136 (b) Other diseases of the urethra, etc.		137 Diseases of the prostate.		137 (a) Hypertrophy of prostate.	137 (b) Other diseases included under 137.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.
All Ages	217	177	73	45	169	7	161	3	8	4	5064	—	4951	113
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
25—	1	3	1	—	—	—	—	—	—	—	1	—	1	—
30—	3	1	—	2	—	—	—	—	—	—	—	—	—	1
35—	4	6	2	2	2	—	2	—	—	—	1	—	—	—
40—	3	1	2	3	4	—	4	—	—	—	1	—	1	—
45—	2	3	2	2	7	1	6	—	1	1	8	—	6	2
50—	4	5	5	6	8	—	8	—	—	—	23	—	21	2
55—	9	10	1	4	12	—	12	—	—	—	94	—	93	1
60—	14	8	4	5	24	—	23	—	1	—	314	—	304	10
65—	25	24	8	6	33	1	30	—	3	1	614	—	610	4
70—	32	31	13	2	26	1	25	1	1	—	1052	—	1031	21
75—	43	32	14	5	33	3	32	2	1	1	1312	—	1287	25
80—	51	20	11	3	11	1	11	—	—	1	1012	—	983	29
85 and over	25	33	8	4	7	—	6	—	1	—	632	—	614	18

TABLE 21—continued.

Causes of Death.	138 Diseases of other male genital organs.	139 Diseases of the female genital organs.	139 (a) Diseases of the ovaries, Fallopian tubes and parametria.	139 (a) (1)* 139 (a) (2) Diseases of the Fallopian tubes.	139 (a) (3) Diseases of the parametria.	139 (b) Diseases of the uterus.	139 (c)* 139 (d) Other diseases included under 139.	XI. 140-150 Diseases of Pregnancy, Childbirth and the Puerperal State.
Ages at Death.	M.	F.	F.	F.	F.	F.	F.	F.
All Ages	30	258	76	51	15	161	16	727
0—	9	1	—	—	—	—	—	—
1—	5	3	1	1	—	—	2	—
5—	—	—	—	—	—	—	—	—
10—	—	2	1	1	—	1	—	—
15—	—	1	1	1	—	—	—	18
20—	—	9	6	6	—	2	1	110
25—	—	12	8	5	1	4	—	186
30—	—	11	9	7	2	2	—	151
35—	—	19	11	8	—	8	—	169
40—	—	28	11	5	4	15	1	80
45—	—	36	13	9	3	22	1	9
50—	—	27	4	3	1	19	4	2
55—	2	16	2	1	1	12	2	1
60—	1	24	3	3	—	18	2	1
65—	—	29	2	—	1	25	1	—
70—	5	16	1	1	—	13	1	—
75—	2	11	3	—	2	8	—	—
80—	3	5	—	—	—	5	—	—
85 and over	3	8	—	—	—	7	1	—

* 139 (a) (1), Diseases of the ovaries, 25, 25, 35, 35, 35, 40, 40, 45, 65, 75 ; 139 (c), Diseases of the breast, 0, 40, 60, 65, 70.

Causes of Death.	140 Post-abortive infection.	140 (a) Spontaneous therapeutic or of unspecified origin.	140 (aa)* 140 (ab) Without mention of pyelitis.	140 (b) Abortion induced for reasons other than therapeutic.	140 (ba) By the woman herself.	140 (bb) By other persons.	140 (bc) By persons unstated.	141 Abortion without mention of septic conditions.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	78	53	52	25	9	6	10	36
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	5	3	3	2	—	1	1	2
20—	19	12	12	7	1	2	4	5
25—	20	13	12	7	3	2	2	9
30—	13	9	9	4	3	—	1	4
35—	17	12	12	5	2	1	2	12
40—	4	4	4	—	—	—	—	4
45—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

* 140 (aa), With mention of pyelitis, 25.

TABLE 21—continued.

Causes of Death.	141 (a) Spontaneous therapeutic or of unspecified origin.	141 (aa) With record of hæmorrhage, trauma or shock.	141 (aa) (1)* 141 (aa) (2) Other conditions included under 141 (aa).	141 (ab) Without record of hæmorrhage, trauma or shock.	141 (ab) (1) With toxæmia of pregnancy preceding abortion.	141 (ab) (2) Other conditions included under 141 (ab).	141 (b)* 142 Ectopic gestation.	143 Hæmorrhage of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	34	14	12	20	10	10	36	16
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	2	2	2	—	—	—	1	—
20—	5	—	—	5	3	2	7	3
25—	8	3	3	5	3	2	9	1
30—	4	3	1	1	—	1	5	5
35—	11	3	3	8	3	5	7	6
40—	4	3	3	1	1	—	7	1
45—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

* 141 (aa) (1), With toxæmia of pregnancy preceding abortion, 30, 30 ; 141 (b), Abortion (non-septic) induced for reasons other than therapeutic ; (ba) By the woman herself, 35 ; (bb) By other persons, 25 ; (bc), By persons unstated,—.

Causes of Death.	143 (a) Placenta prævia.	143 (b)* 143 (c) Other and unspecified hæmorrhages of pregnancy.	144 Toxæmias. of pregnancy.	144 (a) Eclampsia of pregnancy.	144 (b) Albuminuria and nephritis of pregnancy.	144 (c) Acute yellow atrophy of liver associated with pregnancy.	144 (d) Other diseases included under 144.	145 Other diseases and accidents of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	6	5	57	31	18	3	5	19
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—
20—	—	2	7	3	3	—	1	3
25—	—	—	10	6	2	1	1	6
30—	3	1	9	7	—	1	1	5
35—	3	1	20	8	11	—	1	3
40—	—	1	11	7	2	1	1	2
45—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

* 143 (b), Premature separation of placenta and other accidental hæmorrhage, 20, 25, 30, 35, 35.

TABLE 21—continued.

Causes of Death.	146 Hæmorrhage of childbirth and the puerperium.	146 (a) Placenta prævia (with childbirth).	146 (b) Premature separation of placenta (with childbirth).	146 (c) Other hæmorrhages of childbirth.	146 (d) Other hæmorrhages after childbirth.	147 Infection during childbirth and the puerperium.	147 (a)* 147 (b) Gen- eral or local puerperal in- fections with- out mention of pyelitis.	147 (c) Puerperal thrombo- phlebitis.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	88	16	6	8	58	84	25	31
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	3	—	—	—	3	1	—	—
20—	14	1	1	—	12	14	5	4
25—	19	3	1	—	15	29	8	12
30—	24	5	1	5	13	14	9	2
35—	17	3	2	2	10	18	1	9
40—	7	3	1	1	2	7	2	3
45—	3	1	—	—	2	—	—	—
50—	—	—	—	—	—	1	—	1
55—	1	—	—	—	1	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

* 147 (a), General or local puerperal infections with mention of pyelitis, 25, 35.

Causes of Death.	147 (d) Puerperal embolism and sudden death.	148 Puerperal toxæmias.	148 (a) Puerperal eclampsia.	148 (b) Puerperal albuminuria and nephritis.	148 (c) Acute yellow atrophy of liver (post partum).	148 (d) Other puerperal toxæmias.	149 Other accidents of childbirth.	149 (a) Laceration etc. of pelvic organs with- out hæmorrhage.†
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	26	152	60	50	25	17	152	74
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	1	3	2	—	1	—	3	1
20—	5	24	15	4	2	3	12	9
25—	8	39	19	11	6	3	39	18
30—	3	34	11	13	5	5	37	15
35—	7	32	8	13	9	2	37	20
40—	2	16	3	9	2	2	21	9
45—	—	3	1	—	—	2	2	1
50—	—	1	1	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	1	1
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

† The full title according to the detailed International List is 149 (a), Laceration, rupture or other trauma of pelvic organs (without mention of hæmorrhage).

TABLE 21—continued.

Causes of Death.	149 (b) Other conditions included under 149.	150 Other or unspecified conditions of childbirth and the Puerperal state.	150 (a) (b)* 150 (c) Other conditions included under 150.	XII. 151-153 Diseases of the Skin and Cellular Tissue.		151 Carbuncle, boils.		152 Cellulitis, acute abscess.		153 Other diseases of the skin and cellular tissue.		XIII. 154-156 Diseases of the Bones and Organs of Movement.	
Ages at Death.	F.	F.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	78	9	8	276	306	58	42	65	57	153	207	256	225
0—	—	—	—	30	11	1	—	8	4	21	7	6	6
1—	—	—	—	2	3	—	1	—	2	2	—	3	4
5—	—	—	—	2	2	1	—	—	—	1	2	7	3
10—	—	—	—	1	3	—	—	—	1	1	2	11	2
15—	2	—	—	2	9	2	3	—	2	—	4	13	5
20—	3	2	1	6	8	4	1	—	1	2	6	5	3
25—	21	5	5	7	6	3	1	—	—	4	5	8	7
30—	22	1	1	3	5	—	—	1	1	2	4	5	1
35—	17	—	—	8	7	3	1	1	1	4	5	2	5
40—	12	—	—	10	10	3	—	2	—	5	10	11	11
45—	1	1	1	9	14	2	2	3	2	4	10	13	9
50—	—	—	—	6	18	—	2	—	3	6	13	15	16
55—	—	—	—	26	18	7	4	6	4	13	10	17	12
60—	—	—	—	18	27	1	4	8	9	9	14	20	25
65—	—	—	—	32	30	6	3	9	4	17	23	37	29
70—	—	—	—	41	38	7	9	12	7	22	22	27	29
75—	—	—	—	37	41	8	3	9	8	20	30	27	30
80—	—	—	—	16	37	4	4	2	5	10	28	11	13
85 and over	—	—	—	20	19	6	4	4	3	10	12	8	15

* 150 (a), Mastitis during the puerperium and lactation, 20 ; 150 (b), Puerperal psychoses, —.

Causes of Death.	154 Osteo- myelitis and periostitis.		155 Other diseases of the bones.		156 Diseases of the joints and other organs of movement.		156 (a) Diseases of the joints.		156 (b) Diseases of other organs of movement.		156 (b)(1) Diseases of muscles.		156 (b) (2) Other diseases included under 156 (b).		XIV. 157 Congenital Malformations.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	70	37	73	94	113	94	29	28	84	66	54	38	30	28	2586	2334
0—	6	5	—	—	—	1	—	1	—	—	—	—	—	—	1838	1545
1—	2	2	1	1	—	1	—	—	—	1	—	—	—	1	174	150
5—	4	2	—	—	3	1	1	—	2	1	2	1	—	—	48	73
10—	2	2	—	—	9	—	—	—	9	—	9	—	—	—	40	37
15—	5	1	—	3	8	1	—	—	8	1	6	—	2	1	38	43
20—	1	—	—	—	4	3	—	—	4	3	4	1	—	2	45	31
25—	5	1	—	—	3	6	—	2	3	4	2	2	1	2	41	40
30—	1	—	—	—	4	1	—	—	4	1	1	1	3	—	29	24
35—	5	1	—	—	7	4	2	2	5	2	2	1	3	1	45	44
40—	1	2	1	1	9	8	3	2	6	6	2	4	4	2	56	61
45—	6	—	1	—	6	9	3	1	3	8	2	7	1	1	63	62
50—	6	2	1	1	8	13	2	4	6	9	2	5	4	4	37	52
55—	5	—	4	6	8	6	2	1	6	5	3	4	3	1	44	41
60—	2	5	9	10	9	10	2	2	7	8	6	4	4	4	39	42
65—	6	4	16	15	15	10	4	3	11	7	4	4	7	3	21	35
70—	4	3	17	18	6	8	2	3	4	5	4	2	—	3	11	26
75—	5	4	14	18	8	8	4	3	4	5	3	2	1	3	11	16
80—	4	—	6	11	1	2	—	2	1	—	1	—	—	—	5	5
85 and over	—	3	3	10	5	2	4	2	1	—	1	—	—	—	1	7

TABLE 21—continued.

Causes of Death.	157 (a) Congenital hydrocephalus.		157 (b) Spina bifida and meningocele.		157 (c) Congenital malformation of heart.		157 (d) Monstrosities.		157 (e) Congenital pyloric stenosis.		157 (f) Cleft palate, harelip.		157 (g) Imperforate anus.		157 (h) Cystic diseases of kidney.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	139	131	347	536	841	669	32	43	152	33	25	24	24	4	104	110
0—	90	82	324	504	628	445	31	42	150	31	23	20	24	3	11	12
1—	23	27	12	15	73	66	—	1	2	—	2	3	—	1	1	1
5—	8	13	—	7	20	35	—	—	—	—	—	—	—	—	1	1
10—	2	2	1	3	20	22	—	—	—	—	—	—	—	—	1	1
15—	6	1	3	4	21	17	—	—	—	—	—	1	—	—	—	1
20—	2	1	1	1	15	14	1	—	—	—	—	—	—	—	1	—
25—	3	1	—	—	9	16	—	—	—	—	—	—	—	—	1	3
30—	—	1	—	—	7	4	—	—	—	—	—	—	—	—	—	2
35—	—	—	2	1	10	12	—	—	—	—	—	—	—	—	8	6
40—	1	2	1	1	11	8	—	—	—	—	—	—	—	—	14	16
45—	—	—	—	—	8	11	—	—	—	2	—	—	—	—	17	13
50—	2	—	—	—	4	5	—	—	—	—	—	—	—	—	12	19
55—	—	—	1	—	6	6	—	—	—	—	—	—	—	—	13	12
60—	1	1	—	—	6	1	—	—	—	—	—	—	—	—	10	9
65—	—	—	2	—	2	3	—	—	—	—	—	—	—	—	1	5
70—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	6	4
75—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	4	4
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	157 (i) Other stated congenital malformations.		157 (ia) Central nervous system.		157 (ib) Circulatory system.		157 (ic) Digestive system.		157 (id) Genito-urinary system.		157 (ie) Other malformations included under 157 (i).		157 (j) Congenital malformations (unspecified).		XV. 158-161 Diseases peculiar to the First Year of Life.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	887	737	62	71	203	254	431	283	96	44	95	85	35	47	6532	4463
0—	523	360	34	39	24	12	346	229	63	30	56	50	34	46	6532	4463
1—	60	36	15	15	1	2	29	11	6	—	9	8	1	—	—	—
5—	19	17	5	4	2	1	6	5	4	2	2	5	—	—	—	—
10—	16	8	3	1	5	5	3	1	5	—	—	1	—	1	—	—
15—	8	19	1	3	3	9	1	4	1	3	2	—	—	—	—	—
20—	25	15	2	1	16	11	4	1	1	1	2	1	—	—	—	—
25—	28	20	1	—	17	17	3	1	4	—	3	2	—	—	—	—
30—	22	17	—	1	15	11	1	2	4	—	2	3	—	—	—	—
35—	25	25	—	—	18	17	3	3	2	2	2	3	—	—	—	—
40—	29	34	—	2	17	25	6	3	1	1	5	3	—	—	—	—
45—	38	36	1	—	25	25	6	5	1	1	5	5	—	—	—	—
50—	19	28	—	—	13	24	3	2	1	2	2	—	—	—	—	—
55—	24	23	—	—	19	20	3	—	1	1	1	2	—	—	—	—
60—	22	31	—	4	15	24	5	2	1	—	1	1	—	—	—	—
65—	16	27	—	—	7	21	6	5	—	—	3	1	—	—	—	—
70—	5	19	—	1	3	14	2	3	—	1	—	—	—	—	—	—
75—	5	11	—	—	1	9	3	2	1	—	—	—	—	—	—	—
80—	2	4	—	—	2	2	—	2	—	—	—	—	—	—	—	—
85 and over	1	7	—	—	—	5	1	2	—	—	—	—	—	—	—	—

TABLE 21—continued.

Causes of Death.	158 Congenital debility.		159 Premature birth.		160 Injury at birth.		160 (a) Intra-cranial or spinal hæmorrhage due to injury at birth.		160 (b) Other intra-cranial or spinal injuries at birth.		160 (c) Other birth injuries.		161 Other diseases peculiar to the first year of life.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	123	68	3247	2322	1193	714	883	496	60	38	250	180	1969	1359
0—	123	68	3247	2322	1193	714	883	496	60	38	250	180	1969	1359
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	161 (a) Asphyxia during or after birth, atelectasis.		161 (b) Intoxication due to maternal toxæmia.		161 (c) Infections of the newborn.		161 (c) (1) Infections of the umbilicus.		161 (c) (2) Pemphigus neonatorum.		161 (c) (3) Other or unspecified infections included under 161 (c).		161 (d) Melæna neonatorum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1421	988	85	52	34	21	19	7	3	4	12	10	104	62
0—	1421	988	85	52	34	21	19	7	3	4	12	10	104	62
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued.

Causes of Death.	161 (e)* Other specified diseases included under 161.		XVI. 162 Senility, Old Age.		162 (a) Old age.		162 (b) Senility with mention of senile dementia.		162 (c) Senility without mention of senile dementia.		XVII. 163-198 Deaths from Violence.		Suicide 163-164 Total.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	325	236	4801	8079	102	215	228	398	4471	7466	11760	6885	3023	1697
0—	325	236	—	—	—	—	—	—	—	—	523	385	—	—
1—	—	—	—	—	—	—	—	—	—	—	516	312	—	—
5—	—	—	—	—	—	—	—	—	—	—	454	186	—	—
10—	—	—	—	—	—	—	—	—	—	—	278	88	2	1
15—	—	—	—	—	—	—	—	—	—	—	473	114	38	21
20—	—	—	—	—	—	—	—	—	—	—	696	137	86	39
25—	—	—	—	—	—	—	—	—	—	—	649	129	127	65
30—	—	—	—	—	—	—	—	—	—	—	510	148	127	82
35—	—	—	—	—	—	—	—	—	—	—	695	207	201	116
40—	—	—	—	—	—	—	—	—	—	—	738	233	247	147
45—	—	—	—	—	—	—	—	—	—	—	828	300	315	181
50—	—	—	2	1	—	—	1	1	1	—	767	346	332	205
55—	—	—	6	2	—	—	4	2	2	—	792	392	337	205
60—	—	—	7	13	—	—	6	13	1	—	838	445	340	206
65—	—	—	75	112	—	2	24	44	51	66	746	509	302	169
70—	—	—	429	576	1	6	48	70	380	500	745	612	279	131
75—	—	—	1032	1354	14	26	68	99	950	1229	709	777	177	86
80—	—	—	1548	2434	37	62	39	91	1472	2281	484	779	88	27
85 and over	—	—	1702	3587	50	119	38	78	1614	3390	319	786	25	16

* 161 (e) (1), Hæmolytic diseases of the newborn : Males, 299 ; Females 221 ; 161 (e) (2), Other diseases included under 161 (e), Males, 26 ; Females, 15.

Causes of Death.	Suicide.													
	163 By poisoning.		163 (a) By solid or liquid toxic or corrosive substances.		163 (aa) By corrosive substances.		163 (ab) By analgesic and narcotic drugs.		163 (ab) (1) By analgesic drugs.		163 (ab) (2) By narcotic drugs.		163 (ac) By soporific drugs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1369	1158	267	306	51	66	63	93	56	88	7	5	85	114
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15—	20	17	2	5	—	1	1	1	1	1	—	—	—	1
20—	39	27	10	5	—	1	1	—	1	—	—	—	4	4
25—	54	48	16	18	—	—	4	6	3	5	1	1	5	8
30—	50	51	9	11	—	2	4	3	3	3	1	—	3	5
35—	103	78	21	27	1	4	2	5	2	5	—	—	13	11
40—	113	100	26	26	5	4	4	9	3	9	1	—	8	9
45—	162	123	32	38	8	14	8	8	8	8	—	—	11	11
50—	145	132	28	43	8	14	7	10	7	10	—	—	5	17
55—	159	129	38	38	8	7	11	15	10	14	1	1	13	14
60—	156	142	30	31	7	8	4	8	3	7	1	1	10	13
65—	122	125	21	26	6	5	8	9	6	9	2	—	4	10
70—	113	90	13	15	4	1	3	8	3	7	—	1	4	4
75—	77	67	12	15	3	3	4	8	4	7	—	1	4	4
80—	40	17	5	5	1	1	1	2	1	2	—	—	—	2
85 and over	16	11	4	3	—	1	1	1	1	1	—	—	1	1

TABLE 21—continued.

Causes of Death.	Suicide															
	163 (ad) By other solid or liquid poisons.		163 (b) By poisonous gas.		163 (ba) By coal gas.		163 (bb) By motor exhaust gases.		163 (bc)* Other forms of suicide.		164 (a) By hanging or strangulation.		164 (b) By drowning.		164 (c) By firearms and explosives.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	68	33	1102	852	1081	852	17	—	1654	539	632	143	357	235	220	10
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	1	—	1	—	—	2	—	1	—	1	—	—	—
15—	1	2	18	12	18	12	—	—	18	4	8	1	2	1	6	—
20—	5	—	29	22	28	22	1	—	47	12	18	3	8	5	7	—
25—	7	4	38	30	37	30	1	—	73	17	27	7	10	3	14	2
30—	2	1	41	40	39	40	2	—	77	31	38	12	15	10	11	—
35—	5	7	82	51	78	51	2	—	98	38	40	10	20	17	14	—
40—	9	4	87	74	85	74	2	—	134	47	46	13	25	16	33	3
45—	5	5	130	85	126	85	3	—	153	58	50	19	30	18	28	2
50—	8	2	117	89	116	89	1	—	187	73	75	13	40	39	24	—
55—	6	2	121	91	119	91	2	—	178	76	68	16	34	37	26	2
60—	9	2	126	111	124	111	2	—	184	64	80	18	37	33	18	—
65—	3	2	101	99	100	99	1	—	180	44	65	9	47	22	14	1
70—	2	2	100	75	100	75	—	—	166	41	56	14	47	16	13	—
75—	1	—	65	52	64	52	—	—	100	19	36	6	29	10	7	—
80—	3	—	35	12	35	12	—	—	48	10	18	2	11	4	5	—
85 and over	2	—	12	8	12	8	—	—	9	5	6	—	1	4	—	—

* 163 (bc), By other poisonous gas, 35, 35, 45, 75.

Causes of Death.	Suicide												Homicide			
	164 (d) By cutting or piercing instruments.		164 (e) By jumping from high places.		164 (f) By crushing.		164 (fa) On railways.		164 (fb) Other suicide by crushing.		164 (g) By other or unspecified means.		165-168 Total.		165* By firearms.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	232	38	80	66	125	40	110	38	15	2	8	7	72	113	9	7
0—	—	—	—	—	—	—	—	—	—	—	—	—	16	13	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	7	11	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	2	4	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	3	4	—	—
15—	—	—	—	—	2	2	2	2	—	—	—	—	3	6	—	—
20—	2	—	6	3	6	1	4	1	2	—	—	—	5	12	—	3
25—	5	—	3	3	14	2	14	2	—	—	—	—	6	6	1	1
30—	4	1	3	2	6	5	6	4	—	1	—	1	6	9	2	—
35—	6	1	7	5	11	4	10	4	1	—	—	1	3	10	2	1
40—	13	1	1	6	15	6	13	5	2	1	1	2	4	3	—	—
45—	19	8	10	6	13	5	12	5	1	—	3	—	1	6	1	—
50—	25	6	8	11	14	4	12	4	2	—	1	—	5	3	1	—
55—	32	3	7	9	11	8	10	8	1	—	—	1	4	4	1	—
60—	33	6	4	6	11	—	9	—	2	—	1	1	4	6	1	1
65—	33	5	9	5	11	1	7	1	4	—	1	1	1	9	—	—
70—	31	7	11	3	7	1	7	1	—	—	1	—	1	2	—	—
75—	19	—	6	2	3	1	3	1	—	—	—	—	1	4	—	—
80—	8	—	5	4	1	—	1	—	—	—	—	—	—	1	—	—
85 and over	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

* 165, Infanticide. The deaths classed to this heading were : Males, 16 ; Females, 13.

TABLE 21—continued.

Causes of Death.	Homicide.				169-195 Accidental deaths.†		169 Railway accidents.‡		170 Motor vehicle accidents.‡		170 (a) Collisions with trains.		170 (b)*		171 Other road transport accidents.‡	
	167 By cutting or piercing instruments.		168 By other or unspecified means.										170 (c) Other accidents included under 170.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	10	42	83	8553	5071	344	30	2865	924	7	—	2855	924	251	88
0—	—	—	—	—	507	372	—	—	2	3	—	—	2	3	—	—
1—	1	—	6	11	509	301	7	1	192	102	—	—	192	102	7	1
5—	—	—	2	4	452	182	17	—	226	107	—	—	226	107	10	3
10—	—	—	3	4	273	83	7	—	115	44	—	—	115	44	9	2
15—	—	1	3	5	432	87	6	1	178	45	—	—	178	45	34	7
20—	—	2	5	7	598	86	24	2	323	43	—	—	321	43	15	4
25—	1	—	4	5	508	58	22	1	216	18	—	—	216	18	16	1
30—	1	1	3	8	366	57	18	1	142	15	1	—	140	15	10	4
35—	—	3	1	6	488	81	23	2	180	29	—	—	180	29	14	3
40—	1	—	3	3	485	81	30	2	159	26	2	—	157	26	7	2
45—	—	—	—	6	509	112	34	1	144	30	1	—	143	30	19	3
50—	—	1	4	2	410	138	40	2	129	38	1	—	128	38	10	7
55—	—	1	3	3	423	183	49	3	132	48	—	—	132	48	12	9
60—	1	—	2	5	480	233	30	1	145	62	—	—	145	62	24	11
65—	—	1	1	7	436	330	12	4	170	80	2	—	168	80	22	9
70—	—	—	1	2	457	479	10	2	145	93	—	—	145	93	13	6
75—	—	—	1	4	530	687	10	5	146	86	—	—	146	86	18	7
80—	—	—	—	1	396	751	5	1	93	38	—	—	93	38	7	6
85 and over	—	—	—	—	294	770	—	1	28	17	—	—	28	17	4	3

* 170 (b), Collisions with trams, 20, 20, 30.

† The deaths under these headings include those assigned to the occupational sub-division (a) thereof, details of which will be found on page 302. The full title according to the detailed International List is 169-195, Accidental deaths (or deaths not known to be due to suicide or homicide).

‡ Any cause of death except War.

Causes of Death.	171 (a) Tramway accidents on roads.		171 (b) Other accidents included under 171.		172 Water transport accidents.‡		173 Air transport accidents.‡		174 Accidents in mines and quarries.‡		175 Agricultural and forestry accidents (any cause of death).		175 (a) Accidents from farm, etc., machinery and vehicles.		175 (b) Injury by animals in farming, etc.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	17	16	234	72	142	9	76	19	464	—	134	7	83	3	15	2
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	—	6	1	—	3	2	—	—	—	7	1	7	—	—	1
5—	—	—	10	3	2	—	—	2	—	—	7	2	7	2	—	—
10—	—	—	9	2	6	1	—	3	3	—	6	—	6	—	—	—
15—	—	—	34	7	20	—	3	3	12	—	6	1	6	1	—	—
20—	—	1	15	3	20	1	10	1	32	—	8	1	7	—	—	1
25—	—	—	16	1	15	—	16	—	39	—	9	—	7	—	—	—
30—	1	—	9	4	6	1	10	—	41	—	5	—	1	—	1	—
35—	—	1	14	2	12	1	11	2	53	—	15	—	6	—	2	—
40—	1	—	6	2	16	—	12	1	63	—	14	—	9	—	2	—
45—	2	1	17	2	15	2	6	5	69	—	14	1	7	—	3	—
50—	3	1	7	6	9	—	3	1	43	—	10	—	5	—	2	—
55—	—	2	12	7	9	—	2	1	60	—	7	1	3	—	1	—
60—	3	1	21	10	5	—	1	—	30	—	7	—	1	—	1	—
65—	2	—	20	9	5	—	—	—	16	—	13	—	9	—	2	—
70—	2	4	11	2	1	—	—	—	3	—	3	—	1	—	—	—
75—	—	3	18	4	1	—	—	—	—	—	2	—	1	—	—	—
80—	2	1	5	5	—	—	—	—	—	—	1	—	—	—	1	—
85 and over	—	1	4	2	—	—	—	—	—	—	—	—	—	—	—	—

‡ Any cause of death except War.

TABLE 21—continued.

Causes of Death.	175 (ba) (bb)*		176 Accidents caused by machinery (any cause of death).		177 Food poisoning.		178 Accidental absorption of poisonous gas.†		179 Other acute accidental poisoning (not by gas).†		180 Conflagration.†		181 Accidental burns (conflagration excepted).†		182 Accidental mechanical suffocation.†	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	36	2	195	9	28	36	220	235	96	103	21	38	218	420	490	320
0—	—	—	—	—	4	8	1	—	—	—	—	2	18	14	390	266
1—	—	—	1	—	—	2	7	6	16	14	6	2	66	82	16	12
5—	—	—	5	—	1	—	1	1	5	—	—	3	8	22	4	2
10—	—	—	3	—	—	—	2	—	—	—	—	—	2	4	3	1
15—	—	—	6	2	1	2	7	2	1	1	—	—	2	2	8	1
20—	1	—	12	2	—	—	7	3	4	6	—	—	4	8	3	—
25—	2	—	31	1	—	1	8	3	8	6	1	—	3	9	6	—
30—	3	—	23	—	1	—	10	1	7	2	—	2	5	4	3	1
35—	7	—	19	1	—	1	10	3	5	7	2	—	8	4	9	3
40—	3	—	29	—	3	2	11	3	7	5	2	2	5	9	7	4
45—	4	1	13	1	2	1	10	12	12	9	—	1	3	5	7	5
50—	3	—	16	1	1	3	10	7	7	11	4	3	5	15	6	2
55—	3	1	6	1	5	3	15	13	3	11	—	4	6	13	4	5
60—	5	—	15	—	4	4	26	18	7	7	2	2	6	27	8	2
65—	2	—	13	—	1	2	13	19	7	9	1	2	4	25	4	4
70—	2	—	2	—	3	3	23	34	2	9	—	3	16	32	6	3
75—	1	—	1	—	1	2	28	39	3	3	1	4	23	48	2	3
80—	—	—	—	—	—	2	21	50	1	2	1	5	18	62	2	4
85 and over	—	—	—	—	1	—	10	21	1	1	1	3	16	35	2	2

* 175 (ba), By venomous animals, — ; 175 (bb), By other animals, see 175 (b).

† Except deaths classed under headings Nos. 169-176, 196, 197.

Causes of Death.	183 Accidental drowning.†		184 Accidental injury by firearms.†		185 Accidental injury by cutting or piercing instruments.†		186 Accidental injury by fall, crushing, landslide, etc.†		187 Cataclysm (any cause of death).		188 Injury by animals.†		189 Hunger or thirst.†		190 Excessive cold.†	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	809	190	58	5	6	4	1645	2370	1	3	9	3	1	5	2	—
0—	2	3	1	—	—	—	10	5	—	—	—	—	—	—	—	—
1—	122	37	1	—	—	1	27	15	—	—	1	1	—	—	—	—
5—	118	20	1	—	1	—	30	12	—	—	1	1	—	—	—	—
10—	59	13	3	1	1	—	26	9	—	—	—	—	—	—	—	—
15—	71	11	12	1	—	—	39	4	—	1	—	1	—	—	—	—
20—	58	3	5	—	1	—	47	3	—	—	—	—	—	—	—	—
25—	28	3	3	1	1	—	61	2	—	—	—	—	—	—	—	—
30—	18	5	1	1	—	1	42	3	—	—	—	—	—	—	—	—
35—	23	3	6	—	1	—	66	6	—	—	—	—	—	—	—	—
40—	29	8	7	—	—	—	60	9	—	—	—	—	—	1	—	—
45—	31	15	2	1	—	—	96	15	1	—	2	—	—	—	—	—
50—	31	12	6	—	—	—	60	26	—	1	—	—	—	2	—	—
55—	20	13	5	—	—	—	58	47	—	—	1	—	—	—	1	—
60—	57	12	4	—	—	1	80	78	—	1	1	—	1	1	—	—
65—	43	13	1	—	—	—	95	148	—	—	—	—	—	—	—	—
70—	42	10	—	—	—	—	160	273	—	—	3	—	—	—	—	—
75—	39	6	—	—	—	—	243	473	—	—	—	—	—	—	1	—
80—	10	3	—	—	—	1	226	566	—	—	—	—	—	—	—	—
85 and over	8	—	—	—	1	—	219	676	—	—	—	—	—	—	—	—

† Except deaths classed under headings Nos. 169-176, 196, 197.

TABLE 21—continued.

Causes of Death.	191 Excessive heat.†		192 Lightning.		193 Other accidents due to electric currents.†		194*		195 (a) (b)*		195 (d) Other and unspecified accidents included under 195.†		196*		197 Deaths of civilians due to operations of war.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	10	5	9	3	47	20	410	217	65	65	339	146	112	4	98	3
0—	1	—	—	—	—	1	78	69	65	65	12	4	—	—	—	—
1—	1	—	—	—	5	2	25	19	—	—	22	17	—	—	—	—
5—	—	—	—	—	—	1	15	6	—	—	15	6	—	—	—	—
10—	—	—	1	—	3	1	24	4	—	—	24	4	—	—	—	—
15—	—	—	3	—	3	—	20	2	—	—	20	2	—	—	—	—
20—	1	—	—	1	8	—	16	7	—	—	16	6	7	—	1	—
25—	—	—	—	—	2	2	23	10	—	—	22	8	8	—	6	—
30—	—	—	—	1	6	1	18	14	—	—	18	14	11	—	8	—
35—	—	—	1	1	6	2	24	13	—	—	24	12	3	—	2	—
40—	—	—	2	—	4	1	17	6	—	—	16	6	2	2	1	1
45—	—	—	—	—	7	—	22	5	—	—	22	5	3	1	2	1
50—	2	1	1	—	2	1	15	4	—	—	15	4	20	—	20	—
55—	1	—	—	—	1	2	26	7	—	—	26	7	28	—	28	—
60—	2	—	—	—	—	1	25	5	—	—	25	5	14	—	14	—
65—	—	1	1	—	—	2	15	10	—	—	15	10	7	1	7	1
70—	1	—	—	—	—	—	23	10	—	—	23	10	8	—	8	—
75—	1	—	—	—	—	1	10	9	—	—	10	9	1	—	1	—
80—	—	—	—	—	—	2	11	9	—	—	11	9	—	—	—	—
85 and over	—	3	—	—	—	—	3	8	—	—	3	8	—	—	—	—

* 194, Attack by venomous animals, 40, 70, 0, 20, 50, 55, 55, 65, 65, 70 ; 195 (a) (1), Vaccinia, 1 ; 195 (a) (2), Other sequelæ of vaccination against smallpox, — ; 195 (ba), Anæsthetic accidents, 20, 25, 25, 35 ; 195 (bb) Other accidents due to medical or surgical intervention, 0, 1, 1, 25, 40, 1, 1 ; 196, see page 308.

† Except deaths classed under headings Nos. 169-176, 196, 197.

Causes of Death.	198*		199 Sudden death.		200 Causes of death unstated or ill-defined.		200 (a) Ill-defined causes.		200 (a) (1) Heart failure.		200 (a) (2) Other ill-defined causes.		200 (b) Found dead, cause unknown.		200 (c) Other deaths from unknown or unspecified cause.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	144	116	37	33	107	83	80	73	61	60	19	13	18	5	9	5
0—	10	7	2	1	8	6	6	5	1	3	5	2	—	—	2	1
1—	2	1	—	—	2	1	1	—	—	—	1	—	—	—	1	1
5—	2	—	—	—	2	—	2	—	—	—	2	—	—	—	—	—
10—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	4	1	1	1	3	—	1	—	1	—	—	—	1	—	1	—
25—	—	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—
30—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
35—	7	1	2	—	5	1	3	—	3	—	—	—	2	—	—	1
40—	4	4	—	—	4	4	2	2	1	1	1	1	2	1	—	1
45—	9	3	—	2	9	1	2	1	1	1	1	—	3	—	4	—
50—	6	2	4	—	2	2	2	1	2	1	—	—	—	1	—	—
55—	13	6	4	2	9	4	8	4	8	3	—	1	1	—	—	—
60—	16	11	6	3	10	8	10	8	7	4	3	4	—	—	—	—
65—	17	14	2	6	15	8	9	8	6	6	3	2	6	—	—	—
70—	15	14	3	4	12	10	11	8	9	6	2	2	—	2	1	—
75—	20	25	3	6	17	19	14	17	13	17	1	—	3	1	—	1
80—	12	18	8	6	4	12	4	12	4	11	—	1	—	—	—	—
85 and over	6	7	1	1	5	6	5	6	5	6	—	—	—	—	—	—

* 198, Legal executions, 20, 20, 20, 20, 20, 20, 25, 25, 30, 30, 30, 35, 40, 45, 40.

TABLE 21A—continued.

(a) Full detailed List—FEMALES

International List No.	Causes of Death.	All Ages	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65 and over
	ALL CAUSES	19	1	8	4	—	1	2	2	1	—	—	—
13-22	Tuberculosis (all forms)	6	—	2	3	—	—	—	1	—	—	—	—
13b	Respiratory system (without mention of occupational disease of lung)	3	—	1	1	—	—	—	1	—	—	—	—
15	Intestines and peritoneum	3	—	1	2	—	—	—	—	—	—	—	—
33a:1	Influenza with pneumonic complications	1	1	—	—	—	—	—	—	—	—	—	—
45-55	Cancer and other malignant tumours	4	—	—	—	—	1	1	1	1	—	—	—
46b	Stomach and duodenum	1	—	—	—	—	—	—	1	—	—	—	—
46g	Peritoneum	1	—	—	—	—	—	1	—	—	—	—	—
49	Other female genital organs	1	—	—	—	—	—	1	—	—	—	—	—
50	Breast	1	—	—	—	—	—	—	—	1	—	—	—
96	Aneurysm (except of heart and aorta)	1	—	—	—	—	—	1	—	—	—	—	—
106b	Chronic bronchitis	1	—	1	—	—	—	—	—	—	—	—	—
125b	Other diseases included under 125	1	—	1	—	—	—	—	—	—	—	—	—
153	Other diseases of the skin and cellular tissue	1	—	1	—	—	—	—	—	—	—	—	—
163-198	Violence	4	—	3	1	—	—	—	—	—	—	—	—
	Homicide by :												
168	Other or unspecified means	1	—	—	1	—	—	—	—	—	—	—	—
	Accidents :												
170c	Others included under 170	3	—	3	—	—	—	—	—	—	—	—	—

(b) Abridged List

Short List No.	Causes of Death.	Males							Females						
		All Ages	15-	25-	35-	45-	55-	65 and over	All Ages	15-	25-	35-	45-	55-	65 and over
	ALL CAUSES	744	323	167	133	80	36	5	19	9	4	3	3	—	—
2	Cerebro-spinal fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—
6	Tuberculosis of the respiratory system	85	30	28	16	10	1	—	3	1	1	—	1	—	—
7	Other forms of tuberculosis	20	16	2	2	—	—	—	3	1	2	—	—	—	—
8	Syphilitic disease	5	1	—	2	1	1	—	—	—	—	—	—	—	—
9	Influenza	6	4	—	1	1	—	—	1	1	—	—	—	—	—
11	Acute poliomyelitis and polioencephalitis	6	4	—	2	—	—	—	—	—	—	—	—	—	—
12	Acute infectious encephalitis	2	1	1	—	—	—	—	—	—	—	—	—	—	—
13M	Cancer of buccal cavity and œsophagus	4	1	1	—	1	1	—	—	—	—	—	1	—	—
14	Cancer of stomach and duodenum	8	—	—	3	3	2	—	1	—	—	—	1	—	—
15	Cancer of breast	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16	Cancer of all other sites	69	17	6	23	15	8	—	2	—	—	2	—	—	—
17	Diabetes	1	1	—	—	—	—	—	—	—	—	—	—	—	—
18	Intra-cranial vascular lesions	18	5	1	4	5	3	—	—	—	—	—	—	—	—
19	Heart disease	63	3	5	20	20	12	3	—	—	—	—	—	—	—
20	Other diseases of the circulatory system	13	1	3	1	7	—	1	1	—	—	1	—	—	—
21	Bronchitis	5	2	—	—	1	2	—	1	1	—	—	—	—	—
22	Pneumonia	11	5	1	3	1	1	—	—	—	—	—	—	—	—
23	Other respiratory diseases	4	—	1	2	—	1	—	—	—	—	—	—	—	—
24	Ulceration of the stomach or duodenum	8	2	—	4	1	1	—	—	—	—	—	—	—	—
26	Appendicitis	9	8	1	—	—	—	—	—	—	—	—	—	—	—
27	Other digestive diseases	17	5	3	5	3	1	—	1	1	—	—	—	—	—
28	Nephritis	7	2	—	3	1	1	—	—	—	—	—	—	—	—
32	Congenital malformations	5	5	—	—	—	—	—	—	—	—	—	—	—	—
33	Suicide	30	15	6	6	2	1	—	—	—	—	—	—	—	—
34	Road traffic accidents	105	66	22	13	4	—	—	3	3	—	—	—	—	—
35	Other violent causes	191	98	74	17	2	—	—	1	1	—	1	—	—	—
36	All other causes	51	30	12	6	2	—	1	1	1	—	—	—	—	—

TABLE 22.—Causes of Death of Children under Five } { England and Wales.
at Different Age-Periods, 1949.

See Explanatory notes on page i.

Inter- national List Number	Causes of Death.	Total under 5 years	Under 4 weeks	4 wks 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4 years
	ALL CAUSES {M F	16,430 12,093	8,218 5,888	2,098 1,478	1,897 1,368	1,641 1,294	1,081 898	640 571	484 342	371 254
6	Cerebro-spinal (meningococcal) meningitis {M F	116 86	2 3	8 3	19 15	38 24	19 21	12 12	9 3	9 5
8	Scarlet fever {M F	1 1	— —	— —	— —	— —	1 —	— 1	— —	— —
9	Whooping cough {M F	229 283	4 5	47 43	66 53	62 77	29 59	11 31	7 9	3 6
10	Diphtheria {M F	23 20	— —	— —	1 —	— 1	2 5	4 5	10 5	6 4
11	Erysipelas {M F	2 —	1 —	— —	— —	— —	1 —	— —	— —	— —
13-22	Tuberculosis :— All forms {M F	419 346	— 1	5 4	22 15	64 52	139 103	86 78	52 54	51 39
13	Respiratory system {M F	63 59	— —	3 3	8 4	10 10	20 24	9 9	5 8	8 1
14	Meninges and central nervous system {M F	291 227	— 1	1 —	6 7	41 29	98 64	66 57	39 35	40 34
15	Intestines and peritoneum {M F	17 18	— —	— —	— —	3 1	8 5	4 5	2 6	— 1
16-22	Other organs {M F	48 42	— —	1 1	8 4	10 12	13 10	7 7	6 5	3 3
24	Purulent infection and septicæmia {M F	31 18	6 5	8 3	3 2	8 2	4 —	1 4	— 2	1 —
25	Gonococcal infections {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Dysentery {M F	7 3	— —	1 —	3 1	— 2	— —	— —	1 —	2 —
30da	Congenital syphilis {M F	35 28	8 14	16 9	6 1	4 3	— 1	1 —	— —	— —
33	Influenza {M F	127 94	4 8	27 13	31 14	30 24	21 17	9 10	4 6	1 2
35	Measles {M F	120 122	— —	1 4	4 6	40 31	46 39	17 18	7 13	5 11
36	Acute poliomyelitis and polioencephalitis {M F	70 59	— —	1 —	3 5	5 11	14 14	16 12	12 13	19 4
	1. Acute poliomyelitis {M F	37 34	— —	— —	1 2	4 6	7 8	8 9	7 7	10 2
	2. Acute polioencephalitis {M F	33 25	— —	1 —	2 3	1 5	7 6	8 3	5 6	9 2
37	Acute infectious encephalitis (lethargic or epidemic) {M F	12 8	— —	1 1	2 —	3 2	4 —	— 3	1 —	1 2
38d	German measles {M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —
38e	Varicella {M F	5 5	— —	1 —	— —	1 2	2 1	— 1	— —	1 1
45-55	Cancer and other malignant tumours {M F	113 109	— 2	5 3	6 3	11 6	27 32	23 28	24 16	17 19
58	Rheumatic fever {M F	7 8	— —	— —	— 1	— 1	— 1	2 2	2 1	3 2
64	Diseases of the thymus (including status lymphaticus) {M F	19 5	3 2	7 —	6 2	1 —	— 1	1 —	— —	1 —
66 (b) 1	"Pink" disease {M F	36 30	— —	1 —	— 1	24 21	10 8	1 —	— —	— —
67	Scurvy {M F	3 1	— —	— —	— —	2 —	1 —	— 1	— —	— —

TABLE 22—continued.

Inter- national List Number	Causes of Death.	Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4 years
70	Rickets {M F	2 2	— —	— —	1 —	1 2	— —	— —	— —	— —
68, 69, 71	Other diseases due to vitamin deficiency {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —
72a	Primary purpura {M F	12 10	1 1	1 2	3 2	2 1	1 2	3 1	1 1	— —
72b	Hæmophilia {M F	4 —	1 —	1 —	— —	1 —	— —	— —	— —	1 —
73	Anæmias {M F	13 10	1 1	1 1	3 —	1 3	— —	4 2	2 2	1 1
74	Leukæmias and aleukæmias ... {M F	99 78	— —	2 —	2 7	8 3	16 14	35 23	20 14	16 17
80	Encephalitis (non-epidemic) ... {M F	38 28	1 1	3 1	3 2	5 5	11 8	5 8	6 3	4 —
81	Meningitis (non-meningococcal) ... {M F	118 87	17 13	17 10	15 12	32 22	23 16	7 6	5 7	2 1
85	Epilepsy {M F	40 29	1 —	1 1	4 1	6 5	6 5	8 7	11 7	3 3
86	Convulsions {M F	86 71	30 12	13 26	18 12	12 10	11 8	1 1	— —	1 2
87	Other diseases of the nervous system {M F	19 9	1 —	1 1	2 1	3 1	3 1	5 2	4 —	— 3
89	Diseases of the ear and of the mastoid antrum {M F	127 64	7 4	24 11	42 12	29 25	15 8	5 2	4 1	1 1
90-95	Heart diseases {M F	19 15	— —	1 1	3 —	1 2	3 3	5 2	4 3	2 4
105	Diseases of the larynx {M F	43 10	— —	— 1	3 —	8 —	16 5	9 2	4 1	3 1
106	Bronchitis {M F	349 265	29 20	87 69	108 73	68 56	38 21	10 14	7 7	2 5
107-109	Pneumonia (all forms) {M F	2,573 1,976	391 258	625 479	649 503	506 392	246 207	88 73	39 43	29 21
107	Broncho-pneumonia {M F	2,153 1,655	294 205	538 402	567 436	430 329	211 178	65 57	31 32	17 16
108	Lobar pneumonia {M F	229 157	29 14	57 37	52 33	46 38	20 15	10 9	5 9	10 2
109	Pneumonia (unspecified) {M F	191 164	68 39	30 40	30 34	30 25	15 14	13 7	3 2	2 3
110	Pleurisy {M F	14 7	4 2	4 3	1 —	1 —	2 —	2 1	— 1	— —
	(a) Empyema {M F	11 5	3 1	4 2	1 —	— —	2 —	1 1	— 1	— —
	(b) Other or unspecified forms of pleurisy {M F	3 2	1 1	— 1	— —	1 —	— —	1 —	— —	— —
111	Congestion, œdema, hæmorrhagic infarction and throm- bosis of the lungs {M F	9 7	2 1	3 1	2 3	— 1	1 1	— —	1 —	— —
104, 112- 114	Other respiratory diseases {M F	36 34	4 —	7 4	9 8	3 5	4 7	6 4	1 2	2 4
115a	Diseases of the teeth and gums ... {M F	3 3	— 1	— —	— —	2 2	1 —	— —	— —	— —
115 (b)	Septic sore throat {M F	6 10	— —	— —	— —	1 2	2 2	2 3	— 2	1 1
115c, d	Other diseases in 115 {M F	18 11	2 —	2 1	3 1	1 1	— 1	3 3	5 2	2 2
118 : 1	Inflammation of the stomach ... {M F	16 13	4 4	3 4	5 1	2 2	1 1	— —	1 —	— 1
119, 120	Enteritis and diarrhœa {M F	1,259 866	110 68	367 258	368 283	313 196	74 47	16 10	9 3	2 1

TABLE 22—continued.

Inter- national List Number	Causes of Death.		Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4 years
121	Appendicitis	{M F	63 41	— —	2 —	— 2	3 1	10 7	17 16	19 8	12 7
122	Hernia, Intestinal obstruction ...	{M F	96 49	3 2	5 1	21 17	31 12	16 10	12 4	4 2	4 1
	(a) Hernia	{M F	12 1	1 —	1 —	— —	— —	7 —	— 1	1 —	2 —
	(b) Intestinal obstruction...	{M F	84 48	2 2	4 1	21 17	31 12	9 10	12 3	3 2	2 1
124, 125	Cirrhosis and other diseases of the liver	{M F	38 23	2 4	10 2	7 2	3 4	5 2	2 6	8 1	1 2
129	Peritonitis without stated cause ...	{M F	7 3	1 —	1 —	2 1	2 1	— 1	1 —	— —	— —
130-132	Nephritis	{M F	37 29	— —	2 1	8 1	10 9	— 6	8 4	6 1	3 7
133a	Pyelitis, pyelonephritis, pyelocystitis	{M F	16 16	4 1	4 4	3 4	4 3	1 1	— 3	— —	— —
152	Cellulitis, acute abscess	{M F	8 6	4 1	— 2	2 1	2 —	— 2	— —	— —	— —
151, 153	Other skin diseases	{M F	24 8	3 2	6 —	7 2	7 3	1 —	— —	— 1	— —
154	Osteomyelitis and periostitis	{M F	8 7	— 3	3 2	1 —	2 —	— —	2 2	— —	— —
157	Congenital malformations	{M F	2,012 1,695	1,090 966	398 264	194 166	156 149	82 75	39 37	36 23	17 15
	(a) Congenital hydrocephalus	{M F	113 109	40 33	12 16	12 14	26 19	13 18	4 4	3 3	3 2
	(b) Spina bifida and meningocele	{M F	336 519	221 342	56 91	25 38	22 33	6 11	3 3	2 1	1 —
	(c) Congenital malformation of heart	{M F	701 511	381 265	117 69	78 65	52 46	31 27	23 16	13 13	6 10
	(d) Monstrosities	{M F	31 43	30 42	— —	— —	1 —	— —	— —	— 1	— —
	(e) Congenital pyloric stenosis	{M F	152 31	21 7	113 18	14 5	2 1	1 —	— —	1 —	— —
	(f) Cleft palate, harelip	{M F	25 23	14 10	3 6	5 3	1 1	1 3	— —	1 —	— —
	(g) Imperforate anus	{M F	24 4	23 3	— —	1 —	— —	— —	— 1	— —	— —
	(h) Cystic disease of kidney	{M F	12 13	6 9	1 1	2 2	2 —	— 1	— —	— —	1 —
	(i) Other stated congenital malformations	{M F	583 396	324 214	93 59	56 39	50 48	29 15	9 13	16 5	6 3
	(ia) Central nervous system	{M F	49 54	19 20	9 9	2 3	4 7	7 7	2 5	5 2	1 1
	(ib) Circulatory system	{M F	25 14	14 6	6 2	4 2	— 2	1 —	— 1	— —	— 1
	(ic) Digestive system	{M F	375 240	222 149	52 34	37 23	35 23	13 5	4 3	10 2	2 1
	(id) Genito-urinary system	{M F	69 30	38 16	14 3	8 4	3 7	4 —	— —	— —	2 —
	(ie) Other malformations included under 157i	{M F	65 58	31 23	12 11	5 7	8 9	4 3	3 4	1 1	1 —
	(j) Congenital malformations (unspecified)	{M F	35 46	30 41	3 4	1 —	— 1	1 —	— —	— —	— —
158	Congenital debility	{M F	123 68	60 39	43 17	19 6	1 6	— —	— —	— —	— —
159	Premature birth	{M F	3,247 2,322	3,163 2,257	80 61	4 4	— —	— —	— —	— —	— —

TABLE 22—continued.

Inter- national List Number	Causes of Death.				Total under 5 years	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year	2 years	3 years	4 years
160	Injury at birth {M F	1,193 714	1,164 701	19 11	7 2	3 —	— —	— —	— —	— —
	(a) Intra-cranial or spinal hæmorrhage due to injury at birth {M F	883 496	859 490	17 6	4 —	3 —	— —	— —	— —	— —
	(b) Other intra-cranial or spinal injuries at birth {M F	60 38	57 35	— 2	3 1	— —	— —	— —	— —	— —
	(c) Other birth injuries {M F	250 180	248 176	2 3	— 1	— —	— —	— —	— —	— —
161	Other diseases peculiar to the first year of life {M F	1,969 1,359	1,919 1,332	39 20	9 3	2 4	— —	— —	— —	— —
	(a) Asphyxia during or after birth, atelectasis {M F	1,421 988	1,397 980	19 6	5 1	— 1	— —	— —	— —	— —
	(b) Intoxication due to maternal toxæmia {M F	85 52	84 52	1 —	— —	— —	— —	— —	— —	— —
	(c1) Infections of the umbilicus {M F	19 7	14 5	5 2	— —	— —	— —	— —	— —	— —
	(c2) Pemphigus neonatorum {M F	3 4	1 3	2 1	— —	— —	— —	— —	— —	— —
	(c3) Other or unspecified infections included under 161c {M F	12 10	10 8	2 2	— —	— —	— —	— —	— —	— —
	(d) Melæna neonatorum... {M F	104 62	101 59	1 3	— —	2 —	— —	— —	— —	— —
	(e1) Hæmolytic diseases of the newborn {M F	299 221	288 211	7 5	4 2	— 3	— —	— —	— —	— —
	(e2) Other diseases included under 161e {M F	26 15	24 14	2 1	— —	— —	— —	— —	— —	— —
165-168	Homicide {M F	23 24	11 10	3 1	— 2	2 —	1 3	1 4	2 1	3 3
170	Motor vehicle accidents {M F	194 105	— —	— —	1 1	1 2	34 22	55 27	50 29	53 24
171	Other road transport accidents {M F	7 1	— —	— —	— —	— —	— —	3 1	4 —	— —
181	Accidental burns (conflagration excepted) {M F	84 96	1 1	— 1	5 —	12 12	26 21	13 27	18 21	9 13
	By clothing {M F	27 35	— 1	— —	4 —	3 2	6 3	4 7	5 12	5 10
	Otherwise (or not stated how) {M F	6 12	— —	— —	— —	2 5	1 2	— 1	3 3	— 1
	Scalds {M F	51 49	1 —	— 1	1 —	7 5	19 16	9 19	10 6	4 2
182	Accidental mechanical suffocation {M F	406 278	55 40	139 107	152 84	44 35	8 9	3 3	4 —	1 —
	In bed or not stated how {M F	219 137	31 18	72 52	85 47	24 14	4 5	2 1	1 —	— —
	Otherwise {M F	187 141	24 22	67 55	67 37	20 21	4 4	1 2	3 —	1 —
183	Accidental drowning {M F	124 40	— 1	1 —	— 1	1 1	23 13	37 15	28 4	34 5
186	Accidental injury by fall, crushing, landslide, etc. {M F	37 20	1 —	3 —	1 —	5 5	10 8	6 5	6 1	5 1
195	(a) Vaccinia and other sequelæ of vaccination against small- pox {M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —
	(b) Other accidents due to medi- cal or surgical intervention {M F	3 2	— —	— —	— —	1 —	— 1	— —	2 1	— —
	(c) Lack of care of the newborn {M F	65 65	65 65	— —	— —	— —	— —	— —	— —	— —
	Other deaths due to violence {M F	95 66	2 2	5 1	4 5	8 8	25 16	20 19	15 12	16 3
	Other causes {M F	271 225	37 35	43 26	33 24	42 44	43 42	23 28	29 16	21 10

TABLE 23.—Deaths by Month of Occurrence and Cause, } { England and Wales.
Jan.-Dec., 1949. (Non-civilian deaths are excluded).

Note.—(a) Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of registration.

(b) Some of the cause headings in this table have been abbreviated and some sub-headings of minor significance are omitted. The full titles of the abbreviated headings will be found in Table 21.

See Explanatory notes on page vi.

Inter-national List No.	Causes of Death.				Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	{M	26411	25747	29878	22274	19906	18531	17836	16950	16283	18723	23076	24292		
		F	25443	24498	29070	21552	19163	17588	17164	16391	15999	18017	21810	23332		
1-44	I.—Infective and Parasitic Diseases	{M	1705	1950	2741	1773	1307	1170	1115	1053	1000	1239	1426	1384		
		F	1173	1456	2442	1379	925	790	799	755	713	860	937	841		
1-26	Diseases due to bacteria	{M	1302	1216	1314	1120	1063	927	904	827	781	937	1084	1020		
		F	829	787	913	731	727	650	648	629	573	641	685	632		
1	Typhoid fever	{M	—	—	1	—	2	1	—	1	—	1	2	2		
		F	—	1	—	—	1	1	1	1	1	2	1	—		
2	Paratyphoid fevers	{M	—	—	1	—	—	—	3	1	—	—	—	—		
		F	1	1	—	—	—	2	—	1	2	1	—	—		
3	Plague	{M	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—		
4	Cholera	{M	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—		
5	Undulant fever	{M	—	—	1	—	—	1	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—		
6	Cerebro-spinal (meningo-coccal) meningitis	{M	19	20	20	12	12	15	5	5	7	4	13	20		
		F	13	13	14	17	7	7	10	4	13	13	14	9		
7	Malignant pustule and anthrax	{M	—	—	—	—	1	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—		
8	Scarlet fever	{M	2	2	—	1	—	1	—	—	—	1	1	1		
		F	2	—	1	—	—	2	1	1	1	1	—	1		
9	Whooping cough	{M	38	29	30	28	31	19	21	17	8	11	3	5		
		F	28	43	50	39	30	18	25	18	10	8	10	8		
10	Diphtheria	{M	7	6	5	—	5	5	2	3	1	2	3	5		
		F	2	6	2	4	6	4	3	4	4	1	—	3		
11	Erysipelas	{M	5	1	1	2	1	2	3	3	1	1	2	4		
		F	3	2	3	1	3	4	1	—	1	2	1	5		
12	Tetanus	{M	5	6	4	6	6	4	8	3	4	5	6	3		
		F	2	1	1	3	3	1	4	1	1	—	2	1		
13-22	Tuberculosis :— All forms	{M	1215	1141	1242	1061	992	873	858	787	753	904	1049	971		
		F	772	715	834	660	674	608	599	589	535	608	649	601		
13	Respiratory system	{M	1084	1018	1108	957	877	778	758	689	662	817	957	877		
		F	672	633	714	572	569	538	516	487	459	536	561	520		
14	Meninges and central nervous system	{M	42	58	60	52	51	42	50	45	47	34	30	44		
		F	45	39	53	48	65	34	45	51	40	33	42	39		
15	Intestines and peritoneum	{M	19	12	14	10	20	8	8	11	7	10	14	12		
		F	13	17	15	14	16	5	14	10	14	11	10	9		
16	Vertebral column	{M	15	7	14	10	8	9	10	7	4	9	11	6		
		F	14	2	17	6	5	8	5	16	4	8	9	6		
17	Other bones and joints	{M	4	3	7	4	2	2	1	—	2	6	4	3		
		F	2	5	2	4	—	2	—	—	1	—	3	—		
18	Skin and subcutaneous tissues	{M	1	—	—	1	—	—	2	1	—	—	—	—		
		F	1	1	1	—	1	1	—	—	—	2	1	—		
19	Lymphatic system	{M	4	—	3	—	3	4	—	1	2	2	—	2		
		F	2	3	5	1	—	3	—	5	6	1	7	3		
20	Genito-urinary system	{M	22	24	22	15	16	14	16	16	16	16	16	15		
		F	10	8	13	7	3	5	10	5	3	6	11	12		
21	Other organs	{M	3	4	—	1	2	—	3	1	2	3	2	3		
		F	1	4	—	—	—	1	2	2	3	3	1	—		
	(a) Addison's disease specified as tuberculous	{M	3	4	—	1	2	—	2	—	2	1	1	2		
		F	1	2	—	—	—	1	1	2	—	2	1	—		

TABLE 23—continued.

Inter- national List No.	Causes of Death.				Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
22	Disseminated tuberculosis ...	{M F	21 12	15 3	14 14	11 8	13 15	16 11	10 7	16 13	11 5	7 8	15 4	9 12		
	(a) Acute generalised miliary tuberculosis ...	{M F	3 2	1 —	2 —	1 3	4 1	4 1	2 2	6 2	3 1	2 —	2 1	2 3		
	(c) Not distinguished as acute or chronic ...	{M F	18 10	14 3	12 14	9 5	9 14	12 9	8 5	10 11	7 4	5 7	13 3	7 8		
23	Leprosy ...	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
24	Purulent infection and septicaemia ...	{M F	11 6	10 5	9 8	10 7	13 2	6 3	4 4	6 10	6 5	8 5	4 7	8 4		
25	Gonococcal infections ...	{M F	— —	1 —	— —	— —	1 —	— —	— —	1 —	1 —	— —	1 —	— —		
26	Other bacterial diseases (dysentery excepted) ...	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
27	Dysentery ...	{M F	2 1	3 —	4 1	2 1	1 3	— 1	1 2	1 1	3 1	4 1	2 2	2 1		
	(a) Bacillary dysentery ...	{M F	1 1	2 —	2 —	2 1	1 1	— —	— 1	— 1	3 —	3 —	2 2	1 1		
	(b) Amœbic dysentery ...	{M F	1 —	— —	1 —	— —	— 1	— —	1 1	— —	— —	1 1	— —	1 —		
28–29	Diseases due to protozoa ...	{M F	— —	1 —	1 —	2 —	— —	2 —	— —	— —	1 —	— —	— 1	— —		
28	Malaria ...	{M F	— —	— —	1 —	2 —	— —	1 —	— —	— —	1 —	— —	— —	— —		
29	Other dis. due to parasitic protozoa except spirochaetes	{M F	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— 1	— —		
30–32	Diseases due to spirochaetes ...	{M F	142 58	132 69	154 65	118 41	108 64	123 52	100 45	102 43	89 34	124 60	121 49	137 61		
30	Syphilis ...	{M F	137 58	131 69	151 64	115 41	107 64	119 52	100 45	100 43	87 34	115 60	118 49	130 60		
	(a) Locomotor ataxia (tabes dorsalis) ...	{M F	16 1	4 6	11 7	15 4	6 2	10 4	9 1	10 2	2 2	6 3	11 3	13 3		
	(b) General paralysis of the insane ...	{M F	22 9	22 3	14 11	14 3	16 7	9 9	12 5	12 7	17 1	11 3	11 3	11 3		
	(c) Aneurysm of aorta ...	{M F	61 25	67 44	79 29	50 20	51 34	53 25	44 20	47 17	41 25	57 38	63 34	60 39		
	(d) Other forms of syphilis...	{M F	38 23	38 16	47 17	36 14	34 21	47 14	35 19	31 17	27 6	41 16	33 9	46 15		
	(da) Congenital syphilis ...	{M F	2 2	1 8	6 3	4 2	5 1	3 5	6 2	1 1	2 —	3 5	4 1	5 4		
	(db, dc, dd) Other or un- specified syphilis ...	{M F	36 21	37 8	41 14	32 12	29 20	44 9	29 17	30 16	25 6	38 11	29 8	41 11		
31	Relapsing fever ...	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
32	Other diseases due to spirochaetes ...	{M F	5 —	1 —	3 1	3 —	1 —	4 —	— —	2 —	2 —	9 —	3 —	7 1		
	(a) Spirochaetosis hæmorrhagica (Weil's disease)	{M F	5 —	1 —	3 —	3 —	1 —	3 —	— —	1 —	2 —	8 —	3 —	7 1		
33–38	Diseases due or attributed to filterable viruses ...	{M F	225 261	558 575	1208 1432	485 589	100 101	77 70	74 76	81 68	95 84	137 135	174 165	175 123		
33	Influenza ...	{M F	173 209	499 529	1147 1377	438 525	65 72	39 26	27 17	11 11	15 12	35 38	99 90	128 83		
	(a) With respiratory com- plications specified ...	{M F	116 143	366 393	816 920	299 352	39 46	24 14	18 9	8 6	7 5	28 13	68 61	97 65		
	(1) With pneumonic complications ...	{M F	74 97	224 248	525 570	197 222	27 33	16 9	12 8	6 5	6 3	17 8	43 36	67 47		
	(2) With other respira- tory complications	{M F	42 46	142 145	291 350	102 130	12 13	8 5	6 1	2 1	1 2	11 5	25 25	30 18		

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
33	(b) Without respiratory complications specified	{M F	57 66	133 136	331 457	139 173	26 26	15 12	9 8	3 5	8 7	7 25	31 29	31 18
	(1) With non-respiratory complications ...	{M F	40 37	91 98	222 274	88 113	20 15	12 10	8 6	3 4	5 5	6 21	22 20	20 9
	(2) Without stated complications ...	{M F	17 29	42 38	109 183	51 60	6 11	3 2	1 2	— 1	3 2	1 4	9 9	11 9
34	Smallpox ...	{M F	— —	— —	— —	1 4	— —	— —	— —	— —	— —	— —	— —	— —
35	Measles ...	{M F	22 23	29 23	36 29	26 32	16 12	12 11	1 7	4 6	— 2	— 4	5 5	— 1
36	Acute poliomyelitis and polioencephalitis ...	{M F	5 5	5 2	6 5	3 2	6 1	8 11	30 27	52 37	66 56	92 76	59 56	30 16
	(1) Acute poliomyelitis ...	{M F	4 3	4 2	5 3	2 2	4 —	6 8	18 18	30 24	41 31	63 53	40 45	19 10
	(2) Acute polioencephalitis ...	{M F	1 2	1 —	1 2	1 —	2 1	2 3	12 9	22 13	25 25	29 23	19 11	11 6
37	Acute infectious encephalitis (lethargic or epidemic) ...	{M F	25 14	19 18	18 18	15 19	8 13	16 18	13 22	13 11	9 13	10 15	9 10	15 20
	(a) Ac. lethargic (or epidemic) encephalitis ...	{M F	2 1	4 2	5 1	1 5	1 —	5 5	2 4	5 5	1 1	— 4	1 1	3 5
	(b) Sequelæ of encephalitis lethargica ...	{M F	15 11	10 8	9 13	9 10	5 9	6 7	6 12	5 3	5 9	7 6	6 8	7 8
	(c) Unspecified encephalitis lethargica ...	{M F	8 2	5 8	4 4	5 4	2 4	5 6	5 6	3 3	3 3	3 5	2 1	5 7
38	Other diseases due to viruses...	{M F	— 10	6 3	1 3	2 7	5 3	2 4	3 3	1 3	5 1	— 2	2 4	2 3
	(c) Herpes zoster ...	{M F	— 6	3 2	1 3	2 7	4 3	2 3	1 2	1 2	2 1	— 2	2 2	2 3
	(d) German measles ...	{M F	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(e) Varicella ...	{M F	— 3	2 —	— —	— —	1 —	— —	2 1	— 1	2 —	— —	2 —	— —
39	Typhus and typhus-like diseases (rickettsioses) ...	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
40-42	Diseases due to helminths ...	{M F	— —	— —	2 5	1 —	1 —	— —	1 1	— —	— —	1 —	— 3	— —
40	Ankylostomiasis ...	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
41	Hydatid disease ...	{M F	— —	— —	2 5	1 —	1 —	— —	1 1	— —	— —	1 —	— 3	— —
42	Other diseases due to helminths ...	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
43	Mycoses ...	{M F	1 2	5 2	5 2	2 3	3 5	4 2	4 2	3 2	— 2	5 4	3 2	2 —
44	Other infective or parasitic diseases ...	{M F	33 22	35 23	53 24	43 14	31 25	37 15	31 25	39 12	31 19	31 19	42 30	48 24
	(b) Pernicious lympho-granulomatosis (Hodg-kin's disease)	{M F	32 22	35 22	52 23	43 14	31 25	37 15	30 25	39 11	31 19	31 18	41 29	48 23
	(c) Mumps ...	{M F	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —
45-57	II.—Cancer and other Tumours ...	{M F	3610 3515	3255 3150	3587 3560	3299 3261	3474 3364	3362 3259	3505 3488	3541 3473	3361 3451	3497 3487	3622 3392	3617 3598
45-55	Cancer and other malignant tumours ...	{M F	3522 3426	3183 3052	3509 3461	3214 3164	3396 3282	3283 3186	3432 3405	3464 3378	3291 3368	3408 3408	3538 3298	3525 3495
45	Buccal cavity and pharynx	{M F	153 41	111 38	165 41	137 49	123 34	123 46	136 44	111 45	142 54	147 55	142 42	133 42

TABLE 23—continued.

Inter- national List No.	Causes of Death.				Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
45	(a) Lips	{	M		12	14	18	8	8	12	15	6	15	17	14	20
		F			1	1	1	1	—	3	1	1	3	4	1	1
	(b) Tongue	{	M		55	30	52	50	40	36	47	27	38	40	41	43
46		F			10	12	15	15	10	12	17	13	14	14	10	14
	(c) Other or unspecified parts of buccal cavity, etc.	{	M		86	67	95	79	75	75	74	78	89	90	87	70
		F			30	25	25	33	24	31	26	31	37	37	31	27
46	Digestive organs and peri- toneum	{	M		1773	1594	1799	1644	1715	1678	1811	1758	1678	1721	1748	1716
		F			1565	1419	1599	1418	1505	1507	1640	1595	1591	1626	1537	1557
	(a) Esophagus	{	M		131	96	115	117	128	112	144	124	120	122	106	125
46		F			56	57	79	59	61	68	68	73	77	63	59	69
	(b) Stomach and duode- num	{	M		686	625	714	631	681	652	695	699	675	684	687	671
		F			540	478	537	463	495	484	556	536	505	533	509	519
46	(c) Intestines other than duodenum or rectum ...	{	M		375	371	426	371	378	403	412	398	359	352	398	349
		F			506	444	499	457	495	514	520	529	528	538	495	505
	(d) Rectum	{	M		355	312	321	304	303	291	329	288	293	315	331	319
46		F			212	196	234	195	221	206	231	220	212	240	214	236
	(e) Liver and biliary passages	{	M		78	76	91	82	94	94	89	90	93	84	82	98
		F			116	114	108	113	117	113	130	95	132	107	122	108
46	(f) Pancreas	{	M		134	101	121	126	115	110	123	147	122	149	129	136
		F			113	105	119	116	105	99	108	118	128	126	117	101
	(g) Peritoneum	{	M		14	13	11	13	16	16	19	11	16	15	14	16
47		F			21	23	22	15	11	22	27	24	8	19	21	19
	Respiratory system	{	M		858	843	808	782	862	790	818	867	822	869	935	911
		F			189	192	201	190	179	184	176	172	182	170	180	218
47	(a) Larynx and trachea ...	{	M		74	71	65	73	90	65	78	66	52	58	70	75
		F			19	23	28	28	32	33	15	23	17	31	20	17
	(b) Lung and pleura	{	M		784	772	743	709	772	725	740	801	770	811	865	836
48		F			170	169	173	162	147	151	161	149	165	139	160	201
	Uterus	F			375	317	371	333	353	331	342	395	357	342	343	387
	(a) Specified as cervix ...	F			172	130	180	162	153	206	216	235	161	168	164	194
48	(b) Other or unspecified ...	F			203	187	191	171	200	125	126	160	196	174	179	193
	Other female genital organs ...	F			239	209	235	223	247	216	253	218	220	226	250	249
50	Breast	{	M		2	6	12	7	9	7	7	5	9	3	5	5
		F			693	603	696	646	674	627	645	621	632	667	673	706
51	Male genital organs	M			314	268	306	253	247	250	245	266	247	270	299	331
	(a) Scrotum	M			3	1	3	2	4	1	1	4	1	1	5	1
	(b) Prostate	M			285	242	268	230	218	227	222	228	224	250	264	297
51	(c) Other or unspecified male genital organs	M			26	25	35	21	25	22	22	34	22	19	30	33
52	Urinary organs	{	M		186	155	179	169	168	184	191	192	177	180	187	207
		F			97	79	110	90	84	71	92	88	91	91	87	104
53	Skin (scrotum excepted) ...	{	M		39	47	60	53	47	42	44	43	35	39	39	34
		F			54	40	36	49	35	32	34	35	37	27	38	47
54	Brain and other parts of the nervous system	{	M		54	45	47	63	72	51	46	82	54	56	56	56
		F			39	36	26	28	47	37	37	46	38	52	36	42
	(a) Glioma (not specified as benign)	{	M		37	36	32	48	57	34	35	62	39	43	43	37
54		F			33	22	18	22	38	28	30	34	30	36	25	34
	(b, c) Sarcoma and other forms included under 54	{	M		17	9	15	15	15	17	11	20	15	13	13	19
		F			6	14	8	6	9	9	7	12	8	16	11	8
55	Other or unspecified organs ...	{	M		143	114	133	106	153	158	134	140	127	123	127	132
		F			134	119	146	138	124	135	142	163	166	152	112	143
	(a) Adrenal glands	{	M		2	4	2	2	1	3	2	1	5	—	5	4
55		F			2	1	8	2	6	2	4	3	6	5	4	3
	(b) Bones	{	M		38	33	29	39	57	50	36	42	44	37	38	45
		F			36	32	39	41	34	38	34	55	42	42	28	38
55	(c) Thyroid gland	{	M		7	6	10	8	10	7	3	13	3	6	2	8
		F			24	22	19	18	19	18	22	25	27	26	15	21
	(d) Others included under 55	{	M		96	71	92	57	85	98	93	84	75	80	82	74
55		F			72	64	79	76	63	76	79	80	88	79	65	81

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
56	Non-malignant tumours ... {M F	40 60	31 59	38 61	33 59	32 46	35 42	29 54	25 47	33 50	39 51	33 52	37 70
	(a, b, c) Female genital organs F	17	31	29	29	29	25	31	27	22	32	31	34
	(d) Brain and other parts of the nervous system ... {M F	12 28	7 11	14 17	11 10	7 9	10 8	9 11	7 10	13 17	10 9	12 8	17 22
	(e) Other and unspecified organs ... {M F	28 15	24 17	24 15	22 20	25 8	25 9	20 12	18 10	20 11	29 10	21 13	20 14
57	Tumours of undetermined nature ... {M F	48 29	41 39	40 38	52 38	46 36	44 31	44 29	52 48	37 33	50 28	51 42	55 33
	(a, b, c) Female genital organs F	—	—	—	1	1	—	—	1	1	1	1	—
	(d) Brain and other parts of the nervous system ... {M F	37 23	34 30	32 30	39 29	39 28	40 26	33 25	40 38	27 30	36 19	40 34	47 30
	(e) Other and unspecified organs ... {M F	11 6	7 9	8 8	13 8	7 7	4 5	11 4	12 9	10 2	14 8	11 7	8 3
58-71	III.—Rheumatism. Diseases of Nutrition and of the Endocrine Glands. Other General Diseases and Vitamin Deficiency Diseases. {M F	213 461	202 420	231 514	163 413	166 366	130 335	137 348	138 307	143 338	149 338	174 461	197 441
58	Rheumatic fever ... {M F	21 20	10 19	23 19	11 19	13 15	12 22	10 11	9 14	10 7	4 10	7 12	14 17
	(a) Acute rheumatic pericarditis ... {M F	2 1	2 2	1 3	— 3	3 —	6 2	— —	— —	2 1	— —	1 1	2 1
	(b) Acute rheumatic endocarditis ... {M F	11 12	7 9	14 12	9 7	9 4	6 12	10 8	6 8	6 5	4 8	2 5	6 8
	(c) Acute rheumatic myocarditis ... {M F	— 3	— 2	— —	2 —	1 4	— 2	— 2	1 3	— —	— 2	1 1	3 3
	(d) Other diseases included under 58 ... {M F	8 4	1 6	8 4	— 9	— 7	— 6	— 1	2 3	2 1	— —	3 5	3 5
59	Chronic rheumatism and other rheumatic diseases ... {M F	44 112	53 102	53 137	38 101	34 88	27 81	26 74	30 79	28 81	29 87	33 101	30 98
	(a) Rheumatoid arthritis ... {M F	24 91	38 83	35 113	30 79	24 73	16 63	20 57	16 64	21 65	19 72	23 74	18 77
	(b) Other chronic articular rheumatism ... {M F	18 18	14 16	17 21	8 20	8 13	10 15	5 16	13 13	7 15	9 14	7 25	11 21
	(c) Other forms of chronic rheumatism ... {M F	2 3	1 3	1 3	— 2	2 2	1 3	1 1	1 2	— 1	1 1	3 2	1 —
60	Gout ... {M F	— —	2 —	1 1	— —	2 —	1 —	2 2	— —	2 —	1 —	2 —	2 1
61	Diabetes mellitus ... {M F	118 217	104 210	122 234	81 199	78 181	74 168	75 166	67 162	75 177	83 173	104 229	119 222
62	Diseases of the pituitary gland ... {M F	2 4	3 2	2 7	1 3	— 2	— —	1 3	— —	3 4	2 1	1 3	4 2
63	Diseases of the thyroid and parathyroid glands ... {M F	10 83	10 64	12 93	13 66	14 56	7 44	7 64	9 37	13 52	9 50	8 84	6 73
	(a) Simple goitre ... {M F	2 10	— 6	1 13	4 6	2 6	— 11	4 5	1 5	— 7	1 3	1 9	— 6
	(b) Exophthalmic goitre ... {M F	5 49	8 42	9 61	7 45	10 38	7 25	2 48	6 25	9 36	6 38	6 51	5 45
	(c) Myxoedema and cretinism ... {M F	3 23	2 15	1 14	2 13	2 10	— 6	1 10	1 7	4 8	2 9	1 23	1 20
64	Diseases of the thymus (including status lymphaticus) {M F	6 1	— 2	3 —	1 2	— 1	3 1	2 —	5 —	— —	1 —	2 —	1 —
65	Diseases of the adrenal glands (not specified as tuberculous) {M F	5 11	5 7	5 11	2 7	9 9	1 6	3 10	7 9	3 3	6 4	5 15	9 10
	(a) Addison's disease, not specified as tuberculous {M F	4 9	3 5	4 5	— 5	8 8	1 4	2 8	5 6	2 3	5 2	3 14	7 8
	(b) Other diseases included under 65 ... {M F	1 2	2 2	1 6	2 2	1 1	— 2	1 2	2 3	1 —	1 2	2 1	2 2

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
66	Other general diseases ...	{M F	7 13	14 13	8 11	13 15	15 14	5 11	11 17	11 2	9 14	13 13	11 15	11 17
	(b) Other diseases included under 66 ...	{M F	7 13	12 12	8 10	13 14	15 13	5 11	11 16	11 2	8 12	12 12	11 14	11 16
	(1) "Pink" disease ...	{M F	2 1	4 4	1 —	2 5	5 5	2 5	5 2	3 —	3 1	2 1	3 4	4 2
	(2) Idiopathic steatorrhœa ...	{M F	2 1	2 2	— 2	3 2	2 4	1 1	2 3	1 —	1 3	2 3	1 1	1 —
67-71	Vitamin deficiency diseases ...	{M F	— —	1 1	2 1	3 1	1 —	— 2	— 1	— 4	— —	1 —	1 2	1 1
67	Scurvy ...	{M F	— —	1 —	— —	2 —	— —	— —	— —	— 1	— —	— —	1 —	1 —
68	Beri-beri ...	{M F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	1 —
69	Pellagra ...	{M F	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
70	Rickets ...	{M F	— —	— 1	2 1	— —	1 —	— 1	— —	— —	— —	— —	1 —	— —
71	Other vitamin deficiency diseases ...	{M F	— —	— —	— —	— 1	— —	— 1	— —	— 2	— —	1 —	— —	— —
72-76	IV.—Diseases of the Blood and Blood-Forming Organs ...	{M F	155 197	157 198	169 211	149 187	121 190	128 188	119 166	147 190	125 161	149 177	159 187	175 191
72	Hæmorrhagic conditions ...	{M F	11 6	5 5	4 9	10 8	7 8	9 7	3 4	6 5	8 2	4 6	5 7	8 7
	(a) Primary purpura ...	{M F	8 6	3 5	4 9	10 8	3 8	6 7	2 4	5 5	5 2	3 6	5 7	8 7
	(b) Hæmophilia ...	{M F	3 —	2 —	— —	— —	4 —	3 —	1 —	1 —	3 —	1 —	— —	— —
73	Anæmias ...	{M F	61 103	66 109	64 128	66 101	49 101	36 83	38 79	55 100	38 87	48 103	59 102	68 96
	(a) Pernicious anæmia ...	{M F	41 73	39 63	44 94	39 69	39 71	23 51	23 50	29 69	22 55	34 67	36 68	48 65
	(b) Other hyperchromic anæmias ...	{M F	— 3	1 3	1 4	1 1	— 4	— 3	1 1	— —	— 2	1 2	2 1	1 5
	(c) Hypochromic anæmias ...	{M F	5 4	3 10	2 7	1 11	2 11	2 5	1 7	7 8	4 6	2 11	5 4	2 4
	(d) Other anæmias included under 73 ..	{M F	15 23	23 33	17 23	25 20	8 15	11 24	13 21	19 23	12 24	11 23	16 29	17 22
74	Leukæmias and aleukæmias ...	{M F	72 71	78 61	92 62	62 61	56 66	73 84	68 67	76 75	74 63	84 56	81 61	87 74
75	Diseases of the spleen ...	{M F	7 10	6 15	4 7	9 11	5 14	6 10	8 11	8 7	3 6	9 12	10 10	8 10
76	Other diseases of the blood and blood-forming organs ...	{M F	4 7	2 8	5 5	2 6	4 1	4 4	2 5	2 3	2 3	4 —	4 7	4 4
	(a) Agranulocytosis ...	{M F	1 1	— 5	1 2	— 6	— 1	2 2	1 2	1 2	— 1	1 —	2 2	1 2
77-79	V.—Chronic Poisoning and Intoxication ...	{M F	6 —	2 1	5 —	3 4	3 1	2 1	2 —	1 4	2 2	3 2	3 3	3 6
77	Alcoholism (Ethylism) ...	{M F	4 —	2 1	4 —	2 4	2 1	2 1	1 —	1 4	2 2	2 2	2 2	3 5
78	Lead poisoning ...	{M F	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	1 1	— —
79	Chronic poisoning by other mineral and organic sub- stances	{M F	2 —	— —	— —	1 —	— —	— —	1 —	— —	— —	1 —	— —	— 1
80-89	VI.—Diseases of the Nervous System and Sense Organs ...	{M F	2585 3633	2511 3274	2964 3839	2370 3235	2263 3047	2118 2757	2010 2771	1921 2544	1881 2517	2107 2860	2442 3303	2671 3637

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
80	Encephalitis (non-epidemic) ...	{M F	8 7	6 11	10 6	15 9	13 8	7 8	14 5	21 7	12 10	9 2	10 10	7 11
	(a) Intra-cranial abscess ...	{M F	4 3	3 5	8 2	4 2	9 3	4 4	10 1	11 5	8 6	4 1	8 4	5 2
	(b) Other diseases included under 80 ...	{M F	4 4	3 6	2 4	11 7	4 5	3 4	4 4	10 2	4 4	5 1	2 6	2 9
81	Meningitis (non-meningo- coccal) ...	{M F	32 16	24 19	27 16	14 22	23 11	26 11	18 13	9 11	11 12	17 14	23 11	20 18
82	Diseases of the medulla and spinal cord ...	{M F	42 40	34 37	41 38	30 37	45 28	42 26	41 29	42 29	33 13	38 23	38 35	43 32
	(1) Motor neurone disease ...	{M F	29 25	23 26	29 23	21 26	33 19	30 14	30 23	31 18	22 8	31 20	29 27	28 23
	(2) Sub - acute combined degeneration ...	{M F	3 5	— 1	2 5	1 5	4 —	2 3	2 2	— 1	— —	— 1	1 2	5 2
	(3) Myelitis of unstated origin ...	{M F	5 5	4 5	5 3	5 5	2 4	2 7	2 4	8 4	4 2	5 —	5 4	6 3
	(4) Other diseases included under 82 ...	{M F	5 5	7 5	5 7	3 1	6 5	8 2	7 —	3 6	7 3	2 2	3 2	4 4
83	Intra-cranial lesions of vas- cular origin ...	{M F	2304 3342	2251 3000	2627 3533	2129 2969	2008 2821	1876 2549	1786 2529	1714 2322	1657 2302	1890 2656	2170 3055	2396 3365
	(a) Cerebral hæmorrhage ...	{M F	1345 1986	1302 1757	1472 2083	1205 1760	1174 1706	1070 1543	1039 1472	953 1366	916 1275	1094 1514	1171 1734	1281 1913
	(b, c) Cerebral embolism, thrombosis and soften- ing	{M F	874 1268	876 1165	1078 1353	857 1118	784 1024	750 944	707 993	716 898	699 967	751 1071	941 1247	1043 1354
	(d) Hemiplegia and other paralyses of unstated origin	{M F	84 88	68 76	76 95	64 87	50 91	54 62	40 62	44 57	40 60	45 70	57 74	72 95
	(e) Other intra-cranial effusions ...	{M F	1 —	5 2	1 2	3 4	— —	2 —	— 2	1 1	2 —	— 1	1 —	— 3
84	Mental disorders and deficiency ...	{M F	21 32	14 19	31 17	16 20	17 26	19 22	25 28	16 28	14 31	10 26	22 25	18 34
	(a) Mental deficiency ...	{M F	6 10	5 5	11 7	7 8	7 11	4 8	10 8	5 6	6 10	2 7	10 8	13 9
	(b) Schizophrenia (demen- tia præcox) ...	{M F	3 5	1 1	3 1	1 1	1 3	4 2	5 1	1 4	2 3	2 3	4 1	— 7
	(c) Manic-depressive psy- chosis ...	{M F	— 3	— —	— —	— 1	— —	— 1	— —	1 1	1 —	— —	— 4	— —
	(d) Other mental disorders included under 84 ...	{M F	12 14	8 13	17 9	8 10	9 12	11 11	10 19	9 17	5 18	6 16	8 12	5 18
85	Epilepsy ...	{M F	48 34	37 40	52 63	31 44	43 25	35 32	29 33	40 32	34 28	40 28	54 38	37 42
86	Convulsions in children under 5 years of age ...	{M F	12 10	11 12	11 8	6 8	3 6	4 4	6 3	1 2	9 4	4 4	10 4	9 6
87	Other diseases of the nervous system ...	{M F	85 109	96 112	122 135	91 104	88 111	86 96	72 115	62 102	81 105	83 99	90 112	107 114
	(a) Chorea ...	{M F	1 1	— 1	1 1	— —	— 3	— 2	— 1	1 1	— 1	— 1	— 1	1 —
	(b) Neuritis (non- rheumatic) ...	{M F	1 2	6 7	7 —	5 6	5 3	7 4	5 6	4 7	4 4	3 6	2 3	5 1
	(c) Paralysis agitans ...	{M F	51 65	53 63	67 83	48 58	45 61	51 51	44 73	30 62	44 73	48 63	44 60	67 70
	(d) Disseminated sclerosis ...	{M F	25 36	30 39	39 45	27 37	29 32	22 30	19 27	21 27	27 24	25 26	32 44	27 36
	(e) Other diseases included under 87 ...	{M F	7 5	7 2	8 6	11 3	9 12	6 9	4 8	6 5	6 3	7 3	12 4	7 7
88	Diseases of the organs of vision ...	{M F	— 7	2 4	3 4	1 3	4 —	2 1	1 3	1 1	2 2	1 1	— 2	1 —

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
89	Diseases of the ear and of the mastoid antrum ...	{M F}	33 36	36 20	40 19	37 19	19 11	21 8	18 13	15 10	28 10	15 7	25 11	33 15
	(a) Otitis and other ear dis. (without mention of mastoid disease)	{M F}	26 26	28 17	33 12	30 12	13 7	14 7	9 9	10 6	21 8	10 4	24 8	29 13
	(b) Diseases of the mastoid antrum ...	{M F}	7 10	8 3	7 7	7 7	6 4	7 1	9 4	5 4	7 2	5 3	1 3	4 2
90-103	VII.—Diseases of the Circulatory System ...	{M F}	9006 9264	8496 9003	10006 10414	7505 7632	6703 6918	6232 6345	5778 5896	5415 5553	5132 5428	6335 6291	7911 8234	8409 8696
90-95	Heart diseases ...	{M F}	7916 8092	7456 7803	8832 9114	6590 6643	5896 6018	5451 5445	5045 5086	4746 4814	4475 4737	5571 5479	6938 7212	7361 7610
90	Pericarditis ...	{M F}	14 14	9 15	24 13	15 8	8 17	19 4	22 8	15 6	15 7	9 13	28 11	17 13
	(a) Chronic pericarditis specified as rheumatic ...	{M F}	3 1	— 3	— 2	1 —	— 3	— 1	— —	1 1	— 1	— —	1 1	— 2
	(b) Other pericarditis included under 90 ...	{M F}	11 13	9 12	24 11	14 8	8 14	19 3	22 8	14 5	15 6	9 13	27 10	17 11
91	Acute endocarditis ...	{M F}	17 16	16 24	25 19	27 10	18 17	18 15	33 24	17 20	18 16	18 11	16 20	20 18
	(a, b) Acute or sub-acute bacterial endocarditis ...	{M F}	16 15	16 24	24 19	27 9	16 17	18 15	33 23	17 20	17 16	16 10	14 19	19 17
	(c) Other acute and sub-acute endocarditis ...	{M F}	1 1	— —	1 —	— 1	2 —	— —	— 1	— —	1 —	2 1	2 1	1 1
92	Chronic affections of valves and endocardium ...	{M F}	654 793	602 827	688 876	498 698	449 626	403 545	408 495	378 516	345 510	382 583	550 738	495 749
	(a) Aortic valvular dis. (without mitral dis.) ...	{M F}	113 57	105 54	120 48	93 54	72 37	84 43	65 36	67 31	47 38	85 45	88 51	102 57
	(b) Other specified valv. dis. (incl. seq. of rheumatic fever)	{M F}	388 546	359 610	408 647	313 491	287 467	233 394	243 370	226 388	225 361	224 433	344 557	287 561
	(1) Mitral valve disease ...	{M F}	286 461	282 515	338 537	251 395	223 388	177 325	183 308	170 306	180 279	177 374	268 459	208 477
	(2) Other diseases included under 92 (b)	{M F}	102 85	77 95	70 110	62 96	64 79	56 69	60 62	56 82	45 82	47 59	76 98	79 84
	(c) Unspecified valvular lesions or endocarditis	{M F}	153 190	138 163	160 181	92 153	90 122	86 108	100 89	85 97	73 111	73 105	118 130	106 131
93	Diseases of the myocardium ...	{M F}	4355 5526	4210 5349	5176 6363	3635 4488	3110 3870	2869 3623	2534 3346	2362 3181	2193 3005	2744 3512	3528 4721	3812 4866
	(a) Acute myocarditis ...	{M F}	7 9	9 12	6 11	5 16	10 8	9 4	6 7	10 8	8 4	7 9	8 15	6 10
	(b) Chronic myocarditis specified as rheumatic ...	{M F}	24 26	15 18	28 40	19 20	11 23	11 19	13 13	4 18	13 24	17 26	16 25	12 31
	(c) Myocardial degeneration, etc., and other chronic myocarditis	{M F}	3939 5076	3820 4940	4741 5885	3314 4109	2859 3572	2634 3360	2333 3122	2178 2945	2015 2808	2523 3282	3267 4384	3513 4514
	(1) Cardio-vascular degeneration ...	{M F}	1557 1896	1561 1830	1985 2238	1381 1580	1239 1362	1064 1377	973 1189	891 1107	848 1067	1072 1252	1363 1661	1502 1785
	(2) Myocardial degeneration described as fatty	{M F}	28 49	15 52	17 30	21 41	13 41	13 33	17 36	25 41	15 26	19 25	19 42	18 36
	(3) Other myocardial degeneration ...	{M F}	2354 3131	2244 3058	2739 3617	1912 2488	1607 2169	1557 1950	1343 1897	1262 1797	1152 1715	1432 2005	1885 2681	1993 2693
	(d) Myocarditis not distinguished as ac. or chr. ...	{M F}	385 415	366 379	401 427	297 343	230 267	215 240	182 204	170 210	157 169	197 195	237 297	281 311
94	Diseases of the coronary arteries, angina pectoris ...	{M F}	2674 1479	2402 1312	2717 1537	2259 1225	2164 1322	2014 1072	1923 1054	1880 964	1801 1041	2263 1193	2642 1493	2842 1709
	(a) Diseases of the coronary arteries ...	{M F}	2555 1442	2315 1260	2596 1485	2161 1190	2094 1270	1937 1016	1859 1019	1828 932	1741 1009	2182 1155	2570 1458	2747 1644
	(b) Angina pectoris without ment. of coronary dis.	{M F}	119 37	87 52	121 52	98 35	70 52	77 56	64 35	52 32	60 32	81 38	72 35	95 65

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
95	Other diseases of the heart ... { F	202 264	217 276	202 306	156 214	147 166	128 186	125 159	94 127	103 158	155 167	174 229	175 255
	(a) Functional heart dis. (without mention of organic lesion) { F	109 167	121 182	114 208	82 136	87 113	68 123	67 104	52 89	64 105	84 121	102 147	91 173
	(b) Heart dis. specified as rheumatic but otherwise ill-defined { F	7 12	13 17	12 18	8 14	3 12	7 13	3 5	6 7	6 5	7 7	7 10	8 16
	(c) Other diseases included under 95 ... { F	86 85	83 77	76 80	66 64	57 41	53 50	55 50	36 31	33 48	64 39	65 72	76 66
96	Aneurysm (except of heart and aorta) ... { F	18 21	13 14	16 20	23 26	13 11	19 15	13 19	12 18	11 14	12 14	14 21	15 26
97	Arteriosclerosis (excluding coronary or renal sclerosis or cerebral hæmorrhage)... { F	683 727	668 749	724 836	542 624	495 557	469 555	448 496	414 451	399 403	469 476	622 582	644 637
98	Gangrene ... { F	16 22	19 25	25 15	24 21	22 18	13 17	10 16	14 19	18 7	16 14	14 14	16 14
99	Other diseases of the arteries ... { F	24 20	29 13	24 22	13 17	15 16	21 13	14 19	20 15	16 9	20 15	17 20	22 24
100	Diseases of the veins ... { F	37 56	27 71	24 51	32 43	29 47	36 57	36 46	29 44	38 49	30 64	38 79	40 83
	(a) Varices ... { F	12 25	7 29	6 19	6 15	7 15	9 23	14 18	7 11	7 20	10 20	13 24	13 33
	(b) Other diseases of the veins ... { F	25 31	20 42	18 32	26 28	22 32	27 34	22 28	22 33	31 29	20 44	25 55	27 50
101	Diseases of the lymphatic system ... { F	1 2	1 —	2 1	1 2	2 1	— 2	3 1	1 —	3 1	1 2	2 4	1 —
102	High blood pressure (idiopathic) ... { F	310 322	282 328	357 352	280 256	231 249	221 241	209 208	177 192	172 203	215 227	266 301	307 302
103	Other diseases of the circulatory system ... { F	1 2	1 —	2 3	— —	— 1	2 —	— 5	2 —	— 5	1 —	— 1	3 —
104-114	VIII.—Diseases of the Respiratory System ... { F	4464 3506	5028 3738	5425 4317	2907 2151	1962 1275	1609 1065	1325 906	1220 812	1215 820	1663 1213	3358 2299	3510 2541
104	Diseases of the nasal fossæ and annexa ... { F	7 7	9 6	3 5	6 5	7 3	5 6	— 3	5 1	5 2	5 5	5 1	4 9
105	Diseases of the larynx ... { F	7 4	15 2	9 3	6 —	2 1	2 2	5 —	3 1	1 1	2 3	3 3	3 —
106	Bronchitis ... { F	2549 1822	3002 2064	3127 2277	1564 1074	1055 543	817 415	615 321	553 271	534 290	826 513	1886 1145	1918 1246
	(a) Acute ... { F	415 558	495 615	614 638	224 249	92 83	59 58	41 39	39 38	34 39	80 103	269 320	285 318
	(b) Chronic ... { F	1786 953	2115 1073	2133 1222	1150 654	846 373	673 307	510 229	454 199	437 217	649 336	1402 643	1371 724
	(c) Not distinguished as acute or chronic ... { F	348 311	392 376	380 417	190 171	117 87	85 50	64 53	60 34	63 34	97 74	215 182	262 204
107-109	Pneumonia (all forms) ... { F	1372 1385	1498 1361	1773 1668	986 848	656 545	547 466	477 409	435 371	445 375	564 519	1006 907	1103 1025
	(1) With mention of influenza as a contributory or secondary cause { F	— 1	1 1	2 8	1 6	— —	— —	— —	— —	— —	— —	— —	1 —
	(2) Without mention of influenza ... { F	1372 1384	1497 1360	1771 1660	985 842	656 545	547 466	477 409	435 371	445 375	564 519	1006 907	1102 1025
107	Broncho-pneumonia ... { F	928 1049	1108 1017	1227 1220	686 630	446 389	361 344	321 284	293 275	290 264	384 388	682 691	794 774
	(1) With mention of influenza as a contributory or secondary cause { F	— 1	1 —	— 6	— 6	— —	— —	— —	— —	— —	— —	— —	1 —

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
108	Lobar pneumonia	{ M F	345 231	285 251	413 331	213 145	154 113	137 82	111 87	89 68	109 78	129 76	225 152	225 171
	(1) With mention of influenza as a contributory or secondary cause	{ M F	— —	— 1	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
109	Pneumonia (unspecified) ...	{ M F	99 105	105 93	133 117	87 73	56 43	49 40	45 38	53 28	46 33	51 55	99 64	84 80
	(1) With mention of influenza as a contributory or secondary cause	{ M F	— —	— —	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
110	Pleurisy	{ M F	21 18	21 20	22 20	28 13	21 8	18 6	10 11	19 5	17 2	7 7	26 10	34 12
	(a) Empyema	{ M F	13 4	7 5	9 4	12 5	9 2	11 1	4 4	10 2	3 —	3 3	15 4	20 6
	(b) Other or unspecified forms of pleurisy	{ M F	8 14	14 15	13 16	16 8	12 6	7 5	6 7	9 3	14 2	4 4	11 6	14 6
111	Congestion œdema, hæmorrhagic infarction and thrombosis of the lungs	{ M F	66 92	55 86	76 105	54 68	44 55	49 51	47 61	54 53	56 63	70 68	75 71	76 83
	(a) Hæmorrhagic infarction of lung	{ M F	22 15	17 27	21 31	24 31	23 18	24 27	23 29	25 25	25 33	29 24	27 22	23 32
	(b) Acute œdema of lung ...	{ M F	6 5	5 5	10 7	9 3	6 2	5 6	4 10	7 2	5 1	3 5	5 3	7 5
	(c) Chronic or unspecified congestion of lung ...	{ M F	38 72	33 54	45 67	21 34	15 35	20 18	20 22	22 26	26 29	38 39	43 46	46 46
112	Asthma	{ M F	226 153	231 162	217 204	130 118	99 97	83 99	83 83	82 94	80 72	81 83	183 133	181 137
	(1) With influenza	{ M F	1 1	2 —	6 5	— 4	— —	— 1	— —	— —	— —	— —	— 1	1 —
	(2) With chronic endo- carditis, etc. (92) ...	{ M F	2 —	5 3	1 3	1 1	— —	1 —	— —	— —	1 —	— —	— —	— —
**	(3) With myocardial disease (93)	{ M F	82 52	75 58	77 64	49 42	33 29	21 25	22 21	30 15	25 17	30 24	65 37	68 47
	(4) With arteriosclerosis (97)	{ M F	2 1	1 —	— 3	2 1	— —	— 1	1 1	1 —	— —	1 —	1 —	3 —
	(5) With chronic nephri- tis (131)	{ M F	— —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	— 1	— —
113	Pulmonary emphysema	{ M F	116 16	102 20	110 18	62 13	42 9	36 10	34 11	28 9	41 7	51 6	91 15	104 21
114	Other diseases of the respira- tory system	{ M F	100 9	95 17	88 17	71 12	36 14	52 10	54 7	41 7	36 8	57 9	83 14	87 8
	(a) Silicosis and other occu- pational pneu- moconioses	{ M F	73 1	66 2	56 2	47 —	24 —	30 1	37 —	26 1	22 —	34 —	59 1	51 —
	(c) Gangrene of lung	{ M F	— —	3 —	— 1	— —	— —	— 1	— —	— —	2 —	— —	— —	2 1
	(d) Abscess of lung	{ M F	3 1	6 4	2 4	4 2	2 3	7 2	3 —	7 3	3 1	4 2	3 2	8 1
	(e) Other diseases included under 114 not specified as occupational	{ M F	24 7	20 11	30 10	20 10	10 11	15 6	14 7	8 3	9 7	19 7	21 11	26 6
	(1) Chronic interstitial pneumonia not indi- cated as occupational	{ M F	23 6	19 10	26 7	16 9	8 9	10 4	12 4	8 2	5 6	18 7	17 10	23 4
115-129	IX.—Diseases of the Digestive System	{ M F	966 654	832 588	978 669	806 593	754 569	785 601	739 588	705 634	736 598	799 621	839 577	889 695
115	Diseases of the buccal cav., etc., pharynx and tonsils ...	{ M F	19 —	17 —	11 1	17 22	12 22	14 21	5 9	18 18	11 16	17 14	23 12	14 23
	(a) Diseases of the teeth and gums	{ M F	3 —	2 —	3 1	4 3	3 2	3 3	— —	3 2	3 4	4 3	2 —	— 1

** These sub-headings relate to deaths classed to asthma with the specified diseases mentioned as a contributory or secondary cause. The deaths are included in the heading for asthma above.

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
115	(b) Septic sore throat ... {M	5	4	2	—	—	1	2	5	1	1	6	3
	... {F	—	—	—	4	5	4	1	6	5	1	5	9
	(1) With mention of tonsillectomy ... {M	—	—	—	—	—	—	—	—	—	—	—	—
	... {F	—	—	—	—	—	—	—	—	—	—	—	—
	(2) Others with mention of tonsils ... {M	3	4	1	—	—	1	1	2	1	—	2	3
	... {F	—	—	—	1	3	4	1	2	3	1	3	8
	(c) Other diseases of the pharynx and tonsils ... {M	7	9	4	9	7	6	2	8	3	10	8	7
	... {F	—	—	—	10	9	10	4	9	4	4	6	7
116	(1) With mention of tonsillectomy ... {M	2	1	—	1	2	2	1	1	—	1	1	2
	... {F	—	—	—	2	1	2	2	1	—	—	3	1
	(2) Others with mention of tonsils ... {M	3	7	1	5	3	3	—	3	2	6	3	5
	... {F	—	—	—	4	5	6	1	4	3	1	2	2
	(d) Other diseases included under 115 ... {M	4	2	2	4	2	4	1	2	4	2	7	4
	... {F	—	—	—	5	6	4	4	1	3	6	1	6
	Diseases of the œsophagus ... {M	2	7	6	2	6	5	7	6	4	6	4	3
	... {F	—	—	1	2	3	2	1	7	5	6	6	3
117	Ulcer of the stomach or duodenum ... {M	400	333	370	322	303	282	279	235	251	289	358	388
	... {F	123	98	116	88	87	81	71	89	75	67	95	131
	(a) Ulcer of the stomach ... {M	222	184	198	169	168	143	160	132	150	139	199	206
	... {F	90	67	78	69	67	57	50	62	57	50	64	100
	(b) Ulcer of the duodenum ... {M	178	149	172	153	135	139	119	103	101	150	159	182
	... {F	33	31	38	19	20	24	21	27	18	17	31	31
	Other diseases of the stomach ... {M	22	15	12	15	9	10	7	12	8	12	13	13
	... {F	—	—	—	15	14	11	17	13	15	9	16	22
118	(1) Inflammation of the stomach ... {M	18	7	5	8	4	6	1	5	4	5	8	8
	... {F	—	—	—	12	8	9	13	10	13	6	12	17
	(2) Other diseases included under 118 ... {M	4	8	7	7	5	4	6	7	4	7	5	5
	... {F	—	—	—	3	6	2	4	3	2	3	4	5
119-120	Enteritis and diarrhœa ... {M	186	160	173	132	102	137	142	115	151	150	109	106
	... {F	152	120	163	107	101	123	123	120	136	151	112	92
	(a) Enteritis and diarrhœa without mention of ulceration ... {M	169	146	152	115	94	122	124	105	133	134	93	92
	... {F	128	101	130	85	86	97	96	84	113	129	89	74
	(b) Ulceration of the intestines (except duodenum) ... {M	17	14	21	17	8	15	18	10	18	16	16	14
	... {F	24	19	33	22	15	26	27	36	23	22	23	18
	Appendicitis ... {M	58	47	69	51	73	66	74	57	71	60	59	53
	... {F	39	47	45	42	37	34	49	44	44	38	39	56
122	Hernia, intestinal obstruction ... {M	145	101	148	136	128	109	109	107	106	116	129	146
	... {F	141	135	152	145	113	122	120	138	104	103	100	169
	(a) Hernia ... {M	73	62	72	67	70	60	50	53	45	64	66	85
	... {F	87	74	82	74	68	71	57	78	54	51	55	100
	(b) Intestinal obstruction ... {M	72	39	76	69	58	49	59	54	61	52	63	61
	... {F	54	61	70	71	45	51	63	60	50	52	45	69
	(1) Intussusception ... {M	10	5	10	17	15	4	6	8	8	5	2	7
	... {F	4	7	11	3	2	2	5	6	5	3	1	3
123	(2) Paralytic ileus without stated cause ... {M	—	—	2	1	1	2	—	3	4	—	1	2
	... {F	1	1	—	—	—	—	—	2	—	2	1	1
	(3) Other or unspecified forms of intestinal obstruction ... {M	62	34	64	51	42	43	53	43	49	47	60	52
	... {F	49	53	59	68	43	49	58	52	45	47	43	65
	Other diseases of the intestines ... {M	24	36	27	23	26	37	21	37	26	35	25	34
	... {F	36	32	28	42	37	45	41	32	32	36	31	34
	(a) Diverticulitis ... {M	19	26	23	14	19	24	15	29	21	21	20	21
	... {F	20	25	22	30	26	28	27	24	27	25	25	23
124	(b) Other diseases included under 123 ... {M	5	10	4	9	7	13	6	8	5	14	5	13
	... {F	16	7	6	12	11	17	14	8	5	11	6	11
	Cirrhosis of liver ... {M	38	38	63	46	35	43	37	43	43	54	47	61
	... {F	29	28	38	24	33	24	25	31	33	34	26	35
	(a) With mention of alcoholism ... {M	5	3	2	1	—	1	3	3	1	7	2	6
	... {F	1	2	—	—	2	1	1	3	3	2	2	1
	(b) Without mention of alcoholism ... {M	33	35	61	45	35	42	34	40	42	47	45	55
	... {F	28	26	38	24	31	23	24	28	30	32	24	34

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
125	Other diseases of the liver ...	{M F	16 18	18 22	34 19	13 13	16 20	22 24	16 25	21 23	14 15	14 20	15 23	11 20
	(a) Ac. yellow atrophy (not associated with pregnancy)	{M F	2 5	3 6	8 5	2 7	1 7	6 9	5 6	5 5	1 5	3 6	3 2	1 3
	(b) Other diseases included under 125 ...	{M F	14 13	15 16	26 14	11 6	15 13	16 15	11 19	16 18	13 10	11 14	12 21	10 17
126	Biliary calculi ...	{M F	17 38	23 37	23 41	19 32	11 35	23 49	15 46	16 48	15 53	15 61	18 48	22 48
127	Other diseases of the gall bladder and bile ducts ...	{M F	22 58	18 51	18 48	16 37	12 49	18 42	14 41	20 44	20 47	16 52	19 47	11 36
	(a) Cholecystitis without record of biliary calculi	{M F	18 49	14 42	15 44	14 36	11 43	13 36	12 36	16 39	19 43	13 49	13 36	10 31
	(b) Other diseases included under 127 ...	{M F	4 9	4 9	3 4	2 1	1 6	5 6	2 5	4 5	1 4	3 3	6 11	1 5
128	Diseases of the pancreas (other than diabetes) ...	{M F	16 16	10 15	19 15	9 23	17 17	15 20	11 17	13 26	9 20	12 24	17 15	23 22
129	Peritonitis without stated cause ...	{M F	1 4	9 3	5 2	5 1	4 1	4 3	2 3	5 1	7 3	3 6	3 7	4 4
130-139	X.—Diseases of the Urinary and Genital System*	{M F	1191 680	1027 592	1212 675	1012 574	944 592	896 500	901 472	860 471	812 455	861 512	1047 568	1133 637
130-132	Nephritis ...	{M F	596 567	523 496	590 565	512 485	455 483	437 415	418 390	347 382	365 357	386 407	502 452	522 509
130	Acute nephritis ...	{M F	29 23	26 23	25 24	31 20	21 24	11 13	20 21	16 20	13 18	23 15	31 12	26 17
131	Chronic nephritis ...	{M F	537 517	456 449	519 505	458 438	414 434	392 371	365 347	311 337	330 322	338 362	442 413	462 464
	(a) Secondary to acute nephritis ...	{M F	20 7	19 11	16 17	8 17	15 19	13 13	16 14	14 14	15 12	10 8	18 7	12 18
	(b) Arteriosclerotic kidney ...	{M F	337 347	292 308	317 325	304 284	275 286	240 232	239 209	194 212	207 191	220 231	276 255	310 298
	(c) Chronic nephritis, not otherwise specified ...	{M F	180 163	145 130	186 163	146 137	124 129	139 126	110 124	103 111	108 119	108 123	148 151	140 148
132	Nephritis not stated to be acute or chronic (over 10 years of age)	{M F	30 27	41 24	46 36	23 27	20 25	34 31	33 22	20 25	22 17	25 30	29 27	34 28
133	Other diseases of the kidneys and ureters ...	{M F	49 48	36 50	38 44	48 44	39 50	42 44	31 39	40 52	43 52	41 55	51 55	62 75
	(a) Pyelitis, pyelonephritis, pyelocystitis ...	{M F	38 40	30 46	33 37	44 34	27 39	33 40	24 35	32 42	38 47	33 42	40 46	47 66
	(b) Other diseases included under 133 ...	{M F	11 8	6 4	5 7	4 10	12 11	9 4	7 4	8 10	5 5	8 13	11 9	15 9
134	Calculi of the urinary passages ...	{M F	18 15	8 10	16 13	13 9	10 8	15 7	15 14	13 13	12 10	13 8	13 10	18 9
	(a) Calculi of kidneys and ureters ...	{M F	12 13	5 10	13 13	11 9	7 7	13 6	12 14	11 12	10 9	10 8	12 10	18 8
	(b) Calculi of the bladder ...	{M F	5 —	3 —	3 —	2 —	3 1	2 —	3 —	2 1	1 1	2 —	1 —	— 1
135	Diseases of the bladder ...	{M F	28 20	37 20	34 25	21 18	19 21	22 16	16 12	24 6	26 19	21 21	21 23	20 19
	(a) Cystitis ...	{M F	18 16	30 13	25 21	16 16	13 17	17 13	11 10	16 6	21 17	15 12	18 19	16 15
	(b) Other diseases of the bladder ...	{M F	10 4	7 7	9 4	5 2	6 4	5 3	5 2	8 —	5 2	6 9	3 4	4 4
136	Diseases of the urethra, urinary abscess, etc. ...	{M F	11 2	9 —	20 —	17 —	20 —	8 —	16 2	9 —	11 1	12 —	17 1	20 1
	(a) Stricture of the urethra ...	{M F	11 2	9 —	19 —	17 —	20 —	8 —	15 1	8 —	10 —	10 —	16 —	18 —
	(b) Other diseases of the urethra, etc. ...	{M F	— —	— —	1 —	— —	— —	— —	1 1	1 —	1 1	2 —	1 1	2 1

* Not Venereal or connected with Pregnancy or the Puerperium.

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov	Dec.
137	Diseases of the prostate ...	M	483	412	514	400	400	370	403	424	353	381	441	490
	(a) Hypertrophy of pros- tate ...	M	468	407	501	391	395	362	396	418	341	368	434	476
	(b) Other diseases included under 137 ...	M	15	5	13	9	5	8	7	6	12	13	7	14
138	Diseases of other male genital organs ...	M	6	2	—	1	1	2	2	3	2	7	2	1
139	Diseases of the female genital organs ...	F	28	16	28	18	30	18	15	18	16	21	27	24
	(a) Diseases of the ovaries, Fallopian tubes and parametria ...	F	14	5	12	5	10	3	5	2	5	5	3	8
	(b) Diseases of the uterus ...	F	14	10	15	11	19	14	7	15	9	14	18	15
140-150	XI.—Diseases of Pregnancy, Childbirth and the Puerperal State ...	F	69	45	63	53	61	60	69	83	65	61	41	44
140	Post-abortion infection ...	F	7	5	4	6	6	6	11	8	3	11	7	2
	(a) Spontaneous, therapeutic or of unspecified origin ...	F	5	4	4	2	6	3	6	7	3	6	5	2
	(b) Induced for reasons other than therapeutic ...	F	2	1	—	4	—	3	5	1	—	5	2	—
141	Abortion without mention of septic conditions ...	F	3	5	2	2	5	1	2	4	5	4	2	2
	(a) Spontaneous, therapeutic or of unspecified origin ...	F	3	5	2	2	5	1	1	4	4	4	2	2
	(b) Abortion (non-septic) in- duced for reasons other than therapeutic ...	F	—	—	—	—	—	—	1	—	1	—	—	—
142	Ectopic gestation ...	F	3	1	3	3	2	4	1	4	5	4	2	2
143	Hæmorrhage of pregnancy ...	F	3	1	1	1	—	1	1	3	2	1	—	2
	(a) Placenta prævia ...	F	—	—	—	1	—	1	—	3	—	—	—	1
144	Toxæmias of pregnancy ...	F	7	5	10	4	2	4	4	8	4	3	2	3
	(a) Eclampsia of pregnancy ...	F	5	3	6	3	1	1	1	5	2	1	—	1
	(b) Albuminuria and neph- ritis of pregnancy ...	F	1	2	3	1	—	3	2	2	1	2	2	—
	(c) Ac. yellow atrophy of liver associated with pregnancy ...	F	—	—	1	—	—	—	—	—	—	—	—	2
	(d) Other diseases included under 144 ...	F	1	—	—	—	1	—	1	1	1	—	—	—
145	Other diseases and accidents of pregnancy ...	F	—	1	1	1	2	2	—	7	—	2	1	2
146	Hæmorrhage of childbirth and the puerperium ...	F	9	4	9	3	8	10	8	10	8	6	4	6
	(a) Placenta prævia (with childbirth) ...	F	1	—	2	2	2	—	1	3	3	—	—	1
147	Infection during childbirth and the puerperium ...	F	6	9	9	6	9	6	5	6	5	7	7	5
	(a) General or local puer- peral infection with mention of pyelitis ...	F	—	—	—	—	—	—	—	—	1	1	—	—
	(b) General or local puer- peral infections, without mention of pyelitis ...	F	2	3	1	5	2	2	—	1	3	—	2	3
	(c) Puerperal thrombo- phlebitis ...	F	3	5	4	—	3	3	3	2	1	3	1	1
	(d) Puerperal embolism and sudden death ...	F	1	1	4	1	4	1	2	3	—	3	4	1
148	Puerperal toxæmias ...	F	11	8	8	17	14	17	20	7	17	10	7	14
	(a) Puerperal eclampsia ...	F	7	2	2	7	6	10	5	2	6	3	3	5
	(b) Puerperal albuminuria and nephritis ...	F	2	3	1	5	3	5	12	1	7	4	1	6
	(c) Acute yellow atrophy of liver (post-partum) ...	F	2	—	3	3	2	1	2	4	3	2	1	2
	(d) Other puerperal toxæmias ...	F	—	3	2	2	3	1	1	—	1	1	2	1
149	Other accidents of childbirth ...	F	18	6	15	8	13	8	14	25	15	13	9	6
150	Other or unspecified condi- tions of childbirth, and the puerperal state ...	F	2	—	1	2	—	1	3	1	1	—	—	—
	(a) Mastitis during the puerperium and lacta- tion ...	F	2	—	1	—	—	—	—	—	1	—	—	—
	(b) Puerperal psychoses ...	F	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 23—continued.

Inter- national List No.	Causes of Death.			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
151-153	XII.—Diseases of the Skin and Cellular Tissue ...	{ M F		32 34	33 28	23 26	25 29	21 29	26 18	28 32	18 23	19 18	13 21	14 20	23 25
151	Carbuncle, boils ...	{ M F		9 4	3 6	4 6	7 5	5 2	9 3	9 2	6 3	1 2	1 3	— 3	4 3
152	Cellulitis, acute abscess ...	{ M F		6 9	11 3	2 2	5 7	8 5	5 4	5 11	1 4	6 2	5 2	4 1	6 6
153	Other diseases of the skin and cellular tissue ...	{ M F		17 21	19 19	17 18	13 17	8 22	12 11	14 19	11 16	12 14	7 16	10 16	13 16
154-156	XIII.—Diseases of the Bones and Organs of Movement	{ M F		36 20	26 24	21 18	24 21	20 19	21 11	21 16	10 21	22 13	16 8	20 21	18 21
154	Osteomyelitis and periostitis ...	{ M F		11 3	6 7	3 3	7 2	10 4	5 1	5 2	5 4	3 2	3 2	5 3	6 4
155	Other diseases of the bones ...	{ M F		13 11	6 8	5 6	7 8	2 7	7 4	8 10	1 9	9 7	5 1	7 6	3 7
156	Diseases of joints and other organs of movement ...	{ M F		12 6	14 9	13 9	10 11	8 8	9 6	8 4	4 8	10 4	8 5	8 12	9 10
	(a) Diseases of the joints ...	{ M F		7 1	2 4	3 2	2 4	2 2	3 1	2 2	3 3	— 3	3 —	2 3	— 5
	(b) Diseases of the organs of movement ...	{ M F		5 5	12 5	10 7	8 7	6 6	6 5	6 2	1 5	10 1	5 5	6 9	9 5
157	XIV.—Congenital Malformations ...	{ M F		246 216	193 177	224 246	199 209	213 195	217 183	204 179	202 185	213 165	231 174	217 181	220 222
	(a) Congenital hydrocephalus ...	{ M F		11 11	8 15	12 15	9 15	10 7	12 7	17 9	6 11	16 5	12 14	17 11	10 10
	(b) Spina bifida and meningocele ...	{ M F		33 52	29 38	34 54	19 53	29 48	34 42	32 55	27 43	32 39	27 42	30 32	18 41
	(c) Congenital malformation of heart ...	{ M F		77 62	70 55	75 64	67 58	67 56	74 60	53 48	77 38	69 46	61 44	71 52	78 75
	(d) Monstrosities ...	{ M F		4 4	3 2	2 2	2 4	3 4	4 3	3 3	3 4	2 4	2 1	— 7	4 5
	(e) Congenital pyloric stenosis ...	{ M F		9 2	11 —	17 8	15 3	21 —	15 5	6 2	9 2	9 2	14 3	11 4	15 2
	(f) Cleft palate, harelip ...	{ M F		1 4	1 1	3 5	3 —	5 2	1 3	1 3	1 3	3 1	5 1	1 1	1 —
	(g) Imperforate anus ...	{ M F		2 1	1 1	2 —	4 —	2 —	1 —	2 1	1 —	2 —	2 —	2 1	2 —
	(h) Cystic disease of kidney	{ M F		12 11	4 8	9 12	4 12	5 9	10 9	11 4	9 13	8 4	14 5	6 11	13 13
	(i) Other stated congenital malformations ...	{ M F		93 65	64 53	69 78	74 63	68 67	62 49	77 51	63 68	70 57	88 61	77 58	78 73
	(ia) Central nervous system ...	{ M F		7 7	5 6	5 8	5 5	4 6	3 8	4 4	4 3	4 8	8 9	4 2	8 4
	(ib) Circulatory system ...	{ M F		20 26	14 23	16 32	16 20	14 23	14 11	18 17	12 21	17 18	23 19	17 16	20 32
	(ic) Digestive system ...	{ M F		45 23	27 16	38 24	33 29	33 27	32 23	43 20	34 27	33 23	40 26	38 23	33 23
	(id) Genito-urinary system ...	{ M F		7 3	9 2	3 2	12 5	6 2	7 2	9 5	8 8	7 1	8 4	10 5	10 6
	(ie) Other malformations included under 157 (i)	{ M F		14 6	9 6	7 12	8 4	11 9	6 5	3 5	5 9	9 7	9 3	8 12	7 8
	(j) Congenital malformations (unspecified) ...	{ M F		4 4	2 4	1 8	2 1	3 2	4 5	2 3	6 3	2 7	6 3	2 4	1 3
158-161	XV.—Diseases Peculiar to the First Year of Life ...	{ M F		608 405	549 372	619 437	572 412	589 391	546 358	534 368	488 307	479 319	502 383	480 329	557 378
158	Congenital debility ...	{ M F		11 14	14 3	15 9	17 6	8 3	9 4	7 3	14 3	2 4	6 7	7 9	11 4
159	Premature birth ...	{ M F		326 212	285 208	324 227	297 226	274 197	254 193	254 209	226 154	240 169	232 176	251 158	279 199

TABLE 23—continued.

Inter- national List No.	Causes of Death.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
160	Injury at birth {M	96	107	103	105	120	108	98	87	85	113	74	97
 {F	66	50	69	57	64	55	54	63	51	73	54	53
	(a) Intra-cranial or spinal hæmorrhage due to injury at birth {M	71	80	87	80	98	73	77	57	56	84	51	69
 {F	48	34	53	42	46	37	34	40	31	53	38	35
	(b) Other intra-cranial or spinal injuries at birth {M	7	3	6	5	5	7	3	5	9	4	3	3
161 {F	5	—	—	1	5	2	2	5	4	4	4	6
	(c) Other birth injuries ... {M	18	24	10	20	17	28	18	25	20	25	20	25
 {F	13	16	16	14	13	16	18	18	16	16	12	12
	Other diseases peculiar to the first year of life ... {M	175	143	177	153	187	175	175	161	152	151	148	170
 {F	113	111	132	123	127	106	102	87	95	127	108	122
	(a) Asphyxia during or after birth, atelectasis ... {M	131	108	141	117	118	128	113	111	107	116	103	126
 {F	82	82	103	99	97	73	76	58	61	86	88	79
	(b) Intoxication due to maternal toxæmia ... {M	1	—	—	2	12	11	12	14	10	7	7	9
 {F	2	2	2	—	4	6	4	1	4	14	1	12
	(c) Infections of the new-born ... {M	5	4	1	3	5	4	2	2	3	1	1	3
 {F	1	1	2	—	3	3	1	2	1	1	2	4
	(2) Pemphigus neonatorum ... {M	—	—	—	—	2	1	—	—	—	—	—	—
 {F	—	—	1	—	1	—	1	—	1	—	—	—
	(d) Melæna neonatorum ... {M	9	7	8	6	9	7	12	8	7	8	11	12
 {F	7	5	6	4	7	3	4	5	4	5	6	6
	(e) Other specified diseases included under 161 ... {M	29	24	27	25	43	25	36	26	25	19	26	20
 {F	21	21	19	20	16	21	17	21	25	21	11	21
	(1) Hæmolytic diseases of the newborn ... {M	25	22	25	23	38	25	32	24	24	18	24	20
 {F	20	19	18	19	13	20	17	19	23	21	10	20
	162 XVI.—Senility, Old Age ... {M	551	568	680	458	374	277	316	261	247	253	373	432
 {F	904	840	998	823	609	569	522	494	470	501	679	679
	(a, c) Old age, senility, without s. dementia ... {M	530	534	648	435	349	268	300	252	241	244	351	407
 {F	870	812	954	782	579	541	494	466	447	461	643	636
	(b) Senility with mention of senile dementia ... {M	21	34	32	23	25	9	16	9	6	9	22	25
 {F	34	28	44	41	30	28	28	28	23	40	36	43
163-198	XVII.—Deaths from Violence ... {M	1025	903	975	995	983	998	1093	957	890	893	981	1045
163-164	Suicide ... {F	692	582	633	564	602	543	537	524	461	501	568	670
163	Suicide by poisoning ... {M	106	113	125	117	129	123	132	113	108	87	99	116
 {F	98	91	109	93	125	121	95	87	85	82	94	75
	(a) By solid or liquid toxic or corrosive substances {M	17	19	25	29	22	19	30	23	24	19	24	20
 {F	28	23	31	27	34	25	31	21	21	24	25	17
	(aa) By corrosive substances ... {M	6	2	6	3	5	5	3	1	8	1	7	5
 {F	4	5	6	4	5	7	6	7	4	10	5	2
	(ab) By analgesic and narcotic drugs ... {M	2	7	7	8	5	4	10	3	4	5	4	1
 {F	9	5	13	10	15	9	10	3	7	5	4	3
	(ac) By soporific drugs ... {M	3	3	5	9	7	9	11	13	7	8	6	10
 {F	11	10	9	11	13	7	11	8	4	7	14	11
	(ad) By other solid or liquid poisons ... {M	6	7	7	9	5	1	6	6	5	5	7	4
 {F	4	3	3	2	1	2	4	3	6	2	2	1
	(b) By poisonous gas ... {M	89	94	100	88	107	104	102	90	84	68	75	96
 {F	70	68	78	66	91	96	64	66	64	58	69	58
	(ba) By coal gas ... {M	88	92	98	87	106	102	98	88	83	67	74	93
164 {F	70	68	78	66	91	96	64	66	64	58	69	58
	Other forms of suicide ... {M	150	119	152	155	161	142	158	126	112	133	123	122
 {F	43	30	44	48	58	55	49	41	38	40	51	46
	(a) By hanging or strangulation ... {M	45	47	56	69	61	65	63	48	41	49	49	36
 {F	8	5	15	15	13	15	19	8	9	11	11	16
	(b) By drowning ... {M	38	28	24	38	39	31	26	28	20	21	24	37
 {F	22	11	15	19	30	28	20	19	16	14	23	19
	(c) By firearms and explosives ... {M	24	15	16	12	19	11	23	19	18	27	16	19
 {F	—	—	—	1	1	—	2	2	—	2	2	1
	(d) By cutting or piercing instruments ... {M	17	15	32	18	25	21	20	18	16	19	22	9
 {F	3	6	2	6	3	3	3	4	2	1	2	4

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
164	(e) By jumping from high places ...	{M F	8 6	6 4	7 4	9 4	7 8	7 7	15 1	6 4	2 9	5 9	4 6	6 5
	(f) By crushing ...	{M F	16 2	8 3	15 7	9 3	9 3	6 2	11 3	7 4	15 2	11 3	7 6	15 1
	(fa) On railways ...	{M F	15 1	6 3	12 7	7 3	8 3	5 2	10 3	6 4	13 2	11 3	6 6	15 1
165-168	Homicide ...	{M F	21 13	1 8	3 11	6 17	5 7	1 6	6 11	2 9	6 6	9 9	3 2	5 9
165	Infanticide (infants under 1 year) ...	{M F	6 3	— 1	1 1	2 2	3 —	1 1	— 1	— —	1 1	1 2	— 1	1 —
166	Homicide by firearms ...	{M F	4 —	— 1	1 1	— 1	— —	— 1	— 1	1 1	2 —	1 1	1 —	— —
167	By cutting or piercing instruments ...	{M F	4 —	— —	— 1	1 2	— —	— 1	— 3	— 2	— 1	— —	1 —	2 3
168	By other or unspecified means ...	{M F	7 10	1 6	1 8	3 12	2 7	— 3	6 6	1 6	3 4	6 6	1 1	2 6
169-195	Accidental deaths (or deaths not known to be due to suicide or homicide)	{M F	737 536	655 453	677 468	709 406	683 412	720 361	790 381	709 387	657 332	658 370	749 421	792 540
169	Railway accidents*	{M F	30 4	22 1	37 2	31 4	31 1	26 2	32 1	22 1	25 4	42 6	23 2	30 3
170	Motor vehicle accidents*	{M F	228 95	193 67	200 48	240 56	233 70	257 76	238 79	223 83	224 65	236 75	280 84	315 122
171	Other road transport accidents*	{M F	16 12	14 10	25 4	24 5	18 5	20 2	32 9	21 10	24 6	12 5	20 15	29 5
	(a) Tramway accidents on roads ...	{M F	2 3	1 1	2 1	— 1	2 —	2 —	2 1	3 3	— 1	2 —	— 4	2 1
	(b) Other accidents included under 171 ...	{M F	14 9	13 9	23 3	24 4	16 5	18 2	30 8	18 7	24 5	10 5	20 11	27 4
172	Water transport accidents*	{M F	18 —	9 2	4 —	17 —	8 —	21 —	10 4	16 2	9 1	— —	19 —	5 —
173	Air transport accidents*	{M F	3 —	14 1	1 1	5 —	7 —	1 —	9 1	17 13	5 —	11 2	3 1	4 —
174	Accidents in mines and quarries*	{M F	36 —	33 —	37 —	40 —	52 —	34 —	32 —	45 —	33 —	47 —	38 —	34 —
175	Agricultural and forestry accidents (any cause of death)	{M F	15 1	16 —	9 1	12 —	12 1	17 1	7 1	15 2	7 —	9 —	7 —	8 —
	(a) Accidents from farm, etc., machinery and vehicles	{M F	9 —	9 —	5 —	9 —	10 1	11 —	3 —	11 2	3 —	3 —	2 —	8 —
	(b) Injury by animals in farming, etc. ...	{M F	2 —	1 —	— —	— —	2 —	2 1	— 1	1 —	1 —	4 —	2 —	— —
	(c) Other accidents included under 175 ...	{M F	4 1	6 —	4 1	3 —	— —	4 —	4 —	3 —	3 —	2 —	3 —	— —
176	Accidents caused by machinery (any cause of death) ...	{M F	14 1	14 1	17 —	15 1	28 —	9 1	23 —	17 —	10 1	16 —	23 2	12 1
177	Food poisoning ...	{M F	— 2	1 1	— 1	— —	1 1	5 7	6 5	5 4	4 7	3 6	2 1	1 3
178	Accidental absorption of poisonous gas† ...	{M F	19 30	32 34	28 21	10 14	11 23	10 12	13 11	8 10	16 13	17 11	29 21	22 38
179	Other acute accidental poisoning† ...	{M F	14 9	2 6	6 13	7 4	8 7	10 13	11 7	5 8	7 6	10 12	6 10	8 10
180	Conflagration† ...	{M F	2 5	2 2	1 2	— 1	1 5	— 2	2 3	2 3	1 1	3 6	4 5	2 6
181	Accidental burns (conflagration excepted)† ...	{M F	24 66	27 44	19 57	20 36	15 30	13 17	16 25	16 18	10 20	13 23	21 24	24 54
182	Accidental mechanical suffocation† ...	{M F	64 34	45 44	55 42	40 33	32 17	35 21	18 20	27 23	37 11	33 23	39 24	61 26
183	Accidental drowning† ...	{M F	43 9	43 15	35 18	65 28	60 10	108 17	157 15	114 28	74 16	46 13	34 15	28 4
184	Accidental injury by fire-arms† ...	{M F	9 —	4 1	2 —	5 —	7 1	6 1	5 —	7 1	5 —	3 1	2 —	4 1

* Any cause of death except war.

† Except deaths classed under headings Nos. 169-176, 196, 197.

TABLE 23—continued.

Inter- national List No.	Causes of Death.		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
185	Accidental injury by cut- ting or piercing instru- ments*	{M F	1 —	— —	— —	1 1	— 1	— —	1 2	— —	1 —	— —	2 —	— —
186	Accidental injury by fall, crush- ing, landslide, etc.*	{M F	160 246	145 204	156 235	128 203	130 206	115 174	132 168	116 161	136 157	109 170	158 201	164 254
187	Cataclysm (any cause of death) ...	{M F	— 2	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
188	Injury by animals*	{M F	1 —	2 —	— —	2 1	— —	— —	1 —	— —	— 1	3 —	— —	— —
189	Hunger or thirst*	{M F	1 1	— 1	— —	— 1	— —	— 1	— —	— 1	— —	— —	— —	— —
190	Excessive cold*	{M F	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —
191	Excessive heat*	{M F	— —	— —	— —	— —	— —	6 —	4 5	— —	— —	— —	— —	— —
192	Lightning ...	{M F	— —	— —	— 1	— —	— 1	1 —	8 —	— —	— 1	— —	— —	— —
193	Other accidents due to electric currents*	{M F	7 —	2 7	2 1	6 —	5 1	4 2	4 3	4 —	4 —	6 3	1 2	3 1
194	Attack by venomous animals	{M F	— —	— —	— —	— —	— —	— 1	— —	1 2	1 3	— 2	— —	— —
195	Other accidents	{M F	32 19	34 12	43 20	41 18	24 32	22 11	29 22	28 17	23 19	32 12	38 14	38 12
	(a) Vaccinia and other sequelæ of vaccination against smallpox	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —
	(b) Other accidents due to medical or surgical intervention	{M F	— 2	— —	— 2	— —	— —	— 1	— —	— —	2 1	— —	1 —	2 —
	(c) Lack of care of the newborn	{M F	7 5	5 2	7 7	11 5	1 17	2 1	3 7	5 5	1 5	6 2	6 4	5 3
	(d) Other and unspecified accidents included under 195*	{M F	25 12	29 10	36 11	30 13	23 15	20 9	26 15	23 12	20 13	26 10	30 10	30 9
197-198	Other violent deaths	{M F	11 2	15 —	18 1	8 —	5 —	12 —	7 1	7 —	7 —	6 —	7 —	10 —
197	Deaths of civilians due to operations of war :—	{M F	10 1	15 —	17 1	7 —	5 —	10 —	6 1	3 —	6 —	6 —	7 —	7 —
198	Legal executions	{M F	1 1	— —	1 —	1 —	— —	2 —	1 —	4 —	1 —	— —	— —	3 —
199-200	XVIII.—Ill-defined Causes of Death ...	{M F	12 20	15 10	18 8	14 12	9 10	14 5	9 7	13 11	6 5	13 7	10 10	9 10
199	Sudden death	{M F	5 6	6 1	8 6	2 3	6 2	1 1	2 2	— —	1 2	2 1	2 4	1 4
200	Causes of death unstated or ill-defined	{M F	7 14	9 9	10 2	12 9	3 8	13 4	7 5	13 11	5 3	11 6	8 6	8 6
	(a) Ill-defined causes	{M F	6 11	6 8	9 2	9 7	1 7	11 4	3 4	9 10	4 2	6 6	7 6	7 6
	(1) Heart failure	{M F	5 10	5 6	6 2	4 5	— 7	8 4	3 4	8 6	2 1	5 5	7 5	5 5
	(2) Other ill-defined causes	{M F	1 1	1 2	3 —	5 2	1 —	3 —	— —	1 4	2 1	1 1	— 1	2 1
	(b) Found dead, cause un- known	{M F	— 2	3 —	— —	2 —	2 1	1 —	2 1	3 1	— —	3 —	1 —	1 —
	(c) Other deaths from un- known or unspecified cause	{M F	1 1	— 1	1 —	1 2	— —	1 —	2 —	1 —	1 1	2 —	— —	— —

* Except deaths classed under headings Nos. 169-176, 196, 197.

TABLE 23A.—Deaths by Month of Occurrence, by Sex and Age,
Jan.—Dec., 1949. (Non-civilian deaths are excluded)

{ England and Wales.

See note at head of Table 23.

Age		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All Ages	{ M	26411	25747	29878	22274	19906	18531	17836	16950	16283	18723	23076	24292
	{ F	25443	24498	29070	21552	19163	17588	17164	16391	15999	18017	21810	23332
Under 4 weeks	{ M	792	677	796	705	709	671	668	616	626	639	618	671
	{ F	553	481	583	559	522	464	473	427	419	492	423	492
4 weeks— 1 year	{ M	757	682	636	477	379	361	328	317	314	367	406	588
	{ F	602	476	468	336	300	245	275	214	221	293	298	412
1—	{ M	116	113	126	102	80	76	76	73	83	68	93	73
	{ F	118	99	114	82	71	43	64	66	57	69	51	56
2—	{ M	140	129	141	116	139	128	117	108	103	123	133	120
	{ F	119	119	126	113	89	84	85	95	100	72	87	84
5—	{ M	85	111	99	102	115	115	115	110	89	99	90	80
	{ F	66	73	87	59	51	64	64	77	68	70	72	73
10—	{ M	92	69	69	82	79	81	93	89	62	58	63	63
	{ F	61	56	54	64	47	51	68	69	47	49	62	53
15—	{ M	99	115	140	125	121	133	146	139	101	93	122	125
	{ F	120	122	122	117	127	103	106	119	103	99	101	101
20—	{ M	205	148	179	192	165	210	195	185	194	176	160	159
	{ F	177	188	217	206	187	182	164	164	149	167	158	174
25—	{ M	246	212	269	240	237	229	229	210	221	256	262	218
	{ F	248	237	295	232	214	220	267	214	215	212	209	207
30—	{ M	259	234	246	250	246	211	199	182	180	200	242	234
	{ F	238	248	260	224	211	206	179	227	190	186	216	233
35—	{ M	403	379	400	355	366	276	320	294	306	354	333	380
	{ F	326	316	391	303	307	274	289	290	276	281	330	309
40—	{ M	591	560	633	546	519	490	451	450	403	483	553	556
	{ F	439	407	478	394	382	371	376	345	356	396	447	416
45—	{ M	984	940	1048	793	805	735	698	681	663	768	824	879
	{ F	602	571	714	588	588	511	518	528	520	607	649	773
50—	{ M	1284	1268	1398	1097	1032	933	961	893	862	923	1314	1205
	{ F	871	835	1017	778	742	747	741	691	612	763	827	916
55—	{ M	1984	1828	2119	1570	1396	1387	1326	1263	1194	1472	1647	1738
	{ F	1248	1149	1438	1046	1040	961	984	922	920	1051	1132	1227
60—	{ M	2756	2726	3006	2246	2109	2015	1789	1759	1644	1975	2354	2525
	{ F	1849	1904	2099	1565	1503	1331	1324	1291	1261	1422	1585	1693
65—	{ M	3386	3385	3852	2830	2590	2323	2315	2210	2100	2386	3093	3180
	{ F	2673	2600	3159	2242	2041	1960	1881	1847	1770	1995	2323	2598
70—	{ M	3937	4019	4809	3460	3031	2785	2728	2510	2365	2833	3428	3684
	{ F	3771	3759	4512	3290	2882	2595	2453	2385	2352	2563	3279	3488
75—	{ M	3775	3751	4641	3297	2760	2658	2415	2360	2315	2632	3360	3625
	{ F	4158	4093	4864	3593	3132	2820	2711	2670	2521	2819	3602	3772
80—	{ M	2759	2709	3195	2270	1941	1710	1674	1571	1559	1749	2406	2494
	{ F	3789	3607	4309	3075	2559	2400	2238	2001	2076	2403	3089	3218
85 and over	{ M	1761	1692	2076	1419	1087	1004	993	930	899	1069	1575	1695
	{ F	3415	3158	3763	2686	2168	1956	1904	1749	1766	2008	2870	3037

TABLE 24.—Causes of Death by Sex, at Different Periods of Life, 1949, classified in accordance with the Abridged List (*see statement below*). { England and Wales, Geographical Regions. London and Metropolitan Boroughs, County Boroughs. Aggregates of other Urban and of Rural Districts in each Administrative County.

(Non-civilian deaths are excluded).

See Explanatory notes on page vi.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the detailed International List.

No.	Registrar General's Abridged List.					Corresponding number in the Detailed International List.
1.	Typhoid and paratyphoid fevers	1 and 2.
2.	Cerebro-spinal fever	6.
3.	Scarlet fever	8.
4.	Whooping cough	9.
5.	Diphtheria	10.
6.	Tuberculosis of respiratory system	13.
7.	Other forms of tuberculosis	14-22.
8.	Syphilitic disease	30.
9.	Influenza	33.
10.	Measles	35.
11.	Acute poliomyelitis and polioencephalitis	36.
12.	Acute infectious encephalitis	37.
13M.	Cancer of buccal cavity and œsophagus (males only)	45, 46a.
13F.	Cancer of uterus	48.
14.	Cancer of stomach and duodenum	46b.
15.	Cancer of breast	50.
16.	Cancer of all other sites	45, 46a (females), 46c-h, 47, 49, 51-55.
17.	Diabetes	61.
18.	Intra-cranial vascular lesions	83.
19.	Heart disease	90-95.
20.	Other diseases of the circulatory system	96-103.
21.	Bronchitis	106.
22.	Pneumonia	107-109.
23.	Other respiratory diseases	104, 105, 110-114.
24.	Ulceration of the stomach or duodenum†	117.
25.	Diarrhœa (under 2 years of age)	119.
26.	Appendicitis	121.
27.	Other digestive diseases	115, 116, 118, 120, 122-129.
28.	Nephritis	130-132.
29.	Puerperal and post-abortive sepsis	140, 147.
30.	Other maternal causes	141-146, 148-150.
31.	Premature birth	159.
32.	Congenital malformations, birth injury, infantile disease	157, 158, 160, 161.
33.	Suicide	163, 164.
34.	Road traffic accidents	170, 171.
35.	Other violent causes	165-169, 172-198.
36.	All other causes	All numbers not included in other headings.

† Deaths from ulceration of the duodenum are shown separately in a footnote to this line.

TABLE 24—contd. England and Wales.

Causes of Death See first page of Table.		All Ages	0—	1—	2—	5—	15—	25—	35—	45—	55—	65—	75 and over
All Causes	M	259,942	13,854	1,081	1,495	2,116	3,652	5,501	10,413	22,973	45,865	73,190	79,802
	F	250,031	10,028	898	1,167	1,515	3,490	5,381	8,506	16,430	31,934	64,385	106,297
1 Typhoid and paratyphoid	M	15	1	—	2	—	—	2	2	2	5	—	1
	F	17	1	—	1	3	2	4	1	—	2	3	—
2 Cerebro-spinal fever	M	154	67	19	30	10	7	3	8	4	3	2	1
	F	133	45	21	20	13	6	9	7	3	4	2	3
3 Scarlet fever	M	10	—	1	—	5	2	—	—	—	1	1	—
	F	8	—	—	1	6	—	—	1	—	—	—	—
4 Whooping cough	M	238	179	29	21	9	—	—	—	—	—	—	—
	F	289	178	59	46	4	—	—	—	—	—	—	2
5 Diphtheria	M	45	1	2	20	12	2	2	4	1	—	—	1
	F	39	1	5	14	12	—	2	1	3	—	—	1
6 Tuberculosis :— Respiratory system	M	10,612	21	20	22	28	727	1,587	1,989	2,380	2,337	1,276	225
	F	6,776	17	24	18	55	1,528	2,026	1,194	772	609	415	118
7 Other forms	M	1,267	70	119	167	161	174	141	125	140	83	70	17
	F	1,066	55	79	153	139	173	137	93	83	82	48	24
8 Syphilitic disease	M	1,413	34	—	1	3	9	21	56	218	466	432	173
	F	642	27	1	—	3	1	11	31	106	149	193	120
9 Influenza	M	2,669	92	21	14	19	24	51	112	247	511	737	841
	F	2,989	59	17	18	16	41	49	104	160	372	844	1,309
10 Measles	M	152	45	46	29	25	2	2	—	2	—	—	1
	F	155	41	39	42	19	4	3	3	—	—	3	1
11 Ac: poliomyelitis & polioenceph :	M	359	9	14	47	91	63	78	37	11	5	4	—
	F	292	16	14	29	58	69	59	30	12	4	1	—
12 Ac: infectious encephalitis	M	171	6	4	2	7	3	14	41	25	28	36	5
	F	189	3	—	5	5	4	9	39	39	37	35	13
Cancer of													
13M Mouth & œsoph :	M	3,066	—	—	1	5	5	13	54	198	548	1,240	1,002
13F Uterus	F	4,247	—	1	1	—	5	69	297	850	1,255	1,105	664
14 Stomach and duodenum	M	8,096	—	—	—	—	2	61	326	987	2,096	2,961	1,663
	F	6,157	—	—	—	—	3	44	182	519	1,158	2,240	2,011
15 Breast	M	78	—	—	—	—	—	1	2	9	22	25	19
	F	7,875	—	—	—	—	—	108	707	1,503	1,900	2,020	1,635
16 All other sites	M	29,532	22	27	63	102	165	355	1,281	3,995	7,475	9,805	6,242
	F	21,612	14	31	62	68	115	302	1,050	2,729	4,702	6,675	5,864
17 Diabetes	M	1,102	1	2	1	8	35	21	37	85	162	409	341
	F	2,342	—	—	2	18	31	40	33	131	401	949	737
18 Intra-cranial vasc : lesions	M	24,808	16	2	2	1	24	62	292	1,269	3,890	9,019	10,231
	F	34,428	10	1	2	10	28	68	337	1,643	4,520	11,094	16,715
19 Heart disease	M	76,263	5	3	11	78	229	469	1,602	5,114	13,100	24,493	31,159
	F	77,996	3	3	9	92	226	530	1,224	2,851	7,733	21,501	43,824
20 Other circulatory diseases	M	10,643	10	2	2	7	24	55	159	574	1,530	3,358	4,922
	F	11,615	6	1	2	4	16	52	189	491	1,267	3,118	6,469
21 Bronchitis	M	18,446	292	38	19	18	53	92	344	1,548	4,234	6,119	5,689
	F	11,987	218	21	26	28	51	68	184	477	1,294	3,356	6,264
22 Pneumonia	M	10,887	2,171	246	156	68	100	135	304	720	1,620	2,511	2,856
	F	9,894	1,632	207	137	71	74	158	262	414	961	2,146	3,832
23 Other respiratory diseases	M	4,322	51	23	28	18	57	92	219	665	1,186	1,231	752
	F	2,769	29	13	16	9	44	83	216	335	523	671	830
24 Ulcer of stomach or duodenum†	M	3,811	—	—	—	2	22	85	326	785	1,062	1,000	529
	F	1,118	1	—	—	1	11	11	49	124	239	369	313
25 Diarrhœa under 2 years	M	1,232	1,158	74	—	—	—	—	—	—	—	—	—
	F	852	805	47	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	739	5	10	48	74	70	46	78	94	115	133	66
	F	507	3	7	31	56	29	33	39	67	79	103	60
27 Other digestive diseases	M	4,054	136	30	78	78	57	135	234	491	765	1,127	923
	F	5,001	94	22	47	72	76	142	255	453	904	1,424	1,512
28 Nephritis	M	5,656	20	—	17	53	129	227	369	565	883	1,520	1,873
	F	5,517	11	6	12	62	120	175	297	520	860	1,499	1,955
29 Maternal sepsis	M	162	—	—	—	—	39	76	46	1	—	—	—
30 Other maternal	F	565	—	—	—	—	89	261	203	10	2	—	—
31 Premature birth	M	3,247	3,247	—	—	—	—	—	—	—	—	—	—
	F	2,322	2,322	—	—	—	—	—	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	5,871	5,123	82	92	88	83	70	101	100	83	32	17
	F	4,475	3,686	75	75	110	74	64	105	114	83	61	28
33 Suicide	M	3,023	—	—	—	2	124	254	448	647	677	581	290
	F	1,697	—	—	—	1	60	147	263	386	411	300	129
34 Road traffic accidents	M	3,116	2	34	165	360	550	384	360	302	313	350	296
	F	1,012	3	22	81	156	99	38	60	78	130	188	157
35 Other violent causes	M	5,621	521	94	223	370	495	521	625	646	640	560	926
	F	4,176	382	71	138	117	92	92	117	182	296	633	2,056
36 All other causes	M	19,224	549	139	234	414	415	522	878	1,149	2,025	4,158	8,741
	F	19,110	366	111	179	307	378	511	887	1,374	1,957	3,389	9,651
† Including deaths from ulcer of duodenum.	M	1,737	—	—	—	2	12	53	178	376	463	441	212
	F	310	—	—	—	1	4	5	17	44	70	92	77

TABLE 24—*contd.*—Geographical Regions.

Causes of Death <i>See first page of Table.</i>		South East (including Greater London).							Greater London.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	82965	3600	703	644	5838	21657	50523	45017	1988	353	349	3397	12914	26016
	F	82630	2497	549	412	5175	15328	58669	43788	1360	287	213	3069	8579	30280
1 Typhoid and paratyphoid	M	2	—	—	—	—	1	1	1	—	—	—	—	1	—
	F	5	—	—	1	1	1	2	3	—	—	1	—	—	2
2 Cerebro-spinal fever	M	37	15	12	4	3	3	—	19	8	9	1	—	1	—
	F	37	11	12	5	3	2	4	24	9	9	—	2	1	3
3 Scarlet fever	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	40	33	7	—	—	—	—	24	20	4	—	—	—	—
	F	53	33	17	2	—	—	1	33	20	11	2	—	—	—
5 Diphtheria	M	10	—	4	4	1	—	1	10	—	4	4	1	—	1
	F	9	—	5	2	2	—	—	5	—	3	2	—	—	—
6 Tuberculosis :— Respiratory system	M	3404	3	17	7	1211	1549	617	2115	2	9	4	728	979	393
	F	1883	5	6	7	1216	444	205	1150	3	5	5	749	274	114
7 Other forms	M	353	9	68	52	124	67	33	195	3	31	28	76	39	18
	F	268	15	47	31	94	52	29	148	4	28	12	55	34	15
8 Syphilitic disease	M	555	6	—	1	23	250	275	351	1	—	—	18	166	166
	F	284	4	—	—	17	109	154	178	2	—	—	5	63	108
9 Influenza	M	733	28	8	5	60	209	423	417	13	3	3	32	141	225
	F	802	16	10	6	52	139	579	446	11	4	5	34	82	310
10 Measles	M	43	7	22	11	2	—	1	16	3	6	6	1	—	—
	F	47	7	25	10	5	—	—	20	4	12	4	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	146	4	23	35	78	5	1	69	2	13	20	32	2	—
	F	122	6	15	21	75	5	—	65	2	13	12	36	2	—
12 Ac: infectious encephalitis	M	38	2	1	—	15	12	8	21	2	—	—	11	6	2
	F	54	1	3	2	13	20	15	24	—	—	1	10	7	6
Cancer of															
13M Mouth & œsoph:	M	980	—	—	3	25	228	724	529	—	—	2	20	129	378
13F Uterus	F	1357	—	2	—	99	627	629	735	—	2	—	56	340	337
14 Stomach and duodenum	M	2477	—	—	—	112	889	1476	1391	—	—	—	75	529	787
	F	1963	—	—	—	61	493	1409	1099	—	—	—	39	295	765
15 Breast	M	31	—	—	—	—	13	18	12	—	—	—	—	4	8
	F	2976	—	—	—	314	1279	1383	1628	—	—	—	188	710	730
16 All other sites	M	10768	9	33	40	623	4115	5948	6195	4	19	23	378	2530	3241
	F	7990	8	27	29	539	2641	4746	4455	3	14	17	341	1519	2561
17 Diabetes	M	326	—	2	1	22	79	222	170	—	1	1	11	40	117
	F	688	—	—	4	29	144	511	371	—	—	1	15	70	285
18 Intra-cranial vasc: lesions	M	7329	5	2	1	101	1507	5713	3553	2	2	—	58	803	2688
	F	11085	4	—	1	123	1819	9138	5302	2	—	1	61	925	4313
19 Heart disease	M	24345	—	7	13	681	5461	18183	12505	—	4	8	421	3180	8892
	F	25873	—	1	14	505	3017	22336	13298	—	1	4	339	1646	11308
20 Other circulatory diseases	M	3574	1	2	3	95	714	2759	2048	1	1	1	62	441	1542
	F	4214	1	1	1	89	643	3479	2464	—	—	1	54	411	1998
21 Bronchitis	M	5705	55	13	3	121	1602	3911	3651	41	5	2	86	1093	2424
	F	3763	36	9	6	71	465	3176	2375	22	6	2	45	300	2000
22 Pneumonia	M	3709	452	104	17	153	808	2175	2199	250	44	6	90	516	1293
	F	3692	321	90	16	144	475	2646	2150	167	40	10	83	289	1561
23 Other respiratory diseases	M	1267	15	16	8	111	496	621	663	7	6	5	66	264	315
	F	972	11	6	3	115	270	567	481	4	2	1	53	140	281
24 Ulcer of stomach or duodenum†	M	1398	—	—	1	129	656	612	822	—	—	—	73	404	345
	F	460	—	—	1	22	126	311	260	—	—	—	12	70	178
25 Diarrhœa under 2 years	M	226	206	20	—	—	—	—	122	110	12	—	—	—	—
	F	131	122	9	—	—	—	—	66	61	5	—	—	—	—
26 Appendicitis	M	247	1	17	22	58	70	79	141	1	7	10	33	47	43
	F	174	—	14	16	33	48	63	102	—	10	9	15	28	40
27 Other digestive diseases	M	1401	36	28	24	127	423	763	747	16	13	16	70	236	396
	F	1695	21	18	13	149	433	1061	918	12	5	6	80	250	565
28 Nephritis	M	1698	5	3	18	198	426	1048	780	2	1	13	111	227	426
	F	1640	4	6	17	162	383	1068	782	3	3	11	101	191	473
29 Maternal sepsis	F	59	—	—	—	59	—	—	30	—	—	—	30	—	—
30 Other maternal	F	155	—	—	—	151	4	—	78	—	—	—	75	3	—
31 Premature birth	M	844	844	—	—	—	—	—	447	447	—	—	—	—	—
	F	603	603	—	—	—	—	—	321	321	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	1846	1573	60	27	92	74	20	1054	902	26	14	48	50	14
	F	1400	1076	50	35	94	89	56	810	603	27	19	54	65	42
33 Suicide	M	1030	—	—	—	299	445	286	566	—	—	—	168	258	140
	F	615	—	—	—	187	286	142	356	—	—	—	120	157	79
34 Road traffic accidents	M	966	—	42	106	399	197	222	466	—	26	58	179	90	113
	F	351	—	29	47	73	62	140	183	—	14	25	28	33	83
35 Other violent causes	M	1574	165	93	110	405	306	495	882	83	49	54	220	179	297
	F	1474	106	57	27	114	176	994	812	59	29	15	69	106	534
36 All other causes	M	5861	126	99	128	569	1051	3888	2836	68	58	70	329	559	1752
	F	5735	86	90	94	564	1076	3825	2615	48	44	46	320	568	1589
†Including deaths from ulcer of duodenum	M	604	—	—	1	67	278	258	350	—	—	—	36	170	144
	F	132	—	—	1	7	42	82	76	—	—	—	4	23	49

TABLE 24—contd.—Geographical Regions.

Causes of Death See first page of Table.		South East (excluding Greater London).							North.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	37948	1612	350	295	2441	8743	24507	86841	5313	964	693	6775	24296	48800
	F	38842	1137	262	199	2106	6749	28389	82774	4005	816	526	6214	17092	54121
1 Typhoid and paratyphoid	M	1	—	—	—	—	—	1	10	1	2	—	3	4	—
	F	2	—	—	—	1	1	—	6	1	—	2	2	1	—
2 Cerebro-spinal fever	M	18	7	3	3	3	2	—	66	31	21	4	8	1	1
	F	13	2	3	5	1	1	1	52	19	15	5	10	3	—
3 Scarlet fever	M	2	—	—	—	1	1	—	7	—	1	4	1	—	1
	F	—	—	—	—	—	—	—	3	—	—	2	1	—	—
4 Whooping cough	M	16	13	3	—	—	—	—	103	77	24	2	—	—	—
	F	20	13	6	—	—	—	1	139	79	58	2	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	24	1	13	3	7	—	—
	F	4	—	2	—	2	—	—	14	1	9	3	—	—	1
6 Tuberculosis:—	M	1289	1	8	3	483	570	224	3543	9	14	11	1455	1617	437
Respiratory system	F	733	2	1	2	467	170	91	2420	7	18	20	1768	470	137
7 Other forms	M	158	6	37	24	48	28	15	479	32	116	55	164	84	28
	F	120	11	19	19	39	18	14	415	25	100	55	158	53	24
8 Syphilitic disease	M	204	5	—	1	5	84	109	440	19	1	1	37	234	148
	F	106	2	—	—	12	46	46	194	10	—	2	14	94	74
9 Influenza	M	316	15	5	2	28	68	198	913	29	15	6	52	276	535
	F	356	5	6	1	18	57	269	1089	14	13	4	73	218	767
10 Measles	M	27	4	16	5	1	—	1	58	22	26	8	1	1	—
	F	27	3	13	6	5	—	—	57	21	29	3	2	—	2
11 Ac: poliomyelitis & polioenceph:	M	77	2	10	15	46	3	1	107	3	27	22	48	5	2
	F	57	4	2	9	39	3	—	97	2	18	24	44	8	1
12 Ac: infectious encephalitis	M	17	—	1	—	4	6	6	79	—	2	3	26	28	20
	F	30	1	3	1	3	13	9	72	—	—	2	20	28	22
13M Cancer of Mouth & œsoph:	M	451	—	—	1	5	99	346	990	—	1	—	23	265	701
13F Uterus	F	622	—	—	—	43	287	292	1507	—	—	—	140	807	560
14 Stomach and duodenum	M	1086	—	—	—	37	360	689	2811	—	—	—	155	1113	1543
	F	864	—	—	—	22	198	644	2116	—	—	—	88	647	1381
15 Breast	M	19	—	—	—	—	9	10	25	—	—	—	1	11	13
	F	1348	—	—	—	126	569	653	2276	—	—	—	242	1003	1031
16 All other sites	M	4573	5	14	17	245	1585	2707	9007	7	25	26	605	3705	4639
	F	3535	5	13	12	198	1122	2185	6555	3	33	18	461	2399	3641
17 Diabetes	M	156	—	1	—	11	39	105	372	1	1	3	33	87	247
	F	317	—	—	3	14	74	226	783	—	—	4	35	193	551
18 Intra-cranial vasc: lesions	M	3776	3	—	1	43	704	3025	8685	6	1	—	132	1865	6681
	F	5783	2	—	—	62	894	4825	11358	2	1	4	157	2152	9042
19 Heart disease	M	11840	—	3	5	260	2281	9291	25573	3	4	33	898	6782	17853
	F	12575	—	—	10	166	1371	11028	25607	1	8	50	868	4011	20669
20 Other circulatory diseases	M	1526	—	1	2	33	273	1217	3641	5	1	2	62	689	2882
	F	1750	1	1	—	35	232	1481	3938	2	1	1	84	568	3282
21 Bronchitis	M	2054	14	8	1	35	509	1487	6899	127	21	4	199	2441	4107
	F	1388	14	3	4	26	165	1176	4592	103	20	14	140	818	3497
22 Pneumonia	M	1510	202	60	11	63	292	882	3599	932	156	28	215	797	1471
	F	1542	154	50	6	61	186	1085	3104	727	156	23	172	477	1549
23 Other respiratory diseases	M	604	8	10	3	45	232	306	1300	21	17	4	123	571	564
	F	491	7	4	2	62	130	286	901	12	9	4	113	308	455
24 Ulcer of stomach or duodenum†	M	576	—	—	1	56	252	267	1112	—	—	—	157	541	414
	F	200	—	—	1	10	56	133	306	1	—	—	25	114	166
25 Diarrhoea under 2 years	M	104	96	8	—	—	—	—	615	582	33	—	—	—	—
	F	65	61	4	—	—	—	—	431	409	22	—	—	—	—
26 Appendicitis	M	106	—	10	12	25	23	36	222	2	16	19	67	67	51
	F	72	—	4	7	18	20	23	151	1	8	19	32	45	46
27 Other digestive diseases	M	654	20	15	8	57	187	367	1242	56	31	28	147	425	555
	F	777	9	13	7	69	183	496	1639	38	31	33	175	482	880
28 Nephritis	M	918	3	2	5	87	199	622	1789	9	6	15	246	518	995
	F	858	1	3	6	61	192	595	1841	3	7	18	211	510	1092
29 Maternal sepsis	F	29	—	—	—	29	—	—	55	—	—	—	54	1	—
30 Other maternal	F	77	—	—	—	76	1	—	196	—	—	—	194	2	—
31 Premature birth	M	397	397	—	—	—	—	—	1233	1233	—	—	—	—	—
	F	282	282	—	—	—	—	—	923	923	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	792	671	34	13	44	24	6	1915	1705	54	28	64	51	13
	F	590	473	23	16	40	24	14	1502	1287	54	30	74	49	8
33 Suicide	M	464	—	—	—	131	187	146	906	—	—	—	245	409	252
	F	259	—	—	—	67	129	63	525	—	—	1	132	246	146
34 Road traffic accidents	M	500	—	16	48	220	107	109	986	1	91	126	375	189	204
	F	168	—	15	22	45	29	57	332	3	42	53	60	71	103
35 Other violent causes	M	692	82	44	56	185	127	198	1956	182	102	127	600	467	478
	F	662	47	28	12	45	70	460	1372	156	77	33	96	166	844
36 All other causes	M	3025	58	41	58	240	492	2136	6134	217	142	131	626	1053	3965
	F	3120	38	46	48	244	508	2236	6206	155	87	97	569	1148	4150
†Including deaths from ulcer of duodenum	M	254	—	—	1	31	108	114	559	—	—	—	92	278	189
	F	56	—	—	1	3	19	33	90	—	—	—	10	39	41

TABLE 24—*contd.*—Geographical Regions.

Causes of Death <i>See first page of Table.</i>		North I.							North II.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	14340	1076	169	111	1283	3889	7812	8643	563	92	61	718	2233	4976
	F	12821	748	119	96	1161	2779	7918	8138	415	100	55	629	1603	5336
1 Typhoid and paratyphoid	M	1	—	—	—	—	1	—	2	—	1	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	15	5	8	—	1	1	—	5	4	1	—	—	—	—
	F	9	4	1	1	3	—	—	3	—	3	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	12	11	1	—	—	—	—	10	10	—	—	—	—	—
	F	23	12	11	—	—	—	—	10	6	4	—	—	—	—
5 Diphtheria	M	5	1	2	1	1	—	—	2	—	2	—	—	—	—
	F	3	—	2	1	—	—	—	2	—	1	1	—	—	—
6 Tuberculosis:— Respiratory system	M	715	2	3	3	328	313	66	348	4	1	1	153	149	40
	F	510	2	3	3	400	80	22	295	—	4	3	215	57	16
7 Other forms	M	85	7	19	10	30	15	4	43	3	9	5	18	6	2
	F	90	6	24	9	38	8	5	44	1	11	10	15	5	2
8 Syphilitic disease	M	68	3	—	—	5	41	19	44	3	—	—	1	24	16
	F	28	2	—	1	2	14	9	11	—	—	—	—	6	5
9 Influenza	M	134	8	3	1	9	40	73	70	1	2	—	4	15	48
	F	115	3	2	1	9	25	75	68	1	1	—	6	12	48
10 Measles	M	2	2	—	—	—	—	—	9	5	2	2	—	—	—
	F	4	2	1	1	—	—	—	4	2	2	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	5	—	1	2	1	1	—	8	1	1	2	4	—	—
	F	6	—	2	1	2	1	—	6	—	2	1	3	—	—
12 Ac: infectious encephalitis	M	24	—	2	—	10	5	7	3	—	—	—	—	—	3
	F	12	—	—	—	4	5	3	7	—	—	—	2	5	—
13M Cancer of Mouth & œsoph:	M	169	—	1	—	5	36	127	119	—	—	—	1	30	88
13F Uterus	F	264	—	—	—	25	151	88	176	—	—	—	15	98	63
14 Stomach and duodenum	M	513	—	—	—	36	194	283	273	—	—	—	20	110	143
	F	389	—	—	—	18	138	233	179	—	—	—	7	52	120
15 Breast	M	4	—	—	—	—	3	1	1	—	—	—	—	—	1
	F	326	—	—	—	32	155	139	230	—	—	—	19	109	102
16 All other sites	M	1383	1	9	6	81	563	723	812	—	—	2	60	324	426
	F	969	1	6	1	72	382	507	661	—	4	3	35	238	381
17 Diabetes	M	54	—	—	3	7	13	31	49	—	—	—	5	9	35
	F	132	—	—	4	10	32	86	67	—	—	—	7	11	49
18 Intra-cranial vasc: lesions	M	1558	2	—	—	20	322	1214	872	—	—	—	12	182	678
	F	1762	—	—	—	29	365	1368	1125	—	—	—	16	210	899
19 Heart disease	M	4050	1	—	5	163	1045	2836	2684	—	—	3	102	626	1953
	F	3906	1	—	11	157	672	3065	2598	—	—	2	58	357	2181
20 Other circulatory diseases	M	567	2	—	1	7	113	444	388	1	1	—	9	61	316
	F	645	—	—	—	15	104	526	375	—	1	1	9	51	313
21 Bronchitis	M	932	42	1	1	36	339	513	464	19	2	—	12	142	289
	F	625	37	2	3	14	115	454	281	10	4	—	11	45	211
22 Pneumonia	M	565	183	20	2	32	107	221	384	105	17	5	21	93	143
	F	494	158	21	2	22	60	231	315	79	21	3	21	42	149
23 Other respiratory diseases	M	265	4	5	1	21	122	112	124	3	—	—	15	53	53
	F	144	3	—	1	20	65	55	82	—	2	1	12	27	40
24 Ulcer of stomach or duodenum†	M	195	—	—	—	30	90	75	113	—	—	—	16	58	39
	F	35	—	—	—	2	17	16	25	—	—	—	3	10	12
25 Diarrhœa under 2 years	M	129	123	6	—	—	—	—	72	68	4	—	—	—	—
	F	76	75	1	—	—	—	—	66	60	6	—	—	—	—
26 Appendicitis	M	36	1	—	4	8	13	10	23	—	—	2	9	5	7
	F	25	—	1	7	5	6	6	20	—	1	3	5	6	5
27 Other digestive diseases	M	183	12	9	6	26	56	74	144	3	2	7	11	47	74
	F	271	10	9	6	29	77	140	164	3	3	6	11	41	100
28 Nephritis	M	263	1	2	1	40	64	155	193	2	1	1	17	55	117
	F	259	—	1	5	37	72	144	268	—	1	—	31	66	170
29 Maternal sepsis	F	11	—	—	—	11	—	—	4	—	—	—	4	—	—
30 Other maternal	F	34	—	—	—	33	1	—	31	—	—	—	30	1	—
31 Premature birth	M	264	264	—	—	—	—	—	115	115	—	—	—	—	—
	F	181	181	—	—	—	—	—	84	84	—	—	—	—	—
32 Cong: mal., birth inj., infant: dis:	M	365	319	12	4	19	9	2	204	182	7	—	8	4	3
	F	234	194	7	5	16	10	2	153	136	5	5	3	3	1
33 Suicide	M	154	—	—	—	40	72	42	94	—	—	—	36	33	25
	F	75	—	—	—	21	37	17	45	—	—	—	20	16	9
34 Road traffic accidents	M	148	—	19	20	47	32	30	117	—	7	11	49	28	22
	F	32	1	3	8	10	5	5	40	—	9	8	10	5	8
35 Other violent causes	M	406	27	13	15	165	102	84	222	20	15	10	73	63	41
	F	191	31	15	5	15	21	104	138	14	6	5	9	13	91
36 All other causes	M	1071	55	33	25	115	177	666	631	14	17	9	62	115	414
	F	940	25	7	19	110	161	618	561	19	9	3	52	117	361
†Including deaths from ulcer of duodenum	M	104	—	—	—	18	46	40	60	—	—	—	8	31	21
	F	10	—	—	—	—	7	3	6	—	—	—	1	2	3

TABLE 24—contd.—Geographical Regions.

Causes of Death See first page of Table.		North III.							North IV.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	23031	1234	236	201	1621	6418	13321	40827	2440	467	320	3153	11756	22691
	F	21794	951	222	138	1480	4345	14658	40021	1891	375	237	2944	8365	26209
1 Typhoid and paratyphoid	M	1	—	—	—	1	—	—	6	1	1	—	2	2	—
	F	2	1	—	—	—	1	—	4	—	—	2	2	—	—
2 Cerebro-spinal fever	M	11	5	1	1	3	—	1	35	17	11	3	4	—	—
	F	16	4	6	2	3	1	—	24	11	5	2	4	2	—
3 Scarlet fever	M	4	—	—	2	1	—	1	2	—	1	1	—	—	—
	F	1	—	—	1	—	—	—	1	—	—	—	1	—	—
4 Whooping cough	M	9	5	4	—	—	—	—	72	51	19	2	—	—	—
	F	25	14	10	1	—	—	—	81	47	33	1	—	—	—
5 Diphtheria	M	5	—	3	1	1	—	—	12	—	6	1	5	—	—
	F	4	—	3	1	—	—	—	5	1	3	—	—	—	1
Tuberculosis:—															
6 Respiratory system	M	797	1	1	3	288	385	119	1683	2	9	4	686	770	212
	F	502	1	5	4	352	115	25	1113	4	6	10	801	218	74
7 Other forms	M	115	10	28	12	34	21	10	236	12	60	28	82	42	12
	F	104	12	26	14	31	18	3	177	6	39	22	74	22	14
8 Syphilitic disease	M	129	3	1	—	9	71	45	199	10	—	1	22	98	68
	F	56	3	—	1	2	27	23	99	5	—	—	10	47	37
9 Influenza	M	274	6	6	3	18	85	156	435	14	4	2	21	136	258
	F	285	4	4	2	15	42	218	621	6	6	1	43	139	426
10 Measles	M	16	8	5	2	—	1	—	31	7	19	4	1	—	—
	F	20	7	12	—	—	—	1	29	10	14	2	2	—	1
11 Ac: poliomyelitis & polioenceph:	M	52	—	16	12	20	3	1	42	2	9	6	23	1	1
	F	47	1	7	14	21	4	—	38	1	7	8	18	3	1
12 Ac: infectious encephalitis	M	20	—	—	—	8	6	6	32	—	—	3	8	17	4
	F	12	—	—	1	5	3	3	41	—	—	1	9	15	16
Cancer of															
13M Mouth & œsoph:	M	225	—	—	—	6	46	173	477	—	—	—	11	153	313
13F Uterus	F	426	—	—	—	41	217	168	641	—	—	—	59	341	241
14 Stomach and duodenum	M	708	—	—	—	31	295	382	1317	—	—	—	68	514	735
	F	542	—	—	—	29	153	360	1006	—	—	—	34	304	668
15 Breast	M	7	—	—	—	1	3	3	13	—	—	—	—	5	8
	F	586	—	—	—	60	258	268	1134	—	—	—	131	481	522
16 All other sites	M	2470	3	7	7	174	978	1301	4342	3	9	11	290	1840	2189
	F	1771	—	11	6	132	580	1042	3154	2	12	8	222	1199	1711
17 Diabetes	M	84	—	—	—	3	19	62	185	1	1	—	18	46	119
	F	198	—	—	—	1	44	153	386	—	—	—	17	106	263
18 Intra-cranial vasc: lesions	M	2334	2	1	—	31	483	1817	3921	2	—	—	69	878	2972
	F	3083	1	—	—	41	538	2503	5388	1	1	4	71	1039	4272
19 Heart disease	M	6788	—	1	10	208	1864	4705	12051	2	3	15	425	3247	8359
	F	6727	—	3	10	212	1055	5447	12376	—	5	27	441	1927	9976
20 Other circulatory diseases	M	1118	1	—	—	22	184	911	1568	1	—	1	24	331	1211
	F	1188	2	—	—	20	129	1037	1730	—	—	—	40	284	1406
21 Bronchitis	M	1979	32	5	2	48	660	1232	3524	34	13	1	103	1300	2073
	F	1180	31	9	6	32	197	905	2506	25	5	5	83	461	1927
22 Pneumonia	M	968	223	49	9	54	200	433	1682	421	70	12	108	397	674
	F	844	157	41	7	46	148	445	1451	333	73	11	83	227	724
23 Other respiratory diseases	M	328	4	5	—	28	133	158	583	10	7	3	59	263	241
	F	259	4	4	2	25	85	139	416	5	3	—	56	131	221
24 Ulcer of stomach or duodenum†	M	299	—	—	—	48	136	115	505	—	—	—	63	257	185
	F	80	1	—	—	6	28	45	166	—	—	—	14	59	93
25 Diarrhœa under 2 years	M	114	110	4	—	—	—	—	300	281	19	—	—	—	—
	F	83	80	3	—	—	—	—	206	194	12	—	—	—	—
26 Appendicitis	M	53	—	4	5	13	18	13	110	1	12	8	37	31	21
	F	37	—	2	5	8	9	13	69	1	4	4	14	24	22
27 Other digestive diseases	M	327	9	9	6	36	113	154	588	32	11	9	74	209	253
	F	410	7	8	9	48	106	232	794	18	11	12	87	258	408
28 Nephritis	M	497	1	2	7	65	152	270	836	5	1	6	124	247	453
	F	466	—	4	6	47	132	277	848	3	1	7	96	240	501
29 Maternal sepsis	F	12	—	—	—	12	—	—	28	—	—	—	27	1	—
30 Other maternal	F	47	—	—	—	47	—	—	84	—	—	—	84	—	—
31 Premature birth	M	302	302	—	—	—	—	—	552	552	—	—	—	—	—
	F	217	217	—	—	—	—	—	441	441	—	—	—	—	—
32 Cong: mal.; birth inj.; infant: dis:	M	471	413	17	10	14	13	4	875	791	18	14	23	25	4
	F	395	334	11	10	20	18	2	720	623	31	10	35	18	3
33 Suicide	M	211	—	—	—	54	103	54	447	—	—	—	115	201	131
	F	129	—	—	—	33	59	37	276	—	—	1	58	134	83
34 Road traffic accidents	M	265	1	14	35	113	47	55	456	—	51	60	166	82	97
	F	84	2	10	12	17	16	27	176	—	20	25	23	45	63
35 Other violent causes	M	532	51	20	37	140	131	153	796	84	54	65	222	171	200
	F	424	37	23	4	28	43	289	619	74	33	19	44	89	360
36 All other causes	M	1518	44	33	37	149	268	987	2914	104	59	60	300	493	1898
	F	1532	31	20	20	146	319	996	3173	80	51	55	261	551	2175
†Including deaths from ulcer of duodenum	M	163	—	—	—	31	79	53	232	—	—	—	35	122	75
	F	33	—	—	—	3	15	15	41	—	—	—	6	15	20

TABLE 24—*contd.*—Geographical Regions.

Causes of Death <i>See first page of Table.</i>		Midland.							Midland I.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	45971	2684	509	422	3788	12133	26435	30300	1780	350	274	2564	8082	17250
	F	42564	1938	386	327	3298	8384	28231	28040	1320	259	222	2219	5490	18530
1 Typhoid and paratyphoid	M	2	—	—	—	1	1	—	2	—	—	—	1	1	—
	F	6	—	1	—	4	—	1	2	—	—	—	2	—	—
2 Cerebro-spinal fever	M	29	13	8	2	4	1	1	22	8	7	1	4	1	1
	F	21	7	7	2	3	2	—	11	4	4	1	2	—	—
3 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	3	—	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	57	43	11	3	—	—	—	41	31	7	3	—	—	—
	F	61	39	22	—	—	—	—	46	31	15	—	—	—	—
5 Diphtheria	M	8	—	4	3	—	1	—	7	—	4	3	—	—	—
	F	13	—	5	6	—	2	—	12	—	5	5	—	2	—
Tuberculosis :—															
6 Respiratory system	M	2037	4	9	5	913	873	233	1442	3	8	4	634	633	160
	F	1362	3	11	14	996	245	93	926	2	5	8	691	150	70
7 Other forms	M	224	18	60	31	69	37	9	163	17	37	25	50	27	7
	F	225	9	49	37	88	36	6	159	8	35	29	59	24	4
8 Syphilitic disease	M	214	4	—	1	20	104	85	141	2	—	—	12	65	62
	F	86	5	—	—	7	31	43	55	4	—	—	7	22	22
9 Influenza	M	584	22	7	6	38	157	354	420	17	4	2	29	119	249
	F	597	16	8	3	47	103	420	425	11	7	3	35	71	298
10 Measles	M	33	6	20	6	—	1	—	22	3	15	4	—	—	—
	F	32	10	17	2	2	—	1	24	6	15	1	1	—	1
11 Ac: poliomyelitis & polioenceph:	M	51	2	7	16	24	2	—	29	2	5	8	12	2	—
	F	25	3	3	3	15	1	—	10	2	1	1	6	—	—
12 Ac: infectious encephalitis	M	38	3	2	3	9	11	10	24	3	2	2	6	6	5
	F	31	2	2	1	7	16	3	21	2	1	—	5	11	2
Cancer of															
13M Mouth & œsoph:	M	539	—	—	1	11	108	419	377	—	—	1	7	73	296
13F Uterus	F	685	—	—	—	64	349	272	439	—	—	—	39	225	175
14 Stomach and duodenum	M	1356	—	—	—	71	564	721	914	—	—	—	50	382	482
	F	980	—	—	—	42	270	668	666	—	—	—	25	192	449
15 Breast	M	13	—	—	—	2	3	8	9	—	—	—	2	1	6
	F	1423	—	—	—	162	599	662	954	—	—	—	100	396	458
16 All other sites	M	5148	2	16	19	327	1991	2793	3413	1	10	13	217	1343	1829
	F	3510	1	17	13	245	1234	2000	2292	—	12	9	156	814	1301
17 Diabetes	M	201	—	—	2	18	43	138	116	—	—	—	10	26	80
	F	434	—	—	4	21	98	311	277	—	—	2	15	69	191
18 Intra-cranial vasc: lesions	M	4437	2	—	—	85	951	3399	2841	2	—	—	57	609	2173
	F	5885	3	2	4	93	1144	4639	3838	3	1	3	68	749	3014
19 Heart disease	M	13009	2	—	16	393	3059	9539	8511	2	—	10	267	1968	6264
	F	13045	2	—	12	368	1835	10828	8575	2	—	9	253	1190	7121
20 Other circulatory diseases	M	1746	3	—	2	46	383	1312	1102	3	—	1	39	258	801
	F	1713	2	1	2	41	302	1365	1095	2	1	2	29	192	869
21 Bronchitis	M	3286	71	14	8	109	1029	2055	2172	33	4	5	70	688	1372
	F	1977	48	10	5	51	307	1556	1309	28	5	3	37	207	1029
22 Pneumonia	M	2043	453	81	17	97	466	929	1383	284	57	9	67	328	638
	F	1695	326	60	12	98	252	947	1129	201	35	8	63	171	651
23 Other respiratory diseases	M	701	9	6	5	59	295	327	440	4	3	1	41	196	195
	F	442	2	5	2	53	149	231	266	1	4	—	31	83	147
24 Ulcer of stomach or duodenum †	M	704	—	—	—	77	355	272	463	—	—	—	46	242	175
	F	173	—	—	—	12	59	102	108	—	—	—	8	40	60
25 Diarrhœa under 2 years	M	242	234	8	—	—	—	—	165	158	7	—	—	—	—
	F	184	176	8	—	—	—	—	138	130	8	—	—	—	—
26 Appendicitis	M	121	2	14	9	36	28	32	83	2	10	6	23	19	23
	F	101	1	9	13	25	31	22	65	1	5	10	19	16	14
27 Other digestive diseases	M	713	29	32	17	71	219	345	458	16	25	14	48	146	209
	F	810	14	11	17	78	213	477	520	8	10	12	43	146	301
28 Nephritis	M	986	4	3	12	152	246	569	621	4	2	6	95	157	357
	F	1010	1	3	11	132	251	612	675	1	2	10	90	164	408
29 Maternal sepsis	F	24	—	—	—	24	—	—	15	—	—	—	15	—	—
30 Other maternal	F	103	—	—	—	98	5	—	76	—	—	—	73	3	—
31 Premature birth	M	579	579	—	—	—	—	—	365	365	—	—	—	—	—
	F	386	386	—	—	—	—	—	258	258	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	1150	999	34	14	62	32	9	801	703	22	8	42	20	6
	F	885	744	24	24	47	32	14	611	514	14	18	30	23	12
33 Suicide	M	588	—	—	2	143	267	176	373	—	—	1	95	174	103
	F	295	—	—	—	79	140	76	187	—	—	—	46	93	48
34 Road traffic accidents	M	632	1	33	71	279	128	120	420	1	23	45	183	89	79
	F	189	—	20	27	35	43	64	121	—	10	17	24	26	44
35 Other violent causes	M	1036	74	61	66	339	242	254	671	45	41	43	224	149	169
	F	682	59	31	39	49	68	436	459	38	24	22	36	40	299
36 All other causes	M	3463	105	79	84	333	536	2326	2289	71	57	59	233	360	1509
	F	3471	79	60	71	312	567	2382	2275	63	40	48	211	371	1542
†Including deaths from ulcer of duodenum	M	315	—	—	—	46	157	112	202	—	—	—	27	103	72
	F	45	—	—	—	4	15	26	28	—	—	—	1	10	17

TABLE 24—contd.—Geographical Regions.

Causes of Death See first page of Table.		Midland II.							East.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	15671	904	159	148	1224	4051	9185	12218	630	111	93	833	2595	7956
	F	14524	618	127	105	1079	2894	9701	11613	392	87	60	655	1872	8547
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	1	—	2	—	1	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	7	5	1	1	—	—	—	5	1	1	—	—	2	1
	F	10	3	3	1	1	2	—	4	2	—	—	2	—	—
3 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	1	—	1	—	—	—	—
4 Whooping cough	M	16	12	4	—	—	—	—	6	5	1	—	—	—	—
	F	15	8	7	—	—	—	—	7	5	2	—	—	—	—
5 Diphtheria	M	1	—	—	—	—	1	—	2	—	—	2	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—
6 Tuberculosis :—	M	595	1	1	1	279	240	73	347	1	1	—	146	146	53
Respiratory system	F	436	1	6	6	305	95	23	231	—	1	1	159	46	24
7 Other forms	M	61	1	23	6	19	10	2	56	2	15	5	21	10	3
	F	66	1	14	8	29	12	2	24	—	4	3	10	3	4
8 Syphilitic disease	M	73	2	—	1	8	39	23	69	3	—	—	1	29	36
	F	31	1	—	—	—	9	21	28	3	—	—	3	8	14
9 Influenza	M	164	5	3	4	9	38	105	162	5	—	1	18	36	102
	F	172	5	1	—	12	32	122	172	1	2	1	6	24	138
10 Measles	M	11	3	5	2	—	1	—	6	2	3	—	1	—	—
	F	8	4	2	1	1	—	—	5	1	2	2	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	22	—	2	8	12	—	—	15	—	2	3	7	2	1
	F	15	1	2	2	9	1	—	14	1	4	2	6	1	—
12 Ac: infectious encephalitis	M	14	—	—	1	3	5	5	2	—	—	—	1	—	—
	F	10	—	1	1	2	5	1	5	—	—	—	1	2	2
13M Cancer of Mouth & œsoph:	M	162	—	—	—	4	35	123	151	—	—	—	1	29	121
13F Uterus	F	246	—	—	—	25	124	97	191	—	—	—	14	80	97
14 Stomach and duodenum	M	442	—	—	—	21	182	239	324	—	—	—	14	107	203
	F	314	—	—	—	17	78	219	272	—	—	—	11	66	195
15 Breast	M	4	—	—	—	—	2	2	4	—	—	—	—	2	2
	F	469	—	—	—	62	203	204	323	—	—	—	20	139	164
16 All other sites	M	1735	1	6	6	110	648	964	1400	—	5	3	81	468	843
	F	1218	1	5	4	89	420	699	994	—	5	2	66	277	644
17 Diabetes	M	85	—	—	2	8	17	58	55	—	—	1	6	6	42
	F	157	—	—	2	6	29	120	129	—	1	—	6	24	98
18 Intra-cranial vasc: lesions	M	1596	—	—	—	28	342	1226	1209	—	—	—	14	211	984
	F	2047	—	1	1	25	395	1625	1715	1	—	1	16	245	1452
19 Heart disease	M	4498	—	—	6	126	1091	3275	3759	—	1	4	101	694	2959
	F	4470	—	—	3	115	645	3707	3782	—	2	4	46	417	3313
20 Other circulatory diseases	M	644	—	—	1	7	125	511	533	—	1	—	9	83	440
	F	618	—	—	—	12	110	496	523	—	—	—	12	73	438
21 Bronchitis	M	1114	38	10	3	39	341	683	637	12	—	—	10	150	465
	F	668	20	5	2	14	100	527	491	7	3	3	10	48	420
22 Pneumonia	M	660	169	24	8	30	138	291	481	91	11	1	23	83	272
	F	566	125	25	4	35	81	296	405	67	13	4	22	48	251
23 Other respiratory diseases	M	261	5	3	4	18	99	132	159	1	2	—	9	64	83
	F	176	1	1	2	22	66	84	116	1	2	—	23	31	59
24 Ulcer of stomach or duodenum†	M	241	—	—	—	31	113	97	164	—	—	—	16	76	72
	F	65	—	—	—	4	19	42	55	—	—	—	5	19	31
25 Diarrhœa under 2 years	M	77	76	1	—	—	—	—	39	35	4	—	—	—	—
	F	46	46	—	—	—	—	—	30	30	—	—	—	—	—
26 Appendicitis	M	38	—	4	3	13	9	9	37	—	4	8	7	10	8
	F	36	—	4	3	6	15	8	14	—	2	2	—	4	6
27 Other digestive diseases	M	255	13	7	3	23	73	136	183	2	7	4	22	40	108
	F	290	6	1	5	35	67	176	231	6	3	1	22	51	148
28 Nephritis	M	365	—	1	6	57	89	212	268	—	—	1	32	41	194
	F	335	—	1	1	42	87	204	251	1	2	1	25	63	159
29 Maternal sepsis	F	9	—	—	—	9	—	—	5	—	—	—	5	—	—
30 Other maternal	F	27	—	—	—	25	2	—	30	—	—	—	30	—	—
31 Premature birth	M	214	214	—	—	—	—	—	158	158	—	—	—	—	—
	F	128	128	—	—	—	—	—	104	104	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	349	296	12	6	20	12	3	280	250	9	8	6	6	1
	F	274	230	10	6	17	9	2	176	138	11	5	6	10	6
33 Suicide	M	215	—	—	1	48	93	73	164	—	—	—	49	55	60
	F	108	—	—	—	33	47	28	75	—	—	—	23	28	24
34 Road traffic accidents	M	212	—	10	26	96	39	41	180	—	7	17	73	38	45
	F	68	—	10	10	11	17	20	41	—	3	11	8	7	12
35 Other violent causes	M	365	29	20	23	115	93	85	288	33	22	15	69	69	80
	F	223	21	7	17	13	28	137	167	12	12	7	8	17	111
36 All other causes	M	1174	34	22	25	100	176	817	1075	28	15	20	96	138	778
	F	1196	16	20	23	101	196	840	1002	12	12	10	90	141	737
†Including deaths from ulcer of duodenum	M	113	—	—	—	19	54	40	76	—	—	—	10	35	31
	F	17	—	—	—	3	5	9	18	—	—	—	2	7	9

TABLE 24—*contd.*—Geographical Regions.

Causes of Death <i>See first page of Table.</i>		South West.							Wales.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	14642	608	114	127	918	3368	9507	17305	1019	175	137	1414	4789	9771
	F	15646	453	107	83	828	2623	11552	14804	743	120	107	1207	3065	9562
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	7	3	4	—	—	—	—	10	4	3	—	3	—	—
	F	10	2	3	1	3	—	1	9	4	4	—	1	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	17	11	5	1	—	—	—	15	10	2	3	—	—	—
	F	12	7	4	—	—	—	1	17	15	2	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	1	—	—	1	—	—	—
6 Tuberculosis:—	M	466	—	—	3	202	201	60	815	4	1	2	376	331	101
Respiratory system	F	294	1	2	1	192	61	37	586	1	4	12	417	115	37
7 Other forms	M	56	3	8	11	23	8	3	99	6	19	7	39	17	11
	F	61	3	14	9	21	8	6	73	3	18	4	32	13	3
8 Syphilitic disease	M	53	—	—	—	2	22	29	82	2	—	—	3	45	32
	F	23	—	—	—	1	7	15	27	5	1	1	1	6	13
9 Influenza	M	107	1	3	—	7	30	66	170	7	2	1	12	50	98
	F	159	2	1	1	6	19	130	170	10	1	1	10	29	119
10 Measles	M	4	3	1	—	—	—	—	8	5	3	—	—	—	—
	F	5	1	4	—	—	—	—	9	1	4	2	1	—	1
11 Ac: poliomyelitis & polioenceph:	M	31	—	—	14	16	1	—	9	—	2	1	5	1	—
	F	22	1	1	7	13	—	—	12	3	2	1	5	1	—
12 Ac: infectious encephalitis	M	6	—	—	1	2	1	2	8	—	1	—	5	1	1
	F	13	—	—	—	5	3	5	14	—	—	—	6	7	1
13M Cancer of Mouth & œsoph:	M	176	—	—	—	1	49	126	230	—	—	1	11	67	151
13F Uterus	F	240	—	—	—	21	105	114	267	—	—	—	33	137	97
14 Stomach and duodenum	M	459	—	—	—	10	136	313	669	—	—	—	27	274	368
	F	398	—	—	—	12	81	305	428	—	—	—	15	120	293
15 Breast	M	5	—	—	—	—	2	3	—	—	—	—	—	—	—
	F	464	—	—	—	37	182	245	413	—	—	—	42	201	170
16 All other sites	M	1535	2	5	4	81	524	919	1674	2	6	10	84	667	905
	F	1343	—	5	4	70	435	829	1220	2	6	2	86	445	679
17 Diabetes	M	72	—	—	1	7	11	53	76	—	—	—	7	21	48
	F	142	—	—	4	7	28	103	166	—	1	2	6	45	112
18 Intra-cranial vasc: lesions	M	1530	1	—	—	17	285	1227	1618	2	1	—	29	340	1246
	F	2296	—	—	—	21	368	1907	2089	—	—	—	23	435	1631
19 Heart disease	M	4796	—	1	8	78	963	3746	4781	—	1	4	149	1255	3372
	F	5300	—	1	3	77	584	4635	4389	—	—	9	116	720	3544
20 Other circulatory diseases	M	574	—	—	—	9	111	454	575	1	—	—	17	124	433
	F	653	—	—	—	19	78	556	574	1	—	—	12	94	467
21 Bronchitis	M	673	7	1	3	18	169	475	1246	20	8	—	32	391	795
	F	504	3	—	—	10	47	444	660	21	5	—	21	86	527
22 Pneumonia	M	508	84	22	2	24	93	283	547	159	28	3	27	93	237
	F	560	79	14	8	25	63	371	438	112	11	8	33	60	214
23 Other respiratory diseases	M	253	1	—	1	22	102	127	642	4	10	—	44	323	261
	F	173	—	2	—	13	58	100	165	3	5	—	26	42	89
24 Ulcer of stomach or duodenum†	M	194	—	—	—	17	99	78	239	—	—	1	37	120	81
	F	66	—	—	—	4	18	44	58	—	—	—	3	27	28
25 Diarrhœa under 2 years	M	28	25	3	—	—	—	—	82	76	6	—	—	—	—
	F	12	9	3	—	—	—	—	64	59	5	—	—	—	—
26 Appendicitis	M	45	—	3	4	10	13	15	67	—	4	12	16	21	14
	F	27	—	2	2	2	6	15	40	1	3	4	9	12	11
27 Other digestive diseases	M	250	5	5	—	23	68	149	265	8	5	5	36	81	130
	F	319	4	3	4	27	79	202	307	11	3	4	22	99	168
28 Nephritis	M	440	1	1	2	46	98	292	475	1	4	5	51	119	295
	F	390	—	—	5	20	82	283	385	2	—	10	42	91	240
29 Maternal sepsis	F	4	—	—	—	4	—	—	15	—	—	—	15	—	—
30 Other maternal	F	34	—	—	—	34	—	—	47	—	—	—	46	1	—
31 Premature birth	M	170	170	—	—	—	—	—	263	263	—	—	—	—	—
	F	123	123	—	—	—	—	—	183	183	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	281	248	12	2	11	8	—	399	348	5	9	19	12	6
	F	230	187	5	9	15	10	4	282	254	6	7	7	7	1
33 Suicide	M	185	—	—	—	45	87	53	150	—	—	—	45	61	44
	F	113	—	—	—	26	62	25	74	—	—	—	23	35	16
34 Road traffic accidents	M	172	—	9	17	90	30	26	180	—	17	23	78	33	29
	F	53	—	6	4	10	16	17	46	—	3	14	11	9	9
35 Other violent causes	M	306	22	15	28	78	82	81	461	45	24	24	150	120	98
	F	265	23	14	8	17	28	175	216	26	18	3	17	23	129
36 All other causes	M	1242	21	15	25	79	175	927	1449	52	23	26	112	221	1015
	F	1336	8	23	13	115	194	983	1360	26	18	22	126	205	963
†Including deaths from ulcer of duodenum	M	79	—	—	—	7	45	27	104	—	—	1	21	46	36
	F	14	—	—	—	1	6	7	11	—	—	—	2	5	4

TABLE 24—contd.—Geographical Regions.

Causes of Death See first page of Table.		Wales I.							Wales II.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	12434	763	131	100	1070	3577	6793	4871	256	44	37	344	1212	2978
	F	9969	540	95	83	887	2157	6207	4835	203	25	24	320	908	3355
1 Typhoid and paratyphoid	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	7	1	3	—	3	—	—	3	3	—	—	—	—	—
	F	8	3	4	—	1	—	—	1	1	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	10	7	2	1	—	—	—	5	3	—	2	—	—	—
	F	12	10	2	—	—	—	—	5	5	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—
6 Tuberculosis:—	M	596	2	1	2	289	235	67	219	2	—	—	87	96	34
Respiratory system	F	433	—	4	7	314	85	23	153	1	—	5	103	30	14
7 Other forms	M	72	4	15	7	24	14	8	27	2	4	—	15	3	3
	F	56	3	15	4	21	11	2	17	—	3	—	11	2	1
8 Syphilitic disease	M	62	2	—	—	1	34	25	20	—	—	—	2	11	7
	F	20	2	1	—	1	5	11	7	3	—	1	—	1	2
9 Influenza	M	101	5	—	—	10	34	52	69	2	2	1	2	16	46
	F	91	4	1	1	7	16	62	79	6	—	—	3	13	57
10 Measles	M	7	5	2	—	—	—	—	1	—	1	—	—	—	—
	F	7	1	4	1	1	—	—	2	—	—	1	—	—	1
11 Ac: poliomyelitis & polioenceph:	M	8	—	2	1	4	1	—	1	—	—	—	1	—	—
	F	9	3	2	—	3	1	—	3	—	—	1	2	—	—
12 Ac: infectious encephalitis	M	6	—	1	—	3	1	1	2	—	—	—	2	—	—
	F	7	—	—	—	3	4	—	7	—	—	—	3	3	1
13M Cancer of Mouth & œsoph:	M	159	—	—	1	10	47	101	71	—	—	—	1	20	50
13F Uterus	F	194	—	—	—	26	98	70	73	—	—	—	7	39	27
14 Stomach and duodenum	M	445	—	—	—	23	200	222	224	—	—	—	4	74	146
	F	272	—	—	—	8	85	179	156	—	—	—	7	35	114
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	266	—	—	—	30	135	101	147	—	—	—	12	66	69
16 All other sites	M	1186	1	4	7	61	496	617	488	1	2	3	23	171	288
	F	800	1	3	2	58	305	431	420	1	3	—	28	140	248
17 Diabetes	M	45	—	—	—	5	12	28	31	—	—	—	2	9	20
	F	105	—	1	2	4	34	64	61	—	—	—	2	11	48
18 Intra-cranial vasc: lesions	M	1083	2	1	—	19	243	818	535	—	—	—	10	97	428
	F	1365	—	—	—	19	301	1045	724	—	—	—	4	134	586
19 Heart disease	M	3402	—	1	2	118	946	2335	1379	—	—	2	31	309	1037
	F	2874	—	7	—	87	518	2262	1515	—	—	2	29	202	1282
20 Other circulatory diseases	M	417	1	—	—	15	91	310	158	—	—	—	2	33	123
	F	374	1	—	—	10	66	297	200	—	—	—	2	28	170
21 Bronchitis	M	1019	18	3	—	27	326	645	227	2	5	—	5	65	150
	F	488	15	3	—	17	59	394	172	6	2	—	4	27	133
22 Pneumonia	M	398	123	20	3	20	68	164	149	36	8	—	7	25	73
	F	310	84	9	5	26	40	146	128	28	2	3	7	20	68
23 Other respiratory diseases	M	517	3	6	—	34	270	204	125	1	4	—	10	53	57
	F	104	1	5	—	14	28	56	61	2	—	—	12	14	33
24 Ulcer of stomach or duodenum†	M	173	—	—	1	28	87	57	66	—	—	—	9	33	24
	F	42	—	—	—	1	19	22	16	—	—	—	2	8	6
25 Diarrhoea under 2 years	M	67	62	5	—	—	—	—	15	14	1	—	—	—	—
	F	50	47	3	—	—	—	—	14	12	2	—	—	—	—
26 Appendicitis	M	44	—	4	7	9	13	11	23	—	—	5	7	8	3
	F	23	—	2	4	4	7	6	17	1	1	—	5	5	5
27 Other digestive diseases	M	182	7	5	3	24	56	87	83	1	—	2	12	25	43
	F	219	8	3	4	15	73	116	88	3	—	—	7	26	52
28 Nephritis	M	316	—	3	3	40	84	186	159	1	1	2	11	35	109
	F	262	1	—	8	32	66	155	123	1	—	2	10	25	85
29 Maternal sepsis	F	12	—	—	—	12	—	—	3	—	—	—	3	—	—
30 Other maternal	F	37	—	—	—	37	—	—	10	—	—	—	9	1	—
31 Premature birth	M	203	203	—	—	—	—	—	60	60	—	—	—	—	—
	F	139	139	—	—	—	—	—	44	44	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	284	246	2	8	14	8	6	115	102	3	1	5	4	—
	F	196	179	3	6	3	4	1	86	75	3	1	4	3	—
33 Suicide	M	104	—	—	—	31	40	33	46	—	—	—	14	21	11
	F	62	—	—	—	19	28	15	12	—	—	—	4	7	1
34 Road traffic accidents	M	124	—	17	18	47	21	21	56	—	—	5	31	12	8
	F	35	—	3	12	7	7	6	11	—	—	2	4	2	3
35 Other violent causes	M	355	34	17	18	124	90	72	106	11	7	6	26	30	26
	F	149	17	13	2	12	16	89	67	9	5	1	5	7	40
36 All other causes	M	1041	37	17	18	87	159	723	408	15	6	8	25	62	292
	F	948	21	14	18	95	146	654	412	5	4	4	31	59	309
†Including deaths from ulcer of duodenum	M	77	—	—	1	15	36	25	27	—	—	—	6	10	11
	F	7	—	—	—	1	3	3	4	—	—	—	1	2	1

TABLE 24—*contd.*—Density Summary of Areas outside Greater London.

Causes of Death <i>See first page of Table.</i>		County Boroughs.							Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	82600	5003	924	663	6533	23562	45915	84365	4373	794	708	6178	21945	50367
	F	79049	3703	768	477	6124	15901	52076	82488	3233	619	538	5413	15958	56727
1 Typhoid and paratyphoid	M	7	1	1	—	2	3	—	5	—	1	—	2	2	—
	F	7	—	—	2	3	1	1	6	1	1	—	3	1	—
2 Cerebro-spinal fever	M	67	32	20	4	9	2	—	42	15	11	5	8	2	1
	F	52	20	17	3	10	2	—	37	13	7	8	6	2	1
3 Scarlet fever	M	4	—	—	3	1	—	—	4	—	1	1	—	1	1
	F	3	—	1	2	—	—	—	3	—	—	2	1	—	—
4 Whooping cough	M	115	86	25	4	—	—	—	61	42	17	2	—	—	—
	F	131	80	49	1	—	—	1	85	53	30	1	—	—	1
5 Diphtheria	M	15	1	10	2	2	—	—	17	—	7	4	5	1	—
	F	13	1	8	2	1	1	—	14	—	6	7	—	1	—
Tuberculosis:—															
6 Respiratory system	M	4045	9	18	10	1646	1865	497	3046	4	13	9	1318	1297	405
	F	2662	9	24	24	1931	515	159	2009	3	10	15	1426	395	160
7 Other forms	M	437	26	110	52	144	80	25	390	23	82	56	139	61	29
	F	393	18	87	61	159	48	20	340	22	75	49	121	52	21
8 Syphilitic disease	M	523	13	—	2	34	279	195	380	16	1	1	26	169	167
	F	234	7	—	2	18	103	104	172	15	1	—	14	67	75
9 Influenza	M	855	31	12	8	52	272	480	876	25	9	5	63	245	529
	F	955	16	11	3	63	190	672	996	15	11	6	64	188	712
10 Measles	M	57	19	36	1	—	1	—	52	15	23	12	2	—	—
	F	54	13	32	7	2	—	—	47	19	19	2	4	—	3
11 Ac: poliomyelitis & polioenceph:	M	90	3	26	16	41	4	—	123	3	16	34	62	4	4
	F	80	3	13	16	40	8	—	92	8	12	22	46	3	1
12 Ac: infectious encephalitis	M	66	3	3	4	19	22	15	53	1	2	1	16	17	16
	F	72	2	1	1	23	28	17	57	1	2	2	9	27	16
Cancer of															
13M Mouth & œsoph:	M	999	—	—	3	26	249	721	978	—	—	—	19	232	727
13F Uterus	F	1438	—	—	—	120	756	562	1403	—	—	—	133	700	570
14 Stomach and duodenum	M	2472	—	—	—	135	1010	1327	2740	—	—	—	125	1055	1560
	F	1925	—	—	—	86	557	1282	2058	—	—	—	62	554	1442
15 Breast	M	20	—	—	—	2	10	8	32	—	—	—	1	11	20
	F	2350	—	—	—	229	1031	1090	2564	—	—	—	266	1126	1172
16 All other sites	M	9185	8	25	25	609	3790	4728	9148	6	27	34	537	3499	5045
	F	6466	6	34	18	443	2345	3620	6820	3	26	23	433	2331	4004
17 Diabetes	M	288	1	1	2	20	69	195	418	—	—	2	46	91	279
	F	692	—	—	2	33	157	500	826	—	1	7	37	204	577
18 Intra-cranial vasc: lesions	M	7705	7	—	1	126	1761	5810	8569	5	1	—	138	1753	6672
	F	10472	2	1	5	165	1978	8321	12100	3	2	4	121	2145	9825
19 Heart disease	M	23270	3	5	28	783	6116	16335	25539	1	3	22	744	6076	18693
	F	24129	2	6	34	781	3548	19758	26264	1	3	43	619	3636	21962
20 Other circulatory diseases	M	3436	6	1	2	76	731	2620	3263	1	—	—	69	631	2562
	F	3778	2	1	1	80	548	3146	3474	2	2	1	76	513	2880
21 Bronchitis	M	6836	103	22	9	201	2385	4116	5531	89	17	5	143	1707	3570
	F	4336	96	15	10	109	753	3353	3575	69	15	12	106	541	2832
22 Pneumonia	M	3869	897	150	26	196	846	1754	3012	654	129	22	156	673	1378
	F	3435	670	137	16	185	508	1919	2767	523	109	25	142	385	1583
23 Other respiratory diseases	M	1259	22	22	6	120	549	540	1548	13	10	5	129	689	702
	F	863	9	11	4	112	281	446	912	10	12	2	117	270	501
24 Ulcer of stomach or duodenum†	M	1198	—	—	—	148	578	472	1231	—	—	2	154	605	470
	F	334	1	—	—	18	120	195	353	—	—	—	30	121	202
25 Diarrhœa under 2 years	M	600	570	30	—	—	—	—	356	332	24	—	—	—	—
	F	412	389	23	—	—	—	—	253	240	13	—	—	—	—
26 Appendicitis	M	225	3	18	21	66	67	50	248	1	23	31	64	64	65
	F	167	1	15	20	35	43	53	158	2	11	14	32	54	45
27 Other digestive diseases	M	1218	50	41	21	144	379	583	1296	44	36	29	126	413	648
	F	1485	34	30	22	146	399	854	1717	33	25	30	165	477	987
28 Nephritis	M	1609	7	9	13	215	445	920	2060	5	2	20	255	518	1260
	F	1720	3	8	17	217	439	1036	1945	5	3	20	174	497	1246
29 Maternal sepsis	F	52	—	—	—	52	—	—	55	—	—	—	54	1	—
30 Other maternal	F	183	—	—	—	181	2	—	182	—	—	—	178	4	—
31 Premature birth	M	1082	1082	—	—	—	—	—	1098	1098	—	—	—	—	—
	F	791	791	—	—	—	—	—	792	792	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	1865	1658	45	23	75	55	9	1861	1610	65	31	84	54	17
	F	1476	1256	55	24	64	57	20	1398	1167	42	40	84	47	18
33 Suicide	M	906	—	—	—	240	416	250	927	—	—	1	227	404	295
	F	565	—	—	1	129	276	159	542	—	—	—	145	261	136
34 Road traffic accidents	M	870	1	76	123	306	181	183	971	—	62	119	420	163	207
	F	338	—	42	42	57	72	125	286	3	30	54	63	51	85
35 Other violent causes	M	1714	159	85	121	497	387	465	1860	186	100	118	545	458	453
	F	1249	126	50	33	73	143	824	1380	127	70	46	97	154	886
36 All other causes	M	5693	202	133	133	598	1010	3617	6630	184	112	137	555	1050	4592
	F	5737	146	97	104	559	992	3839	6806	103	81	103	585	1150	4784
†Including deaths from ulcer of duodenum	M	554	—	—	—	88	270	196	584	—	—	2	89	279	214
	F	101	—	—	—	6	43	52	92	—	—	—	13	37	42

TABLE 24—*contd.*—Density Summary of Areas
Outside Greater London.

London.

Causes of Death <i>See first page of Table.</i>		Rural Districts.							Administrative County.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	47960	2490	505	396	3458	10478	30694	20339	899	157	146	1512	5811	11814
	F	44706	1732	391	287	2771	7926	31599	19116	618	127	85	1324	3722	13240
1 Typhoid and paratyphoid	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	2	—	—	1	—	—	1
2 Cerebro-spinal fever	M	26	12	9	—	1	2	2	7	4	2	—	—	1	—
	F	20	3	8	2	4	2	1	12	4	4	—	1	1	2
3 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	38	31	4	3	—	—	—	11	9	2	—	—	—	—
	F	40	25	15	—	—	—	—	16	11	5	—	—	—	—
5 Diphtheria	M	3	—	1	2	—	—	—	5	—	1	4	—	—	—
	F	7	—	2	1	2	1	1	4	—	2	2	—	—	—
6 Tuberculosis :— Respiratory system	M	1406	6	2	5	611	576	206	1046	1	2	1	323	489	230
	F	955	2	3	11	642	197	100	539	1	3	4	342	134	55
7 Other forms	M	245	18	63	25	81	43	15	95	—	13	12	36	23	11
	F	185	11	42	17	68	31	16	61	3	13	7	20	14	4
8 Syphilitic disease	M	159	4	—	—	8	70	77	182	1	—	—	6	91	84
	F	58	3	—	1	6	22	26	88	1	—	—	4	32	51
9 Influenza	M	521	23	11	3	40	100	344	191	8	2	2	14	57	108
	F	592	17	9	2	33	72	459	181	7	3	1	13	38	119
10 Measles	M	27	8	10	6	1	1	1	7	1	5	—	1	—	—
	F	34	5	18	6	4	—	1	9	2	6	1	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	77	1	6	21	43	6	—	26	1	6	7	11	1	—
	F	55	3	5	8	36	3	—	24	—	5	4	15	—	—
12 Ac: infectious encephalitis	M	31	—	1	2	12	8	8	9	—	—	—	6	3	—
	F	36	—	2	1	10	14	9	10	—	—	—	5	3	2
13M Cancer of Mouth & œsoph:	M	560	—	1	—	7	136	416	290	—	—	2	14	68	206
13F Uterus	F	671	—	—	—	62	309	300	318	—	1	—	31	138	148
14 Stomach and duodenum	M	1493	—	—	—	54	489	950	598	—	—	—	34	233	331
	F	1075	—	—	—	42	271	762	508	—	—	—	20	134	354
15 Breast	M	14	—	—	—	—	6	8	6	—	—	—	—	3	3
	F	1333	—	—	—	134	536	663	672	—	—	—	64	287	321
16 All other sites	M	5004	4	19	20	277	1651	3033	2781	1	7	10	153	1123	1487
	F	3871	2	19	10	250	1236	2354	1917	2	8	6	133	638	1130
17 Diabetes	M	226	—	1	3	16	47	159	85	—	1	—	4	22	58
	F	453	—	1	8	19	101	324	163	—	—	1	6	29	127
18 Intra-cranial vasc: lesions	M	4981	2	1	—	56	842	4080	1480	1	1	—	22	360	1096
	F	6554	3	—	—	86	1115	5350	2122	1	—	1	28	370	1722
19 Heart disease	M	14949	1	2	20	352	2842	11732	5341	—	4	2	195	1331	3809
	F	14305	—	2	11	241	1754	12297	5816	—	1	1	155	719	4940
20 Other circulatory diseases	M	1896	2	2	4	31	301	1556	1011	1	1	1	22	201	785
	F	1899	2	—	1	47	286	1563	1168	—	—	—	23	199	946
21 Bronchitis	M	2428	59	13	2	59	597	1698	1890	23	1	—	36	544	1286
	F	1701	31	11	4	43	177	1435	1152	13	4	—	22	150	963
22 Pneumonia	M	1807	370	79	14	97	305	942	1051	109	21	2	42	242	635
	F	1542	272	58	20	84	193	915	999	78	17	5	39	133	727
23 Other respiratory diseases	M	852	9	13	2	53	349	426	294	5	4	1	22	113	149
	F	513	6	4	2	61	167	273	198	—	—	—	24	59	115
24 Ulcer of stomach or duodenum †	M	560	—	—	—	58	260	242	423	—	—	—	35	198	190
	F	171	—	—	1	11	52	107	137	—	—	—	10	33	94
25 Diarrhoea under 2 years	M	154	146	8	—	—	—	—	62	55	7	—	—	—	—
	F	121	115	6	—	—	—	—	36	32	4	—	—	—	—
26 Appendicitis	M	125	—	10	12	31	31	41	60	—	1	—	11	25	23
	F	80	—	2	13	19	21	25	47	—	3	5	6	12	21
27 Other digestive diseases	M	793	26	18	12	86	228	423	317	3	8	5	25	105	171
	F	881	15	9	14	82	231	530	420	5	2	—	31	117	265
28 Nephritis	M	1207	6	5	7	144	258	787	308	1	—	4	43	92	168
	F	1070	—	4	14	100	253	699	315	—	1	3	41	85	185
29 Maternal sepsis	F	25	—	—	—	25	—	—	14	—	—	—	14	—	—
30 Other maternal	F	122	—	—	—	119	3	—	26	—	—	—	24	2	—
31 Premature birth	M	620	620	—	—	—	—	—	214	214	—	—	—	—	—
	F	418	418	—	—	—	—	—	143	143	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	1091	953	38	20	47	24	9	447	381	13	7	20	20	6
	F	791	660	26	27	41	28	9	340	258	9	5	22	25	21
33 Suicide	M	624	—	—	1	191	246	186	309	—	—	—	107	133	69
	F	234	—	—	—	76	103	55	160	—	—	—	53	74	33
34 Road traffic accidents	M	809	1	35	60	389	181	143	193	—	16	28	65	35	49
	F	205	—	17	35	49	52	52	64	—	5	8	12	9	30
35 Other violent causes	M	1165	93	83	77	379	262	271	433	50	18	30	115	77	143
	F	735	70	60	23	62	75	445	401	38	15	9	35	51	253
36 All other causes	M	4065	95	70	74	333	555	2938	1167	30	21	28	150	221	717
	F	3952	69	68	54	312	621	2828	1033	19	16	20	131	236	611
†Including deaths from ulcer of duodenum	M	249	—	—	—	30	120	99	167	—	—	—	16	80	71
	F	41	—	—	1	3	11	26	36	—	—	—	4	10	22

TABLE 24—contd.

Causes of Death See first page of Table.			CITY OF LONDON.							THE INNER AND MIDDLE TEMPLES.						
			All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	F	26 14	2 1	— —	— —	2 1	10 4	12 8	— —	— —	— —	— —	— —	— —	— —
1 Typhoid and paratyphoid	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tuberculosis:— Respiratory system	M	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—
7 Other forms	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Syphilitic disease	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Measles	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Cancer of Mouth & œsoph:	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13F Uterus	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Stomach and duodenum	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Breast	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16 All other sites	M	F	1 3 3	—	—	—	—	2 2	1 1	—	—	—	—	—	—	—
17 Diabetes	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Intra-cranial vasc: lesions	M	F	1 4 2	—	—	—	—	2	1 2 2	—	—	—	—	—	—	—
19 Heart disease	M	F	5 2	—	—	—	—	1 1	4 1	—	—	—	—	—	—	—
20 Other circulatory diseases	M	F	2 1	—	—	—	1	—	1 1	—	—	—	—	—	—	—
21 Bronchitis	M	F	2 1	—	—	—	—	2	—	—	—	—	—	—	—	—
22 Pneumonia	M	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—
23 Other respiratory diseases	M	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—
24 Ulcer of stomach or duodenum †	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Diarrhœa under 2 years	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Nephritis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29 Maternal sepsis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—
33 Suicide	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 Road traffic accidents	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35 Other violent causes	M	F	1 3	1	—	—	1	1	—	—	—	—	—	—	—	—
36 All other causes	M	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—
†Including deaths from ulcer of duodenum	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death See first page of Table.		BATTERSEA.							BERMONDSEY.							BETHNAL GREEN.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	725	31	5	8	46	217	418	386	13	3	2	27	130	211	396	17	3	3	24	109	240
	F	701	20	5	3	47	119	507	337	20	5	2	27	55	228	352	16	3	3	20	71	239
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	1	—	—	—	—	—	2	—	—	2	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	28	—	—	—	9	18	1	30	—	—	—	8	18	4	11	—	—	—	3	6	2
	F	20	—	1	—	15	3	1	10	—	—	—	7	3	—	6	—	—	—	3	3	—
7 Other forms	M	4	—	1	—	1	2	—	1	—	—	—	—	1	—	2	—	—	—	1	—	1
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Syphilitic disease	M	2	—	—	—	—	—	2	3	—	—	—	—	—	3	6	—	—	—	—	4	2
	F	3	—	—	—	—	1	2	1	—	—	—	—	1	—	3	—	—	—	1	—	—
9 Influenza	M	4	—	—	—	—	2	2	1	—	—	—	—	1	—	4	—	1	—	—	—	2
	F	6	—	—	—	—	3	3	2	—	—	—	—	1	1	3	—	—	—	1	—	2
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	11	—	—	—	3	2	6	8	—	—	—	—	1	7	5	—	—	—	—	2	3
13F Uterus	F	10	—	—	—	—	4	6	6	—	—	—	—	2	4	4	—	—	—	1	—	3
14 Stomach and duodenum	M	30	—	—	—	3	12	15	10	—	—	—	—	5	5	13	—	—	—	2	2	9
	F	16	—	—	—	—	3	13	3	—	—	—	—	—	3	11	—	—	—	3	—	8
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	2	13	4	9	—	—	—	2	1	6	14	—	—	—	1	6	7
16 All other sites	M	109	—	—	—	7	46	56	49	—	—	—	1	19	29	63	—	—	—	1	26	36
	F	74	—	—	—	7	20	47	37	—	1	—	5	11	20	40	—	—	—	5	10	25
17 Diabetes	M	4	—	—	—	—	—	4	2	—	—	—	—	—	2	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	1	—	—	—	—	—	1	4	—	—	—	—	1	3
18 Intra-cranial vasc: lesions	M	53	—	—	—	—	10	43	28	—	—	—	—	7	21	21	—	—	—	—	4	17
	F	83	—	—	—	—	13	70	39	—	—	—	1	3	35	41	—	—	—	1	8	32
19 Heart disease	M	180	—	—	—	4	45	131	98	—	—	—	4	34	60	100	—	—	—	2	22	76
	F	227	—	—	—	5	21	201	89	—	—	—	—	10	79	81	—	—	—	4	16	61
20 Other circulatory diseases	M	33	—	—	1	1	8	23	15	—	—	—	—	3	12	23	—	—	—	—	6	17
	F	42	—	—	—	1	5	36	15	—	—	—	—	1	14	34	—	—	—	—	6	28
24 Bronchitis	M	85	1	—	—	—	26	58	54	2	—	—	3	19	30	47	—	—	—	3	16	28
	F	46	—	1	—	—	4	41	29	—	—	—	1	4	24	26	—	1	—	—	3	22
22 Pneumonia	M	36	3	1	—	1	9	22	20	1	—	—	2	5	12	16	2	—	—	2	2	10
	F	30	3	1	—	2	4	20	25	3	—	—	3	7	12	19	3	—	—	—	2	14
23 Other respiratory diseases	M	8	—	—	—	1	2	5	8	—	—	—	1	3	4	4	—	—	—	2	—	2
	F	5	—	—	—	—	2	3	1	—	—	—	—	1	—	5	—	—	—	—	1	4
24 Ulcer of stomach or duodenum†	M	16	—	—	—	—	8	8	6	—	—	—	—	—	6	14	—	—	—	—	7	7
	F	9	—	—	—	—	3	6	2	—	—	—	—	—	2	7	—	—	—	1	1	5
25 Diarrhœa under 2 years	M	2	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	1	1	—	—	—	—	—	1	2	—	—	—	—	1	1
27 Other digestive diseases	M	11	—	—	—	2	4	5	4	—	—	—	—	1	3	8	—	—	—	—	3	5
	F	17	—	—	—	—	5	12	9	—	—	—	—	2	7	10	—	—	—	—	3	7
28 Nephritis	M	10	—	—	1	—	4	5	1	—	—	—	—	—	1	7	—	—	—	1	3	3
	F	11	—	—	—	1	4	6	8	—	—	—	2	3	3	4	—	—	—	—	—	4
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
31 Premature birth	M	6	6	—	—	—	—	—	2	2	—	—	—	—	—	7	7	—	—	—	—	—
	F	6	6	—	—	—	—	—	6	6	—	—	—	—	—	3	3	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	18	17	—	—	—	—	1	9	7	1	—	1	—	—	10	7	1	1	—	1	—
	F	13	8	—	1	3	—	1	14	8	1	1	3	—	1	9	6	2	—	—	—	1
33 Suicide	M	9	—	—	—	1	3	5	2	—	—	—	—	2	—	2	—	—	—	1	1	—
	F	6	—	—	—	—	4	2	1	—	—	—	—	—	1	1	—	—	—	—	1	—
34 Road traffic accidents	M	6	—	—	3	2	—	1	4	—	1	—	2	—	1	2	—	—	1	1	—	—
	F	4	—	1	1	—	—	2	1	—	—	—	—	—	1	1	—	—	—	—	—	—
35 Other violent causes	M	15	2	1	3	2	5	2	4	—	—	—	1	3	—	3	—	—	—	2	—	1
	F	9	1	1	—	1	2	4	8	2	—	—	—	1	5	6	1	—	1	—	1	3
36 All other causes	M	41	1	—	—	8	10	22	24	—	1	—	4	8	11	26	1	1	—	3	3	18
	F	29	—	—	—	4	3	22	15	—	—	—	3	4	8	15	1	—	2	2	3	7
†Including deaths from ulcer of duodenum	M	4	—	—	—	—	2	2	1	—	—	—	—	—	1	4	—	—	—	—	2	2
	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	2	—	—	—	1	—	1

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death See first page of Table.		CAMBERWELL.							CHELSEA.							DEPTFORD.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1110	55	12	11	80	310	642	290	16	1	1	19	69	184	523	25	6	9	38	126	319
	F	1025	22	8	3	70	184	738	298	7	3	—	16	49	223	402	17	3	—	27	82	273
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	52	—	—	—	16	25	11	11	—	—	—	2	3	6	35	—	—	—	12	16	7
	F	27	—	—	—	18	5	4	3	—	—	—	2	1	—	5	—	—	—	5	—	—
7 Other forms	M	8	—	1	3	4	—	—	1	—	—	—	1	—	—	2	—	—	1	—	—	1
	F	7	—	2	1	1	3	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
8 Syphilitic disease	M	8	—	—	—	—	6	2	2	—	—	—	—	2	—	5	—	—	—	1	3	1
	F	2	—	—	—	—	1	1	1	—	—	—	1	—	—	1	—	—	—	1	—	—
9 Influenza	M	9	—	—	1	—	4	4	4	—	—	—	1	—	3	6	—	—	—	2	2	2
	F	9	2	—	—	—	2	5	5	—	—	—	1	2	2	3	1	—	—	—	—	—
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	17	—	—	—	—	3	14	3	—	—	—	—	2	1	7	—	—	—	—	2	5
13F Uterus	F	20	—	—	—	1	10	9	5	—	—	—	—	1	4	2	—	—	—	—	—	2
14 Stomach and duodenum	M	32	—	—	—	3	11	18	8	—	—	—	1	3	4	16	—	—	—	—	6	10
	F	24	—	—	—	1	4	19	10	—	—	—	—	4	6	5	—	—	—	—	2	3
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	40	—	—	—	2	19	19	8	—	—	—	1	3	4	17	—	—	—	2	4	11
16 All other sites	M	153	—	3	—	10	55	85	35	—	—	—	3	9	23	56	—	—	—	4	17	35
	F	86	—	1	6	26	53	53	34	—	—	—	3	11	20	35	—	1	—	1	17	16
17 Diabetes	M	5	—	—	—	—	1	4	2	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	1	—	—	—	—	—	1	—	—	—	—	—	—	—
18 Intra-cranial vasc: lesions	M	74	—	1	—	1	18	54	21	—	—	—	—	6	15	42	—	—	—	2	10	30
	F	137	—	—	—	1	20	116	37	—	—	—	—	4	33	42	—	—	—	1	10	31
19 Heart disease	M	271	—	—	1	12	55	203	86	—	—	—	—	23	63	140	—	—	1	4	26	109
	F	316	—	—	—	8	32	276	83	—	—	—	3	6	74	155	—	—	—	7	27	121
20 Other circulatory diseases	M	46	—	—	—	—	7	39	15	—	—	—	—	5	10	35	—	—	—	1	4	30
	F	52	—	—	—	—	10	42	27	—	—	—	1	3	23	17	—	—	—	1	2	14
21 Bronchitis	M	122	1	—	—	3	41	77	20	—	—	—	—	2	18	45	—	—	—	2	11	32
	F	73	1	—	—	3	8	61	9	—	—	—	—	—	9	36	—	—	—	1	3	32
22 Pneumonia	M	54	6	1	—	2	15	30	13	2	—	—	1	3	7	27	2	2	1	—	6	16
	F	49	4	1	—	2	6	36	17	1	1	—	—	1	14	21	1	—	—	2	2	16
23 Other respiratory diseases	M	19	1	1	—	—	8	9	3	—	—	—	—	—	3	3	—	—	—	—	2	1
	F	9	—	—	—	1	3	5	4	—	—	—	—	—	4	2	—	—	—	1	1	1
24 Ulcer of stomach or duodenum†	M	27	—	—	—	1	14	12	8	—	—	—	—	3	5	11	—	—	—	1	3	7
	F	3	—	—	—	1	1	1	1	—	—	—	—	—	1	2	—	—	—	—	—	2
25 Diarrhœa under 2 years	M	3	3	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	2	—	—	—	1	—	1	1	—	—	—	—	—	1	2	—	—	—	—	1	1
	F	1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	21	—	2	1	1	7	10	5	—	1	—	2	—	2	11	—	—	1	2	3	5
	F	31	—	—	—	—	11	20	5	—	—	—	—	—	5	8	—	—	—	—	2	5
28 Nephritis	M	21	—	—	—	1	7	13	5	—	—	—	1	—	4	5	—	—	—	1	1	4
	F	18	—	—	1	4	4	9	6	—	—	—	1	2	3	4	—	—	—	—	2	2
29 Maternal sepsis	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	18	18	—	—	—	—	—	4	4	—	—	—	—	—	7	7	—	—	—	—	—
	F	4	4	—	—	—	—	—	2	2	—	—	—	—	—	3	3	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	24	22	—	—	1	—	1	11	8	—	—	1	2	—	8	8	—	—	—	—	—
	F	11	6	—	—	1	1	3	6	3	1	—	1	—	1	8	8	—	—	—	—	—
33 Suicide	M	17	—	—	—	2	10	5	4	—	—	—	3	1	—	6	—	—	—	—	4	2
	F	5	—	—	—	2	2	1	3	—	—	—	—	3	—	3	—	—	—	—	—	3
34 Road traffic accidents	M	13	—	—	—	6	5	2	1	—	—	—	—	—	1	7	—	1	3	3	—	—
	F	9	—	1	—	1	2	5	1	—	—	—	—	—	1	1	—	—	—	1	—	—
35 Other violent causes	M	20	1	1	2	4	6	6	5	—	—	1	—	1	3	18	7	—	—	2	3	6
	F	11	2	—	—	—	1	8	2	—	—	—	2	—	—	7	3	1	—	2	—	—
36 All other causes	M	72	2	2	2	12	12	42	21	1	—	—	3	3	14	25	—	—	—	4	6	15
	F	63	—	2	—	11	12	38	26	—	1	—	—	7	18	21	—	1	—	3	5	12
†Including deaths from ulcer of duodenum	M	12	—	—	—	—	7	5	4	—	—	—	—	3	1	6	—	—	—	—	2	4
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—*contd.*—Metropolitan Boroughs.

Causes of Death <i>See first page of Table.</i>		FINSBURY.							FULHAM.							GREENWICH.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	272	10	2	—	19	76	165	741	30	6	4	57	196	448	523	19	8	2	38	139	317
	F	223	7	3	—	14	50	149	758	23	7	4	42	166	516	421	17	2	1	34	73	294
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	12	—	—	—	3	7	2	34	1	—	—	7	14	12	27	—	1	—	12	10	4
	F	8	—	—	—	5	1	2	18	—	—	—	11	6	1	14	—	—	—	12	2	—
7 Other forms	M	—	—	—	—	—	—	—	4	—	—	—	2	1	1	3	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	4	—	1	—	1	2	—	2	—	2	—	—	—	—
8 Syphilitic disease	M	4	—	—	—	—	2	2	9	—	—	—	—	2	7	4	—	—	—	—	3	1
	F	1	—	—	—	—	—	1	2	—	—	—	—	1	1	6	—	—	—	—	1	5
9 Influenza	M	1	1	—	—	—	—	—	4	—	—	—	—	2	2	4	—	—	—	—	2	2
	F	3	—	—	—	1	—	2	3	—	—	—	1	2	—	5	—	—	—	—	—	5
10 Measles	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	3	—	—	—	—	1	2	8	—	—	—	—	3	5	13	—	—	—	—	1	12
	F	3	—	—	—	—	1	2	13	—	—	—	—	5	8	6	—	—	—	—	4	2
13F Uterus	M	9	—	—	—	—	4	5	26	—	—	—	2	7	17	18	—	—	—	—	6	12
14 Stomach and duodenum	M	9	—	—	—	—	4	5	16	—	—	—	—	7	9	19	—	—	—	3	4	12
	F	8	—	—	—	—	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	24	—	—	—	1	9	14	15	—	—	—	1	6	8
16 All other sites	M	40	—	—	—	4	10	26	98	—	—	1	5	35	57	70	—	2	1	7	28	32
	F	24	1	—	—	2	8	13	75	—	—	—	4	28	43	31	—	—	—	—	10	21
17 Diabetes	M	2	—	—	—	—	1	1	5	—	—	—	1	2	2	—	—	—	—	—	1	3
	F	2	—	—	—	—	1	1	3	—	—	—	—	—	3	4	—	—	—	—	13	29
18 Intra-cranial vasc: lesions	M	22	—	—	—	—	3	19	54	—	—	—	—	21	33	42	—	—	—	—	14	42
	F	23	—	—	—	—	3	20	77	—	—	—	2	18	57	56	—	—	—	—	—	—
19 Heart disease	M	69	—	—	—	6	13	50	183	—	—	—	8	39	136	140	—	—	—	4	31	105
	F	68	—	—	—	2	17	49	237	—	—	—	3	25	209	110	—	—	1	2	15	92
20 Other circulatory diseases	M	15	—	—	—	—	3	12	38	—	—	—	1	6	31	39	—	—	—	—	5	34
	F	17	—	—	—	—	4	13	50	—	—	—	1	13	36	25	—	—	—	2	4	19
21 Bronchitis	M	28	—	—	—	1	9	18	66	2	—	—	2	16	46	42	—	—	—	—	14	28
	F	12	—	—	—	1	1	10	42	—	—	—	—	6	36	28	—	—	—	1	3	24
22 Pneumonia	M	18	2	—	—	—	7	9	53	2	1	—	2	12	36	31	3	3	—	—	6	19
	F	15	2	1	—	—	3	9	46	4	—	1	2	8	31	18	3	—	—	—	—	15
23 Other respiratory diseases	M	3	—	—	—	—	3	—	12	—	—	—	—	4	8	11	—	—	—	—	6	5
	F	3	—	—	—	—	1	2	9	—	—	—	—	3	6	10	—	—	—	3	2	5
24 Ulcer of stomach or duodenum†	M	6	—	—	—	—	4	2	17	—	—	—	2	10	5	8	—	—	—	1	3	4
	F	1	—	—	—	—	—	1	3	—	—	—	—	2	1	—	—	—	—	—	—	—
25 Diarrhœa under 2 years	M	—	—	—	—	—	—	—	3	3	—	—	—	—	—	1	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	—	1	2	—	—	—	—	—	1	3	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—
27 Other digestive diseases	M	4	—	—	—	—	—	4	15	1	—	—	1	5	8	6	—	—	—	—	1	5
	F	5	—	1	—	—	1	3	18	—	—	—	—	6	12	14	—	—	—	3	2	9
28 Nephritis	M	5	—	—	—	1	2	2	11	—	—	—	—	2	7	6	—	—	—	1	2	3
	F	3	—	—	—	1	1	1	13	—	—	—	1	1	11	2	—	—	—	—	—	2
29 Maternal sepsis	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	4	4	—	—	—	—	—	6	6	—	—	—	—	—	4	4	—	—	—	—	—
	F	1	1	—	—	—	—	—	5	5	—	—	—	—	—	4	4	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	2	1	—	—	1	—	—	14	12	—	—	—	—	—	11	10	1	—	—	—	—
	F	3	3	—	—	—	—	—	14	7	1	—	—	—	5	8	8	—	—	—	—	—
33 Suicide	M	6	—	—	—	1	2	3	12	—	—	—	7	4	1	9	—	—	—	1	2	6
	F	—	—	—	—	—	—	—	10	—	—	—	5	2	3	3	—	—	—	—	2	1
34 Road traffic accidents	M	3	—	2	—	—	1	—	4	—	2	—	1	—	—	4	—	1	1	1	—	1
	F	1	—	—	—	—	—	1	3	—	—	—	1	—	2	1	—	—	—	—	—	1
35 Other violent causes	M	2	1	—	—	1	—	—	16	—	—	2	6	2	6	11	1	—	—	6	1	3
	F	5	—	—	—	—	2	3	18	3	2	1	2	2	8	11	1	—	—	2	—	8
36 All other causes	M	12	1	—	—	1	3	7	44	1	2	1	8	7	25	16	—	—	—	3	2	11
	F	9	—	—	—	—	1	8	48	3	1	1	5	14	24	26	—	—	—	3	3	20
†Including deaths from ulcer of duodenum	M	2	—	—	—	—	2	—	6	—	—	—	1	4	1	2	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death See first page of Table.		HACKNEY							HAMMERSMITH.							HAMPSTEAD.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	1020	37	5	12	83	307	576	653	36	5	5	57	196	354	454	19	5	1	33	133	263
	F	939	24	5	2	84	192	632	656	19	8	1	45	140	443	564	22	2	3	49	118	370
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	1	—	1	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	61	—	—	—	21	25	15	29	—	—	—	9	16	4	15	—	—	—	6	7	2
	F	25	—	—	—	19	4	2	16	—	—	—	11	4	1	12	—	—	—	7	—	5
7 Other forms	M	5	—	—	3	1	1	—	3	—	1	—	2	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	3	—	2	—	1	—	—	—	—	—	—	—	—	—
8 Syphilitic disease	M	9	1	—	—	—	4	4	5	—	—	—	1	3	1	5	—	—	—	1	3	1
	F	3	—	—	—	—	2	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
9 Influenza	M	16	—	—	—	1	5	10	6	—	—	—	2	1	3	2	—	—	—	—	—	2
	F	12	1	—	—	1	2	8	7	—	1	—	—	2	4	2	—	—	—	1	—	1
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	1	—	1	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	16	—	—	—	1	2	13	11	—	—	—	1	1	9	6	—	—	—	—	3	3
13F Uterus	F	17	—	—	—	3	6	8	10	—	—	—	1	3	6	8	—	—	—	3	3	2
14 Stomach and duodenum	M	30	—	—	—	2	13	15	18	—	—	—	1	8	9	9	—	—	—	—	1	8
	F	25	—	—	—	1	6	18	18	—	—	—	—	7	11	15	—	—	—	1	4	10
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	26	—	—	—	3	11	12	25	—	—	—	3	12	10	25	—	—	—	1	16	8
16 All other sites	M	128	—	—	—	5	61	62	103	—	—	1	10	47	45	56	—	—	—	3	27	26
	F	92	—	—	—	8	33	51	53	—	—	1	2	18	32	57	—	—	1	3	21	32
17 Diabetes	M	5	—	—	—	—	3	2	2	—	—	—	—	—	2	2	—	—	—	—	—	2
	F	21	—	—	—	1	3	17	3	—	—	—	—	1	2	4	—	—	—	—	—	4
18 Intra-cranial vasc: lesions	M	74	—	—	—	1	18	55	52	—	—	—	—	14	38	33	—	—	—	7	26	—
	F	108	—	—	—	2	21	85	95	—	—	—	2	13	80	65	—	—	—	8	57	—
19 Heart disease	M	267	—	—	—	14	78	175	161	—	—	—	7	39	115	140	—	—	—	1	41	98
	F	270	—	—	—	11	41	218	203	—	1	—	4	27	171	157	—	—	—	3	16	138
20 Other circulatory diseases	M	50	1	—	—	3	5	41	32	—	—	—	—	6	26	25	—	—	—	—	7	18
	F	49	—	—	—	—	11	38	31	—	—	—	1	6	24	37	—	—	—	2	9	26
21 Bronchitis	M	97	1	1	—	—	26	69	56	—	—	—	2	17	37	42	—	—	—	—	11	31
	F	51	1	—	—	3	5	42	41	—	—	—	1	8	32	22	1	—	—	—	3	18
22 Pneumonia	M	59	3	1	—	3	14	38	44	7	1	—	—	10	26	18	1	—	—	2	2	13
	F	67	4	—	1	3	11	48	31	1	1	—	3	5	21	26	—	—	—	1	6	19
23 Other respiratory diseases	M	15	—	—	—	1	8	6	13	2	—	—	—	6	5	5	1	—	—	—	1	3
	F	13	—	—	—	3	2	8	9	—	—	—	1	4	4	6	—	—	—	2	1	3
24 Ulcer of stomach or duodenum†	M	20	—	—	—	2	10	8	11	—	—	—	2	4	5	11	—	—	—	1	6	4
	F	8	—	—	—	1	1	6	4	—	—	—	—	—	4	8	—	—	—	3	—	5
25 Diarrhœa under 2 years	M	4	4	—	—	—	—	—	2	1	1	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
26 Appendicitis	M	4	—	—	—	—	2	2	4	—	—	—	1	2	1	—	—	—	—	—	—	—
	F	4	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	18	1	—	—	4	9	4	8	—	—	—	—	2	6	10	—	—	—	1	4	5
	F	30	—	—	—	5	8	17	11	—	—	—	1	4	6	6	—	—	—	—	2	4
28 Nephritis	M	17	—	—	—	5	4	8	9	—	—	—	1	5	3	7	—	—	—	—	2	5
	F	12	—	—	—	2	2	8	8	—	1	—	2	2	3	16	—	—	—	4	7	5
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	—	—	—	—	—	—	—	2	—	—	—	1	1	—	3	—	—	—	3	—	—
31 Premature birth	M	7	7	—	—	—	—	—	14	14	—	—	—	—	—	4	4	—	—	—	—	—
	F	3	3	—	—	—	—	—	8	8	—	—	—	—	—	4	4	—	—	—	—	—
32 Cong: malt., birth inj., infant: dis:	M	20	16	—	—	—	2	2	10	9	—	—	1	—	—	14	12	—	—	2	—	—
	F	22	13	—	—	1	4	4	12	8	—	—	—	4	—	16	14	—	—	1	1	—
33 Suicide	M	11	—	—	—	4	2	5	7	—	—	—	4	3	—	11	—	—	—	6	5	—
	F	7	—	—	—	5	2	—	5	—	—	—	2	1	2	14	—	—	—	6	6	2
34 Road traffic accidents	M	13	—	—	6	5	—	2	9	—	1	2	3	2	1	4	—	—	—	1	1	2
	F	3	—	1	—	—	—	2	2	—	—	—	—	—	2	2	—	—	—	1	—	1
35 Other violent causes	M	8	1	2	1	2	2	—	12	1	—	1	6	1	3	10	—	—	1	6	1	2
	F	11	1	2	—	—	2	6	12	—	1	—	2	1	8	24	1	1	1	3	4	14
36 All other causes	M	63	1	—	2	7	13	40	30	2	—	—	4	9	15	23	1	3	—	3	4	12
	F	56	1	—	—	11	13	31	43	1	—	—	7	16	19	31	1	—	1	6	7	16
†Including deaths from ulcer of duodenum	M	5	—	—	—	—	3	2	6	—	—	—	1	2	3	6	—	—	—	1	3	2
	F	1	—	—	—	1	—	—	1	—	—	—	—	—	1	3	—	—	—	1	—	2

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death See first page of Table.		HOLBORN.							ISLINGTON.							KENSINGTON.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	162	9	—	—	12	56	85	1577	66	11	10	123	413	954	836	35	5	5	72	230	489
	F	122	3	1	—	9	19	90	1381	53	6	6	92	236	988	983	29	7	8	60	175	704
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	1	—	—	1	—	2	1	—	—	1	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	12	—	—	—	2	8	2	82	—	—	1	32	29	20	36	—	1	—	9	19	7
	F	2	—	—	—	1	—	1	43	—	—	—	28	14	1	20	—	—	1	9	8	2
7 Other forms	M	1	—	—	—	—	1	—	9	—	3	1	2	2	1	2	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	2	—	1	1	—	—	—	1	—	—	—	—	—	—
8 Syphilitic disease	M	1	—	—	—	—	—	1	8	—	—	—	—	5	3	4	—	—	—	—	—	4
	F	1	—	—	—	—	1	—	8	1	—	—	—	2	5	7	—	—	—	—	1	6
9 Influenza	M	—	—	—	—	—	—	—	19	1	1	—	1	5	11	8	—	—	—	—	4	4
	F	1	—	—	—	—	1	—	18	—	—	—	—	8	10	11	—	—	—	1	2	8
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	2	—	1	—	1	—	—	3	—	—	2	1	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	1	—	—	—	—	—	1	26	—	—	—	3	5	18	10	—	—	—	1	3	6
13F Uterus	F	4	—	—	—	1	1	2	26	—	1	—	2	10	13	13	—	—	—	2	7	4
14 Stomach and duodenum	M	5	—	—	—	—	2	3	30	—	—	—	1	12	17	16	—	—	—	3	7	6
	F	4	—	—	—	—	1	3	42	—	—	—	4	14	24	34	—	—	—	2	10	22
15 Breast	M	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	3	2	46	—	—	—	2	17	27	31	—	—	—	3	11	17
16 All other sites	M	22	—	—	—	2	10	10	248	—	1	2	14	99	132	113	—	—	1	1	39	72
	F	12	—	—	—	1	2	9	115	1	—	1	10	30	73	98	—	1	1	7	28	61
17 Diabetes	M	1	—	—	—	—	1	—	7	—	1	—	2	—	4	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	14	—	—	—	1	1	12	7	—	—	—	1	2	4
18 Intra-cranial vasc: lesions	M	14	—	—	—	—	5	9	113	—	—	—	3	27	83	67	—	—	—	2	20	45
	F	14	—	—	—	—	—	14	132	—	—	—	1	16	115	101	—	—	—	2	16	83
19 Heart disease	M	38	—	—	—	1	13	24	344	—	—	—	10	75	259	221	—	—	—	7	61	153
	F	38	—	—	—	—	4	34	421	—	—	—	12	52	357	285	—	—	—	8	28	249
20 Other circulatory diseases	M	5	—	—	—	1	—	4	102	—	—	—	1	13	88	31	—	—	—	1	8	22
	F	4	—	—	—	—	—	4	116	—	—	—	—	15	101	63	—	—	—	3	7	53
21 Bronchitis	M	16	—	—	—	—	4	12	173	2	—	—	8	51	112	52	1	—	—	1	11	39
	F	13	1	—	—	—	1	11	93	1	—	—	1	15	76	29	—	—	—	—	3	26
22 Pneumonia	M	9	3	—	—	—	1	5	96	6	—	—	2	18	70	41	5	1	1	2	9	23
	F	4	—	—	—	—	1	3	94	10	—	1	4	6	73	58	5	2	—	—	10	41
23 Other respiratory diseases	M	2	—	—	—	—	1	1	19	—	—	—	2	7	10	15	—	—	—	2	1	12
	F	1	—	—	—	—	—	1	14	—	—	—	—	5	9	14	—	—	—	—	3	11
24 Ulcer of stomach or duodenum †	M	5	—	—	—	—	3	2	27	—	—	—	1	13	13	18	—	—	—	3	6	9
	F	2	—	—	—	1	—	1	11	—	—	—	2	2	7	3	—	—	—	—	1	2
25 Diarrhœa under 2 years	M	1	1	—	—	—	—	—	6	6	—	—	—	—	—	3	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	2	2	—	—	—	—	—	3	2	1	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	5	—	—	—	1	3	1	4	—	—	—	3	—	1
	F	—	—	—	—	—	—	—	8	—	—	1	1	2	4	2	—	—	1	—	—	1
27 Other digestive diseases	M	4	—	—	—	1	1	2	24	—	2	1	3	3	15	20	1	—	—	—	10	9
	F	3	—	—	—	—	—	3	26	—	—	—	1	4	21	25	1	—	—	1	6	17
28 Nephritis	M	1	—	—	—	—	1	—	19	—	—	—	2	8	9	24	—	—	—	2	4	17
	F	3	—	—	—	1	—	2	16	—	—	—	1	4	11	23	—	—	1	—	4	18
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
31 Premature birth	M	1	1	—	—	—	—	—	13	13	—	—	—	—	—	5	5	—	—	—	—	—
	F	—	—	—	—	—	—	—	14	14	—	—	—	—	—	8	8	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	4	4	—	—	—	—	—	36	32	—	—	1	3	—	20	19	—	—	1	—	—
	F	2	2	—	—	—	—	—	19	16	—	1	1	—	1	12	11	—	—	—	—	1
33 Suicide	M	3	—	—	—	1	2	—	25	—	—	—	7	10	8	29	—	—	—	11	13	5
	F	2	—	—	—	1	1	—	3	—	—	—	—	3	—	15	—	—	—	2	11	2
34 Road traffic accidents	M	1	—	—	—	—	—	1	11	—	—	1	2	3	5	6	—	1	—	2	2	1
	F	—	—	—	—	—	—	—	3	—	—	—	1	—	2	4	—	—	1	1	—	2
35 Other violent causes	M	1	—	—	—	1	—	—	36	3	—	2	11	7	13	29	2	1	1	13	3	9
	F	1	—	—	—	1	—	—	24	2	1	—	2	3	16	40	1	1	—	9	4	25
36 All other causes	M	13	—	—	—	3	3	7	95	3	1	2	13	14	62	59	—	—	1	6	8	44
	F	6	—	1	—	2	3	—	62	5	1	—	14	12	30	70	—	1	1	6	13	49
†Including deaths from ulcer of duodenum	M	1	—	—	—	—	1	—	14	—	—	—	—	6	8	14	—	—	—	3	4	7
	F	1	—	—	—	—	—	1	5	—	—	—	1	—	4	1	—	—	—	—	1	—

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death See first page of Table.		LAMBETH.							LEWISHAM.							PADDINGTON.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1377	76	11	9	114	384	783	1191	40	12	7	75	339	718	754	36	9	4	70	228	407
	F	1359	43	10	10	93	262	941	1135	33	5	3	74	224	796	735	22	4	2	67	166	474
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	73	—	—	—	26	30	17	58	—	—	—	16	34	8	46	—	—	—	13	24	9
	F	47	—	—	1	31	9	6	34	—	—	—	23	11	—	33	—	—	—	18	13	2
7 Other forms	M	8	—	—	1	5	2	—	7	1	3	1	3	1	1	2	—	1	—	—	1	—
	F	5	—	—	—	3	1	1	8	1	3	1	2	—	1	4	—	—	1	1	2	—
8 Syphilitic disease	M	11	—	—	—	—	7	4	8	—	—	—	—	2	6	14	—	—	—	1	7	6
	F	5	—	—	—	—	1	4	7	—	—	—	—	2	5	4	—	—	—	—	2	2
9 Influenza	M	14	2	—	—	—	5	7	10	—	—	—	1	5	4	7	—	—	—	2	—	5
	F	14	—	—	—	1	2	11	6	1	—	—	1	—	4	5	—	—	—	1	—	4
10 Measles	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	2	—	—	1	1	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	18	—	—	1	—	5	12	9	—	—	1	—	1	7	10	—	—	—	—	4	6
13F Uterus	F	25	—	—	—	3	8	14	16	—	—	—	3	10	3	19	—	—	—	4	10	5
14 Stomach and duodenum	M	38	—	—	—	3	12	23	33	—	—	—	1	17	15	26	—	—	—	2	13	11
	F	25	—	—	—	1	8	16	33	—	—	—	2	8	23	17	—	—	—	—	3	14
15 Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	45	—	—	—	3	20	22	45	—	—	—	7	17	21	26	—	—	—	4	10	12
16 All other sites	M	178	—	—	—	11	76	91	161	—	—	—	5	54	102	99	—	1	1	6	40	51
	F	143	—	1	—	8	53	81	112	1	—	—	2	50	59	71	—	—	—	5	32	34
17 Diabetes	M	4	—	—	—	—	—	4	4	—	—	—	—	2	2	4	—	—	—	—	1	3
	F	10	—	—	—	—	1	9	13	—	—	—	—	2	11	4	—	—	—	—	1	3
18 Intra-cranial vasc: lesions	M	104	—	—	—	3	23	78	83	1	—	—	—	13	69	43	—	—	—	1	10	32
	F	147	—	—	1	3	26	117	111	—	—	—	—	30	81	72	—	—	—	1	18	53
19 Heart disease	M	362	—	2	—	14	81	265	378	—	1	—	11	103	263	184	—	—	—	14	53	117
	F	455	—	—	—	12	53	390	425	—	—	—	9	40	376	186	—	—	—	4	24	158
20 Other circulatory diseases	M	81	—	—	—	3	21	57	40	—	1	—	—	9	29	50	—	—	—	1	8	41
	F	81	—	—	—	—	17	64	41	—	—	—	2	5	34	49	—	—	—	—	8	41
21 Bronchitis	M	131	3	—	—	3	40	85	101	1	—	—	1	29	70	63	3	—	—	1	17	42
	F	81	1	—	—	2	13	65	55	1	—	—	—	8	46	43	—	—	—	1	7	35
22 Pneumonia	M	57	8	—	—	5	11	33	40	3	3	—	1	9	24	43	4	2	—	3	4	30
	F	69	9	2	—	1	10	47	39	1	1	—	2	3	32	53	5	1	—	3	5	39
23 Other respiratory diseases	M	20	1	2	—	1	7	9	24	—	—	—	4	9	11	9	—	—	—	—	6	3
	F	9	—	—	—	2	5	2	14	—	—	—	1	5	8	8	—	—	—	1	2	5
24 Ulcer of stomach or duodenum†	M	28	—	—	—	3	13	12	34	—	—	—	2	12	20	14	—	—	—	1	7	6
	F	8	—	—	—	—	1	7	6	—	—	—	—	1	5	6	—	—	—	1	3	2
25 Diarrhœa under 2 years	M	6	6	—	—	—	—	—	3	3	—	—	—	—	—	1	—	1	—	—	—	—
	F	7	6	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
26 Appendicitis	M	4	—	—	—	1	1	2	2	—	—	—	—	1	1	1	—	—	—	—	1	—
	F	5	—	—	1	1	—	3	4	—	—	1	—	1	2	1	—	1	—	—	—	—
27 Other digestive diseases	M	18	—	—	1	2	7	8	14	—	1	—	—	2	11	18	—	1	—	3	6	8
	F	32	—	—	—	3	9	20	23	1	—	—	5	2	15	10	—	—	—	1	3	6
28 Nephritis	M	21	—	—	—	4	7	10	18	—	—	—	4	4	10	10	—	—	—	4	2	4
	F	18	—	—	—	2	6	10	19	—	—	—	2	7	10	18	—	—	—	5	4	9
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
30 Other maternal	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
31 Premature birth	M	21	21	—	—	—	—	—	6	6	—	—	—	—	—	5	5	—	—	—	—	—
	F	7	7	—	—	—	—	—	5	5	—	—	—	—	—	7	7	—	—	—	—	—
32 Cong: mal:, birth inj., infant: dis:	M	33	28	1	—	2	2	—	25	23	—	1	1	—	—	18	17	1	—	—	—	—
	F	22	18	1	—	2	—	1	20	19	1	—	—	—	—	11	8	—	—	—	2	1
33 Suicide	M	21	—	—	—	9	5	7	10	—	—	—	2	6	2	21	—	—	—	7	11	3
	F	13	—	—	—	4	5	4	5	—	—	—	—	3	2	7	—	—	—	4	3	—
34 Road traffic accidents	M	17	—	2	2	3	5	5	15	—	1	1	6	3	4	10	—	1	1	5	—	3
	F	10	—	1	3	1	1	4	—	—	—	—	—	—	—	3	—	—	—	2	1	—
35 Other violent causes	M	21	5	1	1	5	5	4	26	1	—	3	2	4	16	23	6	—	1	3	4	9
	F	19	—	1	1	1	1	15	16	1	—	—	2	1	12	27	1	—	1	3	4	18
36 All other causes	M	83	1	2	2	10	18	50	76	1	3	—	11	18	43	31	—	—	1	3	9	18
	F	52	1	2	2	7	12	28	74	1	—	1	8	18	46	47	—	1	—	6	9	31
†Including deaths from ulcer of duodenum	M	7	—	—	—	2	3	2	14	—	—	—	—	4	10	4	—	—	—	—	3	1
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death See first page of Table.		POPLAR.							ST. MARYLEBONE.							ST. PANCRAS.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	525	29	6	3	33	161	293	432	11	1	1	35	128	256	959	41	2	10	69	322	515
	F	432	21	1	1	44	82	283	505	9	2	1	30	122	341	814	29	6	6	65	165	543
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tuberculosis :—	M	32	—	—	—	8	19	5	20	—	—	—	6	11	3	67	—	—	—	14	32	21
Respiratory system	F	11	—	—	—	9	2	—	8	—	—	—	5	3	—	32	—	1	1	17	11	2
7 Other forms	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	4	1	1	—	2	—	—
8 Syphilitic disease	M	4	—	—	—	—	3	1	7	—	—	—	—	2	5	6	—	—	—	—	6	—
	F	2	—	—	—	1	1	—	4	—	—	—	—	3	1	3	—	—	—	1	—	2
9 Influenza	M	4	—	—	—	—	1	3	3	—	—	—	—	1	2	5	1	—	—	—	—	4
	F	2	—	—	—	—	—	2	9	—	—	—	—	1	8	5	—	—	—	—	2	3
10 Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	4	—	—	2	2	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Mouth & œsoph:	M	9	—	—	—	—	1	8	4	—	—	—	—	2	2	16	—	—	—	—	6	10
13F Uterus	F	2	—	—	—	—	2	—	10	—	—	—	2	7	1	20	—	—	—	2	9	9
14 Stomach and duodenum	M	19	—	—	—	1	9	9	9	—	—	—	1	5	3	32	—	—	—	1	11	20
	F	11	—	—	—	—	3	8	13	—	—	—	—	4	9	20	—	—	—	1	4	15
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	4	—	—	—	1	2	1	24	—	—	—	4	9	11	35	—	—	—	3	15	17
16 All other sites	M	66	—	—	—	1	29	36	56	—	—	—	3	22	31	119	—	—	1	6	58	54
	F	51	—	—	—	6	18	27	58	—	—	—	2	22	34	101	—	—	—	10	28	63
17 Diabetes	M	1	—	—	—	—	—	1	2	—	—	—	—	1	1	4	—	—	—	—	—	4
	F	1	—	—	—	—	—	1	8	—	—	—	—	3	5	6	—	—	1	—	1	4
18 Intra-cranial vasc: lesions	M	34	—	—	—	—	10	24	22	—	—	—	—	6	16	73	—	—	—	2	24	47
	F	52	—	—	—	2	4	46	58	—	—	—	1	10	47	89	—	—	—	1	12	76
19 Heart disease	M	129	—	—	—	4	28	97	118	—	—	—	2	32	84	238	—	—	—	7	71	160
	F	136	—	—	—	9	22	105	138	—	—	—	4	15	119	216	—	—	—	8	27	181
20 Other circulatory diseases	M	28	—	—	—	2	6	20	21	—	—	—	—	7	14	41	—	—	—	—	9	32
	F	32	—	—	—	1	5	26	34	—	—	—	1	5	28	52	—	—	—	—	14	38
21 Bronchitis	M	64	—	—	—	1	17	46	48	—	—	—	1	10	37	83	2	—	—	—	28	53
	F	36	—	—	—	—	6	30	19	—	—	—	1	1	17	44	2	1	—	2	8	31
22 Pneumonia	M	19	6	—	—	2	6	5	30	2	—	—	1	12	15	60	7	—	—	3	19	31
	F	14	1	1	—	—	2	10	24	—	1	—	—	6	17	58	1	—	2	2	7	46
23 Other respiratory diseases	M	7	—	—	—	—	3	4	6	—	—	—	—	3	3	16	—	—	—	2	8	6
	F	3	—	—	—	2	—	1	5	—	—	—	1	3	1	4	—	—	—	—	—	4
24 Ulcer of stomach or duodenum†	M	16	—	—	—	1	13	2	8	—	—	—	1	2	5	22	—	—	—	2	13	7
	F	6	—	—	—	—	4	2	8	—	—	—	—	2	6	6	—	—	—	—	2	4
25 Diarrhœa under 2 years	M	3	3	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—
	F	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	3	—	—	—	1	—	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
27 Other digestive diseases	M	8	—	—	—	—	2	6	12	—	—	—	—	3	9	15	—	—	—	—	7	8
	F	3	—	—	—	—	2	1	8	—	—	—	1	3	4	13	—	—	—	1	2	10
28 Nephritis	M	3	—	—	—	—	2	1	10	—	—	—	4	4	2	18	—	—	—	3	4	11
	F	7	—	—	—	3	1	3	15	—	—	—	—	8	7	7	—	—	—	—	—	7
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—
30 Other maternal	F	4	—	—	—	4	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
31 Premature birth	M	4	4	—	—	—	—	—	2	2	—	—	—	—	—	6	6	—	—	—	—	—
	F	2	2	—	—	—	—	—	5	5	—	—	—	—	—	6	6	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	15	11	2	1	—	—	1	6	6	—	—	—	—	—	19	18	—	—	1	—	—
	F	14	12	—	1	—	—	1	4	2	—	—	—	2	—	16	14	—	—	2	—	—
33 Suicide	M	6	—	—	—	3	3	—	10	—	—	—	6	1	3	17	—	—	—	6	9	2
	F	2	—	—	—	—	2	—	9	—	—	—	5	4	—	8	—	—	—	1	5	2
34 Road traffic accidents	M	2	—	—	—	1	—	1	4	—	—	—	2	—	2	9	—	—	2	2	1	4
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
35 Other violent causes	M	16	2	2	1	2	2	7	15	—	1	—	4	2	8	27	—	—	2	11	6	8
	F	6	2	—	—	—	1	3	16	1	1	—	—	3	11	18	2	—	1	1	1	13
36 All other causes	M	31	2	1	1	5	7	15	17	—	—	1	4	1	11	54	5	2	3	4	10	30
	F	24	1	—	—	4	4	15	26	—	—	—	2	8	5	41	2	2	1	5	16	15
†Including deaths from ulcer of duodenum	M	6	—	—	—	1	4	1	6	—	—	—	1	2	3	12	—	—	—	1	8	3
	F	3	—	—	—	—	1	2	2	—	—	—	—	—	2	—	—	—	—	—	—	—

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death <i>See first page of Table.</i>		SHOREDITCH.							SOUTHWARK.							STEPNEY.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	297	16	4	4	26	80	167	703	34	3	8	61	195	402	751	37	8	4	45	232	425
	F	297	17	1	3	27	51	198	559	22	3	4	43	107	380	589	22	9	3	30	145	380
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	17	—	—	—	7	7	3	41	—	—	—	11	21	9	48	—	—	—	12	21	15
	F	16	—	—	—	12	—	4	19	—	—	—	10	5	4	18	—	1	—	9	6	2
7 Other forms	M	3	—	—	—	2	—	1	5	—	—	1	3	1	—	4	—	1	—	1	1	1
	F	2	1	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—
8 Syphilitic disease	M	2	—	—	—	—	1	1	7	—	—	—	1	4	2	8	—	—	—	—	4	4
	F	2	—	—	—	—	1	1	1	—	—	—	—	1	—	2	—	—	—	—	1	1
9 Influenza	M	4	—	—	—	—	1	3	10	—	—	—	1	3	6	4	—	—	—	—	2	2
	F	2	—	—	—	1	—	1	6	1	1	—	1	1	2	5	—	—	—	—	1	4
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	1	—	1	—	—	—	—	2	—	—	1	1	—	—	1	1	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	7	—	—	—	—	2	5	12	—	—	—	1	3	8	15	—	—	—	—	4	11
13F Uterus	F	3	—	—	—	—	2	1	12	—	—	—	1	6	5	9	—	—	—	1	5	3
14 Stomach and duodenum	M	14	—	—	—	1	4	9	26	—	—	—	1	13	12	22	—	—	—	1	12	9
	F	12	—	—	—	1	3	8	13	—	—	—	—	4	9	23	—	—	—	—	8	15
15 Breast	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	11	—	—	—	—	7	4	13	—	—	—	4	3	6	17	—	—	—	2	6	9
16 All other sites	M	44	—	—	—	1	19	24	94	—	—	—	9	28	57	112	—	—	—	8	51	53
	F	20	—	—	—	2	4	14	60	—	—	—	3	19	38	57	—	1	1	4	19	32
17 Diabetes	M	1	—	—	—	—	1	—	2	—	—	—	—	1	1	5	—	—	—	—	2	3
	F	3	—	—	—	1	1	1	3	—	—	—	—	—	3	13	—	—	—	2	4	7
18 Intra-cranial vasc: lesions	M	14	—	—	—	—	3	11	51	—	—	—	—	12	39	44	—	—	—	—	14	30
	F	27	—	—	—	—	4	23	59	—	—	—	1	12	46	58	—	—	—	1	8	49
19 Heart disease	M	74	—	1	—	6	15	52	177	—	—	—	8	38	131	197	—	—	—	8	45	144
	F	83	—	—	—	2	12	69	170	—	—	—	5	22	143	179	—	—	—	3	34	142
20 Other circulatory diseases	M	13	—	—	—	—	2	11	31	—	—	—	1	14	16	42	—	—	—	—	13	29
	F	9	—	—	—	—	1	8	32	—	—	—	2	4	26	42	—	—	—	—	10	32
21 Bronchitis	M	31	—	—	—	—	8	23	68	—	—	—	—	21	47	60	2	—	—	—	19	39
	F	25	1	—	—	—	2	22	40	—	—	—	—	8	32	35	—	1	—	—	7	27
22 Pneumonia	M	10	2	1	—	1	1	5	39	5	1	—	1	5	27	48	7	—	—	1	10	30
	F	16	—	1	—	2	3	10	36	1	—	—	2	5	28	30	4	2	—	1	3	20
23 Other respiratory diseases	M	3	—	—	—	—	2	1	7	—	—	—	1	2	4	9	—	1	1	1	2	4
	F	5	—	—	—	—	—	5	4	—	—	—	—	1	3	3	—	—	—	—	—	3
24 Ulcer of stomach or duodenum†	M	5	—	—	—	3	1	1	17	—	—	—	3	8	6	16	—	—	—	1	8	7
	F	1	—	—	—	—	—	1	2	—	—	—	—	—	2	7	—	—	—	—	2	5
25 Diarrhœa under 2 years	M	3	2	1	—	—	—	—	2	2	—	—	—	—	—	2	2	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	2	—	—	—	—	2	—	2	—	—	—	1	1	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	3	—	2	—	—	1	—
27 Other digestive diseases	M	4	—	—	—	—	3	1	7	—	—	—	2	2	3	6	—	—	—	1	1	4
	F	7	1	—	—	1	1	4	17	1	—	—	2	5	9	15	—	—	—	—	7	8
28 Nephritis	M	5	—	—	—	—	2	3	7	—	—	—	—	3	4	14	—	—	1	2	3	8
	F	3	—	—	—	—	2	1	8	—	—	—	1	2	5	6	—	—	—	1	5	—
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	1	—	—	—	—	1	—
31 Premature birth	M	4	4	—	—	—	—	—	8	8	—	—	—	—	—	10	10	—	—	—	—	—
	F	6	6	—	—	—	—	—	4	4	—	—	—	—	—	4	4	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	9	6	—	1	1	1	—	23	18	—	—	1	4	—	10	9	—	—	1	—	—
	F	9	7	—	—	1	1	—	13	11	—	—	1	1	—	14	9	1	—	1	1	2
33 Suicide	M	1	—	—	—	1	—	—	4	—	—	—	3	1	—	7	—	—	—	1	5	1
	F	2	—	—	—	1	—	1	4	—	—	—	3	1	—	4	—	—	—	—	2	2
34 Road traffic accidents	M	3	—	—	1	1	—	1	3	—	—	1	1	—	1	6	—	—	1	2	2	1
	F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—
35 Other violent causes	M	3	1	—	—	1	—	1	15	—	2	1	5	2	5	21	3	5	1	1	6	5
	F	7	—	—	—	—	—	7	13	3	—	—	1	1	8	9	2	—	2	—	2	3
36 All other causes	M	21	—	—	2	1	7	11	40	1	—	4	5	7	23	38	3	1	—	3	6	25
	F	18	—	—	2	—	6	10	24	—	—	3	4	6	11	29	—	1	—	4	10	14
†Including deaths from ulcer of duodenum	M	3	—	—	—	3	—	—	4	—	—	—	—	2	2	3	—	—	—	—	1	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—

TABLE 24—contd.—Metropolitan Boroughs.

Causes of Death See first page of Table.		STOKE NEWINGTON.							WANDSWORTH							WESTMINSTER.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	255	9	3	1	21	85	136	1975	82	12	12	135	496	1238	564	20	4	3	50	189	298
	F	247	6	2	2	13	48	176	2016	49	9	7	105	370	1476	547	22	—	2	36	114	373
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tuberculosis :— Respiratory system	M	16	—	—	—	6	5	5	83	—	—	—	32	31	20	34	—	—	—	10	15	9
	F	8	—	—	—	3	3	2	50	1	—	—	32	10	7	13	—	—	—	5	3	5
7 Other forms	M	—	—	—	—	—	—	—	12	—	3	1	1	5	2	3	—	1	—	—	1	1
	F	1	—	—	1	—	—	—	7	—	1	—	2	2	2	2	—	—	—	1	1	—
8 Syphilitic disease	M	1	—	—	—	—	—	1	24	—	—	—	1	12	11	5	—	—	—	—	3	2
	F	—	—	—	—	—	—	—	9	—	—	—	1	1	7	1	—	—	—	—	1	—
9 Influenza	M	2	—	—	—	—	—	2	27	2	—	1	3	7	14	5	—	—	—	—	1	4
	F	5	—	—	1	—	1	3	18	—	1	—	3	2	12	9	1	—	—	—	1	7
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	2	—	—	1	1	—	—	2	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	4	—	—	—	1	2	1	—	—	—	—	—	—	—
13M Cancer of Mouth & œsoph:	M	1	—	—	—	—	—	1	17	—	—	—	1	2	14	14	—	—	—	2	4	8
13F Uterus	F	5	—	—	—	—	2	3	30	—	—	—	1	10	19	12	—	—	—	—	4	8
14 Stomach and duodenum	M	4	—	—	—	—	2	2	59	—	—	—	3	17	39	13	—	—	—	—	8	5
	F	2	—	—	—	—	1	1	52	—	—	—	1	7	44	15	—	—	—	—	4	11
15 Breast	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	85	—	—	—	6	44	35	23	—	—	—	—	9	14
16 All other sites	M	45	—	—	—	4	21	20	252	1	—	1	12	93	145	83	—	—	—	6	40	37
	F	28	—	—	—	2	11	15	211	—	2	—	12	65	132	70	—	—	—	7	24	39
17 Diabetes	M	—	—	—	—	—	—	—	10	—	—	—	1	—	9	2	—	—	—	—	—	2
	F	1	—	—	—	—	1	—	18	—	—	—	—	2	16	2	—	—	—	—	—	2
18 Intra-cranial vasc: lesions	M	19	—	—	—	—	5	14	172	—	—	—	5	34	133	45	—	—	—	2	9	34
	F	29	—	—	—	—	9	20	212	1	—	—	—	38	173	67	—	—	—	2	10	55
19 Heart disease	M	58	—	—	—	1	17	40	572	—	—	—	15	136	421	148	—	—	—	11	47	90
	F	65	—	—	—	2	4	59	673	—	—	—	13	80	580	129	—	—	—	3	18	108
20 Other circulatory diseases	M	6	—	—	—	—	1	5	91	—	—	—	—	11	80	28	—	—	—	2	6	20
	F	16	—	—	—	—	2	14	146	—	—	—	3	23	120	23	—	—	—	—	5	18
21 Bronchitis	M	25	—	—	—	—	9	16	178	2	—	—	4	46	126	38	—	—	—	—	11	27
	F	25	—	—	—	—	2	23	116	2	—	—	1	13	100	29	1	—	—	1	3	24
22 Pneumonia	M	25	—	—	—	3	8	14	91	12	2	—	1	21	55	15	1	—	—	—	6	8
	F	18	1	—	—	1	2	14	72	3	1	—	3	4	61	34	3	—	—	—	9	22
23 Other respiratory diseases	M	6	—	—	—	—	2	4	25	—	—	—	3	9	13	6	—	—	—	—	2	4
	F	3	—	—	—	—	1	2	20	—	—	—	4	10	6	10	—	—	—	3	1	6
24 Ulcer of stomach or duodenum†	M	6	—	—	—	1	3	2	21	—	—	—	—	8	13	10	—	—	—	1	3	6
	F	1	—	—	—	—	—	1	9	—	—	—	1	2	6	9	—	—	—	2	1	6
25 Diarrhœa under 2 years	M	—	—	—	—	—	—	—	3	2	1	—	—	—	—	2	2	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	1	—	5	—	1	—	—	3	1	3	—	—	—	—	1	2
	F	1	—	—	—	—	—	1	4	—	—	—	1	2	1	2	—	—	—	—	—	2
27 Other digestive diseases	M	3	—	—	—	—	2	1	23	—	—	—	2	8	13	11	—	—	—	—	5	6
	F	5	—	—	—	1	3	1	38	1	—	—	1	13	23	15	—	—	—	1	8	6
28 Nephritis	M	4	—	—	—	—	3	1	30	—	—	1	3	7	19	7	—	—	—	1	3	3
	F	5	—	—	—	1	1	3	35	—	—	—	4	9	22	15	—	—	—	2	2	11
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
30 Other maternal	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
31 Premature birth	M	2	2	—	—	—	—	—	23	23	—	—	—	—	—	7	7	—	—	—	—	—
	F	1	1	—	—	—	—	—	14	14	—	—	—	—	—	4	4	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	11	7	1	1	1	1	—	36	29	1	1	3	2	—	8	5	2	—	—	1	—
	F	6	3	—	—	1	1	1	27	20	1	1	2	2	1	8	7	—	—	1	—	—
33 Suicide	M	5	—	—	—	1	1	3	27	—	—	—	11	14	2	19	—	—	—	6	12	1
	F	1	—	—	—	1	—	—	13	—	—	—	4	6	3	8	—	—	—	4	2	2
34 Road traffic accidents	M	3	—	1	—	1	—	1	27	—	1	1	10	9	6	2	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	5	—	1	2	1	—	1	2	—	—	—	—	1	1
35 Other violent causes	M	5	—	1	—	3	—	1	34	7	1	3	7	3	13	14	2	—	—	5	4	3
	F	6	—	1	—	—	—	5	42	4	—	—	—	4	34	11	1	—	—	1	3	6
36 All other causes	M	7	—	—	—	—	4	3	128	2	2	2	16	17	89	38	1	—	2	2	7	26
	F	7	—	—	—	1	3	3	99	1	—	3	6	19	70	26	—	—	1	1	4	20
†Including deaths from ulcer of duodenum	M	1	—	—	—	1	—	—	8	—	—	—	—	4	4	5	—	—	—	1	1	3
	F	—	—	—	—	—	—	—	4	—	—	—	—	1	3	3	—	—	—	2	1	—

TABLE 24—contd.—Metropolitan Borough.

County Boroughs.

Causes of Death See first page of Table.		WOOLWICH.							BARNSELY.							BARROW-IN-FURNESS.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	862	48	5	7	48	255	499	433	30	7	4	47	107	238	484	36	4	4	47	126	267
	F	705	23	7	5	60	133	477	371	29	5	2	36	75	224	411	23	4	1	29	82	272
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	34	—	—	—	11	16	7	17	—	1	—	5	8	3	23	—	—	—	10	13	—
	F	21	—	—	1	15	4	1	12	—	—	—	9	3	—	18	—	—	—	13	4	1
7 Other forms	M	4	—	—	—	3	—	1	4	—	2	—	2	—	—	5	—	1	2	2	—	—
	F	—	—	—	—	—	—	—	4	—	1	—	3	—	—	—	—	—	—	—	—	—
8 Syphilitic disease	M	10	—	—	—	—	3	7	3	—	—	—	—	3	—	3	—	—	—	—	2	1
	F	7	—	—	—	—	4	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—
9 Influenza	M	8	1	—	—	—	3	4	7	—	—	—	1	1	5	1	—	—	—	—	—	1
	F	5	—	—	—	—	—	5	4	1	1	—	—	—	2	—	—	—	—	—	—	—
10 Measles	M	1	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis & polioenceph :	M	2	—	1	—	1	—	—	3	—	1	1	1	—	—	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	13	—	—	—	1	3	9	4	—	—	—	1	—	3	8	—	—	—	—	1	7
13F Uterus	F	8	—	—	—	—	6	2	4	—	—	—	1	1	2	12	—	—	—	2	5	3
14 Stomach and duodenum	M	33	—	—	—	1	11	21	16	—	—	—	—	7	9	13	—	—	—	1	7	7
	F	22	—	—	—	2	5	15	8	—	—	—	1	3	4	8	—	—	—	—	4	4
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	28	—	—	—	6	11	11	13	—	—	—	2	5	6	11	—	—	—	1	8	2
16 All other sites	M	126	—	—	1	4	62	59	28	—	1	—	4	11	12	45	—	—	—	5	21	19
	F	69	—	—	—	6	18	45	13	—	—	—	—	7	6	31	—	—	—	—	7	24
17 Diabetes	M	8	—	—	—	—	5	3	1	—	—	—	—	—	1	2	—	—	—	1	1	—
	F	4	—	—	—	—	—	4	4	—	—	—	—	—	4	5	—	—	—	1	2	2
18 Intra-cranial vasc: lesions	M	62	—	—	—	—	12	50	34	1	—	—	—	6	27	59	—	—	—	1	12	46
	F	89	—	—	—	3	22	64	45	—	—	—	3	6	36	59	—	—	—	—	11	48
19 Heart disease	M	263	—	—	—	10	69	184	125	—	—	1	5	36	83	158	—	1	—	3	32	122
	F	219	—	—	—	8	31	180	125	—	1	—	3	30	91	146	—	—	—	—	17	129
20 Other circulatory diseases	M	33	—	—	—	2	8	23	24	—	—	—	—	—	24	13	—	—	—	—	4	9
	F	31	—	—	—	2	4	25	19	—	—	—	—	—	19	9	—	—	—	1	—	8
21 Bronchitis	M	53	—	—	—	—	13	40	31	—	—	—	1	9	21	32	2	—	—	—	12	18
	F	53	—	—	—	2	5	46	15	2	—	—	—	3	10	17	—	—	—	1	2	14
22 Pneumonia	M	35	4	1	—	1	10	19	18	5	1	—	—	3	9	22	7	—	—	1	6	8
	F	16	5	—	—	—	2	9	15	6	—	—	1	4	4	18	2	1	—	2	2	11
23 Other respiratory diseases	M	15	—	—	—	1	6	8	14	—	—	—	1	6	7	6	—	—	—	2	2	2
	F	5	—	—	—	—	2	3	8	—	—	—	2	1	5	7	—	—	—	2	1	4
24 Ulcer of stomach or duodenum†	M	21	—	—	—	2	13	6	5	—	—	—	1	3	1	8	—	—	—	1	5	2
	F	4	—	—	—	—	1	3	1	—	—	—	1	—	—	2	—	—	—	1	1	1
25 Diarrhœa under 2 years	M	5	5	—	—	—	—	—	3	3	—	—	—	—	—	4	4	—	—	—	—	—
	F	—	—	—	—	—	—	—	3	3	—	—	—	—	—	4	4	—	—	—	—	—
26 Appendicitis	M	4	—	—	—	—	2	2	1	—	—	—	1	—	—	3	—	—	—	1	2	—
	F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	9	—	—	—	—	4	5	3	1	—	—	2	—	—	5	—	—	—	—	—	5
	F	16	—	1	—	2	3	10	7	—	—	—	1	1	5	8	—	—	—	—	5	3
28 Nephritis	M	13	1	—	—	1	3	8	7	—	—	—	—	3	4	2	—	—	—	1	1	—
	F	12	—	—	1	—	2	9	8	—	—	—	2	1	5	6	—	—	1	1	3	1
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	14	14	—	—	—	—	—	4	4	—	—	—	—	—	10	10	—	—	—	—	—
	F	7	7	—	—	—	—	—	2	2	—	—	—	—	—	6	6	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	22	19	2	1	—	—	—	17	15	—	—	1	1	—	12	12	—	—	—	—	—
	F	7	7	—	—	—	—	—	14	14	—	—	—	—	—	12	11	1	—	—	—	—
33 Suicide	M	8	—	—	—	2	1	5	3	—	—	—	2	1	—	5	—	—	—	1	3	1
	F	6	—	—	—	3	3	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
34 Road traffic accidents	M	4	—	1	—	1	1	1	8	—	—	1	5	1	1	8	—	—	—	7	1	—
	F	2	—	—	—	1	1	—	4	—	—	—	2	1	1	1	—	1	—	—	—	—
35 Other violent causes	M	22	3	—	3	3	4	9	16	—	—	—	8	3	5	9	—	1	2	4	2	—
	F	19	2	2	1	—	4	10	6	—	—	1	—	1	4	5	—	—	—	—	2	3
36 All other causes	M	38	—	—	2	3	5	28	35	—	1	—	5	5	23	26	—	—	—	6	1	19
	F	46	1	2	1	7	4	31	33	1	—	—	4	8	20	23	—	—	—	3	5	14
†Including deaths from ulcer of duodenum	M	7	—	—	—	—	6	1	1	—	—	—	1	—	—	2	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		BATH.							BIRKENHEAD.							BIRMINGHAM.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	494	19	3	3	29	132	308	925	54	8	9	72	259	523	6198	347	68	50	579	1775	3379
	F	583	15	5	2	30	107	424	828	57	7	5	64	151	544	5667	271	50	45	479	1215	3607
1 Typhoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
paratyphoid	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	7	2	4	1	—	—	—
fever	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping	M	1	1	—	—	—	—	—	2	2	—	—	—	—	—	11	7	4	—	—	—	—
cough	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	6	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—
Tuberculosis :—																						
6 Respiratory	M	18	—	—	—	7	10	1	59	—	1	1	30	20	7	371	1	—	1	158	171	40
system	F	11	1	—	—	9	1	—	37	—	—	1	25	7	4	212	—	1	4	159	31	17
7 Other forms	M	1	—	—	1	—	—	—	6	—	1	2	2	1	—	25	1	8	—	8	6	2
	F	5	—	2	1	1	1	—	4	—	—	2	2	—	—	41	2	10	7	16	5	1
8 Syphilitic	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	44	1	—	—	6	19	18
disease	F	1	—	—	—	—	—	1	4	1	—	—	—	2	1	16	1	—	—	—	7	8
9 Influenza	M	1	—	—	—	—	—	1	9	—	—	1	—	5	3	98	3	1	—	6	25	63
	F	8	—	—	—	—	1	7	10	—	—	—	—	—	10	95	2	2	—	10	17	64
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	1	5	1	—	—	—
11 Ac: poliomyelitis	M	2	—	—	1	1	—	—	1	—	1	—	—	—	—	6	—	1	1	3	1	—
& polioenceph:	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	5	1	1	—	3	—	—
12 Ac: infectious	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	1	—	1	—	1	3
encephalitis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	8	—	1	—	1	5	1
Cancer of																						
13M Mouth & œsoph:	M	3	—	—	—	—	1	2	10	—	—	—	2	1	7	69	—	—	—	2	13	54
13F Uterus	F	7	—	—	—	—	2	5	14	—	—	—	2	3	9	91	—	—	—	7	49	35
14 Stomach and	M	12	—	—	—	—	6	6	31	—	—	—	—	14	17	176	—	—	—	9	81	86
duodenum	F	15	—	—	—	2	4	9	26	—	—	—	1	7	18	146	—	—	—	10	47	89
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	19	—	—	—	—	8	11	29	—	—	—	4	10	15	218	—	—	—	18	93	107
16 All other	M	59	—	1	—	2	22	34	93	—	—	—	5	27	61	772	—	1	3	57	303	408
sites	F	39	—	—	—	—	19	20	74	—	—	—	5	31	38	492	—	1	2	38	172	279
17 Diabetes	M	1	—	—	—	—	—	1	3	—	—	—	—	1	2	20	—	—	—	1	8	11
	F	3	—	—	—	—	1	2	7	—	—	—	—	4	3	44	—	—	—	3	7	34
18 Intra-cranial	M	43	—	—	—	1	5	37	68	—	—	—	—	18	50	552	1	—	—	10	132	409
vasc: lesions	F	90	—	—	—	—	10	80	99	—	—	—	1	18	80	706	—	1	—	10	157	538
19 Heart disease	M	176	—	—	1	1	36	138	295	—	—	1	2	84	208	1608	1	—	2	58	391	1156
	F	223	—	—	—	4	30	189	259	—	1	—	10	35	213	1701	1	—	1	53	261	1385
20 Other circulatory	M	25	—	—	—	2	6	17	31	—	—	—	—	9	22	222	—	—	—	10	55	157
diseases	F	20	—	—	—	2	5	13	31	—	—	—	1	2	28	242	—	—	—	5	42	195
21 Bronchitis	M	23	2	—	—	—	7	14	61	1	—	—	1	20	39	548	6	1	3	20	170	348
	F	12	—	—	—	—	2	10	35	1	—	—	—	1	33	331	5	2	1	6	52	265
22 Pneumonia	M	28	5	2	—	3	6	12	48	8	—	—	1	14	25	330	43	7	3	21	83	173
	F	27	2	1	—	1	1	22	33	10	2	—	2	4	15	253	43	3	1	15	46	145
23 Other respiratory	M	9	—	—	—	1	5	3	14	—	—	—	—	6	8	90	1	2	—	11	42	34
diseases	F	4	—	—	—	1	2	1	11	—	—	—	1	7	3	54	—	—	—	6	21	27
24 Ulcer of stomach	M	8	—	—	—	1	4	3	16	—	—	—	3	5	8	111	—	—	—	11	63	37
or duodenum†	F	2	—	—	—	—	—	2	5	—	—	—	1	—	4	24	—	—	—	—	13	11
25 Diarrhœa	M	—	—	—	—	—	—	—	8	7	1	—	—	—	—	43	39	4	—	—	—	—
under 2 years	F	—	—	—	—	—	—	—	3	2	1	—	—	—	—	24	23	1	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	1	—	1	—	—	—	1	—	—	10	—	3	1	1	2	3
	F	2	—	—	—	—	1	1	2	—	—	—	—	1	1	12	—	—	1	2	3	6
27 Other digestive	M	4	—	—	—	—	1	3	15	—	—	—	3	4	8	108	4	7	3	14	33	47
diseases	F	11	—	—	—	1	2	8	17	1	—	2	—	6	8	109	4	3	3	10	37	52
28 Nephritis	M	21	—	—	—	—	6	15	22	1	—	—	3	7	11	108	—	1	1	22	26	58
	F	15	—	—	—	1	5	9	14	—	—	—	2	3	9	105	1	—	—	18	26	60
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	—	—	3	—	—
30 Other maternal	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	9	—	—	—	9	—	—
31 Premature	M	4	4	—	—	—	—	—	14	14	—	—	—	—	—	42	42	—	—	—	—	—
birth	F	1	1	—	—	—	—	—	15	15	—	—	—	—	—	41	41	—	—	—	—	—
32 Cong: mal:, birth	M	7	5	—	—	1	1	—	18	16	1	1	—	—	—	182	159	3	1	12	6	1
inj:, infant: dis:	F	9	8	1	—	—	—	—	21	20	—	—	—	1	—	145	120	4	3	6	6	6
33 Suicide	M	6	—	—	—	2	3	1	7	—	—	—	1	3	3	85	—	—	—	27	34	24
	F	12	—	—	—	2	6	4	2	—	—	—	—	2	—	54	—	—	—	13	27	14
34 Road traffic	M	1	—	—	—	—	1	1	6	—	1	1	3	1	—	77	—	6	7	32	20	12
accidents	F	2	—	—	—	—	1	1	5	—	2	—	—	—	3	30	—	2	4	5	7	12
35 Other violent	M	12	2	—	—	4	3	3	27	5	1	1	6	8	6	101	12	6	7	30	17	29
causes	F	12	3	1	1	—	—	7	19	3	—	—	—	1	15	73	5	1	4	7	8	48
36 All other	M	28	—	—	—	3	9	16	57	—	—	—	9	10	38	373	23	7	15	49	73	206
causes	F	30	—	—	—	3	5	22	48	4	—	—	4	6	34	364	14	9	13	45	75	208
†Including deaths from	M	7	—	—	—	1	4	2	7	—	—	—	1	2	4	54	—	—	—	9	30	15
ulcer of duodenum	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	9	—	—	—	—	5	4

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		BLACKBURN.							BLACKPOOL.							BOLTON.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	864	50	7	9	63	249	486	1041	22	3	4	60	289	663	1132	40	11	11	83	339	648
	F	864	27	8	4	56	192	577	1212	25	3	3	76	259	846	1133	44	9	5	79	229	767
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	2	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	27	—	—	—	11	14	2	36	—	—	—	11	21	4	26	—	—	—	19	7	—
	F	16	—	—	1	12	1	2	26	—	—	—	15	9	2	27	—	—	—	19	7	1
7 Other forms	M	4	1	—	—	3	—	—	3	—	1	—	—	—	2	4	—	3	—	1	—	—
	F	5	—	1	—	2	1	1	3	—	1	—	1	—	1	6	—	3	—	2	1	—
8 Syphilitic disease	M	6	1	—	—	—	4	1	4	—	—	—	—	2	2	7	—	—	—	3	1	3
	F	1	—	—	—	—	1	—	3	—	—	—	2	1	—	4	—	—	—	1	1	3
9 Influenza	M	7	—	—	—	—	5	2	10	—	—	—	—	3	7	11	—	—	—	1	3	7
	F	18	1	—	—	2	4	11	7	—	—	—	1	1	5	20	—	—	—	3	7	10
10 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	1	—	1	—	—	1	—	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	2	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1
Cancer of																						
13M Mouth & œsoph:	M	7	—	—	—	—	3	4	14	—	—	—	—	5	9	4	—	—	—	—	—	4
13F Uterus	F	20	—	—	—	3	7	10	32	—	—	—	1	17	14	27	—	—	—	2	16	9
14 Stomach and duodenum	M	27	—	—	—	1	17	9	30	—	—	—	—	10	20	37	—	—	—	1	10	26
	F	31	—	—	—	1	6	24	26	—	—	—	2	10	14	25	—	—	—	2	8	15
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	27	—	—	—	1	7	19	40	—	—	—	5	19	16	31	—	—	—	3	12	16
16 All other sites	M	83	—	—	—	3	34	46	109	—	1	—	3	46	59	133	—	—	1	8	56	68
	F	75	—	1	—	5	27	42	111	—	—	—	4	45	62	87	—	—	—	9	37	41
17 Diabetes	M	2	—	—	—	—	—	2	5	—	—	—	—	2	3	6	—	—	—	—	3	3
	F	11	—	—	—	—	3	8	11	—	—	—	—	3	8	11	—	—	—	1	1	9
18 Intra-cranial vasc: lesions	M	99	—	—	—	3	26	70	152	—	—	—	6	36	110	122	—	—	—	1	35	86
	F	124	—	—	—	3	28	93	170	—	—	—	4	31	135	147	—	—	—	2	23	122
19 Heart disease	M	278	—	—	—	10	66	202	386	—	—	—	7	104	275	372	—	—	1	8	118	245
	F	270	—	—	—	10	46	214	425	—	1	1	10	58	355	363	—	—	1	13	51	298
20 Other circulatory diseases	M	28	—	—	—	2	5	21	23	—	—	—	1	3	19	47	—	—	—	—	8	39
	F	38	—	—	—	—	7	31	30	—	—	—	3	3	24	51	—	—	—	2	10	39
21 Bronchitis	M	59	1	1	—	2	23	32	55	1	—	—	4	10	40	98	—	—	—	4	42	52
	F	37	1	—	—	—	5	31	65	—	—	—	3	6	56	94	—	—	—	2	16	76
22 Pneumonia	M	41	6	—	2	2	10	21	20	2	1	—	—	4	13	32	4	1	—	3	8	16
	F	32	3	1	—	1	8	19	16	3	—	—	—	3	10	42	11	2	—	—	6	23
23 Other respiratory diseases	M	17	—	—	—	2	7	8	9	—	—	—	1	6	2	18	—	—	1	—	14	3
	F	11	—	—	—	—	4	7	13	—	—	—	—	6	7	9	1	—	—	1	3	4
24 Ulcer of stomach or duodenum†	M	8	—	—	—	3	2	3	17	—	—	—	2	10	5	13	—	—	—	3	6	4
	F	1	—	—	—	—	1	—	6	—	—	—	1	1	4	2	—	—	—	—	1	1
25 Diarrhœa under 2 years	M	9	8	1	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	3	—	1	—	2	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—
	F	3	—	1	—	2	—	—	1	—	—	—	—	1	—	2	—	—	—	1	1	—
27 Other digestive diseases	M	20	2	—	—	4	10	4	14	—	—	—	1	5	8	12	1	—	—	1	3	7
	F	14	—	—	—	3	5	6	16	—	—	—	2	2	12	23	2	—	—	2	4	15
28 Nephritis	M	21	—	—	1	1	5	14	21	—	—	—	2	1	18	16	1	—	—	3	4	8
	F	27	—	—	—	2	10	15	26	—	—	—	4	8	14	19	—	—	—	1	4	14
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	2	—	—	—	2	—	—	2	—	—	—	2	—	—	2	—	—	—	2	—	—
31 Premature birth	M	9	9	—	—	—	—	—	12	12	—	—	—	—	—	9	9	—	—	—	—	—
	F	9	9	—	—	—	—	—	10	10	—	—	—	—	—	9	9	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	15	14	—	1	—	—	—	6	3	—	—	1	2	—	21	19	—	—	—	2	—
	F	12	8	2	—	—	2	—	7	7	—	—	—	—	—	18	17	1	—	—	—	—
33 Suicide	M	5	—	—	—	1	1	3	8	—	—	—	3	3	2	5	—	—	—	2	3	—
	F	15	—	—	—	1	10	4	23	—	—	—	8	9	6	5	—	—	—	—	3	2
34 Road traffic accidents	M	9	—	3	2	1	—	3	7	—	—	2	4	—	1	8	—	1	1	2	1	3
	F	2	—	—	—	1	—	1	8	—	—	1	—	3	4	7	—	1	2	1	—	3
35 Other violent causes	M	18	3	1	—	4	4	6	15	3	—	—	5	5	2	24	2	3	1	9	2	7
	F	13	1	1	—	—	1	10	16	3	—	—	—	6	7	24	3	1	—	1	5	14
36 All other causes	M	57	3	—	3	6	12	33	83	—	—	2	8	11	62	98	1	1	5	14	10	67
	F	48	3	1	3	4	8	29	115	2	—	—	7	16	90	75	1	—	2	9	12	51
†Including deaths from ulcer of duodenum	M	5	—	—	—	3	—	2	6	—	—	—	2	2	2	10	—	—	—	2	5	3
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	—	—	1	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		BOOTLE.							BOURNEMOUTH.							BRADFORD.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	410	47	13	9	42	120	179	920	30	4	3	40	216	627	2085	107	19	14	116	607	1222
	F	373	37	10	2	59	71	194	1217	24	5	3	51	178	956	2138	84	21	10	119	385	1519
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	31	—	—	1	13	16	1	34	—	—	—	9	17	8	72	—	—	—	24	39	9
	F	35	—	1	—	26	5	3	20	—	—	—	11	4	5	47	—	—	—	36	9	2
7 Other forms	M	2	—	1	1	—	—	—	6	2	—	1	1	1	1	8	—	—	1	5	2	—
	F	5	2	1	1	1	—	—	2	—	—	1	—	—	1	14	1	3	4	4	1	1
8 Syphilitic disease	M	4	—	—	—	1	2	1	9	—	—	—	—	4	5	15	—	—	—	—	8	7
	F	—	—	—	—	—	—	—	4	—	—	—	1	1	2	6	—	—	—	—	6	—
9 Influenza	M	3	—	—	—	1	—	2	6	1	—	—	—	2	3	42	1	—	—	1	9	31
	F	4	—	—	—	—	—	4	13	—	—	—	1	2	10	34	1	—	—	3	3	30
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	—	1	—	—	—	—	2	1	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	1	—	1	—	—	—	—	2	—	1	—	1	—	—	3	—	2	—	1	—	—
	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	4	—	—	—	3	1	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	7	—	—	—	—	3	4	5	—	—	—	—	2	3	25	—	—	—	—	6	19
13F Uterus	F	5	—	—	—	1	2	2	19	—	—	—	—	8	11	37	—	—	—	1	14	22
14 Stomach and duodenum	M	9	—	—	—	1	3	5	16	—	—	—	1	3	12	70	—	—	—	1	24	45
	F	10	—	—	—	—	1	9	26	—	—	—	—	4	22	46	—	—	—	—	19	27
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1
	F	6	—	—	—	1	1	4	52	—	—	—	3	23	26	44	—	—	—	1	18	25
16 All other sites	M	50	—	—	—	6	22	22	116	—	—	—	6	35	75	202	—	1	—	10	78	113
	F	25	—	—	—	6	9	10	105	—	—	—	4	32	69	154	—	—	—	8	45	101
17 Diabetes	M	1	—	—	—	—	—	1	3	—	—	—	—	1	2	8	—	—	—	—	2	6
	F	1	—	—	—	—	1	—	11	—	—	1	—	2	8	11	—	—	—	—	4	7
18 Intra-cranial vasc: lesions	M	31	—	—	—	1	5	25	97	—	—	—	—	14	83	240	—	—	—	3	66	171
	F	24	—	—	1	1	3	19	187	—	—	—	—	20	167	287	—	—	—	2	39	246
19 Heart disease	M	97	—	—	—	3	31	63	325	—	—	—	7	78	240	630	—	—	—	18	175	437
	F	101	—	—	—	8	23	70	410	—	—	—	4	30	376	696	—	—	1	21	103	571
20 Other circulatory diseases	M	11	—	—	—	1	1	9	28	—	—	—	—	3	25	81	—	—	—	1	16	64
	F	19	—	—	—	—	10	9	55	—	—	—	1	6	48	102	1	—	—	—	15	86
21 Bronchitis	M	32	2	—	—	—	15	15	49	1	—	—	—	12	36	167	2	2	1	2	65	95
	F	22	1	1	—	2	5	13	35	—	—	—	1	2	32	96	6	1	—	2	16	71
22 Pneumonia	M	25	9	3	—	2	3	8	25	6	—	—	—	4	15	100	15	4	1	5	24	51
	F	30	11	3	—	—	1	15	33	3	1	—	1	4	24	104	16	5	—	2	14	67
23 Other respiratory diseases	M	6	1	—	—	2	3	—	14	—	—	—	2	7	5	31	—	—	—	5	7	19
	F	—	—	—	—	—	—	—	17	—	—	—	2	3	12	44	1	—	—	2	9	32
24 Ulcer of stomach or duodenum†	M	8	—	—	—	1	4	3	20	—	—	—	1	8	11	30	—	—	—	3	10	17
	F	2	—	—	—	—	1	1	9	—	—	—	1	1	7	5	—	—	—	—	1	4
25 Diarrhœa under 2 years	M	14	13	1	—	—	—	—	2	2	—	—	—	—	—	15	15	—	—	—	—	—
	F	4	3	1	—	—	—	—	3	3	—	—	—	—	—	2	2	—	—	—	—	—
26 Appendicitis	M	3	—	—	1	2	—	—	4	—	—	—	—	1	3	3	—	—	—	—	2	1
	F	1	—	—	—	1	—	—	4	—	—	—	—	1	3	3	—	1	1	—	1	—
27 Other digestive diseases	M	5	—	—	—	—	3	2	14	—	—	—	2	2	10	24	1	1	—	2	12	8
	F	5	—	—	—	2	1	2	21	—	—	1	—	7	13	43	1	1	1	3	12	25
28 Nephritis	M	5	—	—	—	1	—	4	29	—	—	—	2	2	25	31	—	—	1	5	5	20
	F	6	—	—	—	—	1	5	30	1	—	—	—	4	25	32	—	—	—	1	11	20
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
30 Other maternal	F	1	—	—	—	1	—	—	4	—	—	—	4	—	—	6	—	—	—	6	—	—
31 Premature birth	M	10	10	—	—	—	—	—	5	5	—	—	—	—	—	26	26	—	—	—	—	—
	F	6	6	—	—	—	—	—	10	10	—	—	—	—	—	22	22	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	11	9	—	2	—	—	—	14	11	1	—	—	1	1	36	32	2	—	2	—	—
	F	11	10	—	—	—	1	—	9	6	1	—	—	—	2	29	24	2	—	1	2	—
33 Suicide	M	5	—	—	—	—	3	2	15	—	—	—	1	9	5	25	—	—	—	6	12	7
	F	4	—	—	—	—	3	1	11	—	—	—	2	5	4	16	—	—	—	4	6	6
34 Road traffic accidents	M	6	—	3	1	2	—	—	6	—	—	—	3	—	3	19	1	3	1	5	4	5
	F	2	—	1	—	—	—	1	8	—	—	—	1	2	5	7	—	—	—	1	2	4
35 Other violent causes	M	11	3	2	1	2	1	2	14	2	1	1	1	3	6	50	9	—	3	8	11	19
	F	7	—	1	—	1	—	5	27	1	1	—	1	3	21	54	5	2	—	4	3	40
36 All other causes	M	19	—	—	1	3	5	10	62	—	1	1	3	7	50	126	4	3	5	9	29	76
	F	32	—	1	—	8	2	21	87	—	1	—	10	14	62	185	1	2	3	16	31	132
Including deaths from ulcer of duodenum	M	6	—	—	—	1	2	3	6	—	—	—	—	4	2	18	—	—	—	1	6	11
	F	1	—	—	—	—	—	1	3	—	—	—	—	1	2	2	—	—	—	—	1	1

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		BRIGHTON.							BRISTOL.							BURNLEY.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes.	M	1101	63	12	12	48	265	701	2481	107	31	16	193	653	1481	638	37	4	5	60	172	36
	F	1184	19	5	4	53	227	876	2403	85	17	12	171	458	1660	675	22	8	4	39	152	45
1 Typhoid	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
paratyphoid	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
fever	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cough	F	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	—	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory	M	31	—	—	—	6	16	9	108	—	1	—	43	52	12	28	—	—	—	15	11	—
system	F	22	—	—	—	13	5	4	86	1	2	1	59	17	6	10	—	—	—	7	3	—
7 Other forms	M	3	1	—	2	—	—	—	15	—	2	4	3	5	1	3	—	—	—	2	1	—
	F	4	—	1	—	3	—	—	8	—	1	3	2	1	1	4	—	—	1	—	3	—
8 Syphilitic	M	6	—	—	—	—	4	2	16	—	—	—	—	7	9	3	—	—	—	—	2	—
disease	F	4	—	—	—	—	2	2	4	—	—	—	—	2	2	3	—	—	—	—	2	—
9 Influenza	M	4	—	—	—	—	2	2	31	—	—	1	3	8	19	8	—	—	—	—	5	—
	F	8	—	—	—	—	2	6	30	—	—	—	4	6	20	18	—	2	—	1	3	12
10 Measles	M	—	—	—	—	—	—	—	4	—	4	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis	M	2	—	1	—	1	—	—	4	1	1	—	2	—	—	—	—	—	—	—	—	—
& polioenceph:	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
12 Ac: infectious	M	—	—	—	—	—	—	—	3	—	—	—	2	1	—	1	—	—	—	—	1	—
encephalitis	F	—	—	—	—	—	—	—	3	1	—	—	—	2	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	20	—	—	—	—	6	14	40	—	—	—	1	10	29	7	—	—	—	—	3	4
13F Uterus	F	20	—	—	—	—	7	13	32	—	—	—	3	15	14	9	—	—	—	—	5	4
14 Stomach and	M	24	—	—	—	1	9	14	83	—	—	—	3	36	44	24	—	—	—	3	12	9
duodenum	F	24	—	—	—	—	9	15	77	—	—	—	1	25	51	11	—	—	—	—	3	8
15 Breast	M	1	—	—	—	—	—	1	2	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	49	—	—	—	2	21	26	80	—	—	—	11	38	31	18	—	—	—	1	12	—
16 All other	M	135	—	—	1	4	51	79	306	—	—	1	20	104	181	60	—	—	—	5	22	33
sites	F	114	—	—	—	7	39	68	203	—	—	—	9	79	114	47	—	—	—	4	17	26
17 Diabetes	M	3	—	—	—	1	1	1	11	—	—	—	1	2	8	3	—	—	—	—	1	2
	F	6	—	—	—	—	2	4	26	—	—	—	1	5	20	5	—	—	—	—	2	3
18 Intra-cranial	M	104	—	—	1	3	23	77	217	—	—	—	3	31	183	62	—	—	—	3	10	49
vasc: lesions	F	185	—	—	—	2	37	146	354	—	—	—	3	70	281	89	—	—	—	1	18	70
19 Heart disease	M	311	—	—	—	4	60	247	812	—	—	1	24	187	600	207	—	—	—	7	50	150
	F	382	—	—	—	5	44	333	828	—	—	—	22	91	715	251	—	—	—	1	13	38
20 Other circulatory	M	50	—	—	—	4	10	36	64	—	—	—	3	19	42	11	—	—	—	—	3	8
diseases	F	59	—	—	—	—	4	55	88	1	—	—	2	10	75	17	—	—	—	—	4	13
21 Bronchitis	M	81	—	—	—	2	21	58	143	1	—	—	8	51	83	47	—	—	—	1	19	27
	F	52	—	—	—	3	7	42	98	2	—	—	2	13	81	36	—	—	—	—	11	25
22 Pneumonia	M	65	10	6	—	—	5	44	115	24	5	1	6	32	47	25	8	—	—	1	6	10
	F	67	2	3	1	—	11	50	96	12	3	2	5	15	59	20	4	1	—	1	5	9
23 Other respiratory	M	16	1	—	—	2	3	10	35	—	1	—	4	15	15	8	—	—	—	—	4	4
diseases	F	11	—	—	—	1	1	9	22	—	2	—	4	5	11	2	—	—	—	—	2	—
24 Ulcer of stomach	M	18	—	—	—	2	10	6	34	—	—	—	6	14	14	8	—	—	—	—	7	1
or duodenum†	F	8	—	—	—	—	4	4	10	—	—	—	—	1	9	1	—	—	—	—	—	1
25 Diarrhœa	M	6	5	1	—	—	—	—	3	3	—	—	—	—	—	2	—	—	—	—	—	—
under 2 years	F	3	3	—	—	—	—	—	2	2	—	—	—	—	—	1	2	—	—	—	—	—
26 Appendicitis	M	2	—	—	1	1	—	—	7	—	—	—	2	3	2	1	—	—	—	1	—	—
	F	2	—	—	—	2	—	—	5	—	2	1	2	—	—	1	—	—	—	—	—	1
27 Other digestive	M	15	2	1	—	1	3	8	30	1	4	—	2	7	16	11	1	—	—	1	3	6
diseases	F	14	—	—	—	2	2	10	42	—	—	—	6	9	27	19	1	—	—	4	7	7
28 Nephritis	M	27	—	—	—	—	7	20	53	1	1	—	6	11	34	10	—	—	1	2	6	1
	F	26	—	—	—	1	3	22	47	—	—	—	5	14	28	9	—	—	—	2	3	4
29 Maternal sepsis	M	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
30 Other maternal	F	2	—	—	—	2	—	—	6	—	—	—	6	—	—	1	—	—	—	1	—	—
31 Premature	M	13	13	—	—	—	—	—	18	18	—	—	—	—	—	7	7	—	—	—	—	—
birth	F	5	5	—	—	—	—	—	10	10	—	—	—	—	—	7	7	—	—	—	—	—
32 Cong: mal:, birth	M	31	27	1	—	1	2	—	63	55	1	—	3	4	—	20	18	1	—	1	—	—
inj:, infant: dis:	F	12	8	1	1	1	1	—	57	50	—	1	2	2	2	7	6	1	—	—	—	—
33 Suicide	M	12	—	—	—	3	7	2	25	—	—	—	3	14	8	9	—	—	—	4	2	3
	F	13	—	—	—	3	7	3	15	—	—	—	4	8	3	11	—	—	—	3	3	5
34 Road traffic	M	11	—	—	4	2	4	1	30	—	2	3	12	6	7	9	—	—	2	3	—	4
accidents	F	4	—	—	1	—	—	3	11	—	1	1	3	2	4	2	—	2	—	—	—	—
35 Other violent	M	23	3	—	1	5	7	7	44	—	1	2	14	8	19	6	—	2	—	4	—	—
causes	F	12	1	—	—	—	1	10	35	1	1	—	—	2	31	13	1	1	—	—	8	—
36 All other	M	86	—	2	2	5	14	63	163	2	8	3	17	26	107	58	1	1	2	7	4	43
causes	F	75	—	—	1	5	18	51	123	3	5	2	12	26	75	62	2	—	2	1	8	49
†Including deaths from	M	6	—	—	—	1	2	3	16	—	—	—	4	7	5	1	—	—	—	—	1	—
ulcer of duodenum.	F	1	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		BURTON ON TRENT.							BURY.							CANTERBURY.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	331	23	6	2	18	96	186	400	18	5	6	26	102	243	159	7	1	—	15	38	98
	F	310	13	4	1	18	56	218	468	22	2	3	23	103	315	171	6	1	3	11	22	128
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	14	—	1	—	4	9	—	12	—	—	—	7	5	—	4	—	—	—	2	2	—
	F	7	—	—	—	6	—	1	7	1	—	—	4	—	2	4	—	—	—	4	—	—
7 Other forms	M	1	1	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—
	F	2	—	1	—	—	1	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—
8 Syphilitic disease	M	1	—	—	—	—	1	—	3	1	—	—	—	1	1	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—	—	—	—	—
9 Influenza	M	3	1	—	—	—	2	—	6	—	—	—	1	3	2	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	9	—	—	—	—	1	8	4	—	—	—	1	3	—
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis & polioenceph :	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & oesoph:	M	8	—	—	—	—	2	6	5	—	—	—	—	1	4	1	—	—	—	—	1	—
13F Uterus	F	3	—	—	—	—	1	2	7	—	—	—	2	3	2	1	—	—	—	1	—	—
14 Stomach and duodenum	M	8	—	—	—	—	5	3	10	—	—	—	2	5	3	4	—	—	—	—	1	3
	F	4	—	—	—	—	1	3	10	—	—	—	—	2	8	3	—	—	—	—	2	1
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	3	5	3	12	—	—	—	1	5	6	4	—	—	—	1	1	2
16 All other sites	M	30	—	—	—	1	15	14	39	—	—	1	1	17	20	16	—	—	—	1	4	11
	F	17	—	—	—	1	5	11	34	—	—	—	—	17	17	13	—	—	—	1	3	9
17 Diabetes	M	2	—	—	—	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	5	—	—	—	—	2	3	—	—	—	—	—	—	—
18 Intra-cranial vasc: lesions	M	42	—	—	—	1	10	31	51	—	—	—	1	11	39	14	—	—	—	—	2	12
	F	65	—	—	—	—	10	55	56	—	—	—	1	9	46	31	1	—	—	—	2	28
19 Heart disease	M	93	—	—	—	3	20	70	138	—	—	1	3	25	109	44	—	—	—	2	7	35
	F	85	—	—	—	2	17	66	180	—	—	—	5	31	144	53	—	—	—	1	6	46
20 Other circulatory diseases	M	6	—	—	—	—	3	3	18	—	—	—	1	1	16	9	—	—	—	—	3	6
	F	17	—	—	—	—	2	15	20	—	—	—	2	3	15	12	—	—	—	—	2	10
21 Bronchitis	M	32	—	—	—	—	9	23	28	1	—	—	—	9	18	9	—	—	—	—	5	4
	F	12	—	—	—	—	—	12	28	—	—	—	1	8	19	4	—	—	—	—	—	4
22 Pneumonia	M	13	3	1	—	1	4	4	18	2	2	—	4	2	8	6	1	—	—	—	1	4
	F	10	4	—	—	—	2	4	13	5	—	1	1	—	6	6	2	—	—	—	—	4
23 Other respiratory diseases	M	4	—	—	—	—	2	2	3	—	—	—	—	2	1	5	—	—	—	—	3	2
	F	2	—	—	—	—	—	2	4	1	—	—	—	1	2	3	1	—	—	—	1	1
24 Ulcer of stomach or duodenum†	M	6	—	—	—	—	3	3	3	—	—	—	—	1	2	3	—	—	—	1	1	1
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
25 Diarrhoea under 2 years	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	2	1	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
27 Other digestive diseases	M	8	—	—	—	—	3	5	2	—	—	—	—	1	1	4	—	—	—	—	1	3
	F	7	—	—	—	—	5	2	12	—	1	—	3	7	1	4	—	—	—	—	1	3
28 Nephritis	M	3	—	—	—	1	—	2	9	1	—	—	—	2	6	9	—	—	—	1	2	6
	F	5	—	—	—	1	1	3	11	—	—	—	—	2	9	8	—	—	—	—	—	8
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	7	7	—	—	—	—	—	6	6	—	—	—	—	—	1	1	—	—	—	—	—
	F	2	2	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	8	7	1	—	—	—	—	5	4	1	—	—	—	—	4	3	—	—	—	1	—
	F	5	4	—	—	—	1	—	6	6	—	—	—	—	—	3	2	1	—	—	—	—
33 Suicide	M	4	—	—	—	—	2	2	4	—	—	—	2	1	1	2	—	—	—	2	—	—
	F	3	—	—	—	—	1	2	3	—	—	—	1	1	1	1	—	—	—	—	1	—
34 Road traffic accidents	M	5	—	2	2	—	—	1	3	—	1	—	—	1	—	3	—	—	—	2	—	1
	F	2	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
35 Other violent causes	M	6	—	—	—	3	2	1	6	1	—	2	1	2	—	5	—	1	—	1	2	1
	F	6	—	—	—	—	—	6	3	—	—	—	—	1	2	2	—	—	—	—	1	1
36 All other causes	M	24	1	1	—	3	4	15	26	1	—	1	2	10	12	11	—	—	—	2	1	8
	F	34	1	1	—	1	4	27	31	—	—	1	2	7	21	11	—	—	1	2	—	8
†Including deaths from ulcer of duodenum	M	4	—	—	—	—	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—

TABLE 24—*contd.*—County Boroughs.

Causes of Death <i>See first page of Table.</i>		CARLISLE.							CHESTER.							COVENTRY.							
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	
All Causes		M F	408 409	21 23	4 4	4 2	37 43	129 86	213 251	310 268	14 15	— 1	4 2	26 23	95 49	171 178	1336 1078	129 58	18 15	15 14	126 110	392 249	656 632
1	Typhoid and paratyphoid	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2	Cerebro-spinal fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	1 1	1 —	— —	— —	— —	
3	Scarlet fever	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4	Whooping cough	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	— —	
5	Diphtheria	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— 1	1 —	— —	— —	
6	Tuberculosis:— Respiratory system	M F	23 23	— —	— —	— —	9 17	12 6	2 —	22 12	— —	— —	— —	9 8	9 2	4 2	91 37	— —	— —	1 1	40 31	39 4	11 1
7	Other forms	M F	1 2	— —	1 —	— —	— 2	— —	— —	3 —	— —	— —	— —	2 —	1 —	— —	13 13	2 —	2 2	3 1	3 7	2 3	1 —
8	Syphilitic disease	M F	2 —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	9 4	— —	— —	— —	2 1	7 1	
9	Influenza	M F	1 —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— 1	— —	— —	17 15	— 1	— —	— —	1 —	10 4	6 10
10	Measles	M F	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	
11	Ac: poliomyelitis & polioenceph:	M F	1 1	— —	— —	— —	1 1	— —	— —	— 2	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	
12	Ac: infectious encephalitis	M F	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
13M	Mouth & œsoph:	M	7	—	—	—	—	3	4	7	—	—	—	—	3	4	19	—	—	1	—	4	14
13F	Uterus	F	8	—	—	—	1	3	4	1	—	—	—	—	1	—	24	—	—	—	1	14	9
14	Stomach and duodenum	M F	14 14	— —	— —	— —	2 —	6 4	6 10	10 10	— —	— —	— —	1 —	4 2	5 8	21 25	— —	— —	— —	1 —	7 1	13 24
15	Breast	M F	— 8	— —	— —	— —	— —	— 3	— 5	— 9	— —	— —	— —	— 2	— 3	— 4	— 34	— —	— —	— —	— —	19 39	15 42
16	All other sites	M F	29 37	— —	— 1	— —	3 2	16 13	10 21	33 30	— —	— —	— —	4 2	13 8	16 20	154 92	— —	1 —	— 1	13 10	68 39	72 42
17	Diabetes	M F	4 4	— —	— —	— —	1 —	2 1	1 3	2 2	— —	— —	— —	— —	1 —	1 2	4 7	— —	— —	— —	1 2	1 2	2 3
18	Intra-cranial vasc: lesions	M F	39 61	— —	— —	— —	— 1	9 9	30 51	29 32	— —	— —	— —	— —	7 6	22 26	137 158	— —	— —	— —	4 4	40 45	93 109
19	Heart disease	M F	152 144	— —	— —	— —	9 4	46 25	97 115	86 77	— —	— —	— —	2 3	28 12	56 62	375 331	— 1	— —	— 1	13 18	97 56	265 255
20	Other circulatory diseases	M F	19 13	— —	— —	— —	— —	2 5	17 8	10 9	— —	— —	— —	— —	4 —	6 9	41 34	— —	— —	— 1	— 1	12 8	29 24
21	Bronchitis	M F	16 7	— —	— —	— —	— —	7 1	9 6	24 11	— —	— —	— —	1 —	5 2	18 9	82 47	1 —	— —	— —	4 3	25 11	52 33
22	Pneumonia	M F	14 15	4 4	— 1	— —	— 2	2 3	8 5	6 10	— 3	— —	— —	— —	4 3	2 4	65 56	29 13	1 1	— 1	3 4	12 8	20 29
23	Other respiratory diseases	M F	5 4	— —	— 1	— —	— 1	4 1	1 1	3 1	— —	— —	— —	— —	1 —	2 1	11 18	— —	— —	— —	1 3	6 9	4 6
24	Ulcer of stomach or duodenum†	M F	5 1	— —	— —	— —	2 —	3 1	— —	7 3	— —	— —	— —	1 —	5 2	1 1	14 —	— —	— —	— —	— —	7 —	7 —
25	Diarrhœa under 2 years	M F	1 3	1 3	— —	— —	— —	— —	— —	1 1	1 1	— —	— —	— —	— —	— —	17 4	17 3	— 1	— —	— —	— —	— —
26	Appendicitis	M F	1 —	— —	— —	— —	1 —	— —	— —	1 1	— —	— —	— —	— —	1 1	— —	7 4	— —	2 —	— —	3 2	1 2	1 —
27	Other digestive diseases	M F	6 8	— —	— —	— —	1 1	1 3	4 4	2 7	— —	— —	— —	— —	— 2	2 4	26 11	2 —	4 2	1 —	5 —	5 3	9 6
28	Nephritis	M F	12 8	— —	— —	— —	— —	5 2	7 6	6 6	— —	— —	— —	— —	1 1	5 5	22 14	— —	— 1	— 1	5 5	9 3	8 4
29	Maternal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
30	Other maternal	F	2	—	—	—	2	—	—	2	—	—	—	2	—	—	4	—	—	—	4	—	
31	Premature birth	M F	6 3	6 3	— —	— —	— —	— —	— —	5 1	5 1	— —	— —	— —	— —	— —	21 8	21 8	— —	— —	— —	— —	— —
32	Cong: mal:, birth inj:, infant: dis:	M F	9 11	8 11	1 —	— —	— —	— —	— —	7 8	7 7	— —	— —	— —	— 1	— —	45 24	42 21	— 1	— 1	2 1	1 —	— —
33	Suicide	M F	1 4	— —	— —	— —	1 4	— —	— —	7 1	— —	— —	— —	2 —	2 —	3 1	20 8	— —	— —	— —	4 2	11 2	5 4
34	Road traffic accidents	M F	12 2	— —	1 —	2 —	3 —	3 2	3 —	7 4	— —	— —	2 —	1 —	1 —	3 2	18 2	— —	1 1	2 —	7 —	5 —	3 1
35	Other violent causes	M F	5 5	1 —	— —	1 2	1 —	1 2	1 1	6 5	1 3	— —	1 —	2 —	— 1	2 1	26 22	6 6	3 2	4 3	4 1	5 1	4 9
36	All other causes	M F	22 21	1 2	— 1	— —	3 5	5 2	13 11	25 21	— —	— 1	— —	1 3	4 1	19 16	76 79	7 4	2 2	2 3	12 10	23 13	30 47
†Including deaths from ulcer of duodenum		M F	4 1	— —	— —	— —	2 —	2 1	— —	3 1	— —	— —	— —	1 —	1 —	1 1	4 —	— —	— —	— —	— —	— —	4 —

TABLE 24—*contd.*—County Boroughs.

Causes of Death <i>See first page of Table.</i>		CROYDON.							DARLINGTON.							DERBY.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1319	68	10	14	92	348	787	494	38	6	6	41	128	275	961	54	7	4	82	250	564
	F	1415	48	9	5	93	215	1045	487	22	1	2	38	94	330	802	37	7	7	53	159	539
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
5 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	57	—	—	1	26	18	12	22	—	—	—	7	12	3	53	—	—	—	27	22	4
	F	31	—	—	1	22	4	4	13	—	—	—	8	3	2	17	—	—	—	9	7	1
7 Other forms	M	4	—	2	1	1	—	—	4	—	1	—	3	—	—	6	—	1	—	3	1	1
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	6	1	—	2	2	1	—
8 Syphilitic disease	M	9	—	—	—	1	4	4	5	—	—	—	—	3	2	2	—	—	—	—	2	—
	F	2	—	—	—	—	1	1	1	—	—	1	—	—	—	1	—	—	—	—	—	1
9 Influenza	M	15	—	—	—	2	4	9	—	—	—	—	—	—	—	2	—	—	—	—	—	2
	F	18	—	1	—	2	2	13	—	—	—	—	—	—	—	4	—	—	—	—	—	4
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	12	—	—	—	1	5	6	10	—	—	—	—	4	6	9	—	—	—	—	4	5
13F Uterus	F	24	—	—	—	2	12	10	9	—	—	—	—	8	1	15	—	—	—	—	7	8
14 Stomach and duodenum	M	46	—	—	—	1	22	23	14	—	—	—	—	3	11	28	—	—	—	3	12	13
	F	39	—	—	—	3	10	26	20	—	—	—	1	6	13	10	—	—	—	—	1	9
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	47	—	—	—	6	12	29	15	—	—	—	3	3	9	28	—	—	—	3	10	15
16 All other sites	M	157	—	—	1	8	75	73	53	—	—	—	5	19	29	110	—	—	1	9	43	57
	F	140	—	—	1	8	42	89	41	1	—	—	5	9	26	66	—	—	1	5	25	35
17 Diabetes	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—	3	—	—	—	—	1	2
	F	9	—	—	—	—	4	5	3	—	—	—	1	1	1	8	—	—	—	1	1	6
18 Intra-cranial vasc: lesions	M	104	—	—	—	2	18	84	56	—	—	—	—	5	51	85	—	—	—	2	14	69
	F	188	—	—	—	2	24	162	78	—	—	—	2	15	61	94	—	—	—	2	23	69
19 Heart disease	M	465	—	—	—	5	92	368	125	—	—	1	4	33	87	277	—	—	—	5	67	205
	F	529	—	—	—	12	50	467	133	—	—	—	6	23	104	251	—	—	—	11	42	198
20 Other circulatory diseases	M	31	—	—	—	4	11	16	26	—	—	—	—	3	23	45	—	—	—	1	16	28
	F	53	—	—	—	3	3	47	30	—	—	—	—	3	27	37	—	—	—	—	8	29
21 Bronchitis	M	76	1	—	—	4	22	49	20	—	—	—	1	8	11	58	2	1	—	1	20	34
	F	64	—	—	—	—	8	56	26	—	—	—	1	5	20	28	1	—	—	—	4	23
22 Pneumonia	M	46	8	1	—	1	12	24	25	6	2	—	1	5	11	45	12	1	—	5	5	22
	F	51	7	1	—	—	5	38	23	6	—	—	—	3	14	32	7	2	—	4	4	15
23 Other respiratory diseases	M	20	—	—	—	1	5	14	6	—	—	—	2	3	1	15	—	1	1	3	6	4
	F	13	—	—	—	—	4	9	5	—	—	—	—	1	4	7	—	—	1	4	2	—
24 Ulcer of stomach or duodenum†	M	20	—	—	—	1	11	8	8	—	—	—	3	5	—	16	—	—	—	1	3	12
	F	6	—	—	—	—	2	4	1	—	—	—	—	—	1	1	—	—	—	—	1	—
25 Diarrhœa under 2 years	M	6	5	1	—	—	—	—	7	7	—	—	—	—	—	3	3	—	—	—	—	—
	F	1	1	—	—	—	—	—	2	2	—	—	—	—	—	3	3	—	—	—	—	—
26 Appendicitis	M	5	—	1	2	1	1	—	2	—	—	1	—	—	1	3	—	—	—	1	2	—
	F	2	—	—	—	1	—	1	1	—	—	—	—	1	—	2	—	—	1	1	—	—
27 Other digestive diseases	M	19	1	—	—	2	5	11	9	1	—	1	—	3	4	22	—	—	—	1	7	14
	F	22	—	—	—	2	4	16	10	—	—	—	1	3	6	18	1	—	—	1	4	12
28 Nephritis	M	30	—	—	—	4	4	22	10	—	—	—	1	2	7	12	—	—	—	1	2	9
	F	31	—	—	1	3	5	22	5	—	—	—	1	1	3	16	—	—	—	2	2	12
29 Maternal sepsis	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
30 Other maternal	F	4	—	—	—	4	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
31 Premature birth	M	25	25	—	—	—	—	—	9	9	—	—	—	—	—	9	9	—	—	—	—	—
	F	14	14	—	—	—	—	—	4	4	—	—	—	—	—	7	7	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	35	27	2	—	2	4	—	14	13	—	—	—	1	—	24	22	1	—	1	—	—
	F	25	19	4	—	—	1	1	12	9	1	—	—	2	—	18	14	1	—	1	2	—
33 Suicide	M	19	—	—	—	5	10	4	2	—	—	—	—	2	—	9	—	—	—	3	5	1
	F	13	—	—	—	5	3	5	1	—	—	—	1	—	—	5	—	—	—	1	2	2
34 Road traffic accidents	M	19	—	—	5	9	1	4	9	—	1	—	3	2	3	6	—	—	1	1	1	3
	F	4	—	—	—	1	—	3	4	—	—	1	2	—	1	6	—	2	1	1	—	2
35 Other violent causes	M	11	—	1	—	3	4	3	17	1	1	1	4	5	5	19	2	—	—	6	5	6
	F	9	—	—	—	3	1	5	11	—	—	—	1	1	9	11	—	1	—	—	1	9
36 All other causes	M	83	1	2	4	6	18	52	41	1	1	2	7	10	20	96	1	2	1	8	11	73
	F	68	5	2	—	11	18	32	37	—	—	—	3	6	28	106	—	—	1	4	12	89
†Including deaths from ulcer of duodenum	M	9	—	—	—	1	4	4	6	—	—	—	2	4	—	4	—	—	—	1	—	3
	F	2	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		DEWSBURY.							DONCASTER.							DUDLEY.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	363	17	3	1	19	121	202	475	25	6	1	41	141	261	383	30	8	7	36	112	190
	F	404	14	4	4	23	88	271	409	31	5	—	29	92	252	345	23	4	3	29	65	221
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	5	—	—	—	3	2	—	17	—	—	—	8	6	3	20	—	—	—	13	6	1
	F	7	1	—	—	6	—	—	11	—	—	—	7	3	1	8	—	—	—	8	—	—
7 Other forms	M	5	—	1	—	2	2	—	1	—	—	—	1	—	—	2	—	—	1	1	—	—
	F	1	—	—	—	1	—	—	2	1	—	—	1	—	—	3	—	1	—	2	—	—
8 Syphilitic disease	M	1	—	—	—	—	1	—	3	—	—	—	1	2	—	2	—	—	—	—	2	—
	F	3	—	—	—	—	3	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
9 Influenza	M	3	—	—	—	1	—	2	7	—	1	—	1	2	3	13	2	1	—	—	8	2
	F	5	—	—	—	—	2	3	1	—	—	—	—	—	1	7	1	—	—	1	—	5
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	4	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	3	—	—	—	—	1	2	5	—	—	—	1	—	4	1	—	—	—	—	—	1
13F Uterus	F	13	—	—	—	—	6	7	9	—	—	—	1	4	4	3	—	—	—	2	—	1
14 Stomach and duodenum	M	14	—	—	—	—	8	6	10	—	—	—	1	4	5	14	—	—	—	—	9	5
	F	15	—	—	—	—	6	9	10	—	—	—	—	3	7	8	—	—	—	—	2	6
15 Breast	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	15	—	—	—	1	5	9	19	—	—	—	—	13	6	12	—	—	—	3	4	5
16 All other sites	M	33	—	—	—	2	16	15	46	—	—	—	5	17	24	46	—	—	—	3	26	17
	F	21	—	—	1	1	6	13	26	—	1	—	2	8	15	20	—	—	—	1	9	10
17 Diabetes	M	1	—	—	—	—	—	1	1	—	—	—	—	1	—	3	—	—	—	—	—	3
	F	2	—	—	—	—	—	2	2	—	—	—	—	1	1	5	—	—	—	—	2	3
18 Intra-cranial vasc: lesions	M	41	—	—	—	—	9	32	51	—	—	—	1	9	41	30	—	—	—	1	5	24
	F	62	—	—	—	—	13	49	54	—	—	—	1	10	43	45	—	—	1	2	13	29
19 Heart disease	M	119	—	—	—	1	37	81	129	—	—	—	4	44	81	78	1	—	—	5	18	54
	F	129	—	—	1	3	20	105	101	—	—	—	5	15	81	98	—	—	1	4	12	81
20 Other circulatory diseases	M	8	—	—	—	—	2	6	19	—	—	—	—	4	15	21	1	—	—	1	2	17
	F	12	—	—	—	1	2	9	26	—	—	—	—	3	23	17	—	—	—	1	1	15
21 Bronchitis	M	38	—	—	—	1	15	22	30	—	—	—	—	8	22	33	—	—	—	1	14	18
	F	22	1	—	—	1	3	17	27	1	—	—	—	5	21	27	2	—	—	—	6	19
22 Pneumonia	M	18	7	—	—	3	6	2	18	3	1	—	2	5	7	16	6	1	—	—	3	6
	F	15	4	1	—	—	3	7	13	4	—	—	—	2	7	17	6	—	—	—	—	11
23 Other respiratory diseases	M	2	—	—	—	—	1	1	17	1	—	—	—	6	10	3	—	—	1	—	1	1
	F	3	—	—	—	—	2	1	9	—	—	—	1	3	5	1	—	—	—	—	1	—
24 Ulcer of stomach or duodenum†	M	4	—	—	—	—	3	1	12	—	—	—	—	9	3	5	—	—	—	1	—	1
	F	1	—	—	—	—	—	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—
25 Diarrhœa under 2 years	M	1	1	—	—	—	—	—	5	5	—	—	—	—	—	4	4	—	—	—	—	—
	F	2	2	—	—	—	—	—	4	4	—	—	—	—	—	3	3	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	—	—	2	—	—	—	—	2	—	3	1	1	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
27 Other digestive diseases	M	7	—	1	—	—	3	3	7	—	—	—	—	2	5	6	—	—	1	—	2	3
	F	6	—	—	—	1	—	5	12	—	1	—	—	4	7	12	—	—	—	—	5	6
28 Nephritis	M	13	—	1	—	—	6	6	19	—	1	—	1	7	10	11	—	—	—	1	1	9
	F	14	—	—	—	1	6	7	10	—	—	—	—	3	7	15	—	—	—	3	5	7
29 Maternal sepsis	M	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	4	4	—	—	—	—	—	6	6	—	—	—	—	—	3	3	—	—	—	—	—
	F	3	3	—	—	—	—	—	9	9	—	—	—	—	—	5	5	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	4	4	—	—	—	—	—	8	6	1	—	—	—	—	12	10	2	—	—	—	—
	F	3	2	—	—	1	—	—	14	11	1	—	1	1	—	3	3	—	—	—	—	—
33 Suicide	M	4	—	—	—	—	2	2	8	—	—	—	4	2	2	6	—	—	—	2	2	2
	F	2	—	—	—	—	2	—	1	—	—	—	—	1	—	1	—	—	—	1	—	—
34 Road traffic accidents	M	2	—	—	—	—	2	—	9	—	—	1	2	2	4	5	—	—	1	2	2	—
	F	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—	—	—	—	—
35 Other violent causes	M	8	1	—	—	4	1	2	9	2	—	—	3	3	1	12	—	1	1	3	3	4
	F	5	—	—	—	1	2	2	8	1	—	—	1	—	6	10	2	—	—	—	2	6
36 All other causes	M	24	—	—	1	1	4	18	33	2	1	—	4	5	21	31	1	1	1	2	4	22
	F	34	—	—	1	4	4	25	31	—	1	—	4	10	16	21	—	—	—	2	2	17
†Including deaths from ulcer of duodenum	M	1	—	—	—	—	1	—	7	—	—	—	—	6	1	3	—	—	—	1	2	—
	F	1	—	—	—	—	—	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		EASTBOURNE.							EAST HAM.							EXETER.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	378	6	2	1	29	74	266	708	29	4	3	54	189	429	457	11	5	10	35	125	271
	F	492	10	3	3	23	72	381	634	19	6	3	37	135	434	545	19	2	1	41	89	393
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory	M	13	—	—	—	6	5	2	31	—	—	—	10	18	3	17	—	—	—	7	7	3
	F	7	—	—	—	4	1	2	10	—	—	—	7	3	—	15	—	—	—	9	5	1
7 Other forms	M	1	—	—	—	1	—	—	2	—	—	—	1	1	—	3	—	—	3	—	—	—
	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	5	—	1	—	4	—	—
8 Syphilitic disease	M	—	—	—	—	—	—	—	5	—	—	—	—	2	3	5	—	—	—	—	3	2
	F	2	—	—	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
9 Influenza	M	2	—	—	—	—	1	1	10	—	—	—	1	4	5	5	1	—	—	1	—	3
	F	1	—	—	—	—	1	—	8	—	—	—	1	—	7	8	1	—	—	—	1	6
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
12 Ac: infectious encephalitis	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	5	—	—	—	—	1	4	6	—	—	—	—	2	4	3	—	—	—	—	1	2
	F	10	—	—	—	1	5	4	11	—	—	—	—	5	6	11	—	—	—	2	2	7
13F Uterus	M	8	—	—	—	—	4	4	29	—	—	—	1	10	18	7	—	—	—	—	3	4
	F	5	—	—	—	—	1	4	19	—	—	—	—	8	11	14	—	—	—	—	4	10
14 Stomach and duodenum	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	4	7	1	19	—	—	—	1	9	9	17	—	—	—	2	8	7
16 All other sites	M	42	—	—	—	4	10	28	102	—	—	—	8	38	56	47	—	—	—	4	15	28
	F	46	—	—	—	—	12	34	55	—	—	—	5	24	26	53	—	—	—	5	16	32
17 Diabetes	M	—	—	—	—	—	—	—	3	—	—	—	—	1	2	1	—	—	—	—	—	1
	F	3	—	—	—	—	1	2	8	—	—	—	—	2	6	5	—	—	—	—	1	4
18 Intra-cranial vasc: lesions	M	41	—	—	—	1	9	31	54	—	—	—	—	8	46	40	—	—	—	3	11	26
	F	90	—	—	—	2	11	77	76	—	—	—	—	15	61	88	—	—	—	3	15	70
19 Heart disease	M	147	—	—	—	2	25	120	207	—	—	1	9	42	155	160	—	—	—	6	38	116
	F	187	—	—	—	—	17	170	192	—	—	—	7	34	151	156	—	—	—	1	18	137
20 Other circulatory diseases	M	28	—	—	—	—	3	25	29	—	—	—	—	10	19	19	—	—	—	—	5	14
	F	25	—	—	—	—	2	23	42	—	—	—	1	4	37	16	—	—	—	—	1	15
21 Bronchitis	M	4	—	—	—	—	1	3	56	—	—	—	1	10	45	20	—	—	—	—	7	13
	F	10	—	—	—	—	1	9	36	1	—	—	—	3	32	21	—	—	—	—	3	18
22 Pneumonia	M	15	—	—	—	—	5	10	42	7	—	—	3	10	22	11	—	1	—	—	3	7
	F	12	—	—	—	1	—	11	32	2	2	—	1	3	24	16	2	—	—	—	—	14
23 Other respiratory diseases	M	5	—	1	—	1	—	3	8	—	—	—	—	6	2	7	1	—	—	1	3	2
	F	4	—	—	—	2	1	1	10	1	—	—	5	1	3	12	—	—	—	2	1	9
24 Ulcer of stomach or duodenum†	M	6	—	—	—	2	1	3	11	—	—	—	1	6	4	11	—	—	—	1	8	2
	F	1	—	—	—	—	1	—	3	—	—	—	—	1	2	1	—	—	—	—	—	1
25 Diarrhoea under 2 years	M	1	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	2	—	—	1	—	—	1	2	—	1	—	—	—	1	—	—	—	—	—	—	—
27 Other digestive diseases	M	8	—	—	—	1	1	6	11	—	—	—	1	2	8	11	—	—	—	1	3	7
	F	9	—	—	—	—	—	9	6	—	—	—	1	2	3	13	—	—	—	1	1	11
28 Nephritis	M	5	—	—	—	1	2	2	5	—	—	—	—	2	3	13	—	—	—	1	2	10
	F	20	—	—	—	2	1	17	8	1	—	—	1	2	4	15	—	—	—	1	1	13
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	2	—	—	—	2	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	—	—	—	—	—	—	—	4	4	—	—	—	—	—	4	4	—	—	—	—	—
	F	5	5	—	—	—	—	—	5	5	—	—	—	—	—	6	6	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	5	4	—	—	—	1	—	16	14	1	—	1	—	—	6	5	1	—	—	—	—
	F	5	4	—	1	—	—	—	15	7	1	1	—	5	1	11	8	—	1	1	1	—
33 Suicide	M	2	—	—	—	2	—	—	4	—	—	—	1	2	1	8	—	—	—	1	4	3
	F	5	—	—	—	2	2	1	4	—	—	—	—	3	1	5	—	—	—	1	3	1
34 Road traffic accidents	M	3	—	—	—	1	—	2	7	—	1	—	4	1	1	3	—	1	—	—	—	1
	F	1	—	—	—	—	—	—	3	—	—	—	1	1	1	2	—	—	—	1	—	1
35 Other violent causes	M	8	—	—	1	4	—	3	15	1	1	—	5	7	1	17	—	—	6	5	5	1
	F	8	—	2	—	1	—	5	11	—	—	—	1	1	9	15	1	—	—	2	2	10
36 All other causes	M	27	1	—	—	2	5	19	45	—	—	1	7	7	30	37	—	1	1	3	7	25
	F	18	—	1	—	—	7	10	51	—	1	2	1	8	39	36	—	1	—	4	5	26
†Including deaths from ulcer of duodenum.	M	2	—	—	—	—	—	2	5	—	—	—	—	3	2	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		GATESHEAD.							GLOUCESTER.							GREAT YARMOUTH.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	761	56	5	8	62	214	416	411	26	5	3	34	115	228	310	15	3	4	16	80	192
	F	683	54	8	9	61	136	415	356	21	3	3	25	63	241	334	13	2	—	12	54	253
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	53	—	—	—	25	25	3	15	—	—	—	7	7	1	10	—	—	—	3	5	2
	F	38	—	1	1	25	8	3	12	—	—	—	9	2	1	7	—	—	—	4	2	1
7 Other forms	M	5	—	—	2	1	1	1	3	—	2	—	1	—	—	—	—	—	—	—	—	—
	F	5	—	1	3	1	—	—	2	—	1	—	1	—	—	1	—	—	—	—	—	1
8 Syphilitic disease	M	8	—	—	—	—	5	3	3	—	—	—	—	2	1	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—
9 Influenza	M	9	—	—	—	—	4	5	3	—	—	—	—	2	1	2	—	—	—	—	—	2
	F	7	—	—	—	—	—	7	4	—	—	—	1	—	3	3	—	—	—	—	—	3
10 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	14	—	—	—	—	3	11	4	—	—	—	—	—	4	6	—	—	—	—	1	5
13F Uterus	F	10	—	—	—	—	5	5	13	—	—	—	4	6	3	9	—	—	—	—	4	5
14 Stomach and duodenum	M	21	—	—	—	—	10	11	10	—	—	—	—	4	6	10	—	—	—	—	5	5
	F	22	—	—	—	1	8	13	5	—	—	—	1	2	2	8	—	—	—	—	—	8
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	2	4	7	14	—	—	—	1	6	7	11	—	—	—	1	6	4
16 All other sites	M	76	—	—	—	7	25	44	37	—	—	—	1	19	17	25	—	1	—	1	10	13
	F	62	—	1	—	4	27	30	27	—	—	1	1	9	16	28	—	—	—	1	6	21
17 Diabetes	M	2	—	—	—	—	1	1	2	—	—	—	—	—	2	1	—	—	—	—	—	1
	F	7	—	—	—	—	1	6	3	—	—	—	—	1	2	6	—	—	—	—	—	6
18 Intra-cranial vasc: lesions	M	86	1	—	—	—	19	66	36	—	—	—	—	9	27	38	—	—	—	—	8	30
	F	86	—	—	—	1	14	71	40	—	—	—	—	4	36	39	—	—	—	1	7	31
19 Heart disease	M	181	—	—	—	10	50	121	141	—	—	1	8	32	100	106	—	—	—	4	23	79
	F	201	—	—	1	13	35	152	115	—	—	—	1	18	96	115	—	—	—	—	12	103
20 Other circulatory diseases	M	34	—	—	—	—	1	33	21	—	—	—	—	6	15	11	—	—	—	—	4	7
	F	31	—	—	—	—	6	25	16	—	—	—	—	3	13	11	—	—	—	—	1	10
21 Bronchitis	M	65	3	—	—	3	27	32	21	1	—	—	—	8	12	30	1	—	—	1	9	19
	F	47	2	—	—	1	6	38	13	1	—	—	—	2	10	16	—	—	—	—	3	13
22 Pneumonia	M	26	9	1	1	—	6	9	15	5	—	—	1	2	7	9	4	1	—	—	2	2
	F	23	10	1	—	2	2	8	21	3	—	—	2	2	14	10	1	—	—	—	1	8
23 Other respiratory diseases	M	16	—	—	1	—	3	12	6	—	—	—	2	1	3	4	—	—	—	—	2	2
	F	4	—	—	—	—	2	2	2	—	—	—	—	—	2	4	—	—	—	—	—	—
24 Ulcer of stomach or duodenum†	M	9	—	—	—	3	3	3	6	—	—	—	—	5	1	2	—	—	—	1	—	1
	F	2	—	—	—	—	—	2	2	—	—	—	—	—	2	3	—	—	—	2	—	1
25 Diarrhœa under 2 years	M	10	10	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	8	8	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	1	—	2	—	3	—	—	—	1	4	—	1	3	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	12	—	—	1	—	5	6	9	—	—	—	—	4	5	3	—	—	—	2	1	—
	F	15	—	1	—	—	5	8	5	—	—	—	—	1	4	6	—	—	—	—	—	6
28 Nephritis	M	12	—	—	—	1	4	7	12	—	—	—	2	—	10	10	—	—	—	2	1	7
	F	10	—	—	—	1	1	8	13	—	—	—	1	3	9	9	—	—	—	—	1	8
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	7	7	—	—	—	—	—	6	6	—	—	—	—	—	3	3	—	—	—	—	—
	F	16	16	—	—	—	—	—	4	4	—	—	—	—	—	5	5	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	20	19	—	—	—	—	1	14	12	1	—	1	—	—	6	6	—	—	—	—	—
	F	17	15	1	1	—	—	—	9	8	1	—	—	—	—	8	6	1	—	—	1	—
33 Suicide	M	5	—	—	—	—	2	3	4	—	—	—	2	2	—	3	—	—	—	—	—	3
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 Road traffic accidents	M	8	—	2	2	1	2	1	4	—	—	—	—	3	1	1	—	—	1	—	—	—
	F	1	—	—	1	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	1
35 Other violent causes	M	25	2	—	1	6	5	11	13	1	—	1	5	3	3	3	—	—	—	—	2	1
	F	15	1	2	—	2	1	9	6	—	—	2	2	—	2	7	—	—	—	—	—	7
36 All other causes	M	54	4	2	—	4	12	32	22	—	2	1	2	6	11	21	—	—	—	3	6	12
	F	37	1	—	1	6	9	20	23	1	—	—	—	4	18	26	1	—	—	3	6	16
†Including deaths from ulcer of duodenum.	M	3	—	—	—	1	2	—	4	—	—	—	—	3	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	2	1	—	—	—	—	—	1

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		GRIMSBY.							HALIFAX.							HASTINGS.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	620	45	7	5	41	165	357	729	31	11	4	41	211	431	480	15	1	1	21	105	337
	F	504	16	8	3	39	99	339	779	22	5	2	34	158	558	624	10	—	1	26	76	511
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	2	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	
5 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis :—																						
6 Respiratory system	M	27	—	1	—	9	13	4	18	—	—	—	6	10	2	23	—	—	—	9	12	2
	F	17	—	1	—	15	1	—	11	—	1	1	4	5	—	6	—	—	—	5	—	1
7 Other forms	M	2	—	—	1	—	—	—	3	—	1	—	—	1	1	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Syphilitic disease	M	5	—	—	—	—	3	2	6	—	—	—	—	5	1	1	—	—	—	1	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—	—	1	—	
9 Influenza	M	8	—	—	—	3	3	2	5	—	—	—	—	1	4	2	—	—	—	—	2	
	F	3	—	1	—	—	1	1	7	—	—	—	—	1	6	10	—	—	—	—	9	
10 Measles	M	1	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
11 Ac: poliomyelitis & polioenceph:	M	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
Cancer of																						
13M Mouth & œsoph	M	4	—	—	—	—	—	4	6	—	—	—	—	1	5	5	—	—	—	1	4	
13F Uterus	F	13	—	—	—	1	7	5	14	—	—	—	1	8	5	7	—	—	—	2	5	
14 Stomach and duodenum	M	11	—	—	—	1	4	6	27	—	—	—	1	11	15	6	—	—	1	2	3	
	F	8	—	—	—	—	2	6	23	—	—	—	—	7	16	10	—	—	—	1	9	
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	
	F	24	—	—	—	3	12	9	17	—	—	—	1	8	8	12	—	—	—	6	4	
16 All other sites	M	61	—	—	—	6	28	27	85	—	—	—	5	42	38	55	1	—	1	4	12	
	F	40	—	—	—	2	11	27	69	—	1	—	4	17	47	64	—	—	—	6	17	
17 Diabetes	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	1	
	F	2	—	—	—	—	—	2	8	—	—	—	—	2	6	2	—	—	—	—	2	
18 Intra-cranial vasc: lesions	M	65	—	—	—	1	15	49	72	—	—	—	1	13	58	45	—	—	—	1	9	
	F	64	—	—	—	1	13	50	131	—	—	—	1	19	111	89	—	—	—	8	81	
19 Heart disease	M	155	—	—	—	2	44	109	225	—	—	—	8	58	159	175	—	—	—	1	33	
	F	139	—	—	—	3	21	115	246	—	—	—	7	39	200	247	—	—	—	1	16	
20 Other circulatory diseases	M	21	—	—	—	1	2	18	34	—	—	—	2	7	25	11	—	—	—	1	9	
	F	28	—	—	—	1	3	24	44	—	—	—	1	1	42	20	—	—	—	5	15	
21 Bronchitis	M	59	2	—	—	1	11	45	57	—	—	—	1	21	35	29	—	—	—	5	24	
	F	34	—	—	—	1	2	31	42	1	—	—	2	8	31	24	—	—	—	3	21	
22 Pneumonia	M	47	7	1	—	1	8	30	34	6	3	—	1	5	19	23	1	1	—	4	17	
	F	34	7	1	—	—	4	22	37	2	1	1	1	5	27	29	—	—	2	4	23	
23 Other respiratory diseases	M	15	—	—	—	1	6	8	8	—	1	—	—	5	2	15	—	—	—	1	4	
	F	4	—	—	—	—	1	3	9	1	1	—	—	4	3	8	—	—	—	1	6	
24 Ulcer of stomach or duodenum†	M	12	—	—	—	2	5	5	11	—	—	—	5	3	3	7	—	—	—	4	3	
	F	3	—	—	—	—	1	2	1	—	—	—	—	—	1	4	—	—	—	1	3	
25 Diarrhœa under 2 years	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
	F	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
26 Appendicitis	M	2	—	1	—	—	1	—	3	—	—	—	1	—	2	1	—	—	—	—	1	
	F	1	—	—	—	—	—	1	2	—	—	—	—	1	1	—	—	—	—	—	—	
27 Other digestive diseases	M	11	—	—	—	1	3	7	13	1	—	1	2	4	5	6	—	—	—	2	4	
	F	10	1	—	—	—	4	5	13	—	—	—	1	4	8	10	—	—	—	1	7	
28 Nephritis	M	8	—	—	—	1	2	5	19	—	—	—	—	5	14	12	—	—	—	1	4	
	F	15	—	1	—	5	5	4	23	—	—	—	2	6	15	10	—	—	—	2	7	
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other maternal	M	3	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31 Premature birth	M	6	6	—	—	—	—	—	8	8	—	—	—	—	—	4	4	—	—	—	—	
	F	—	—	—	—	—	—	—	3	3	—	—	—	—	—	5	5	—	—	—	—	
32 Cong: mal:, birth inj:, infant: dis:	M	21	21	—	—	—	—	—	15	14	—	1	—	—	—	9	8	—	—	—	—	
	F	5	4	1	—	—	—	—	15	12	—	—	1	2	—	5	4	—	—	—	—	
33 Suicide	M	6	—	—	—	1	4	1	10	—	—	—	—	6	4	2	—	—	—	1	1	
	F	2	—	—	—	—	1	1	4	—	—	—	1	2	1	3	—	—	—	2	2	
34 Road traffic accidents	M	6	—	—	1	2	2	1	6	—	—	1	1	2	2	4	—	—	—	1	1	
	F	2	—	—	—	—	1	1														

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		HUDDERSFIELD.							IPSWICH.							KINGSTON UPON HULL						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	977	36	12	10	70	267	582	607	23	2	2	41	175	364	1868	133	22	17	170	571	955
	F	910	31	7	8	65	167	632	588	13	2	4	32	87	450	1729	126	34	8	155	371	1035
1 Typhoid and paratyphoid	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	25	—	—	—	10	12	3	13	—	—	—	5	5	3	99	3	—	—	37	51	8
	F	20	—	—	—	15	5	—	12	—	—	—	9	3	—	86	—	2	2	58	22	2
7 Other forms	M	5	—	—	1	1	2	1	2	—	—	—	1	1	—	8	—	1	1	5	—	1
	F	3	—	3	—	—	—	—	1	—	—	—	—	—	1	6	—	6	—	—	—	—
8 Syphilitic disease	M	4	—	—	—	—	3	1	5	—	—	—	—	2	3	21	—	—	—	1	12	8
	F	—	—	—	—	—	—	—	4	—	—	—	—	—	4	3	—	—	—	—	1	2
9 Influenza	M	8	—	—	—	—	2	6	8	—	—	—	1	4	3	9	—	—	—	2	3	4
	F	5	—	—	—	—	—	5	10	—	—	—	—	3	7	16	—	—	—	2	1	13
10 Measles	M	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	11	—	3	2	4	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	9	—	—	3	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	2	—
Cancer of																						
13M Mouth & œsoph:	M	10	—	—	—	—	2	8	9	—	—	—	—	3	6	27	—	—	—	—	7	20
13F Uterus	F	17	—	—	—	1	8	8	7	—	—	—	—	3	4	42	—	—	—	5	24	13
14 Stomach and duodenum	M	18	—	—	—	3	6	9	11	—	—	—	1	4	6	59	—	—	—	5	29	25
	F	22	—	—	—	2	4	16	13	—	—	—	—	5	8	33	—	—	—	2	11	20
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	4	9	6	12	—	—	—	2	5	5	58	—	—	—	5	27	26
16 All other sites	M	87	—	1	—	4	38	44	80	—	—	—	7	32	41	194	—	—	—	16	90	88
	F	84	—	1	—	7	26	50	52	—	—	—	5	16	31	142	—	2	—	9	63	68
17 Diabetes	M	7	—	—	—	—	3	4	1	—	—	—	—	1	—	3	—	—	—	1	—	2
	F	11	—	—	—	—	3	8	4	—	—	—	—	1	3	11	—	—	—	2	1	8
18 Intra-cranial vasc: lesions	M	101	—	—	—	—	17	84	64	—	—	—	1	12	51	161	—	—	—	2	41	118
	F	120	—	—	—	3	23	94	82	—	—	—	—	5	77	199	—	—	—	4	41	154
19 Heart disease	M	330	—	—	—	11	95	224	186	—	—	—	7	49	130	497	—	—	1	20	131	345
	F	296	—	—	2	7	57	230	219	—	—	1	3	19	196	478	—	—	—	13	67	398
20 Other circulatory diseases	M	25	1	—	—	1	6	17	31	—	—	—	—	6	25	86	—	—	—	1	23	62
	F	25	—	—	—	—	4	21	30	—	—	—	—	3	27	101	—	1	—	3	14	83
21 Bronchitis	M	66	1	—	1	1	23	40	39	—	—	—	1	15	23	142	4	1	—	3	48	86
	F	50	2	—	1	—	4	43	33	1	—	—	—	2	30	88	3	1	—	3	23	58
22 Pneumonia	M	27	5	2	2	1	8	9	26	2	—	—	1	5	18	138	42	8	3	10	31	44
	F	20	3	2	—	2	—	13	12	—	—	—	—	1	11	125	30	9	2	9	16	59
23 Other respiratory diseases	M	12	—	1	—	—	6	5	6	—	—	—	—	3	3	11	—	—	—	1	6	4
	F	5	—	1	1	—	3	—	2	—	—	—	1	—	1	11	—	—	—	2	5	4
24 Ulcer of stomach or duodenum†	M	19	—	—	—	4	7	8	12	—	—	—	1	8	3	37	—	—	—	3	17	17
	F	2	—	—	—	1	—	1	4	—	—	—	—	1	3	7	—	—	—	—	3	4
25 Diarrhœa under 2 years	M	2	2	—	—	—	—	—	1	—	1	—	—	—	—	16	16	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	20	19	1	—	—	—	—
26 Appendicitis	M	1	—	—	—	1	—	—	1	—	—	—	—	1	—	4	—	—	1	1	1	1
	F	2	—	—	—	1	—	1	1	—	1	—	—	—	—	6	—	1	—	1	2	2
27 Other digestive diseases	M	14	—	1	—	5	4	4	5	—	—	—	—	2	3	32	1	—	2	4	8	17
	F	17	2	—	—	2	1	12	17	—	—	—	2	2	13	23	2	1	1	2	3	14
28 Nephritis	M	26	—	—	—	1	13	12	11	—	—	—	2	2	7	33	—	—	1	2	17	13
	F	37	—	—	—	3	12	22	9	—	—	—	2	5	2	61	—	—	—	5	19	37
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	10	—	—	—	10	—	—
31 Premature birth	M	11	11	—	—	—	—	—	6	6	—	—	—	—	—	26	26	—	—	—	—	—
	F	12	12	—	—	—	—	—	4	4	—	—	—	—	—	17	17	—	—	—	—	—
32 Cong: mal.; birth inj.; infant: dis:	M	13	13	—	—	—	—	—	17	13	—	1	—	3	—	35	33	2	—	—	—	—
	F	13	10	—	1	1	1	—	13	6	1	—	2	2	2	51	46	3	1	1	—	—
33 Suicide	M	11	—	—	—	5	4	2	7	—	—	—	2	3	2	26	—	—	—	11	8	7
	F	4	—	—	—	—	1	3	8	—	—	—	2	4	2	12	—	—	—	4	4	4
34 Road traffic accidents	M	11	—	—	2	4	1	4	9	—	—	—	6	1	2	20	—	—	2	9	5	4
	F	3	—	—	—	1	—	2	3	—	—	2	—	—	1	9	—	1	2	3	—	3
35 Other violent causes	M	18	2	2	1	5	2	6	11	1	—	1	—	2	7	55	3	1	2	20	18	11
	F	11	1	—	—	2	—	8	9	1	—	1	—	—	7	23	—	2	—	2	2	17
36 All other causes	M	113	—	2	1	8	11	91	44	—	—	—	5	11	28	122	1	8	3	16	24	70
	F	101	—	—	—	7	5	89	25	—	—	—	3	7	15	84	6	3	—	9	20	46
†Including deaths from ulcer of duodenum	M	9	—	—	—	3	3	3	3	—	—	—	—	2	1	20	—	—	—	1	8	11
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	2	—	—	—	1	1	1

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		LEEDS.							LEICESTER.							LINCOLN.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	3276	145	28	29	245	1004	1825	1595	66	20	10	124	454	921	415	20	1	3	35	104	252
	F	3176	109	29	17	254	699	2068	1679	55	9	13	143	356	1103	414	16	4	1	33	73	287
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
3 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	—	1	—	—	—	—	3	2	1	—	—	—	—	1	1	—	—	—	—	—
	F	4	1	3	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	151	—	—	—	57	71	23	74	—	—	—	34	33	7	24	—	—	—	8	11	5
	F	92	—	—	1	63	23	5	69	—	2	—	47	16	4	11	—	—	—	10	1	—
7 Other forms	M	18	1	4	2	4	3	4	11	—	6	1	3	1	—	3	—	—	1	2	—	—
	F	16	2	4	1	6	2	1	11	—	—	3	8	—	—	1	—	—	1	—	—	—
8 Syphilitic disease	M	23	1	—	—	4	10	8	10	—	—	—	2	4	4	2	—	—	—	—	—	2
	F	15	—	—	1	1	4	9	4	—	—	—	—	1	3	2	1	—	—	1	—	—
9 Influenza	M	37	—	—	1	2	15	19	7	—	—	—	—	1	6	6	—	—	—	1	1	4
	F	38	1	—	—	3	5	29	9	—	—	—	1	2	6	9	—	—	1	1	1	6
10 Measles	M	2	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	5	—	1	1	3	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—
	F	6	—	3	1	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	6	—	—	—	3	1	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	3	—	—	—	2	1	—	3	—	—	—	1	1	1	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	25	—	—	—	—	5	20	14	—	—	—	—	2	12	7	—	—	—	—	2	5
13F Uterus	F	69	—	—	—	—	5	39	37	—	—	—	4	21	12	8	—	—	—	1	5	2
14 Stomach and duodenum	M	92	—	—	—	2	42	48	50	—	—	—	2	17	31	13	—	—	—	—	2	11
	F	72	—	—	—	7	19	46	34	—	—	—	—	8	26	14	—	—	—	—	3	11
15 Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	104	—	—	—	9	44	51	58	—	—	—	7	23	28	6	—	—	—	—	3	3
16 All other sites	M	379	1	2	2	30	164	180	189	—	1	—	16	75	97	45	—	—	—	3	14	28
	F	285	—	—	1	26	96	162	127	—	—	1	13	37	76	25	—	1	—	1	11	12
17 Diabetes	M	12	—	—	—	—	1	11	16	—	—	1	1	1	13	2	—	—	—	—	—	2
	F	27	—	—	—	—	3	24	22	—	—	—	2	3	17	3	—	—	—	—	1	2
18 Intra-cranial vasc: lesions	M	307	1	—	—	3	56	247	157	—	—	—	2	45	110	45	—	—	—	—	9	36
	F	479	1	—	—	4	103	371	240	—	—	—	2	60	178	50	—	—	—	—	11	39
19 Heart disease	M	897	—	—	3	34	280	580	452	—	—	—	13	115	324	113	—	—	—	5	31	77
	F	919	—	—	—	38	147	734	503	—	—	1	9	73	420	148	—	—	—	3	17	128
20 Other circulatory diseases	M	198	—	—	—	6	40	152	76	—	—	—	2	18	56	17	—	—	—	—	4	13
	F	192	—	—	—	6	24	162	84	—	—	—	2	21	61	22	—	—	—	—	3	19
21 Bronchitis	M	349	7	—	—	7	125	210	119	—	2	1	6	40	70	24	—	—	—	—	10	14
	F	168	2	2	1	3	31	129	88	5	1	—	2	13	67	27	2	1	—	1	1	22
22 Pneumonia	M	166	27	9	2	9	39	80	64	9	3	—	6	17	29	14	6	—	—	1	1	6
	F	135	16	4	1	8	31	75	64	7	2	—	7	15	33	12	5	1	—	1	1	5
23 Other respiratory diseases	M	33	—	—	—	3	12	18	32	1	—	—	3	16	12	10	—	—	—	1	5	4
	F	40	1	—	—	5	18	16	17	—	—	—	1	7	9	5	—	—	—	—	2	3
24 Ulcer of stomach or duodenum†	M	43	—	—	—	3	20	20	21	—	—	—	4	9	8	6	—	—	—	1	2	3
	F	14	—	—	—	2	4	8	12	—	—	—	—	3	9	2	—	—	—	1	1	—
25 Diarrhœa under 2 years	M	8	8	—	—	—	—	—	5	5	—	—	—	—	—	1	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	9	—	1	2	1	5	—	2	—	—	—	—	1	1	2	—	—	—	—	1	1
	F	7	—	—	1	1	2	3	2	—	1	—	—	—	1	—	—	—	—	—	—	—
27 Other digestive diseases	M	47	—	—	—	2	18	27	30	—	1	—	5	6	18	6	—	—	—	1	—	5
	F	67	—	1	1	10	19	36	34	—	—	—	3	13	18	7	—	—	—	1	1	5
28 Nephritis	M	50	—	—	2	5	19	24	37	—	—	—	6	6	25	13	—	—	—	2	2	9
	F	63	—	4	3	6	16	34	44	—	—	—	8	9	27	15	—	—	—	2	3	10
29 Maternal sepsis	F	1	—	—	—	1	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	—
30 Other maternal	F	8	—	—	—	8	—	—	5	—	—	—	5	—	—	1	—	—	—	1	—	—
31 Premature birth	M	35	35	—	—	—	—	—	19	19	—	—	—	—	—	5	5	—	—	—	—	—
	F	22	22	—	—	—	—	—	8	8	—	—	—	—	—	1	1	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	64	53	1	2	3	3	2	27	23	—	—	2	1	1	7	4	1	—	1	1	—
	F	54	47	—	2	2	2	1	31	27	1	1	2	—	—	6	5	—	—	1	—	—
33 Suicide	M	34	—	—	—	14	10	10	18	—	—	—	3	10	5	5	—	—	—	—	2	3
	F	23	—	—	—	7	12	4	13	—	—	—	5	4	4	3	—	—	—	2	—	1
34 Road traffic accidents	M	24	—	—	3	9	5	7	17	—	—	3	5	6	3	5	—	—	—	2	2	—
	F	8	—	—	1	1	4	2	6	—	—	—	—	—	6	1	—	1	—	—	—	—
35 Other violent causes	M	60	3	3	4	13	16	21	24	3	4	—	4	7	6	12	2	—	1	3	1	5
	F	58	2	2	—	2	7	45	31	5	—	3	2	4	17	6	1	—	—	—	2	3
36 All other causes	M	199	7	5	5	27	43	112	117	4	1	3	4	22	83	26	1	—	1	4	2	18
	F	178	8	3	2	26	43	96	115	2	—	4	8	21	80	27	—	—	—	5	6	16
†Including deaths from ulcer of duodenum	M	27	—	—	—	3	12	12	11	—	—	—	2	5	4	3	—	—	—	—	2	1
	F	7	—	—	—	1	3	3	2	—	—	—	—	—	2	1	—	—	—	1	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		LIVERPOOL.							MANCHESTER.							MIDDLESBROUGH.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	4913	411	78	49	466	1475	2434	4544	287	44	30	389	1475	2319	971	90	15	8	89	285	484
	F	4487	325	72	45	454	902	2689	4492	215	51	29	386	1000	2811	781	67	13	7	91	169	434
1 Typhoid and paratyphoid	M	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	13	8	3	1	1	—	—	4	3	—	—	1	—	—	1	1	—	—	—	—	—
	F	5	1	3	—	1	—	—	4	2	1	—	1	—	—	2	—	2	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	29	25	4	—	—	—	—	16	11	4	1	—	—	—	2	2	—	—	—	—	—
	F	29	18	10	1	—	—	—	13	8	5	—	—	—	—	2	1	1	—	—	—	—
5 Diphtheria	M	3	—	2	—	1	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
6 Tuberculosis:—	M	325	—	1	2	135	144	43	251	—	2	—	100	115	34	56	—	1	—	23	20	12
Respiratory system	F	216	1	1	2	164	39	9	167	1	2	—	120	35	9	40	—	1	—	32	6	1
7 Other forms	M	43	4	10	6	12	9	2	21	2	4	3	6	5	1	4	—	2	1	—	1	—
	F	34	—	10	7	15	2	—	17	1	3	1	8	1	3	8	1	2	2	1	1	1
8 Syphilitic disease	M	41	2	—	—	6	17	16	28	1	—	—	2	10	15	6	1	—	—	—	2	3
	F	15	—	—	—	1	8	6	11	—	—	—	1	4	6	3	—	—	—	—	2	1
9 Influenza	M	30	3	—	—	—	10	17	52	4	2	1	—	19	26	13	—	1	—	—	1	11
	F	62	2	—	1	4	13	42	56	1	1	—	2	13	39	7	—	—	—	2	1	4
10 Measles	M	6	1	5	—	—	—	—	3	1	2	—	—	—	—	1	1	—	—	—	—	—
	F	5	4	—	1	—	—	—	4	—	4	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	3	—	1	1	1	—	—	3	—	1	—	2	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	1	—	—	5	—	2	1	1	1	—	1	—	1	—	—	—	—
12 Ac: infectious encephalitis	M	7	—	—	1	1	5	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	1	3	—	—	—	2	1	—	2	—	—	—	1	1	—
13M Cancer of Mouth & œsoph:	M	58	—	—	—	1	27	30	53	—	—	—	3	15	35	12	—	—	—	1	5	6
13F Uterus	F	67	—	—	—	8	37	22	63	—	—	—	3	33	27	22	—	—	—	1	12	9
14 Stomach and duodenum	M	168	—	—	—	10	64	94	144	—	—	—	13	49	82	32	—	—	—	5	11	16
	F	119	—	—	—	7	33	79	120	—	—	—	3	43	74	19	—	—	—	2	5	12
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	108	—	—	—	11	45	52	128	—	—	—	12	68	48	20	—	—	—	3	11	6
16 All other sites	M	547	1	1	2	42	243	258	514	1	—	1	34	249	229	91	—	—	1	9	41	40
	F	338	2	1	2	34	136	163	376	—	2	1	26	167	180	52	—	—	1	7	19	25
17 Diabetes	M	16	1	—	—	2	4	9	13	—	1	—	1	1	10	5	—	—	—	1	1	3
	F	32	—	—	—	1	8	23	35	—	—	—	4	9	22	9	—	—	—	1	2	6
18 Intra-cranial vasc: lesions	M	403	—	—	—	11	103	289	404	1	—	—	3	110	290	85	—	—	—	1	25	59
	F	496	—	—	1	9	109	377	606	—	—	2	10	112	482	100	—	—	—	1	26	73
19 Heart disease	M	1234	1	1	4	60	330	838	1092	—	—	—	50	344	698	262	—	—	—	9	71	182
	F	1324	—	—	4	71	219	1030	1114	—	—	3	69	175	867	237	—	—	—	9	38	190
20 Other circulatory diseases	M	173	—	—	—	1	40	132	203	—	—	—	3	46	154	43	—	1	—	2	5	35
	F	193	—	—	—	4	35	154	227	—	—	—	5	32	190	20	—	—	—	2	2	16
21 Bronchitis	M	486	8	4	—	13	188	273	554	6	1	—	12	221	314	71	1	—	—	3	28	39
	F	290	7	—	1	7	50	225	389	6	1	—	10	82	290	35	1	—	—	2	7	25
22 Pneumonia	M	291	87	15	1	17	64	107	228	53	7	3	17	55	93	52	17	2	2	1	14	16
	F	295	71	14	1	20	31	158	168	38	7	1	15	32	75	34	10	5	—	4	6	9
23 Other respiratory diseases	M	64	2	—	1	5	31	25	68	3	1	—	6	33	25	15	—	—	—	4	7	4
	F	46	1	—	—	8	8	29	59	—	—	—	7	18	34	11	—	—	—	3	—	8
24 Ulcer of stomach or duodenum†	M	67	—	—	—	7	35	25	53	—	—	—	5	23	25	17	—	—	—	2	11	4
	F	18	—	—	—	2	4	12	23	—	—	—	1	9	13	2	—	—	—	1	1	—
25 Diarrhœa under 2 years	M	50	47	3	—	—	—	—	35	34	1	—	—	—	—	30	28	2	—	—	—	—
	F	48	44	4	—	—	—	—	25	23	2	—	—	—	—	21	21	—	—	—	—	—
26 Appendicitis	M	8	—	1	1	5	1	—	18	1	1	—	7	5	4	3	—	—	—	2	—	1
	F	11	—	—	3	2	3	3	12	—	1	—	—	5	6	1	—	—	—	1	—	—
27 Other digestive diseases	M	71	6	2	2	6	26	29	74	1	2	—	11	28	32	14	—	1	—	—	7	6
	F	79	3	1	1	13	20	41	85	2	2	3	6	28	44	9	—	—	1	—	4	4
28 Nephritis	M	73	1	—	—	19	20	33	69	—	—	—	16	22	31	16	1	—	—	4	4	7
	F	69	—	—	—	14	19	36	98	—	—	2	12	26	58	20	—	—	—	4	7	9
29 Maternal sepsis	F	4	—	—	—	4	—	—	6	—	—	—	6	—	—	—	—	—	—	—	—	—
30 Other maternal	F	5	—	—	—	5	—	—	10	—	—	—	10	—	—	2	—	—	—	2	—	—
31 Premature birth	M	74	74	—	—	—	—	—	40	40	—	—	—	—	—	23	23	—	—	—	—	—
	F	64	64	—	—	—	—	—	30	30	—	—	—	—	—	14	14	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	124	111	5	—	5	3	—	101	96	—	1	1	2	1	14	11	1	—	2	—	—
	F	94	85	2	1	2	2	2	101	79	6	3	9	4	—	14	13	—	1	—	—	—
33 Suicide	M	49	—	—	—	12	26	11	60	—	—	—	14	28	18	11	—	—	—	4	7	—
	F	35	—	—	1	7	14	13	28	—	—	—	8	14	6	2	—	—	—	1	1	—
34 Road traffic accidents	M	47	—	6	11	11	9	10	44	—	7	5	12	10	10	10	—	—	3	3	3	1
	F	30	—	7	3	2	10	8	24	—	2	4	5	6	7	3	—	1	1	—	1	—
35 Other violent causes	M	115	13	4	10	33	25	30	69	7	1	9	27	15	10	24	3	1	1	6	9	4
	F	65	6	4	1	4	7	43	29	4	2	2	4	7	10	17	4	—	—	2	1	10
36 All other causes	M	293	15	10	6	49	50	163	328	22	7	6	42	70	181	56	1	1	—	7	12	35
	F	283	15	14	13	32	48	161	456	20	8	6	26	75	321	51	2	—	—	9	15	25
†Including deaths from ulcer of duodenum	M	31	—	—	—	1	20	10	23	—	—	—	3	13	7	9	—	—	—	1	7	1
	F	4	—	—	—	1	1	2	4	—	—	—	—	2	2	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		NEWCASTLE-UPON-TYNE.							NORTHAMPTON.							NORWICH.						
		All Ages	0—	1—	5—	15—	54—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1989	127	24	5	180	613	1040	627	23	4	1	43	180	376	728	41	4	3	43	192	445
	F	1768	86	14	10	178	379	1101	634	26	5	3	33	120	447	720	21	3	4	38	114	540
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	3	1	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	130	—	—	—	54	60	16	23	—	—	—	6	15	2	28	—	—	—	8	16	4
	F	95	1	1	—	78	14	1	13	—	—	—	12	—	1	17	—	—	—	13	2	2
7 Other forms	M	11	—	5	—	2	3	1	2	—	1	—	1	—	—	3	—	2	—	1	—	—
	F	9	1	2	—	6	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
8 Syphilitic disease	M	15	—	—	—	1	9	5	2	—	—	—	—	1	1	7	1	—	—	5	1	—
	F	5	—	—	—	—	3	2	2	—	—	—	—	1	1	3	1	—	—	2	—	—
9 Influenza	M	12	2	—	—	—	5	5	3	—	—	1	—	—	2	7	—	—	1	5	1	—
	F	10	—	—	—	—	3	7	8	—	—	—	—	3	5	6	—	—	—	1	5	—
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	5	—	1	—	3	—	1	2	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	4	—	—	—	1	1	2	1	—	—	—	—	1	—	1	—	—	1	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	28	—	—	—	3	6	19	11	—	—	—	—	3	8	8	—	—	—	—	—	8
13F Uterus	F	44	—	—	—	5	25	14	10	—	—	—	2	5	3	10	—	—	—	1	4	5
14 Stomach and duodenum	M	64	—	—	—	2	28	34	13	—	—	—	—	9	4	19	—	—	—	1	11	7
	F	50	—	—	—	6	12	32	13	—	—	—	1	4	8	14	—	—	—	2	4	8
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	36	—	—	—	4	18	14	18	—	—	—	2	8	8	14	—	—	—	—	5	9
16 All other sites	M	200	—	1	—	15	86	98	57	—	—	—	3	21	33	92	—	—	—	4	34	54
	F	146	—	1	—	9	59	77	45	—	—	1	3	15	26	70	—	—	—	3	17	50
17 Diabetes	M	6	—	—	—	2	3	1	5	—	—	—	—	—	5	2	—	—	—	—	—	2
	F	24	—	—	1	3	8	12	4	—	—	—	—	1	3	7	—	—	—	—	1	6
18 Intra-cranial vasc: lesions	M	232	—	—	—	5	49	178	50	—	—	—	2	18	30	67	—	—	—	—	15	52
	F	268	—	—	—	2	51	215	72	—	—	—	1	14	57	93	—	—	—	1	18	74
19 Heart disease	M	503	—	—	1	27	151	324	239	—	—	—	7	50	182	203	—	—	—	3	40	160
	F	491	—	—	—	13	80	398	256	—	—	—	3	35	218	230	—	—	—	2	31	197
20 Other circulatory diseases	M	92	1	—	—	1	22	68	11	—	—	—	—	4	7	46	—	—	—	—	6	40
	F	93	—	—	—	4	8	81	15	—	—	—	—	2	13	55	—	—	—	—	6	49
21 Bronchitis	M	147	3	—	—	4	59	81	69	2	—	—	2	26	39	38	1	—	—	1	12	24
	F	89	4	—	1	2	13	69	37	2	—	—	—	5	30	32	—	—	—	—	3	28
22 Pneumonia	M	89	21	2	—	2	18	46	18	4	—	—	1	1	12	37	8	1	—	2	10	16
	F	72	9	2	—	3	11	47	24	3	1	1	1	3	15	30	3	—	—	—	2	25
23 Other respiratory diseases	M	38	1	—	—	2	15	20	12	—	—	—	2	4	6	7	—	—	—	1	3	3
	F	23	—	—	1	3	11	8	8	—	—	—	3	2	3	10	—	—	—	1	3	6
24 Ulcer of stomach or duodenum†	M	34	—	—	—	4	14	16	9	—	—	—	—	8	1	16	—	—	—	—	9	7
	F	4	—	—	—	1	2	1	3	—	—	—	—	—	3	3	—	—	—	1	1	1
25 Diarrhœa under 2 years	M	17	15	2	—	—	—	—	2	2	—	—	—	—	—	7	7	—	—	—	—	—
	F	14	14	—	—	—	—	—	1	1	—	—	—	—	—	4	4	—	—	—	—	—
26 Appendicitis	M	8	—	—	—	2	4	2	—	—	—	—	—	—	—	3	—	—	1	—	—	1
	F	3	—	—	—	—	2	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
27 Other digestive diseases	M	32	2	2	—	4	10	14	10	—	—	—	2	4	4	10	—	—	—	3	3	4
	F	37	1	3	2	2	13	16	13	—	—	—	1	—	12	10	1	—	—	1	—	8
28 Nephritis	M	42	—	—	—	5	11	26	14	—	—	—	1	4	9	8	—	—	—	1	2	5
	F	42	—	—	1	5	13	23	22	—	—	—	3	6	13	12	—	—	—	—	1	11
29 Maternal sepsis	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	6	—	—	—	5	1	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—
31 Premature birth	M	33	33	—	—	—	—	—	5	5	—	—	—	—	—	10	10	—	—	—	—	—
	F	22	22	—	—	—	—	—	9	9	—	—	—	—	—	3	3	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	40	36	1	—	2	1	—	8	8	—	—	—	—	—	13	12	—	1	—	—	—
	F	31	25	2	—	3	1	—	10	9	—	—	—	1	—	11	8	2	—	—	—	1
33 Suicide	M	25	—	—	—	4	15	6	9	—	—	—	3	2	4	8	—	—	—	1	3	4
	F	13	—	—	—	4	6	3	3	—	—	—	—	—	3	5	—	—	—	2	2	1
34 Road traffic accidents	M	15	—	—	1	5	6	3	11	—	1	—	5	1	4	13	—	1	—	5	4	3
	F	3	—	1	—	1	—	1	1	—	—	—	—	—	1	3	—	—	1	—	1	1
35 Other violent causes	M	49	1	2	1	23	11	11	9	1	—	—	4	1	3	14	—	—	1	6	4	3
	F	21	5	1	—	—	—	15	5	2	1	—	—	—	2	10	—	1	—	—	1	7
36 All other causes	M	116	9	6	2	8	26	65	33	1	2	—	3	8	19	61	2	—	—	4	9	46
	F	111	4	1	4	16	24	62	35	—	1	—	1	13	20	62	1	—	1	5	9	46
†Including deaths from ulcer of duodenum	M	20	—	—	—	3	7	10	5	—	—	—	—	5	—	6	—	—	—	—	3	3
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		NOTTINGHAM.							OLDHAM.							OXFORD.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1806	137	23	22	135	488	1001	894	45	10	4	65	264	506	503	33	4	4	40	117	305
	F	1750	82	12	8	150	366	1132	905	37	9	1	50	204	604	568	11	2	1	26	96	432
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	—	1	—	—	—	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	103	—	—	—	49	38	16	26	—	—	—	11	14	1	13	—	—	—	5	4	4
	F	85	—	2	2	55	25	1	13	—	—	—	5	4	4	11	—	—	—	6	—	5
7 Other forms	M	5	—	3	—	1	1	—	7	—	2	—	4	1	—	4	—	1	—	2	—	1
	F	8	—	2	—	4	2	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
8 Syphilitic disease	M	9	—	—	—	—	7	2	7	—	—	—	1	4	2	5	—	—	—	—	4	1
	F	6	—	—	—	—	2	4	1	—	—	—	—	1	—	6	—	—	—	—	3	3
9 Influenza	M	11	—	—	1	2	5	3	11	—	—	—	—	5	6	4	—	—	—	2	—	2
	F	19	—	—	—	1	6	12	11	—	—	—	—	4	7	2	—	—	—	—	1	1
10 Measles	M	4	1	3	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Cancer of																						
13M Mouth & œsoph:	M	16	—	—	—	—	2	14	12	—	—	—	—	5	7	4	—	—	—	—	—	4
13F Uterus	F	30	—	—	—	6	18	6	18	—	—	—	4	7	7	12	—	—	—	—	8	4
14 Stomach and duodenum	M	47	—	—	—	3	17	27	40	—	—	—	2	17	21	18	—	—	—	—	9	9
	F	29	—	—	—	1	9	19	26	—	—	—	—	12	14	16	—	—	—	—	4	12
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	57	—	—	—	8	24	25	25	—	—	—	4	14	7	18	—	—	—	1	8	9
16 All other sites	M	191	—	1	—	6	92	92	87	—	—	—	5	34	48	58	—	—	—	2	21	35
	F	153	—	—	—	6	60	87	73	—	1	—	5	31	36	46	2	—	—	3	10	31
17 Diabetes	M	5	—	—	—	—	1	4	3	—	—	—	—	1	2	1	—	—	—	—	1	—
	F	11	—	—	—	2	4	5	9	—	—	—	—	1	8	6	—	—	—	1	1	4
18 Intra-cranial vasc: lesions	M	137	—	—	—	2	29	106	76	—	—	—	2	12	62	51	—	—	—	2	8	41
	F	211	—	—	—	2	45	164	126	—	—	—	3	22	101	97	—	—	—	—	11	86
19 Heart disease	M	500	—	—	1	17	120	362	285	—	—	—	12	73	200	146	—	—	—	5	27	114
	F	541	—	—	1	13	70	457	309	—	1	—	6	47	255	205	—	—	—	2	26	177
20 Other circulatory diseases	M	79	—	—	—	—	13	66	32	—	—	—	—	8	24	24	—	—	—	1	7	16
	F	83	—	—	—	2	12	69	34	—	—	—	—	7	27	29	—	—	—	—	4	25
21 Bronchitis	M	168	8	—	1	6	49	104	104	—	—	—	4	48	52	26	—	—	—	1	9	16
	F	75	2	—	—	—	15	58	76	1	—	—	4	21	50	16	—	—	—	—	4	12
22 Pneumonia	M	118	30	4	—	1	25	58	33	7	—	—	1	9	16	13	2	—	—	—	1	10
	F	117	30	1	—	7	12	67	29	8	4	—	1	3	13	25	2	1	—	2	5	15
23 Other respiratory diseases	M	27	1	1	—	1	12	12	9	—	—	—	1	6	2	9	—	—	—	1	4	4
	F	22	—	1	—	2	8	11	8	—	—	—	2	2	4	9	—	—	—	1	3	5
24 Ulcer of stomach or duodenum†	M	33	—	—	—	4	15	14	9	—	—	—	1	4	4	7	—	—	—	—	3	4
	F	12	—	—	—	1	3	8	5	—	—	—	—	2	3	1	—	—	—	—	—	1
25 Diarrhœa under 2 years	M	28	28	—	—	—	—	—	2	1	1	—	—	—	—	1	1	—	—	—	—	—
	F	10	10	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	2	—	1	—	—	1	—	1	—	—	—	1	—	—	4	—	—	1	1	1	1
	F	5	—	1	—	—	2	2	3	—	—	—	1	1	1	—	—	—	—	—	—	—
27 Other digestive diseases	M	22	1	—	1	—	6	14	14	—	1	1	2	5	5	4	—	—	—	2	1	1
	F	23	1	—	2	3	4	13	21	1	—	—	3	4	13	9	—	—	—	2	—	7
28 Nephritis	M	36	—	1	4	3	9	19	13	—	—	—	2	2	9	8	—	—	—	1	2	5
	F	38	—	—	—	6	11	21	15	—	—	—	1	7	7	10	—	—	—	1	1	8
29 Maternal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	2	—	—	—	2	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	—
31 Premature birth	M	20	20	—	—	—	—	—	10	10	—	—	—	—	—	7	7	—	—	—	—	—
	F	11	11	—	—	—	—	—	2	2	—	—	—	—	—	2	2	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	47	41	1	—	2	3	—	24	23	—	1	—	—	—	22	21	1	—	—	—	—
	F	25	22	1	—	1	1	—	23	23	—	—	—	—	—	6	4	1	—	1	—	—
33 Suicide	M	28	—	—	—	5	16	7	8	—	—	—	1	2	5	4	—	—	—	2	2	—
	F	17	—	—	—	4	8	5	4	—	—	—	—	2	2	1	—	—	—	1	—	—
34 Road traffic accidents	M	20	—	3	6	7	2	2	11	—	1	—	—	5	2	9	—	—	1	6	2	—
	F	5	—	—	—	1	1	3	3	—	—	—	—	2	1	3	—	—	—	—	1	2
35 Other violent causes	M	33	—	1	4	11	11	6	12	—	1	1	3	5	2	12	1	1	1	1	4	4
	F	31	1	—	1	4	6	19	16	1	—	—	1	4	10	9	—	—	—	—	1	8
36 All other causes	M	113	7	3	3	13	14	73	56	3	3	1	7	7	35	46	—	1	1	4	7	33
	F	117	3	3	1	16	18	76	48	—	1	1	6	6	34	26	—	—	1	4	4	17
†Including deaths from ul of duodenum	M	19	—	—	—	4	6	9	2	—	—	—	—	1	1	5	—	—	—	—	3	2
	F	6	—	—	—	1	2	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		PLYMOUTH.							PORTSMOUTH.							PRESTON.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1296	72	8	13	89	369	745	1353	59	17	8	79	361	829	727	53	14	8	48	228	376
	F	1211	57	9	10	96	214	825	1278	41	15	8	81	233	900	742	41	11	1	62	164	463
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	1	—	1	—	—	—	—	2	1	1	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	64	—	—	—	27	30	7	62	—	1	—	22	33	6	24	—	—	—	10	12	2
	F	55	—	—	1	42	9	3	36	—	—	—	24	9	3	24	—	—	—	20	3	1
7 Other forms	M	4	—	—	—	4	—	—	5	1	3	1	—	—	—	6	—	4	—	1	1	—
	F	2	2	—	—	—	—	—	4	—	—	2	1	1	—	3	1	—	—	2	—	—
8 Syphilitic disease	M	13	—	—	—	—	10	3	10	—	—	1	—	7	2	2	—	—	—	1	1	—
	F	3	—	—	—	—	2	1	8	—	—	—	1	3	4	—	—	—	—	—	—	—
9 Influenza	M	9	—	—	—	—	5	4	4	—	—	—	1	1	2	10	—	—	—	—	—	10
	F	4	—	—	—	—	—	4	5	—	—	—	—	2	3	11	—	—	—	1	6	4
10 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	2	—	—
	F	1	—	—	—	1	—	—	1	—	—	—	—	—	1	2	—	—	—	—	2	—
Cancer of																						
13M Mouth & œsoph:	M	23	—	—	—	—	6	17	16	—	—	—	1	1	14	10	—	—	—	4	6	—
13F Uterus	F	26	—	—	—	1	17	8	32	—	—	—	1	14	17	18	—	—	—	3	9	6
14 Stomach and duodenum	M	48	—	—	—	1	17	30	39	—	—	—	1	13	25	28	—	—	—	3	14	11
	F	31	—	—	—	—	9	22	34	—	—	—	1	6	27	26	—	—	—	1	7	18
15 Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	30	—	—	—	4	11	15	43	—	—	—	1	18	24	10	—	—	—	2	2	6
16 All other sites	M	128	—	—	1	6	49	72	186	—	—	—	13	77	96	77	—	—	—	5	33	39
	F	96	—	—	—	5	35	56	122	—	3	—	7	36	76	47	—	1	—	4	19	23
17 Diabetes	M	8	—	—	—	—	—	8	7	—	—	—	—	2	5	2	—	—	—	—	—	2
	F	15	—	—	—	—	1	14	14	—	—	—	1	3	10	7	—	—	—	—	3	4
18 Intra-cranial vasc: lesions	M	104	—	—	—	3	24	77	122	1	—	—	1	29	91	72	—	—	—	2	13	57
	F	146	—	—	—	3	18	125	149	—	—	—	5	15	129	103	—	—	—	1	22	80
19 Heart disease	M	404	—	—	—	9	109	286	323	—	1	—	4	75	243	230	—	—	—	4	63	163
	F	424	—	—	1	11	52	360	337	—	—	—	7	47	283	253	—	—	—	5	43	205
20 Other circulatory diseases	M	50	—	—	—	—	20	30	72	—	—	—	1	19	52	17	1	—	—	1	8	7
	F	40	—	—	—	1	6	33	47	—	—	—	4	10	33	18	—	—	—	1	2	15
21 Bronchitis	M	72	1	—	1	1	18	51	99	3	1	—	1	28	66	65	—	1	—	3	32	29
	F	57	1	—	—	2	9	45	55	—	—	—	4	12	39	46	—	—	—	3	11	32
22 Pneumonia	M	51	20	2	—	1	10	18	49	9	2	—	3	13	22	28	9	1	—	2	2	14
	F	50	12	2	—	2	7	27	65	9	3	—	2	10	41	27	4	3	—	2	8	10
23 Other respiratory diseases	M	25	—	—	1	1	13	10	27	—	1	—	1	6	19	11	—	1	—	3	4	3
	F	5	—	—	—	—	3	2	16	—	1	—	—	6	9	8	—	—	—	2	2	4
24 Ulcer of stomach or duodenum†	M	18	—	—	—	4	5	9	22	—	—	—	1	11	10	5	—	—	—	4	1	1
	F	5	—	—	—	—	3	2	10	—	—	—	—	4	6	3	—	—	—	1	—	—
25 Diarrhoea under 2 years	M	7	7	—	—	—	—	—	6	5	1	—	—	—	—	13	12	1	—	—	—	—
	F	1	—	1	—	—	—	—	3	3	—	—	—	—	—	3	3	—	—	—	—	—
26 Appendicitis	M	6	—	—	2	1	1	2	7	—	—	—	4	1	2	1	—	—	—	—	1	—
	F	2	—	—	1	—	—	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	31	3	—	—	3	9	16	23	—	2	—	1	5	15	14	3	—	—	1	5	5
	F	17	1	1	—	1	3	11	36	—	1	—	2	8	25	15	—	1	—	2	4	8
28 Nephritis	M	31	—	—	—	7	5	19	28	—	—	1	2	10	15	15	—	—	—	—	9	6
	F	24	—	—	—	6	9	9	18	—	—	—	4	6	8	12	—	—	—	2	4	6
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
30 Other maternal	F	6	—	—	—	6	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
31 Premature birth	M	21	21	—	—	—	—	—	17	17	—	—	—	—	—	13	13	—	—	—	—	—
	F	17	17	—	—	—	—	—	11	11	—	—	—	—	—	13	13	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	18	17	—	—	1	—	—	15	15	—	—	—	—	—	14	14	—	—	—	—	—
	F	23	18	1	2	1	1	—	13	12	—	—	1	—	—	17	13	1	—	1	2	—
33 Suicide	M	14	—	—	—	3	7	4	26	—	—	—	9	7	10	7	—	—	—	1	4	2
	F	9	—	—	—	1	5	3	7	—	—	—	1	4	2	4	—	—	—	—	1	3
34 Road traffic accidents	M	12	—	3	1	3	3	2	9	—	—	2	2	2	3	13	—	2	4	3	3	1
	F	7	—	1	—	1	2	3	3	—	1	1	1	—	—	5	—	—	1	2	1	1
35 Other violent causes	M	26	1	1	3	4	10	7	24	3	3	1	4	2	11	17	1	3	1	7	3	2
	F	17	1	—	2	1	2	11	22	3	2	2	1	2	12	15	5	2	—	—	4	4
36 All other causes	M	103	—	—	4	10	17	72	153	5	1	1	7	19	120	31	—	1	3	2	10	15
	F	91	2	1	1	7	10	70	174	2	—	3	5	16	148	49	1	2	—	6	10	30
†Including deaths from ulcer of duodenum	M	6	—	—	—	2	2	2	7	—	—	—	1	3	3	2	—	—	—	—	1	1
	F	1	—	—	—	—	1	—	3	—	—	—	—	—	3	1	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		READING.							ROCHDALE.							ROTHERHAM.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	610	23	2	3	37	147	398	622	36	10	5	32	181	358	475	48	7	4	34	126	256
	F	650	26	9	5	34	115	461	698	20	3	3	29	150	493	397	33	6	2	27	89	240
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	20	—	—	—	8	9	3	9	—	—	—	4	4	1	13	—	—	—	4	9	—
	F	14	—	—	—	8	5	1	6	—	—	1	3	1	1	11	—	—	—	11	—	—
7 Other forms	M	1	—	—	—	1	—	—	1	—	—	1	—	—	—	5	—	1	—	1	3	—
	F	4	1	—	—	1	2	—	3	—	2	—	1	—	—	—	—	—	—	—	—	—
8 Syphilitic disease	M	6	—	—	—	—	2	4	4	—	—	—	—	2	2	2	—	—	—	—	—	2
	F	2	—	—	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
9 Influenza	M	4	1	—	—	—	1	2	2	—	—	—	—	—	2	7	—	1	—	—	2	4
	F	3	—	1	—	1	—	1	11	—	—	—	—	—	11	3	—	—	—	—	—	3
10 Measles	M	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	5	1	—	1	2	1	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	6	—	—	—	—	1	5	3	—	—	—	—	—	3	9	—	—	—	—	2	7
13F Uterus	F	10	—	—	—	—	4	6	15	—	—	—	1	8	6	9	—	—	—	—	7	2
14 Stomach and duodenum	M	9	—	—	—	—	1	8	9	—	—	—	—	2	7	16	—	—	—	2	5	9
	F	15	—	—	—	1	4	10	24	—	—	—	—	5	19	6	—	—	—	—	2	4
15 Breast	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	1	11	9	18	—	—	—	2	6	10	12	—	—	—	—	8	4
16 All other sites	M	80	—	—	—	6	24	50	72	—	—	—	5	33	34	58	—	—	—	7	26	25
	F	52	—	1	—	3	17	41	62	—	—	1	1	17	43	41	—	—	—	3	11	27
17 Diabetes	M	4	—	—	—	—	1	3	4	—	—	—	—	—	2	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	6	—	—	—	—	3	3	5	—	—	—	—	1	4
18 Intra-cranial vasc: lesions	M	53	—	—	—	—	13	40	88	—	—	—	—	20	68	38	—	—	—	—	10	28
	F	97	—	—	—	2	17	78	100	—	—	—	1	19	80	53	—	—	—	1	9	43
19 Heart disease	M	205	—	—	—	2	50	153	151	—	—	—	3	42	106	109	—	—	1	2	37	69
	F	219	—	—	1	3	29	186	190	—	—	—	6	33	151	92	—	—	—	3	21	68
20 Other circulatory diseases	M	15	—	—	—	1	2	12	45	—	—	—	—	16	29	15	—	—	—	—	1	14
	F	28	—	—	—	—	1	27	75	—	—	—	—	10	65	13	—	—	—	—	3	10
21 Bronchitis	M	31	—	1	—	—	8	22	73	—	—	—	2	30	41	40	2	—	—	—	8	30
	F	21	—	—	—	—	1	20	48	—	—	—	1	8	39	23	—	—	—	—	2	21
22 Pneumonia	M	32	3	—	—	—	10	19	20	7	3	—	3	2	5	32	8	2	—	1	8	13
	F	34	3	1	—	—	3	27	16	5	—	—	—	4	7	21	7	—	—	2	2	10
23 Other respiratory diseases	M	9	—	—	—	—	5	4	11	—	1	—	—	6	4	6	2	—	—	—	1	3
	F	6	—	—	—	1	1	4	11	—	—	—	1	8	2	4	—	—	—	—	2	2
24 Ulcer of stomach or duodenum†	M	11	—	—	—	1	5	5	4	—	—	—	—	2	2	5	—	—	—	2	1	2
	F	2	—	—	—	—	1	1	2	—	—	—	—	2	—	1	—	—	—	—	—	1
25 Diarrhoea under 2 years	M	—	—	—	—	—	—	—	3	2	1	—	—	—	—	14	13	1	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	10	9	1	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	1	—	3	—	—	—	1	—	2	2	—	—	—	1	1	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	12	3	—	—	2	1	6	11	—	—	—	1	4	6	5	1	—	—	—	—	4
	F	11	—	2	—	—	2	7	13	—	—	—	—	7	6	9	—	—	—	2	6	1
28 Nephritis	M	12	—	—	—	—	2	10	12	—	—	—	—	5	7	10	—	—	—	1	3	6
	F	11	—	1	—	3	1	6	13	—	—	—	—	6	7	9	—	—	—	—	3	6
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	1	—	—	—	1	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	—
31 Premature birth	M	4	4	—	—	—	—	—	12	12	—	—	—	—	—	13	13	—	—	—	—	—
	F	6	6	—	—	—	—	—	8	8	—	—	—	—	—	9	9	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	9	9	—	—	—	—	—	12	12	—	—	—	—	—	7	6	1	—	—	—	—
	F	14	10	—	—	2	1	1	6	5	—	—	1	—	—	6	6	—	—	—	—	—
33 Suicide	M	6	—	—	—	4	—	2	13	—	—	—	4	4	5	3	—	—	—	1	1	1
	F	1	—	—	—	—	1	—	3	—	—	—	—	1	2	2	—	—	—	—	2	—
34 Road traffic accidents	M	6	—	—	—	3	1	2	5	—	—	1	—	1	3	7	—	—	—	3	2	2
	F	3	—	—	—	—	3	—	1	—	—	—	—	—	1	3	—	2	—	—	—	1
35 Other violent causes	M	15	3	1	1	3	2	5	12	1	—	2	5	2	2	15	3	—	1	4	5	2
	F	11	1	—	—	1	1	8	4	2	—	—	—	—	2	12	1	1	—	—	—	10
36 All other causes	M	54	—	—	2	3	7	42	40	2	2	1	4	4	27	42	—	—	2	4	1	34
	F	38	2	2	2	2	6	24	54	—	—	1	6	10	37	39	1	1	1	3	10	23
†Including deaths from ulcer of duodenum	M	—	2	—	—	—	1	—	2	—	—	—	—	—	2	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		ST. HELENS.							SALFORD.							SHEFFIELD.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	644	43	10	9	56	183	343	1243	106	12	8	112	373	632	3333	166	35	29	260	946	1897
	F	556	40	8	1	65	110	332	1103	85	9	7	95	240	667	3098	115	32	18	220	609	2104
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	3	1	1	1	—	—	—
	F	2	1	—	—	1	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	4	4	—	—	—	—	—	3	2	1	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	36	—	1	—	14	17	4	69	—	—	—	21	38	10	151	—	—	1	62	69	19
	F	22	—	—	—	17	2	3	44	1	—	—	31	10	2	75	—	1	1	54	14	5
7 Other forms	M	6	1	1	1	2	1	—	9	—	3	—	4	1	1	19	1	6	2	8	2	—
	F	1	—	1	—	—	—	—	2	—	—	1	—	—	—	19	—	3	3	7	6	—
8 Syphilitic disease	M	1	—	—	1	—	—	—	5	—	—	—	1	4	—	17	—	—	—	1	14	2
	F	1	—	—	—	—	1	—	3	—	—	—	2	—	1	9	—	—	—	5	4	—
9 Influenza	M	4	—	—	—	1	—	3	13	—	—	—	2	4	7	43	3	1	1	3	17	18
	F	17	—	—	—	4	2	11	20	—	—	—	1	3	16	56	—	1	—	4	13	38
10 Measles	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	3	4	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	4	3	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	2	3	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	3	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	9	—	—	—	—	3	6	12	—	—	—	—	2	10	34	—	—	—	2	6	26
13F Uterus	F	4	—	—	—	—	2	2	10	—	—	—	—	6	4	55	—	—	—	6	31	18
14 Stomach and duodenum	M	20	—	—	—	4	4	12	36	—	—	—	3	17	16	89	—	—	—	7	44	38
	F	9	—	—	—	—	2	7	19	—	—	—	1	7	11	78	—	—	—	9	14	55
15 Breast	M	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	15	—	—	—	1	7	7	28	—	—	—	5	13	10	89	—	—	—	10	38	41
16 All other sites	M	72	—	—	—	5	36	31	159	—	—	1	13	67	78	413	1	—	2	28	165	217
	F	38	—	1	—	8	10	19	93	—	—	—	6	40	47	262	—	4	—	17	99	142
17 Diabetes	M	2	—	—	—	1	1	—	2	—	—	—	—	—	2	4	—	—	—	—	1	3
	F	8	—	—	—	—	3	5	19	—	—	—	—	7	12	20	—	—	—	—	5	15
18 Intra-cranial vasc: lesions	M	68	—	—	—	—	13	55	96	—	—	—	—	18	78	289	—	—	—	7	63	219
	F	56	—	—	—	—	13	43	111	—	—	—	1	21	89	403	—	—	—	16	78	309
19 Heart disease	M	177	—	—	1	10	47	119	274	—	—	1	13	80	180	924	—	—	—	30	265	629
	F	163	—	—	—	11	35	117	286	—	—	1	17	50	218	933	—	1	—	29	137	766
20 Other circulatory diseases	M	19	—	—	—	—	4	15	48	—	—	—	1	7	40	294	—	—	—	3	39	252
	F	13	—	—	—	—	5	8	55	—	—	—	1	8	46	343	—	—	—	2	22	319
21 Bronchitis	M	60	—	—	—	2	19	39	163	—	2	—	7	55	99	293	—	—	—	15	90	188
	F	27	—	—	—	—	8	19	97	—	—	1	2	25	69	150	1	—	2	3	31	113
22 Pneumonia	M	29	5	—	—	2	10	12	71	17	—	—	7	11	36	156	19	7	1	7	37	85
	F	24	4	1	—	1	3	15	66	17	4	—	9	12	24	132	18	7	1	7	21	78
23 Other respiratory diseases	M	9	1	—	—	1	2	5	21	—	—	—	3	10	8	36	—	—	—	4	19	13
	F	12	—	—	—	1	2	9	17	1	1	—	2	4	9	28	—	—	—	2	12	14
24 Ulcer of stomach or duodenum†	M	6	—	—	—	1	5	—	10	—	—	—	—	8	2	29	—	—	—	10	8	11
	F	1	—	—	—	—	—	1	4	—	—	—	—	1	3	16	1	—	—	—	4	11
25 Diarrhœa under 2 years	M	4	3	1	—	—	—	—	19	19	—	—	—	—	—	17	16	1	—	—	—	—
	F	6	6	—	—	—	—	—	12	12	—	—	—	—	—	12	11	1	—	—	—	—
26 Appendicitis	M	2	—	1	1	—	—	—	1	—	—	—	1	—	—	6	—	1	—	1	2	2
	F	1	—	—	—	1	—	—	2	—	—	—	—	1	1	8	—	—	2	3	1	2
27 Other digestive diseases	M	8	1	—	1	3	2	1	15	2	—	—	5	5	3	38	1	—	1	9	10	17
	F	13	—	—	—	2	2	9	23	—	—	—	4	6	13	50	—	1	—	8	11	30
28 Nephritis	M	6	—	—	—	2	1	3	26	—	—	—	6	9	11	47	—	—	—	10	14	23
	F	16	—	—	—	3	4	9	23	—	—	—	3	7	13	35	—	—	1	6	11	17
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—
30 Other maternal	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	5	—	—	—	5	—	—
31 Premature birth	M	12	12	—	—	—	—	—	19	19	—	—	—	—	—	52	52	—	—	—	—	—
	F	10	10	—	—	—	—	—	13	13	—	—	—	—	—	33	33	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis.	M	16	14	1	1	—	—	—	41	40	1	—	—	—	—	69	61	1	1	3	3	—
	F	16	15	—	—	1	—	—	28	27	1	—	—	—	—	52	41	2	—	4	5	—
33 Suicide	M	5	—	—	—	—	3	2	15	—	—	—	5	10	—	18	—	—	—	4	9	5
	F	3	—	—	—	—	2	1	5	—	—	—	2	2	1	14	—	—	—	4	6	4
34 Road traffic accidents	M	5	—	3	—	2	—	—	24	—	3	1	7	6	7	32	—	4	5	12	3	8
	F	—	—	—	—	—	—	—	7	—	1	2	—	1	3	10	—	2	2	1	—	5
35 Other violent causes	M	15	3	—	2	1	4	5	25	5	—	3	4	5	8	58	5	—	5	13	15	20
	F	13	2	1	1	1	3	5	14	2	1	—	1	2	8	65	4	2	—	3	3	53
36 All other causes	M	50	2	1	1	5	11	30	65	3	1	2	8	15	36	186	6	8	4	18	48	102
	F	61	2	3	—	10	4	42	94	6	1	2	6	13	66	130	4	5	2	12	42	65
†Including deaths from ulcer of duodenum	M	3	—	—	—	—	3	—	5	—	—	—	—	5	—	18	—	—	—	8	6	4
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	4	—	—	—	1	—	3

TABLE 24—contd.—County Boroughs.

Causes of Death <i>See first page of Table.</i>		SMETHWICK.							SOUTHAMPTON.							SOUTHEND-ON-SEA.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	493	27	7	3	37	149	270	1136	80	11	6	89	292	658	888	26	8	8	42	222	582
	F	484	29	5	2	29	93	326	971	48	11	6	57	182	667	1041	35	8	3	39	177	779
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	
	F	2	1	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis:—																						
6 Respiratory system	M	31	—	—	—	12	16	3	57	—	—	1	21	24	11	37	—	1	—	9	16	11
	F	14	—	—	—	9	5	—	21	—	—	—	10	7	4	13	—	—	—	9	2	2
7 Other forms	M	3	—	1	—	1	1	—	5	—	2	—	2	1	—	1	—	1	—	—	—	—
	F	2	—	1	—	1	—	—	3	—	—	—	1	1	1	2	—	1	—	—	—	1
8 Syphilitic disease	M	1	—	—	—	—	—	1	10	1	—	—	1	5	3	4	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	5	—	—	—	2	1	2	6	—	—	—	—	4	2
9 Influenza	M	10	—	—	—	—	3	7	13	1	—	—	2	1	9	5	1	—	—	—	2	2
	F	10	—	—	—	—	1	9	5	—	—	—	—	1	4	8	1	—	—	—	2	5
10 Measles	M	1	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	3	—	—	—	3	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	2	—	—	1	1	—	—	1	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Cancer of																						
13M Mouth & œsoph:	M	8	—	—	—	—	1	7	20	—	—	—	—	2	18	7	—	—	1	—	1	5
13F Uterus	F	5	—	—	—	—	1	4	19	—	—	—	—	15	4	16	—	—	—	2	6	8
14 Stomach and duodenum	M	22	—	—	—	—	10	12	34	—	—	—	—	15	19	36	—	—	—	14	22	
	F	13	—	—	—	—	3	10	23	—	—	—	2	5	16	27	—	—	—	5	21	
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	15	—	—	—	4	4	7	31	—	—	—	3	12	16	33	—	—	—	2	17	14
16 All other sites	M	60	—	—	—	4	29	27	129	—	1	—	6	48	74	106	1	—	—	3	35	67
	F	37	—	—	—	4	13	20	90	—	1	—	4	28	57	93	—	1	—	5	35	52
17 Diabetes	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—	4	—	—	—	—	3	1
	F	9	—	—	—	—	4	5	3	—	—	—	—	1	2	5	—	—	—	—	1	4
18 Intra-cranial vasc: lesions	M	35	—	—	—	—	11	24	108	—	—	—	—	24	84	97	—	—	—	2	21	74
	F	58	—	—	—	1	16	41	140	—	—	—	—	27	113	158	—	—	—	—	22	136
19 Heart disease	M	135	—	—	—	8	29	98	310	—	—	—	14	78	218	247	—	—	—	5	49	193
	F	154	—	—	1	1	17	135	303	—	—	—	7	42	254	319	—	—	1	5	35	278
20 Other circulatory diseases	M	19	—	—	—	1	6	12	44	—	—	—	—	7	37	52	—	—	—	1	8	43
	F	23	—	—	—	—	6	17	49	—	—	—	1	3	45	55	—	—	—	1	6	48
21 Bronchitis	M	43	1	—	—	1	18	23	79	2	—	—	—	21	56	53	—	—	—	—	15	38
	F	29	2	—	—	—	6	21	26	—	—	—	—	3	23	56	1	—	—	—	6	49
22 Pneumonia	M	25	7	2	—	1	2	13	59	12	1	1	1	18	26	52	3	1	—	—	9	39
	F	21	4	—	—	2	1	14	33	4	2	—	2	3	22	55	1	2	—	1	5	46
23 Other respiratory diseases	M	6	—	—	—	1	2	3	16	—	1	—	—	10	5	13	—	—	—	2	4	7
	F	5	—	—	—	1	1	3	9	—	1	—	2	1	5	15	1	—	1	1	3	9
24 Ulcer of stomach or duodenum†	M	8	—	—	—	—	3	5	8	—	—	—	2	1	5	7	—	—	—	—	5	2
	F	1	—	—	—	—	1	—	4	—	—	—	—	1	3	10	—	—	—	—	3	7
25 Diarrhœa under 2 years	M	3	3	—	—	—	—	—	7	7	—	—	—	—	—	1	1	—	—	—	—	—
	F	5	5	—	—	—	—	—	6	5	1	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	3	—	—	—	—	—	—	3	—	1	1	—	—	—	3	—	—	—	—	—	2
	F	1	—	—	—	—	1	1	5	—	1	1	1	1	2	1	—	—	—	1	—	1
27 Other digestive diseases	M	6	—	—	—	—	4	2	9	1	—	—	1	1	6	24	—	—	1	1	3	14
	F	6	1	—	—	—	1	4	17	—	1	—	2	3	11	19	—	—	1	2	1	15
28 Nephritis	M	11	—	—	—	2	4	5	44	—	—	—	3	8	33	19	—	—	—	2	4	12
	F	12	—	—	—	—	3	9	46	—	—	—	3	7	36	18	—	—	—	2	6	10
29 Maternal sepsis	M	—	—	—	—	—	—	—	2	—	—	—	2	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	6	6	—	—	—	—	—	26	26	—	—	—	—	—	2	2	—	—	—	—	—
	F	8	8	—	—	—	—	—	19	19	—	—	—	—	—	6	6	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	10	9	1	—	—	—	—	25	22	2	—	1	—	—							

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		SOUTHPORT.							SOUTH SHIELDS.							STOCKPORT.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	623	24	4	—	33	160	402	731	53	17	3	80	204	374	909	59	13	5	65	266	501
	F	721	14	2	1	27	129	548	670	44	8	7	68	139	404	956	34	5	3	66	174	674
1 Typhoid and paratyphoid	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis:—																						
6 Respiratory system	M	17	—	—	—	6	7	4	64	—	2	—	25	29	8	34	—	1	—	16	14	3
	F	9	—	—	—	5	3	1	38	—	—	1	28	6	3	30	—	—	1	23	6	—
7 Other forms	M	—	—	—	—	—	—	—	4	—	2	—	1	1	—	4	—	—	1	1	1	1
	F	5	—	—	—	2	—	3	5	—	1	—	4	—	—	3	—	—	—	2	1	—
8 Syphilitic disease	M	6	—	—	—	—	5	1	6	—	—	—	1	4	1	5	—	—	—	4	1	—
	F	2	—	—	—	—	—	2	2	—	—	—	—	1	1	1	—	—	—	1	—	—
9 Influenza	M	4	—	—	—	1	1	2	14	—	—	—	1	2	11	4	—	—	—	—	1	3
	F	4	—	—	—	—	2	2	18	1	1	—	—	4	12	12	—	—	—	—	2	10
10 Measles	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	1
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Cancer of																						
13M Mouth & œsoph:	M	3	—	—	—	—	—	3	9	—	—	—	—	2	7	19	—	—	—	—	6	13
13F Uterus	F	12	—	—	—	—	9	3	13	—	—	—	—	7	6	19	—	—	—	3	12	4
14 Stomach and duodenum	M	19	—	—	—	—	5	14	21	—	—	—	3	8	10	27	—	—	—	1	14	12
	F	18	—	—	—	—	4	14	18	—	—	—	—	7	11	24	—	—	—	2	8	14
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	—	8	14	11	—	—	—	1	6	4	29	—	—	—	2	10	17
16 All other sites	M	84	—	—	—	3	25	56	74	—	2	—	6	33	33	100	—	—	—	6	48	46
	F	46	—	—	—	2	10	34	54	—	—	—	4	22	28	75	—	1	—	4	26	44
17 Diabetes	M	4	—	—	—	—	—	4	4	—	—	—	—	1	3	3	—	—	—	—	1	2
	F	9	—	—	—	—	1	8	4	—	—	—	—	—	4	9	—	—	—	—	3	6
18 Intra-cranial vasc: lesions	M	50	—	—	—	—	13	37	75	—	—	—	—	20	55	61	—	—	—	1	13	47
	F	114	—	—	—	1	15	98	66	—	—	—	2	15	49	125	—	—	—	1	26	98
19 Heart disease	M	235	—	—	—	6	54	175	158	—	—	—	5	45	108	266	—	—	—	11	65	190
	F	266	—	—	—	3	37	226	159	—	—	2	8	25	124	277	—	—	—	6	25	246
20 Other circulatory diseases	M	17	—	—	—	—	4	13	24	—	—	—	1	3	20	51	—	—	—	2	3	46
	F	31	—	—	—	—	4	27	43	—	—	—	—	4	39	90	—	—	—	1	14	75
21 Bronchitis	M	36	—	—	—	3	12	21	62	3	—	—	—	20	39	104	—	1	—	5	46	52
	F	30	2	—	—	1	2	25	40	—	1	—	—	9	30	74	—	—	—	2	12	60
22 Pneumonia	M	11	2	—	—	1	1	7	41	8	3	1	4	4	21	38	11	4	—	3	7	13
	F	20	1	—	—	—	3	16	45	11	2	—	1	6	25	20	4	—	—	2	3	11
23 Other respiratory diseases	M	6	—	—	—	—	4	2	14	—	—	—	1	5	8	11	1	—	—	1	3	6
	F	8	—	—	—	—	1	6	11	—	—	—	2	3	6	5	—	—	—	2	2	1
24 Ulcer of stomach or duodenum†	M	8	—	—	—	—	2	6	16	—	—	—	4	8	4	13	—	—	—	2	7	4
	F	—	—	—	—	—	—	—	4	—	—	—	—	2	2	5	—	—	—	—	3	2
25 Diarrhœa under 2 years	M	2	2	—	—	—	—	—	8	8	—	—	—	—	—	8	7	1	—	—	—	—
	F	—	—	—	—	—	—	—	6	6	—	—	—	—	—	9	9	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	—	1	4	1	—	—	2	—	1	2	—	1	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	3	—	1	—	1	—	1
27 Other digestive diseases	M	5	—	—	—	—	1	4	4	—	—	—	2	1	1	16	—	1	—	2	5	8
	F	25	—	—	—	2	6	17	17	1	—	1	3	4	8	9	1	—	—	—	4	4
28 Nephritis	M	14	—	—	—	—	6	8	10	—	—	—	1	2	7	19	—	—	—	4	7	8
	F	14	—	—	—	—	5	9	15	—	—	1	2	3	9	22	—	—	1	3	5	13
29 Maternal sepsis	M	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—
30 Other maternal	F	2	—	—	—	2	—	—	2	—	—	—	2	—	—	1	—	—	—	1	—	—
31 Premature birth	M	8	8	—	—	—	—	—	13	13	—	—	—	—	—	15	15	—	—	—	—	—
	F	5	5	—	—	—	—	—	10	10	—	—	—	—	—	7	7	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	14	9	—	—	2	3	—	12	11	1	—	—	—	—	20	18	—	1	—	1	—
	F	8	5	—	—	3	—	—	11	10	—	—	1	—	—	13	11	2	—	—	—	—
33 Suicide	M	7	—	—	—	1	6	—	7	—	—	—	4	3	—	9	—	—	—	2	6	1
	F	3	—	—	—	—	2	1	4	—	—	—	1	3	—	5	—	—	—	1	4	—
34 Road traffic accidents	M	2	—	—	—	1	—	1	3	—	1	1	—	—	1	7	—	1	1	3	—	2
	F	1	—	—	—	—	—	1	2	—	1	1	—	—	—	4	—	—	—	1	1	2
35 Other violent causes	M	13	1	—	—	4	2	6	27	5	1	—	13	3	5	10	—	2	2	1	2	3
	F	14	1	—	—	2	2	9	12	2	1	—	2	1	6	7	—	—	—	—	2	5
36 All other causes	M	55	2	2	—	5	9	37	53	2	4	1	6	9	31	58	3	1	—	4	11	39
	F	50	—	1	—	3	15	31	55	3	—	—	5	10	37	74	—	—	1	9	4	60
†Including deaths from ulcer of duodenum	M	2	—	—	—	—	—	2	6	—	—	—	2	3	1	1	—	—	—	—	2	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		STOKE ON TRENT.							SUNDERLAND.							TYNEMOUTH.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1656	99	19	15	131	508	884	1265	131	16	17	128	335	638	398	28	3	1	29	136	201
	F	1523	80	22	13	161	347	900	1120	75	19	2	118	241	665	364	20	2	1	40	84	217
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	2	—	—	4	2	2	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	4	2	—	—	2	—	—	1	—	—	—	1	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	2	2	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	6	2	4	—	—	—	—	2	1	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	81	—	1	—	25	40	15	76	—	—	2	36	32	6	22	1	—	—	8	12	1
	F	63	—	2	—	46	11	4	47	—	—	—	39	7	1	12	—	—	—	10	2	—
7 Other forms	M	4	—	2	—	1	1	—	8	2	—	1	5	—	—	2	—	—	—	1	1	—
	F	7	—	1	3	2	1	—	10	—	2	—	6	2	—	4	—	1	1	1	1	—
8 Syphilitic disease	M	10	—	—	—	1	5	4	5	—	—	—	—	3	2	1	—	—	—	—	—	—
	F	7	—	—	—	1	3	3	4	—	—	—	—	2	2	3	—	—	—	3	—	—
9 Influenza	M	32	1	—	—	—	7	24	15	—	—	—	1	8	6	3	—	—	—	—	—	3
	F	25	—	1	—	2	5	17	13	—	—	—	1	6	6	2	—	—	—	—	1	1
10 Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	1	—	—	3	—	—	—	—	3	—	1	—	—	—	—	—	1
	F	1	—	—	—	1	—	—	2	—	—	—	1	1	—	1	—	—	—	—	—	1
Cancer of																						
13M Mouth & œsoph:	M	24	—	—	—	1	2	21	12	—	—	—	—	2	10	3	—	—	—	—	1	2
13F Uterus	F	32	—	—	—	6	19	7	21	—	—	—	2	10	9	10	—	—	—	1	7	2
14 Stomach and duodenum	M	85	—	—	—	3	31	51	35	—	—	—	4	8	23	18	—	—	—	2	9	7
	F	38	—	—	—	1	14	23	34	—	—	—	4	13	17	7	—	—	—	—	3	4
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	53	—	—	—	6	21	26	31	—	—	—	2	13	16	13	—	—	—	—	9	4
16 All other sites	M	173	—	1	—	11	84	77	113	—	1	—	7	51	54	29	—	—	—	2	11	16
	F	116	—	2	1	7	49	57	76	—	—	—	6	31	39	19	—	—	—	4	8	7
17 Diabetes	M	6	—	—	—	—	—	6	6	—	—	1	1	—	4	1	—	—	—	—	—	1
	F	17	—	—	—	1	4	12	5	—	—	—	—	—	5	1	—	—	—	—	—	1
18 Intra-cranial vasc: lesions	M	112	—	—	—	5	33	74	95	—	—	—	—	20	75	39	—	—	—	—	15	24
	F	177	—	—	—	7	36	134	136	—	—	—	1	24	111	51	—	—	—	4	9	38
19 Heart disease	M	389	—	—	2	16	120	251	352	—	—	1	17	81	253	126	—	—	—	2	32	92
	F	371	—	—	—	28	60	283	313	—	—	1	17	55	240	137	—	—	—	6	17	114
20 Other circulatory diseases	M	62	—	—	—	3	14	45	40	—	—	1	—	4	35	17	—	—	—	1	6	10
	F	70	—	—	—	3	20	47	58	—	—	—	1	6	51	9	—	—	—	—	5	4
21 Bronchitis	M	181	3	—	—	3	52	123	111	7	—	—	6	43	55	20	1	—	—	3	9	7
	F	109	2	1	—	4	20	82	81	9	1	—	1	17	53	10	—	—	—	2	1	7
22 Pneumonia	M	66	18	5	—	3	16	24	60	30	—	—	3	11	16	16	5	1	—	—	5	5
	F	71	15	4	—	3	11	38	61	23	5	—	1	9	23	11	4	—	—	1	1	5
23 Other respiratory diseases	M	50	2	—	—	2	26	20	24	—	2	—	5	13	4	11	—	2	—	1	5	3
	F	9	—	—	—	1	5	3	12	—	—	—	2	7	3	2	—	—	—	—	2	—
24 Ulcer of stomach or duodenum†	M	23	—	—	—	3	12	8	19	—	—	—	1	11	7	6	—	—	—	1	3	2
	F	9	—	—	—	—	4	5	2	—	—	—	—	1	1	—	—	—	—	—	—	—
25 Diarrhœa under 2 years	M	7	6	1	—	—	—	—	19	19	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	9	9	—	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	5	—	—	1	—	2	2	2	—	—	—	1	1	—	2	—	—	—	1	—	1
	F	4	—	—	2	1	1	—	6	—	1	1	2	1	1	—	—	—	—	—	—	—
27 Other digestive diseases	M	19	—	—	1	2	7	9	12	—	—	—	4	5	3	6	—	—	—	—	5	1
	F	29	—	—	—	1	15	13	25	—	1	—	5	5	14	15	1	—	—	2	6	6
28 Nephritis	M	30	1	—	—	5	7	17	17	—	—	—	2	4	11	6	—	—	—	1	4	1
	F	49	—	1	2	8	15	23	24	—	—	—	4	7	13	6	—	—	—	1	1	4
29 Maternal sepsis	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	6	—	—	—	6	—	—	6	—	—	—	6	—	—	2	—	—	—	2	—	—
31 Premature birth	M	26	26	—	—	—	—	—	39	39	—	—	—	—	—	11	11	—	—	—	—	—
	F	25	25	—	—	—	—	—	18	18	—	—	—	—	—	3	3	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	37	33	—	1	2	1	—	35	28	1	3	3	—	—	6	6	—	—	—	—	—
	F	31	26	—	—	4	—	1	14	11	1	—	2	—	—	9	8	—	—	—	1	—
33 Suicide	M	21	—	—	—	3	12	6	17	—	—	—	3	8	6	3	—	—	—	—	3	—
	F	7	—	—	—	—	7	—	6	—	—	—	2	3	1	3	—	—	—	1	1	1
34 Road traffic accidents	M	11	—	—	2	8	—	1	13	—	4	3	4	2	—	5	—	—	—	1	2	2
	F	10	—	3	1	2	2	2	4	—	—	—	1	2	1	1	—	—	—	—	1	—
35 Other violent causes	M	51	3	2	5	17	15	9	36	1	3	—	14	8	10	9	—	—	1	1	5	2
	F	26	3	—	3	1	3	16	8	1	2	—	1	3	1	8	1	—	—	—	2	5
36 All other causes	M	141	3	4	2	14	21	97	95	2	2	5	11	17	58	34	3	—	—	4	7	20
	F	154	6	5	1	17	21	104	83	—	1	—	9	16	57	21	1	—	—	4	3	13
†Including deaths from ulcer of duodenum	M	10	—	—	—	1	6	3	8	—	—	—	—	7	1	4	—	—	—	1	3	—
	F	2	—	—	—	—	1	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		WAKEFIELD.							WALLASEY.							WALSALL.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	355	24	5	3	23	97	203	668	38	7	7	58	163	395	726	69	9	5	77	193	373
	F	343	12	2	—	30	79	220	649	26	4	4	42	122	451	601	54	6	7	61	112	361
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	1	1	—	—	—	—	—	2	1	—	—	1	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	1	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	7	—	—	—	2	5	—	31	—	—	—	16	8	7	59	—	1	—	25	21	12
	F	13	—	—	—	9	4	—	16	—	1	—	11	1	3	37	—	—	—	31	6	—
7 Other forms	M	1	—	1	—	—	—	—	5	—	1	1	1	2	—	6	2	1	—	2	1	—
	F	1	—	—	—	1	—	—	7	—	2	2	1	2	—	3	—	1	1	1	—	—
8 Syphilitic disease	M	1	—	—	—	—	1	—	4	—	—	—	—	2	2	6	—	—	—	—	3	3
	F	2	—	—	—	1	1	—	4	—	—	—	—	2	2	—	—	—	—	—	—	—
9 Influenza	M	6	—	1	—	—	1	4	13	1	1	—	—	3	8	6	—	—	—	1	1	4
	F	6	—	—	—	2	1	3	6	—	—	—	1	1	4	14	—	—	—	1	1	12
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
11 Ac : poliomyelitis & polioenceph :	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—	2	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	1	—	—	—	—	—	1	8	—	—	—	—	4	4	8	—	—	—	—	—	8
13F Uterus	F	9	—	—	—	—	7	2	11	—	—	—	—	7	4	10	—	—	—	—	4	6
14 Stomach and duodenum	M	10	—	—	—	1	1	8	22	—	—	—	1	10	11	15	—	—	—	3	7	5
	F	4	—	—	—	—	3	1	14	—	—	—	—	7	7	12	—	—	—	1	2	9
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	20	—	—	—	3	6	11	24	—	—	—	2	10	12
16 All other sites	M	42	—	—	—	7	15	20	79	—	—	—	5	33	41	75	—	—	—	4	36	35
	F	23	—	—	—	1	6	16	69	—	—	—	6	23	40	45	—	1	—	2	22	20
17 Diabetes	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	3	—	—	—	1	—	2
	F	4	—	—	—	—	2	2	5	—	—	—	—	1	4	5	—	—	—	—	1	4
18 Intra-cranial vasc: lesions	M	42	—	—	—	—	15	27	61	—	—	—	2	11	48	49	—	—	—	1	20	28
	F	50	—	—	—	—	8	42	89	—	—	—	2	14	73	58	—	—	—	3	13	42
19 Heart disease	M	109	—	—	—	6	25	78	203	—	1	—	10	39	153	175	—	—	1	7	47	120
	F	120	—	—	—	6	29	85	219	—	—	1	4	31	183	148	—	—	—	4	23	121
20 Other circulatory diseases	M	10	—	—	—	—	1	9	24	—	—	—	—	5	19	24	1	—	—	1	6	16
	F	6	—	—	—	1	—	5	20	—	—	—	—	3	17	15	—	—	—	—	3	12
21 Bronchitis	M	45	1	—	—	1	15	28	28	1	—	—	—	13	14	60	—	—	1	2	21	36
	F	24	1	—	—	1	4	18	22	—	—	—	—	4	18	22	—	—	—	2	2	18
22 Pneumonia	M	21	6	—	—	—	5	10	31	5	2	—	3	5	16	25	5	—	1	1	5	13
	F	17	3	—	—	2	6	6	19	3	—	—	1	2	13	26	3	—	—	—	4	19
23 Other respiratory diseases	M	2	—	1	—	—	—	1	13	—	—	—	1	3	9	9	—	—	—	2	3	4
	F	4	—	—	—	1	1	2	5	—	—	—	—	1	4	6	—	—	—	1	2	3
24 Ulcer of stomach or duodenum†	M	8	—	—	—	—	5	3	12	—	—	—	2	3	7	10	—	—	—	3	3	4
	F	—	—	—	—	—	—	—	6	—	—	—	—	2	4	2	—	—	—	—	—	2
25 Diarrhœa under 2 years	M	—	—	—	—	—	—	—	6	6	—	—	—	—	—	14	13	1	—	—	—	—
	F	1	1	—	—	—	—	—	2	2	—	—	—	—	—	21	19	2	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	1	—	—	—	—	—	1	2	—	—	1	1	—	—
27 Other digestive diseases	M	5	—	1	—	—	2	2	8	2	—	1	—	2	3	10	—	—	—	—	6	4
	F	7	—	—	—	—	1	6	12	—	—	—	1	3	8	11	1	—	1	1	3	5
28 Nephritis	M	3	—	—	—	1	1	1	16	—	—	—	—	2	2	8	—	—	—	1	—	7
	F	3	—	—	—	—	—	3	14	—	—	—	—	4	10	12	—	—	—	—	4	8
29 Maternal sepsis	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
30 Other maternal	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—
31 Premature birth	M	8	8	—	—	—	—	—	11	11	—	—	—	—	—	13	13	—	—	—	—	—
	F	—	—	—	—	—	—	—	9	9	—	—	—	—	—	8	8	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	11	8	1	1	1	—	—	10	9	—	—	1	—	—	24	23	—	—	1	—	—
	F	6	6	—	—	—	—	—	7	6	—	—	1	—	—	17	17	—	—	—	—	—
33 Suicide	M	4	—	—	—	—	2	2	10	—	—	—	5	3	2	6	—	—	—	—	—	6
	F	1	—	—	—	—	1	1	6	—	—	—	2	1	3	4	—	—	—	1	1	2
34 Road traffic accidents	M	2	—	—	2	—	—	—	6	—	1	2	2	1	—	6	—	—	—	6	—	—
	F	2	—	1	—	1	—	—	2	—	—	—	1	1	—	3	—	—	—	—	2	1
35 Other violent causes	M	4	—	—	—	3	1	—	10	2	—	—	1	2	5	23	2	3	1	7	5	5
	F	4	—	—	—	—	—	4	14	4	—	—	—	—	10	5	—	1	1	—	—	3
36 All other causes	M	13	1	—	—	1	2	9	53	1	—	3	5	10	34	82	4	—	1	8	8	61
	F	25	1	—	—	1	4	19	46	—	1	1	6	6	32	82	2	—	4	5	9	62
†Including deaths from ulcer of duodenum	M	5	—	—	—	—	4	1	5	—	—	—	2	2	1	2	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		WARRINGTON.							WEST BROMWICH.							WEST HAM.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	581	72	8	8	43	172	278	536	56	10	10	56	165	239	1069	46	20	4	90	325	584
	F	476	49	9	1	43	100	274	472	27	7	2	48	95	293	873	32	6	4	83	179	569
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	2	2	—	—	—	—	—	3	3	—	—	—	—	—
	F	1	—	1	—	—	—	—	4	3	1	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	19	—	—	—	7	7	5	38	1	—	—	16	19	2	53	—	2	—	20	26	5
	F	15	—	—	—	12	2	1	29	1	—	—	24	2	2	32	—	—	—	24	7	1
7 Other forms	M	2	—	—	—	1	1	—	4	1	2	1	—	—	—	6	—	2	1	3	—	—
	F	1	—	1	—	—	—	—	6	1	1	1	3	—	—	4	—	2	—	2	—	—
8 Syphilitic disease	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	2	—	—	—	—	2	—
9 Influenza	M	9	—	—	—	—	1	8	9	3	—	1	—	2	3	20	—	—	—	2	10	8
	F	10	—	—	—	—	5	5	14	—	—	—	2	5	7	15	—	—	1	—	4	10
10 Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
11 Ac : poliomyelitis & polioenceph:	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	1	—	—	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	1	—	—
Cancer of																						
13M Mouth & œsoph:	M	8	—	—	—	—	2	6	8	—	—	—	—	3	5	11	—	—	—	—	2	9
13F Uterus	F	9	—	—	—	—	5	4	8	—	—	—	1	4	3	18	—	—	—	—	5	13
14 Stomach and duodenum	M	19	—	—	—	1	10	8	15	—	—	—	1	12	2	35	—	—	—	2	10	23
	F	12	—	—	—	1	3	8	10	—	—	—	1	3	6	25	—	—	—	1	4	20
15 Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	1	6	6	18	—	—	—	1	7	10	30	—	—	—	7	10	13
16 All other sites	M	59	1	2	—	4	26	26	56	—	—	1	2	24	29	143	—	—	—	11	65	67
	F	36	—	—	—	2	15	19	36	—	1	—	2	14	19	65	—	1	—	7	25	32
17 Diabetes	M	3	—	—	—	—	1	2	4	—	—	—	1	—	3	4	—	—	—	2	1	1
	F	9	—	—	—	—	1	8	3	—	—	—	—	—	3	9	—	—	—	—	3	6
18 Intra-cranial vasc: lesions	M	39	—	—	—	2	8	29	48	—	—	—	2	10	36	75	—	—	—	1	11	63
	F	55	—	—	—	2	11	42	64	—	—	—	1	8	55	92	—	—	—	3	14	75
19 Heart disease	M	140	—	—	—	2	52	86	99	—	—	—	3	30	66	295	—	—	—	14	85	196
	F	108	—	1	—	8	16	83	99	—	—	—	3	21	75	292	—	—	—	16	41	235
20 Other circulatory diseases	M	26	—	—	—	1	5	20	16	—	—	—	—	7	9	39	—	—	—	—	11	28
	F	30	—	—	—	3	5	22	20	—	—	—	—	3	17	36	—	—	—	—	8	28
21 Bronchitis	M	79	1	—	—	2	26	50	56	1	—	—	2	26	27	118	1	—	—	2	41	74
	F	51	2	—	—	4	8	37	38	—	—	—	—	6	32	60	1	—	—	2	17	40
22 Pneumonia	M	32	16	—	—	2	5	9	25	7	2	—	—	8	8	52	4	2	—	3	13	30
	F	26	13	2	—	1	2	8	24	4	2	—	2	9	7	43	6	—	—	4	6	27
23 Other respiratory diseases	M	7	—	—	—	3	3	1	14	—	—	—	2	4	8	12	—	—	—	2	3	7
	F	9	—	—	—	—	6	3	5	—	—	—	—	1	4	11	—	—	—	1	6	4
24 Ulcer of stomach or duodenum†	M	5	—	—	—	—	4	1	7	—	—	—	2	2	3	13	—	—	—	1	5	7
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2
25 Diarrhœa under 2 years	M	22	21	1	—	—	—	—	12	12	—	—	—	—	—	1	1	—	—	—	—	—
	F	13	12	1	—	—	—	—	5	5	—	—	—	—	—	2	2	—	—	—	—	—
26 Appendicitis	M	3	—	1	—	—	1	—	3	—	—	1	2	—	—	5	—	2	—	—	—	3
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1
27 Other digestive diseases	M	7	2	—	—	—	2	3	10	1	2	—	2	1	4	25	1	—	—	3	8	13
	F	8	—	1	—	1	1	5	7	1	—	—	1	2	3	17	—	—	—	—	7	10
28 Nephritis	M	9	—	1	—	3	3	2	10	—	—	—	3	2	5	12	—	—	1	4	2	5
	F	8	—	—	—	2	3	3	8	—	—	—	2	1	5	13	—	—	—	3	4	6
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
31 Premature birth	M	12	12	—	—	—	—	—	7	7	—	—	—	—	—	14	14	—	—	—	—	—
	F	5	5	—	—	—	—	—	6	6	—	—	—	—	—	7	7	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	17	14	—	—	1	1	1	20	18	—	—	1	1	—	23	19	—	—	1	1	2
	F	12	12	—	—	—	—	—	6	5	—	—	—	1	—	19	12	1	—	2	2	2
33 Suicide	M	5	—	—	—	2	2	1	8	—	—	—	3	4	1	13	—	—	—	1	7	5
	F	3	—	—	—	—	2	1	2	—	—	—	—	2	—	1	—	—	—	—	1	—
34 Road traffic accidents	M	8	—	—	2	2	2	2	8	—	—	2	4	2	—	8	—	2	1	1	4	—
	F	3	—	—	—	1	1	1	5	—	—	1	1	1	2	6	—	1	2	—	—	3
35 Other violent causes	M	17	—	1	5	3	3	5	16	2	2	1	6	—	5	23	2	1	—	8	6	6
	F	8	2	—	1	1	—	4	9	—	1	—	—	1	7	12	2	—	1	—	1	8
36 All other causes	M	27	3	—	—	5	6	13	39	1	—	3	4	8	23	57	—	6	1	8	12	30
	F	24	2	—	—	3	8	11	44	1	—	—	4	3	36	54	1	—	—	9	11	33
†Including deaths from ulcer of duodenum.	M	1	—	—	—	—	1	—	3	—	—	—	1	1	1	5	—	—	—	—	3	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1

TABLE 24—contd.—County Boroughs.

Causes of Death See first page of Table.		WEST HARTLEPOOL.							WIGAN.							WOLVERHAMPTON.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	455	40	8	1	39	128	239	552	35	8	1	45	174	289	936	62	17	9	81	253	514
	F	423	23	6	4	42	104	244	507	33	3	5	46	126	294	852	51	7	5	72	141	576
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	—	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
6 Tuberculosis :—	M	21	1	—	—	11	7	2	23	—	—	—	7	14	2	59	—	—	—	23	32	4
Respiratory system	F	18	—	—	—	13	5	—	19	—	—	—	15	4	—	31	—	—	—	23	7	1
7 Other forms	M	2	—	1	—	—	1	—	6	1	1	—	3	1	—	5	—	1	1	1	2	—
	F	4	—	2	—	—	1	1	1	—	—	—	1	—	—	1	—	—	1	—	—	—
8 Syphilitic disease	M	5	1	—	—	—	2	2	1	—	—	—	—	1	—	1	—	—	—	1	—	—
	F	3	2	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
9 Influenza	M	2	—	—	—	—	1	1	19	—	—	—	4	8	7	13	—	1	—	—	4	8
	F	1	—	—	—	—	—	1	14	—	—	—	1	6	7	7	1	—	1	—	1	4
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis & polioenceph.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
13M Cancer of Mouth & œsoph:	M	6	—	—	—	—	3	3	5	—	—	—	—	2	3	10	—	—	—	1	2	7
13F Uterus	F	11	—	—	—	2	7	2	7	—	—	—	1	4	2	10	—	—	—	1	6	3
14 Stomach and duodenum	M	11	—	—	—	1	5	5	18	—	—	—	—	7	11	21	—	—	—	1	6	14
	F	10	—	—	—	1	4	5	14	—	—	—	1	4	9	14	—	—	—	—	3	11
15 Breast	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	17	—	—	—	1	6	10	15	—	—	—	2	9	4	19	—	—	—	4	7	8
16 All other sites	M	47	—	—	—	4	21	22	51	—	—	—	1	23	27	103	—	3	1	8	40	51
	F	25	—	—	—	1	10	14	36	—	—	—	3	12	21	51	—	—	—	6	18	27
17 Diabetes	M	1	—	—	—	—	—	1	3	—	—	—	—	2	1	1	—	—	—	—	—	1
	F	4	—	—	—	—	—	4	5	—	—	—	—	2	3	8	—	—	—	—	—	8
18 Intra-cranial vasc: lesions	M	44	—	—	—	—	11	33	58	—	—	—	2	7	49	88	—	—	—	2	25	61
	F	50	—	—	—	—	10	40	55	—	—	—	2	13	40	110	—	—	—	3	20	87
19 Heart disease	M	142	—	—	—	6	32	104	150	—	—	—	7	52	91	265	—	—	—	6	50	209
	F	136	—	—	—	7	27	102	141	—	—	—	4	34	103	324	—	—	—	11	29	283
20 Other circulatory diseases	M	21	—	—	—	—	5	16	17	—	—	—	1	5	11	33	—	—	1	2	8	22
	F	18	—	—	—	2	6	10	16	—	—	—	—	1	15	29	—	—	—	2	10	17
21 Bronchitis	M	28	—	—	—	3	14	11	66	—	—	—	5	23	38	72	1	1	—	1	23	46
	F	20	1	—	—	—	6	13	44	—	—	—	2	11	31	45	5	—	1	2	8	29
22 Pneumonia	M	14	5	1	—	1	2	5	28	11	2	—	—	7	8	57	13	2	1	4	16	21
	F	19	5	1	—	2	—	11	22	9	1	1	—	5	6	37	8	1	1	1	4	22
23 Other respiratory diseases	M	9	—	—	—	—	5	4	9	—	1	—	1	4	3	15	1	—	—	2	7	5
	F	13	—	—	—	5	6	2	4	—	—	—	1	1	2	7	—	—	—	2	1	4
24 Ulcer of stomach or duodenum†	M	8	—	—	—	1	4	3	2	—	—	—	—	1	1	14	—	—	—	1	8	5
	F	4	—	—	—	—	2	2	1	—	—	—	—	1	—	1	—	—	—	1	—	—
25 Diarrhoea under 2 years	M	6	6	—	—	—	—	—	2	2	—	—	—	—	—	5	4	1	—	—	—	—
	F	2	2	—	—	—	—	—	2	2	—	—	—	—	—	10	10	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	1	—	1	—	—	—	—	1	—	3	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	1	—	1	—	1
27 Other digestive diseases	M	5	—	1	—	—	3	1	8	—	—	—	2	3	3	12	1	—	—	3	2	6
	F	5	—	—	—	1	—	4	13	—	1	—	2	5	5	12	—	—	—	1	1	10
28 Nephritis	M	10	—	—	—	1	3	6	10	—	—	—	1	4	5	11	—	—	—	1	6	4
	F	8	—	—	—	1	2	5	7	—	—	—	1	1	5	21	—	—	—	3	2	16
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
30 Other maternal	F	2	—	—	—	2	—	—	2	—	—	—	2	—	—	1	—	—	—	—	1	—
31 Premature birth	M	10	10	—	—	—	—	—	8	8	—	—	—	—	—	15	15	—	—	—	—	—
	F	4	4	—	—	—	—	—	11	11	—	—	—	—	—	12	12	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	14	13	—	—	1	—	—	9	8	—	—	1	—	—	29	23	2	—	4	—	—
	F	7	6	—	1	—	—	—	8	7	—	1	—	—	—	17	14	1	—	—	2	—
33 Suicide	M	5	—	—	—	2	2	1	1	—	—	—	—	1	—	8	—	—	—	2	4	2
	F	5	—	—	—	—	4	1	5	—	—	—	1	3	1	6	—	—	—	1	4	1
34 Road traffic accidents	M	5	—	1	—	1	2	1	5	—	1	1	2	—	1	15	—	2	2	7	2	2
	F	—	—	—	—	—	—	—	2	—	—	1	—	1	—	3	—	—	—	1	—	2
35 Other violent causes	M	8	1	—	1	4	1	1	7	—	1	—	3	—	3	22	1	1	1	4	7	8
	F	6	2	2	—	—	1	1	8	1	—	1	—	2	4	13	—	2	—	1	1	9
36 All other causes	M	29	3	3	—	3	3	17	43	4	2	—	5	8	24	57	3	3	2	6	6	37
	F	27	1	—	2	2	6	16	50	1	1	1	4	7	36	58	1	1	1	8	15	32
†Including deaths from ulcer of duodenum	M	4	—	—	—	1	—	3	1	—	—	—	—	1	—	8	—	—	—	1	5	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24—contd.—County Boroughs.

Causes of Death <i>See first page of Table.</i>		WORCESTER.							YORK.							CARDIFF.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	335	16	4	2	22	84	207	657	21	8	6	36	184	402	1544	91	18	12	131	488	804
	F	366	14	3	6	23	63	257	592	18	10	5	36	115	408	1240	58	7	9	121	264	781
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	5	2	3	—	—	—	—	2	2	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	18	—	—	—	6	10	2	15	—	—	—	2	11	2	88	—	—	—	42	38	8
	F	8	—	—	—	7	—	1	11	—	1	—	8	2	—	67	—	—	—	52	11	4
7 Other forms	M	3	—	1	—	2	—	—	2	—	—	1	1	—	—	6	—	2	1	2	1	—
	F	3	—	—	2	—	1	—	2	—	—	2	—	—	—	3	1	—	2	—	—	—
8 Syphilitic disease	M	1	—	—	—	—	—	1	3	—	—	—	—	1	2	9	—	—	—	—	5	4
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	—	—	3	3
9 Influenza	M	3	—	—	—	—	—	3	5	—	—	—	—	3	2	9	—	—	—	1	3	5
	F	1	—	—	—	1	—	—	3	—	—	—	—	—	3	8	—	—	—	—	—	7
10 Measles	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	3	—	2	—	1	—	—	3	—	—	—	2	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	1	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	1
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Cancer of																						
13M Mouth & œsoph:	M	4	—	—	—	—	2	2	6	—	—	—	—	2	4	25	—	—	1	1	9	14
13F Uterus	F	1	—	—	—	—	1	—	14	—	—	—	—	10	4	22	—	—	—	1	13	8
14 Stomach and duodenum	M	8	—	—	—	—	2	6	12	—	—	—	1	3	8	62	—	—	—	4	29	29
	F	7	—	—	—	—	2	5	9	—	—	—	—	3	6	30	—	—	—	1	8	21
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	1	7	7	9	—	—	—	—	4	5	31	—	—	—	5	11	15
16 All other sites	M	38	—	—	—	—	14	24	86	—	—	1	6	26	53	178	—	1	1	8	80	88
	F	24	—	—	—	2	9	13	53	—	1	—	2	15	35	122	—	—	2	8	47	65
17 Diabetes	M	1	—	—	—	—	1	—	4	—	—	—	—	1	3	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	5	—	—	—	—	—	5	5	—	—	—	1	1	3
18 Intra-cranial vasc: lesions	M	42	—	—	—	1	7	34	73	—	—	—	1	16	56	130	—	—	—	—	33	97
	F	59	—	—	—	—	9	50	78	—	—	—	—	15	63	164	—	—	—	2	40	122
19 Heart disease	M	100	—	—	—	4	20	76	215	—	—	—	5	59	151	468	—	1	—	14	144	309
	F	115	—	—	1	2	15	97	195	—	—	1	4	25	165	342	—	—	1	9	54	278
20 Other circulatory diseases	M	10	—	—	—	1	5	4	32	—	—	—	—	9	23	68	1	—	—	3	14	50
	F	7	—	—	—	—	1	6	33	—	—	—	1	5	27	65	—	—	—	—	11	54
21 Bronchitis	M	12	—	—	—	1	2	9	59	—	1	—	1	20	37	106	—	—	—	4	42	60
	F	14	1	—	—	—	1	12	35	1	1	—	1	9	23	75	—	—	—	4	11	60
22 Pneumonia	M	21	4	1	—	—	5	11	14	5	—	—	1	3	5	53	23	3	—	—	8	19
	F	12	1	2	—	—	2	7	20	4	2	—	2	3	9	42	14	1	—	3	7	17
23 Other respiratory diseases	M	5	—	—	—	—	2	3	8	—	—	—	—	3	5	17	1	3	—	2	8	3
	F	2	—	—	—	—	1	1	5	—	—	—	1	2	2	11	—	1	—	1	1	8
24 Ulcer of stomach or duodenum†	M	5	—	—	—	—	2	3	10	—	—	—	—	4	6	36	—	—	—	3	19	14
	F	3	—	—	—	—	3	—	4	—	—	—	—	2	2	5	—	—	—	3	3	2
25 Diarrhœa under 2 years	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	11	10	1	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	4	—	—	—	1	2	1	7	—	—	—	2	3	2
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	4	—	2	1	—	1	—
27 Other digestive diseases	M	5	—	1	—	1	2	1	8	—	1	—	—	5	2	12	1	1	—	2	3	5
	F	5	—	—	—	—	4	1	11	—	1	1	—	4	5	21	2	—	—	—	5	14
28 Nephritis	M	7	—	—	1	1	5	—	21	—	—	—	4	7	10	46	—	1	—	6	12	27
	F	12	—	—	—	2	2	8	20	—	—	—	5	4	11	36	1	—	1	4	8	22
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—
30 Other maternal	F	—	—	—	—	—	—	—	5	—	—	—	5	—	—	6	—	—	—	6	—	—
31 Premature birth	M	2	2	—	—	—	—	—	8	8	—	—	—	—	—	24	24	—	—	—	—	—
	F	3	3	—	—	—	—	—	1	1	—	—	—	—	—	14	14	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	8	7	—	—	1	—	—	6	6	—	—	—	—	—	32	28	—	—	2	1	1
	F	9	8	—	—	—	1	—	7	6	1	—	—	—	—	13	11	—	—	1	—	—
33 Suicide	M	1	—	—	—	—	1	—	6	—	—	—	2	4	—	10	—	—	—	5	4	1
	F	3	—	—	—	1	2	—	7	—	—	—	2	5	—	11	—	—	—	2	5	4
34 Road traffic accidents	M	3	—	—	1	—	1	1	10	—	—	2	4	1	3	13	—	1	3	4	2	3
	F	3	—	1	1	1	—	—	4	—	—	—	1	1	2	5	—	—	2	1	—	2
35 Other violent causes	M	14	1	1	—	4	2	6	13	2	2	2	1	2	4	31	3	1	6	11	6	4
	F	12	1	—	1	3	—	7	15	2	—	—	1	1	11	17	1	1	—	—	6	9
36 All other causes	M	22	1	—	—	—	1	20	33	—	1	—	5	2	25	98	3	1	—	12	22	60
	F	42	—	—	1	3	1	37	37	—	—	1	2	5	29	100	1	1	2	15	19	62
†Including deaths from ulcer of duodenum	M	—	—	—	—	—	—	—	3	—	—	—	—	1	2	18	—	—	—	1	10	7
	F	1	—	—	—	—	1	—	2	—	—	—	—	1	1	2	—	—	—	—	1	1

TABLE 24—contd.—County Boroughs.

Causes of Death <i>See first page of Table.</i>		MERTHYR TYDFIL.							NEWPORT (MON.).							SWANSEA.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	469	34	2	2	37	133	261	651	48	6	6	58	193	340	1048	77	13	10	86	283	579
	F	370	17	2	—	31	83	237	511	28	4	4	46	114	315	936	45	12	8	79	199	593
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	4	1	—	—	—	
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis :—																						
6 Respiratory system	M	21	—	—	—	11	8	2	48	1	—	—	18	25	4	50	1	1	—	26	17	
	F	11	—	—	—	6	4	1	22	—	—	1	16	5	—	46	—	1	1	32	10	
7 Other forms	M	2	—	—	—	2	—	—	3	1	1	—	—	1	—	11	1	2	—	3	3	
	F	2	—	—	—	1	1	—	1	—	1	—	—	—	—	10	—	1	1	6	1	
8 Syphilitic disease	M	1	1	—	—	—	—	—	5	—	—	—	—	2	3	13	1	—	—	—	6	
	F	—	—	—	—	—	—	—	4	—	—	—	—	3	1	2	—	—	—	—	—	
9 Influenza	M	8	—	—	—	1	4	3	7	—	—	—	—	4	3	5	2	—	—	1	—	
	F	5	1	—	—	—	1	3	4	—	—	—	1	—	3	7	—	—	—	—	1	
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	
11 Ac : poliomyelitis & polioenceph :	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	
Cancer of																						
13M Mouth & œsoph:	M	8	—	—	—	1	2	5	15	—	—	—	1	2	12	21	—	—	—	3	5	
13F Uterus	F	9	—	—	—	—	5	4	10	—	—	—	2	4	4	16	—	—	—	—	7	
14 Stomach and duodenum	M	13	—	—	—	—	3	10	20	—	—	—	2	10	8	32	—	—	—	1	15	
	F	10	—	—	—	—	4	6	12	—	—	—	1	5	6	26	—	—	—	—	7	
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	1	2	2	22	—	—	—	2	11	9	27	—	—	—	2	14	
16 All other sites	M	37	—	—	—	1	16	20	82	—	—	—	4	30	47	120	1	—	1	6	51	
	F	22	—	—	—	—	8	14	40	1	1	—	3	20	15	85	—	—	—	2	34	
17 Diabetes	M	1	—	—	—	—	1	—	2	—	—	—	—	—	2	4	—	—	—	—	—	
	F	9	—	—	—	2	3	4	3	—	—	—	—	—	3	16	—	—	—	1	5	
18 Intra-cranial vasc: lesions	M	46	—	—	—	3	9	34	64	—	—	—	—	12	52	101	1	—	—	1	22	
	F	50	—	—	—	2	11	37	65	—	—	—	2	7	56	114	—	—	—	3	29	
19 Heart disease	M	131	—	—	—	4	35	92	153	—	—	1	12	45	95	280	—	—	—	7	85	
	F	125	—	—	—	7	19	99	153	—	—	—	2	27	124	270	—	—	—	12	45	
20 Other circulatory diseases	M	5	—	—	—	—	2	3	21	—	—	—	—	7	14	33	—	—	—	2	10	
	F	13	—	—	—	1	2	10	12	—	—	—	1	4	7	33	—	—	—	1	5	
21 Bronchitis	M	37	—	1	—	—	10	26	57	2	—	—	3	18	34	63	2	—	—	—	17	
	F	20	—	—	—	1	7	12	22	1	—	—	—	2	19	41	1	1	—	1	3	
22 Pneumonia	M	16	6	—	—	1	3	6	22	8	1	—	1	4	8	42	13	2	—	3	4	
	F	9	2	1	—	—	2	4	14	3	—	—	1	3	7	36	6	1	—	3	8	
23 Other respiratory diseases	M	17	—	—	—	1	8	8	12	1	—	—	1	4	6	26	—	—	—	3	8	
	F	2	—	—	—	1	1	—	5	—	—	—	2	1	2	9	—	—	—	—	3	
24 Ulcer of stomach or duodenum†	M	7	—	—	—	2	4	1	8	—	—	—	1	4	3	14	—	—	—	2	5	
	F	1	—	—	—	—	1	—	4	—	—	—	—	3	1	6	—	—	—	1	1	
25 Diarrhœa under 2 years	M	1	1	—	—	—	—	—	8	8	—	—	—	—	—	5	4	1	—	—	—	
	F	—	—	—	—	—	—	—	2	2	—	—	—	—	—	7	5	2	—	—	—	
26 Appendicitis	M	1	—	—	—	—	—	1	1	—	—	—	—	1	—	2	—	—	—	—	—	
	F	1	—	—	—	—	1	—	2	—	—	—	—	1	1	1	—	—	—	—	1	
27 Other digestive diseases	M	6	—	—	1	1	—	4	9	—	1	—	—	2	6	18	—	1	1	—	6	
	F	3	—	—	—	—	1	1	15	—	—	—	1	3	11	18	—	—	—	—	6	
28 Nephritis	M	15	—	—	—	—	6	9	17	—	1	—	2	5	9	30	—	—	—	3	9	
	F	12	—	—	—	3	3	6	12	—	—	1	1	4	6	28	—	—	2	4	3	
29 Maternal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
30 Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	
31 Premature birth	M	11	11	—	—	—	—	—	5	5	—	—	—	—	—	17	17	—	—	—	—	
	F	6	6	—	—	—	—	—	11	11	—	—	—	—	—	13	13	—	—	—	—	
32 Cong: mal:, birth inj:, infant: dis:	M	11	11	—	—	—	—	—	20	17	—	—	2	1	—	31	25	—	3	2	1	
	F	5	5	—	—	—	—	—	11	10	—	1	—	—	—	14	14	—	—	—	—	
33 Suicide	M	3	—	—	—	2	1	—	6	—	—	—	1	3	2	7	—	—	—	1	3	
	F	2	—	—	—	—	1	1	6	—	—	—	—	4	2	5	—	—	—	2	1	
34 Road traffic accidents	M	4	—	1	—	1	2	—	10	—	1	2	2	5	—	11	—	—	1	8	1	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	1	—	—	—	
35 Other violent causes	M	13	1	—	—	2	6	4	18	4	—	—	5	5								

TABLE 24—contd.—Administrative County of Bedford.

Administrative County

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0–	1–	5–	15–	45–	65 & over	All Ages	0–	1–	5–	15–	45–	65 & over	All Ages	0–	1–	5–	15–	45–	65 & over
All Causes	M	1138	60	16	5	103	309	645	503	20	8	4	42	92	337	566	23	6	7	42	119	369
	F	1104	34	11	9	74	242	734	530	20	4	5	26	83	392	611	23	3	1	30	103	451
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	50	—	—	—	22	23	5	13	—	—	—	7	3	3	23	—	—	—	9	7	7
	F	27	—	—	—	14	9	4	7	—	—	—	3	2	2	8	—	—	—	3	3	2
7 Other forms	M	11	1	4	—	3	2	1	—	—	—	—	—	—	—	3	—	1	—	1	—	1
	F	4	—	3	—	1	—	—	4	—	1	1	1	—	1	—	—	—	—	—	—	—
8 Syphilitic disease	M	2	—	—	—	1	—	1	1	—	—	—	—	—	1	3	—	—	—	—	—	3
	F	8	—	—	—	1	4	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—
9 Influenza	M	11	2	—	—	3	4	2	10	—	1	—	—	2	7	6	—	—	—	—	3	3
	F	10	—	—	—	—	2	8	2	—	—	—	—	—	2	10	—	—	—	—	2	8
10 Measles	M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	2	—	—	1	1	—	—	2	—	—	—	2	—	—
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	13	—	—	—	—	4	9	9	—	—	—	—	1	8	6	—	—	—	—	—	6
13F Uterus	F	20	—	—	—	—	11	9	10	—	—	—	—	3	7	7	—	—	—	3	2	2
14 Stomach and duodenum	M	28	—	—	—	1	9	18	10	—	—	—	1	3	6	22	—	—	—	11	11	11
	F	17	—	—	—	—	4	13	14	—	—	—	—	5	9	15	—	—	—	5	10	10
15 Breast	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	39	—	—	—	2	15	22	18	—	—	—	2	10	6	28	—	—	—	4	7	17
16 All other sites	M	132	—	—	1	12	56	63	61	—	1	—	3	20	37	60	—	—	—	5	12	43
	F	92	—	1	1	8	33	49	43	—	—	—	2	15	26	47	—	—	—	1	17	29
17 Diabetes	M	5	—	—	—	—	1	4	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	16	—	—	—	1	3	12	6	—	—	—	—	1	5	3	—	—	—	—	1	2
18 Intra-cranial vasc: lesions	M	98	—	—	—	3	11	84	53	—	—	—	—	11	42	55	—	—	—	—	12	43
	F	139	—	—	—	1	28	110	74	—	—	—	—	10	64	107	—	—	—	1	23	83
19 Heart disease	M	312	—	—	—	10	81	221	148	—	—	—	4	20	124	176	—	1	—	8	36	131
	F	341	—	—	—	10	59	272	163	—	—	—	1	11	151	191	—	—	—	6	18	167
20 Other circulatory diseases	M	31	—	—	—	—	6	25	17	—	—	—	—	2	15	24	—	—	—	—	6	18
	F	51	—	—	—	1	9	41	19	—	—	—	—	3	16	19	—	—	—	—	1	18
21 Bronchitis	M	77	—	—	—	—	22	55	31	—	—	—	1	5	25	27	—	—	—	1	7	19
	F	46	2	—	—	2	9	33	22	1	—	1	1	—	19	19	1	—	—	—	2	16
22 Pneumonia	M	44	7	4	—	3	13	17	17	1	2	1	2	1	10	13	2	2	—	1	3	5
	F	42	6	2	2	5	4	23	20	1	1	—	2	3	13	22	3	—	—	2	2	15
23 Other respiratory diseases	M	17	2	—	—	1	8	6	6	—	—	—	—	3	3	9	1	—	—	2	5	1
	F	11	—	—	—	2	2	7	10	—	—	—	1	2	7	9	—	—	—	—	2	7
24 Ulcer of stomach or duodenum†	M	27	—	—	—	5	13	9	6	—	—	—	2	2	2	8	—	—	—	1	4	3
	F	5	—	—	—	—	1	4	1	—	—	—	—	1	—	3	—	—	—	—	—	3
25 Diarrhœa under 2 years	M	4	4	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—	—	—	—	—
	F	3	2	1	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—
26 Appendicitis	M	7	—	—	—	2	4	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	F	4	—	—	1	—	3	—	2	—	—	—	1	1	—	—	—	1	—	—	—	—
27 Other digestive diseases	M	13	1	—	—	3	4	5	16	1	1	—	1	3	10	9	—	—	—	—	3	6
	F	31	1	—	—	4	10	16	11	—	—	—	2	3	6	14	—	2	—	1	3	8
28 Nephritis	M	29	—	—	—	4	8	17	6	—	—	—	2	—	4	14	—	—	—	1	4	9
	F	30	—	—	—	3	12	15	5	—	—	—	2	2	1	5	—	—	—	—	1	4
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	4	—	—	—	4	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	11	11	—	—	—	—	—	7	7	—	—	—	—	—	3	3	—	—	—	—	—
	F	10	10	—	—	—	—	—	4	4	—	—	—	—	—	2	2	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	29	25	2	—	2	—	—	8	5	2	—	1	—	—	12	11	1	—	—	—	—
	F	17	13	—	1	—	1	2	14	10	1	2	—	1	—	14	12	1	—	—	1	—
33 Suicide	M	14	—	—	—	3	9	2	5	—	—	—	3	2	—	6	—	—	—	—	1	5
	F	7	—	—	—	4	2	1	3	—	—	—	1	2	—	3	—	—	—	1	1	1
34 Road traffic accidents	M	12	—	1	1	7	—	3	8	—	—	—	4	2	2	7	—	—	1	3	1	2
	F	8	—	1	1	2	—	4	5	—	—	1	2	—	2	1	—	—	—	—	—	—
35 Other violent causes	M	23	5	—	1	6	3	8	15	3	—	2	5	2	3	14	4	—	2	3	—	5
	F	16	—	1	—	—	1	14	9	1	—	—	—	—	8	14	2	—	1	2	1	8
36 All other causes	M	132	1	2	2	12	27	88	51	1	1	—	5	10	34	61	1	—	3	5	4	48
	F	103	—	2	1	8	20	72	58	1	—	—	3	7	47	66	—	—	—	4	11	51
†Including deaths from ulcer of duodenum.	M	14	—	—	—	4	5	5	5	—	—	—	1	2	2	2	—	—	—	—	1	1
	F	1	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	1

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.		
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over			
1003 913	44 29	10 7	10 6	62 43	221 168	656 660	976 915	40 26	6 5	9 7	78 65	258 162	585 650	1049 985	43 34	13 6	6 4	68 56	213 164	706 721	M F	All Causes	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Typhoid and paratyphoid	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	M F	Cerebro-spinal fever	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Scarlet fever	3
3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M F	Whooping cough	4
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Diphtheria	5
27	—	—	—	11	11	5	35	—	1	—	17	11	6	29	—	—	—	11	15	3	M	Tuberculosis :— Respiratory	6
13	—	—	—	6	6	1	19	—	—	—	15	1	3	19	1	—	—	12	5	1	F	system	6
2	—	—	—	2	—	—	2	—	—	1	—	1	—	4	—	1	1	—	1	1	M	Other forms	7
1	—	1	—	—	—	—	2	—	—	—	—	2	—	2	1	—	—	—	1	—	F		7
5	—	—	—	—	1	4	6	—	—	—	—	1	5	7	—	—	—	—	3	4	M	Syphilitic disease	8
2	—	—	—	1	—	1	3	—	—	—	—	2	1	2	—	—	—	—	2	—	F		8
7	—	—	—	—	1	6	10	—	—	—	1	4	5	10	—	1	—	1	2	6	M	Influenza	9
9	—	—	—	—	1	8	3	—	—	—	—	1	2	11	1	—	—	—	2	8	F		9
3	—	2	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	Measles	10
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		10
2	—	—	—	1	1	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	M	Ac: poliomyelitis & polioenceph:	11
2	—	1	—	1	—	—	1	—	—	—	1	—	—	3	—	—	—	3	—	—	F	Ac: infectious encephalitis	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	F	Cancer of Mouth & œsoph:	13M
10	—	—	—	—	4	6	13	—	—	—	—	5	8	10	—	—	—	—	1	9	M	Uterus	13F
8	—	—	—	—	2	6	14	—	—	—	2	10	2	15	—	—	—	—	9	6	F	Stomach and duodenum	14
20	—	—	—	2	5	13	28	—	—	—	—	10	18	39	—	—	—	2	12	25	M		14
15	—	—	—	—	4	11	21	—	—	—	2	4	15	24	—	—	—	—	3	21	F		
1	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	M	Breast	15
32	—	—	—	2	13	17	23	—	—	—	3	10	10	30	—	—	—	4	11	15	F	All other sites	16
121	—	1	—	3	43	74	149	—	—	1	8	48	92	114	—	—	1	10	30	73	M		16
95	—	1	—	4	33	57	80	—	—	—	6	21	53	91	—	—	—	6	31	54	F		
6	—	—	—	—	1	5	5	—	—	—	—	3	2	2	—	—	—	—	—	2	M	Diabetes	17
10	—	—	—	—	1	3	10	—	—	1	1	2	6	12	—	—	—	1	3	8	M		17
86	—	—	—	1	20	65	89	—	—	—	1	20	68	129	—	—	—	1	31	97	F	Intra-cranial vasc: lesions	18
125	—	—	—	2	22	101	144	—	—	—	—	29	115	163	—	—	—	4	29	130	F		
306	—	—	—	7	61	238	292	—	—	—	9	71	212	313	—	—	—	1	47	265	M	Heart disease	19
285	—	—	—	9	35	241	304	—	—	—	10	29	265	292	—	—	1	4	29	258	F		
35	—	1	1	1	5	27	41	—	—	—	—	9	32	45	—	—	—	1	8	36	M	Other circulatory diseases	20
31	—	—	—	—	8	23	36	—	—	—	3	5	28	43	—	—	—	—	9	34	F		
62	1	—	—	1	14	46	58	—	—	—	2	19	37	48	—	—	—	—	6	42	M	Bronchitis	21
34	—	—	—	—	1	33	26	—	1	—	—	3	22	34	—	—	—	2	2	30	F		
40	7	1	—	2	5	25	28	2	—	—	4	5	17	51	6	3	—	2	6	34	M	Pneumonia	22
37	2	1	—	1	5	28	44	2	1	1	1	11	28	41	2	2	—	2	3	32	F		
19	—	—	—	—	6	12	20	—	—	—	4	9	7	13	—	—	—	—	9	4	M	Other respiratory diseases	23
21	1	—	—	—	9	11	15	—	—	—	—	5	10	17	—	—	—	1	6	10	F	Ulcer of stomach or duodenum†	24
13	—	—	—	—	5	8	14	—	—	—	—	7	7	14	—	—	—	—	6	8	M		
3	—	—	—	—	1	2	5	—	—	—	1	1	3	4	—	—	—	—	—	4	F		
1	1	—	—	—	—	—	1	—	1	—	—	—	—	2	2	—	—	—	—	—	M	Diarrhœa under 2 years	25
1	1	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	F		
1	—	—	1	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	—	2	M	Appendicitis	26
—	—	—	—	—	—	—	3	—	—	—	—	2	1	4	—	1	—	—	1	2	F		
15	—	1	—	1	4	9	26	—	1	—	3	6	16	26	1	—	—	3	8	14	M	Other digestive diseases	27
19	1	—	—	1	1	16	14	—	—	—	2	3	8	22	3	—	1	3	1	14	F	Nephritis	28
24	—	—	—	2	6	16	14	—	—	—	3	4	7	15	—	—	—	4	1	10	M		
13	—	—	1	2	4	6	25	—	—	—	2	4	19	21	—	—	—	1	4	16	F	Maternal sepsis	29
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal	30
2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	M F	Premature birth	31
13	13	—	—	—	—	—	12	12	—	—	—	—	—	10	10	—	—	—	—	—	M	Cong: mal:, birth inj:, infant: dis:	32
9	9	—	—	—	—	—	9	9	—	—	—	—	—	8	8	—	—	—	—	—	M		
20	16	1	2	—	1	—	28	25	—	1	2	—	—	20	17	2	—	1	—	—	F		
17	13	1	1	1	1	—	12	10	1	1	—	—	—	17	14	1	—	1	1	—	F		
14	—	—	—	4	5	5	18	—	—	—	5	6	7	15	—	—	—	5	5	5	M	Suicide	33
6	—	—	—	1	4	1	10	—	—	—	6	2	2	7	—	—	—	3	1	3	F	Road traffic accidents	34
22	—	—	1	13	4	4	22	—	1	3	8	5	5	18	—	2	2	10	2	2	M		
3	—	—	—	1	2	—	5	—	—	—	2	3	—	6	—	—	1	1	2	2	F		
22	2	—	3	2	8	7	13	—	1	1	6	1	4	19	3	2	1	6	3	4	M	Other violent causes	35
17	—	1	1	4	1	10	13	1	—	1	1	1	9	17	1	—	—	2	1	13	F	All other causes	36
102	1	3	1	8	10	79	49	1	1	2	5	12	28	88	1	2	1	8	16	60	M		
102	2	1	2	4	12	81	71	1	1	3	7	11	48	78	3	2	1	5	7	60	F		
8	—	—	—	—	3	5	7	—	—	—	—	3	4	7	—	—	—	—	3	4	M	†Including deaths from ulcer of duodenum	
1	—	—	—	—	1	—	2	—	—	—	1	—	1	2	—	—	—	—	—	2	F		

TABLE 24—contd.—Administrative County of Cambridge.

Administrative County of Cambridge.

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	477	16	3	4	37	119	298	503	19	8	3	34	95	344	3746	165	32	24	294	1020	2211
	F	486	19	3	3	23	88	350	491	13	4	2	23	84	365	3757	133	29	25	227	710	2633
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	17	—	—	—	5	9	3	14	—	—	—	8	3	3	121	—	1	—	54	49	17
	F	4	—	—	—	2	1	1	8	—	—	—	5	2	1	72	—	1	—	53	11	7
7 Other forms	M	1	—	—	—	1	—	—	4	—	1	—	2	1	—	23	2	1	3	12	3	2
	F	1	—	1	—	—	—	—	1	—	—	—	—	1	—	14	—	5	1	5	1	2
8 Syphilitic disease	M	4	—	—	—	—	2	2	1	—	—	—	—	—	1	18	1	—	—	3	7	7
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	9	1	—	—	1	4	3
9 Influenza	M	2	—	—	—	—	—	2	10	—	—	—	1	1	8	34	—	1	—	2	10	21
	F	5	—	—	—	—	2	3	11	—	—	—	—	—	11	61	—	1	—	6	13	41
10 Measles	M	1	—	1	—	—	—	—	1	—	1	—	—	—	—	5	1	2	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	2	—	2	—	—	—	—	5	—	1	1	3	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	6	—	—	3	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—	—	1	—
Cancer of																						
13M Mouth & œsoph:	M	6	—	—	—	—	1	5	6	—	—	—	—	1	5	50	—	—	—	1	16	33
	F	10	—	—	—	2	4	4	8	—	—	—	1	3	4	58	—	—	—	8	30	20
14 Stomach and duodenum	M	15	—	—	—	1	3	11	23	—	—	—	—	7	16	126	—	—	—	2	47	77
	F	12	—	—	—	—	5	7	9	—	—	—	1	2	6	83	—	—	—	1	23	59
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	1	11	10	22	—	—	—	1	12	9	119	—	—	—	18	50	51
16 All other sites	M	72	—	—	—	4	28	40	61	—	1	—	1	16	43	402	—	—	1	32	154	215
	F	57	—	—	—	8	17	32	53	—	—	—	3	14	36	326	—	2	—	20	98	206
17 Diabetes	M	2	—	—	—	1	—	1	3	—	—	—	—	1	2	25	—	—	—	1	6	18
	F	8	—	—	—	—	2	6	7	—	—	—	—	3	4	33	—	—	—	1	7	25
18 Intra-cranial vasc: lesions	M	59	—	—	—	1	9	49	41	—	—	—	1	8	32	397	1	—	—	9	88	299
	F	82	—	—	1	1	11	69	86	—	—	—	1	13	72	607	1	1	—	7	87	511
19 Heart disease	M	151	—	—	—	10	29	112	174	—	—	—	6	24	144	1100	—	—	1	39	302	758
	F	119	—	1	—	1	10	107	153	—	—	—	1	13	139	1145	—	—	2	17	160	966
20 Other circulatory diseases	M	15	—	—	—	—	3	12	16	—	—	—	—	3	13	174	—	—	—	3	39	132
	F	23	—	—	—	—	2	21	9	—	—	—	—	1	8	187	—	—	—	4	23	160
21 Bronchitis	M	15	—	—	—	—	6	9	16	—	—	—	—	3	13	227	1	—	—	6	73	147
	F	22	1	—	—	1	2	18	18	—	—	—	—	3	15	166	1	1	2	7	28	127
22 Pneumonia	M	12	2	—	1	—	4	5	13	1	—	—	—	3	9	126	28	5	—	8	28	57
	F	15	—	—	—	—	—	15	15	2	1	—	1	3	8	106	18	4	2	1	22	59
23 Other respiratory diseases	M	8	—	—	—	—	3	5	5	—	—	—	—	2	3	57	—	—	—	8	23	26
	F	3	—	—	—	—	—	3	3	—	—	—	1	1	1	31	—	—	—	5	12	14
24 Ulcer of stomach or duodenum†	M	13	—	—	—	1	5	7	5	—	—	—	1	3	1	55	—	—	—	8	29	18
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1	22	—	—	—	1	8	13
25 Diarrhœa under 2 years	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	22	19	3	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—
26 Appendicitis	M	2	—	—	—	—	—	2	1	—	—	—	1	—	—	7	—	—	—	1	4	2
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	6	—	—	1	1	2	2
27 Other digestive diseases	M	5	—	—	1	1	—	3	6	—	—	—	—	1	5	60	1	1	2	9	19	28
	F	10	—	—	—	—	3	7	8	1	—	—	3	1	3	81	2	2	3	7	27	40
28 Nephritis	M	11	—	—	—	—	4	7	11	—	—	—	1	6	4	91	—	—	—	13	26	52
	F	16	—	—	—	1	5	10	12	—	—	—	—	3	9	81	—	—	1	9	23	48
29 Maternal sepsis	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	3	—	—	—	2	1	—
30 Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	—	—	—	11	—	—
31 Premature birth	M	6	6	—	—	—	—	—	3	3	—	—	—	—	—	39	39	—	—	—	—	—
	F	8	8	—	—	—	—	—	1	1	—	—	—	—	—	34	34	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	7	6	1	—	—	—	—	12	11	—	1	—	—	—	66	59	—	1	3	3	—
	F	8	6	1	—	—	1	—	5	5	—	—	—	—	—	64	54	3	2	4	1	—
33 Suicide	M	6	—	—	—	3	2	1	6	—	—	—	3	—	3	43	—	—	—	11	18	14
	F	4	—	—	—	—	3	1	—	—	—	—	—	—	—	24	—	—	—	4	16	4
34 Road traffic accidents	M	8	—	—	1	4	2	1	6	—	1	1	2	2	—	52	—	4	7	18	9	14
	F	7	—	—	1	2	1	3	2	—	—	—	—	2	—	6	—	1	—	—	3	2
35 Other violent causes	M	5	—	—	1	1	3	—	13	3	2	—	2	1	5	61	5	3	3	17	16	17
	F	12	1	—	—	—	—	11	9	2	1	—	—	—	6	63	7	4	2	6	8	36
36 All other causes	M	33	1	1	—	4	6	21	49	—	—	1	5	9	34	348	7	5	3	27	49	257
	F	30	—	—	1	2	7	20	48	1	2	2	4	7	32	325	7	2	6	25	51	234
†Including deaths from ulcer of duodenum	M	8	—	—	—	1	4	3	5	—	—	—	1	3	1	27	—	—	—	5	12	10
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.		
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over			
996 1000	45 31	12 5	6 8	64 72	232 193	637 691	1279 1418	59 35	11 6	8 6	94 78	317 245	790 1048	979 1013	40 31	6 9	10 4	58 61	194 185	671 723	M F	All Causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Typhoid and paratyphoid	1
1 1	1 —	—	—	—	1	—	1 —	1 —	—	—	—	—	—	1 —	1 —	—	—	—	—	—	M F	Cerebro-spinal fever	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Scarlet fever	3
—	—	—	—	—	—	—	1 —	1 —	—	—	—	—	—	—	—	—	—	—	—	—	M F	Whooping cough	4
1 17 12 7	—	—	—	—	—	1 —	1 —	—	—	—	—	1 —	—	—	—	—	—	—	—	—	M F	Diphtheria	5
—	—	—	—	8 9	7 2	2 1	47 27	—	—	—	24 15	18 9	5 3	33 20	—	—	1 —	13 16	9 2	10 1	M F	Tuberculosis :— Respiratory system	6
—	—	4 1	—	2	—	—	8 4	1 —	2 —	3 1	—	—	—	3 8	—	2 —	—	2 3	1 1	—	M F	Other forms	7
1 9 19 1 1	1 2 —	—	—	—	1 3	6 16	2 14 20 1	—	—	—	—	1 2 4 4	2 2 8 15	1 1 6 11	—	—	—	—	2 —	1 4 10	M F M F	Syphilitic disease Influenza	8 9
4 5 —	—	1 —	—	3 4	—	—	4 4 1 1	—	—	—	4 2 1 —	—	—	2 1 1 —	—	—	1 —	1 —	—	—	M F M F	Measles	10
—	—	—	1 —	—	—	—	—	—	1 —	1 —	—	—	—	—	—	—	—	—	—	—	M F M F	Ac: poliomyelitis & polioenceph: Ac: infectious encephalitis	11 12
12 11 42 25	—	—	—	1 1	4 6	7 4	8 26 38 48	—	—	—	—	2 9 1 8	6 14 29 37	14 20 33 27	—	—	—	—	5 10 11 3	9 8 21 24	M F M F	Cancer of Mouth & œsoph: Uterus Stomach and duodenum	13M 13F 14
36 106 92	—	—	—	6 5 5	11 37 36	19 64 51	38 113 121	—	—	—	3 3 5	10 48 36	25 61 80	26 95 91	—	—	—	—	1 3 7	14 28 33	M F M F	Breast All other sites	15 16
4 8 99 161	—	—	—	1 —	—	3 6	6 26 130 214	—	—	—	—	2 7 24 39	4 18 105 173	4 6 79 132	—	—	—	—	—	4 2 11 26	M F M F	Diabetes Intra-cranial vasc: lesions	17 18
344 334 32 43	—	—	—	9 6 —	79 46 26 6	256 281 26 35	436 482 40 56	—	—	1 —	8 5 1 4	101 54 11 3	326 423 28 49	333 337 37 34	—	—	—	1 8 1 2	53 40 6 7	279 289 30 25	M F M F	Heart disease Other circulatory diseases	19 20
53 32 20 22	—	—	—	2 5	16 1	35 26	53 39 33 50	—	—	—	1 2 4 3	14 4 6 5	38 33 13 30	53 30 23 38	—	—	—	1 2 1 1	13 1 3 4	39 27 15 24	M F M F	Bronchitis Pneumonia	21 22
11 7 10 3	1 —	—	—	2 1	3 7	5 2	30 13 24 4	—	—	—	4 2 1 1	9 6 16 1	17 5 7 2	23 15 12 1	—	—	—	4 1 2 —	8 4 6 1	11 10 4 —	M F M F	Other respiratory diseases Ulcer of stomach or duodenum†	23 24
3 4 1 6	3 4 —	—	—	—	—	—	4 1 3 3	3 1 —	1 —	—	—	—	—	—	1 4 —	1 —	—	—	—	—	M F M F	Diarrhoea under 2 years Appendicitis	25 26
15 25 27 22	—	—	—	2 6 3	6 10 5 3	7 9 19 15	33 27 44 44	—	—	—	1 1 7 1	11 8 9 10	21 18 26 33	8 23 27 20	—	1 —	—	1 3 —	2 6 4 9	4 14 20 11	M F M F	Other digestive diseases Nephritis	27 28
7	—	—	—	7	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—	F F	Maternal sepsis Other maternal	29 30
9 8 20 11	9 8 19 11	—	—	—	—	—	16 5 25 21	16 5 21 15	—	—	—	—	—	11 7 25 16	11 7 22 14	—	—	—	—	—	M F M F	Premature birth Cong: mal:, birth inj:, infant: dis:	31 32
9 5 21 7	—	—	—	4 1	3 7	2 2	13 5 14 1	—	—	—	1 2 10 1	8 3 3 —	4 — 1 —	15 7 17 3	—	—	—	4 2 9 1	7 4 4 2	4 1 1 —	M F M F	Suicide Road traffic accidents	33 34
21 21 97 67	1 1 1 1	2 2 1 1	1 —	6 5 4 4	4 1 15 16	7 12 74 45	25 24 113 108	3 1 4 2	2 2 — 1	3 — 2 1	7 3 9 12	5 3 16 22	5 15 82 70	21 20 98 117	2 2 1 1	1 2 1 —	2 1 2 —	5 2 5 8	5 2 14 13	6 11 75 94	M F M F	Other violent causes All other causes	35 36
6	—	—	—	—	5	1	8 1	—	—	—	—	6 1	2	3	—	—	—	—	3	—	M F	†Including deaths from ulcer of duodenum.	

TABLE 24—contd.—Administrative County of Cumberland.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	600	40	6	5	56	161	332	786	37	16	6	70	179	478	2115	134	17	24	163	557	1220
	F	539	28	4	5	46	121	335	786	28	9	8	56	144	541	1914	89	11	13	135	390	1270
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	4	2	1	1	—	—	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	4	4	—	—	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—
	F	1	—	1	—	—	—	—	3	2	1	—	—	—	—	3	3	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	24	—	—	—	12	11	1	34	—	—	1	19	8	6	52	—	—	—	19	25	8
	F	19	—	—	—	15	4	—	30	—	—	1	26	1	2	36	—	—	—	25	7	4
7 Other forms	M	4	—	1	—	2	1	—	9	—	3	1	3	1	1	9	—	1	2	3	3	—
	F	8	—	—	2	4	2	—	4	—	1	—	3	—	—	5	—	2	1	1	1	—
8 Syphilitic disease	M	1	1	—	—	—	—	—	2	—	—	—	—	1	1	10	1	—	1	1	5	2
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—
9 Influenza	M	5	—	—	—	—	2	3	5	—	—	—	—	1	4	28	1	—	—	1	8	18
	F	2	—	—	—	—	1	1	5	—	—	—	—	1	4	25	1	—	—	1	5	18
10 Measles	M	—	—	—	—	—	—	—	4	2	1	1	—	—	—	1	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—
11 Ac : poliomyelitis & polioenceph :	M	—	—	—	—	—	—	—	3	1	—	—	2	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	13	—	—	—	—	4	9	8	—	—	—	—	—	8	22	—	—	—	1	4	17
13F Uterus	F	15	—	—	—	1	9	5	15	—	—	—	1	7	7	33	—	—	—	2	14	17
14 Stomach and duodenum	M	18	—	—	—	1	7	10	29	—	—	—	4	13	12	64	—	—	—	5	28	31
	F	13	—	—	—	1	2	10	16	—	—	—	—	5	11	45	—	—	—	3	12	30
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	—	—	—	1	7	10	18	—	—	—	—	12	6	65	—	—	—	14	30	21
16 All other sites	M	48	—	—	1	2	15	30	67	—	—	—	6	25	36	216	1	—	1	19	78	117
	F	44	—	1	—	2	17	24	61	—	—	—	3	19	39	174	—	1	—	13	75	85
17 Diabetes	M	1	—	—	—	—	1	—	5	—	—	—	—	—	5	15	—	—	—	4	3	8
	F	3	—	—	—	1	1	1	7	—	—	—	—	2	5	29	—	—	1	—	3	25
18 Intra-cranial vasc: lesions	M	69	—	—	—	1	16	52	87	—	—	—	—	15	72	229	—	—	—	5	56	168
	F	71	—	—	—	1	22	48	118	—	—	—	1	19	98	295	—	1	—	2	51	241
19 Heart disease	M	186	—	—	—	9	46	131	250	—	—	—	7	50	193	605	—	—	1	16	165	423
	F	179	—	—	—	7	30	142	258	—	—	1	2	41	214	569	—	—	1	23	80	465
20 Other circulatory diseases	M	22	—	—	—	—	6	16	39	1	—	—	—	5	33	81	—	—	—	2	10	69
	F	13	—	—	—	—	3	10	25	—	—	1	—	2	22	78	—	—	—	—	11	67
21 Bronchitis	M	23	1	—	—	—	7	15	26	3	—	—	1	3	19	155	7	2	—	6	52	88
	F	20	1	—	—	—	1	18	23	—	1	—	2	3	17	90	3	—	—	3	11	73
22 Pneumonia	M	22	5	1	—	2	10	4	19	6	1	—	—	5	7	78	25	2	1	5	12	33
	F	13	5	—	—	1	2	5	16	5	1	—	—	3	7	58	12	2	—	1	9	34
23 Other respiratory diseases	M	14	—	—	—	1	5	8	21	—	—	—	3	11	7	31	1	—	—	1	11	18
	F	5	—	—	—	1	4	—	6	—	—	1	—	1	4	24	—	—	—	—	10	14
24 Ulcer of stomach or duodenum†	M	9	—	—	—	2	6	1	6	—	—	—	—	5	1	40	—	—	—	7	16	17
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	11	—	—	—	3	7	—
25 Diarrhoea under 2 years	M	4	4	—	—	—	—	—	1	—	1	—	—	—	—	14	14	—	—	—	—	—
	F	—	—	—	—	—	—	—	5	4	1	—	—	—	—	9	9	—	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	—	1	2	—	—	—	1	1	—	8	—	1	1	2	2	2
	F	—	—	—	—	—	—	—	4	—	—	2	1	1	—	5	—	1	—	—	4	—
27 Other digestive diseases	M	12	—	—	2	2	5	3	12	—	—	1	1	5	5	26	2	1	—	—	8	15
	F	11	—	—	—	1	2	8	21	—	—	—	1	6	14	42	2	—	2	7	6	25
28 Nephritis	M	9	—	—	—	2	1	6	13	1	1	—	—	3	8	53	—	—	—	11	17	25
	F	13	—	—	—	—	5	8	26	—	—	—	3	4	19	47	—	—	1	9	13	24
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—
30 Other maternal	F	2	—	—	—	2	—	—	4	—	—	—	3	1	—	2	—	—	—	1	1	—
31 Premature birth	M	9	9	—	—	—	—	—	5	5	—	—	—	—	—	27	27	—	—	—	—	—
	F	8	8	—	—	—	—	—	6	6	—	—	—	—	—	18	18	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	16	14	2	—	—	—	—	18	15	1	—	—	2	—	46	38	2	—	3	3	—
	F	13	12	—	1	—	—	—	10	9	—	—	1	—	—	44	35	2	—	5	2	—
33 Suicide	M	8	—	—	—	1	4	3	7	—	—	—	5	2	—	31	—	—	1	7	11	12
	F	1	—	—	—	1	—	—	4	—	—	—	—	3	1	12	—	—	—	4	8	—
34 Road traffic accidents	M	2	—	—	—	—	1	1	12	—	2	1	3	5	1	33	—	1	3	17	—	12
	F	4	—	2	—	2	—	—	3	—	1	2	—	—	—	6	—	—	1	2	3	—
35 Other violent causes	M	20	—	1	1	12	4	2	27	—	4	1	12	7	3	51	7	3	3	11	16	11
	F	9	—	—	—	—	3	5	11	—	1	—	1	—	9	20	—	—	—	2	4	12
36 All other causes	M	54	1	1	1	7	9	35	74	2	2	—	3	11	56	180	5	2	9	16	23	125
	F	51	1	—	1	4	6	39	85	2	1	—	7	13	62	161	1	2	4	14	27	113
†Including deaths from ulcer of duodenum	M	5	—	—	—	1	4	—	3	—	—	—	—	2	1	17	—	—	—	3	6	8
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
1791	120	14	19	141	443	1054	1894	67	12	12	109	395	1299	1570	54	15	15	97	327	1062	M	All Causes
1589	78	11	17	126	303	1054	2267	47	14	4	86	368	1748	1620	44	10	12	89	262	1203	F	
																					M	Typhoid and paratyphoid
							2	1	1					1		1					M	Cerebro-spinal fever
														1				1			F	
																					M	Scarlet fever
1			1																		F	
1	1						3	1	2					1	1						M	Whooping cough
2	1	1					2	1					1	1							F	Diphtheria
																					M	
																					F	
56				30	19	7	56			1	19	30	6	36				20	14	2	M	Tuberculosis :—
34			1	21	9	3	36				21	9	6	28				11	11	5	M	Respiratory system
5	1		1	2		1	6	1	1	1	3			8			1	4	1	1	F	Other forms
8		2	1	3	2		7		2	1	2	1	1	8		3	1	3	1		M	
																					F	
10				1	6	3	11				1		10	3					2	1	M	Syphilitic disease
2					1	1	5					2	3	2				1		1	F	
16	1	1	1	1	4	8	8					1	7	13		1		1	1	10	M	Influenza
18	1			2	1	14	16				1	2	13	13					1	1	F	
1			1				1	1													M	Measles
1	1						1		1												F	
2				2			1			1				4			2	1	1		M	Ac: poliomyelitis & polioenceph:
2				1	1		1	1				1		3			1	2			F	
4				1	3		1						1	1				1			M	Ac: infectious encephalitis
																					F	Cancer of
14					3	11	26					6	20	26					6	20	M	Mouth & œsoph: 13M
21				1	12	8	35				4	15	16	22				2	8	12	F	Uterus 13F
45				1	17	27	60				2	15	43	47					14	31	M	Stomach and duodenum
47				3	15	29	40					10	30	45				1	8	36	F	
							1						1	1						1	M	Breast
45				4	18	23	75				7	27	41	50				4	20	26	F	
193		1	2	10	66	114	201		1	1	9	57	133	168		1		9	60	98	M	All other sites
130				12	41	77	222		2		9	64	147	134		1	1	9	35	88	F	
7					3	4	10				2	1	7	6				1	2	3	M	Diabetes
10					1	9	15				1	3	11	13				2	1	10	F	
222				1	44	177	220				3	39	178	165					31	134	M	Intra-cranial
231				4	37	190	361				1	50	310	246				5	43	198	F	vasc: lesions
535			2	15	133	385	635			1	11	112	511	477			1	6	84	386	M	Heart disease
502				13	77	412	816			1	8	80	727	504				4	56	444	F	
69			1		10	58	64				1	7	56	67					5	62	M	Other circulatory diseases
61				4	11	46	110				1	12	97	86				3	8	75	F	
98	7	2		1	28	60	84				1	25	58	88	1			2	22	63	M	Bronchitis
57	1	1		1	9	45	66					6	60	62				1	4	57	F	
67	23	2	1	4	14	23	64	4	3		1	13	43	63	10	4	1	2	10	36	M	Pneumonia
57	15	2		5	6	29	65	4			2	9	50	70	13	1	4	2	13	37	F	
31					14	17	30				4	13	13	24					9	15	M	Other respiratory diseases
22	1			2	10	9	17					7	10	22				2	5	15	F	
25				3	15	7	25				1	10	14	13					7	6	M	Ulcer of stomach or duodenum†
5						5	7				1	3	3	11				1	2	8	F	
7	7						2	1	1					3	3						M	Diarrhœa under 2 years
8	8						4	3	1					2	1	1					F	
2				2			7		1		4		2	3						3	M	Appendicitis
5			1	2	1	1	6					1	5	2					1	1	F	
36	3	3		3	10	17	27				2	9	16	35	1	1		1	13	19	F	Other digestive diseases
27	1		1	4	7	14	38		1		3	10	24	40	1		1	3	12	23	M	Nephritis
37			2	8	9	18	68			1	7	15	45	50			1	3	11	35	M	
30				4	8	18	60			1	2	13	44	43			2	2	4	35	F	
														1				1			F	Maternal sepsis
8				8			1				1			9				9			F	Other maternal
28	28						19	19						16	16						M	Premature birth
21	21						15	15						13	13						F	
47	40	2	3	2			25	28			1			25	21	1		3			M	Cong: mal:, birth inj:, infant: dis:
37	28	1	3	4	1		24	20			2	1	1	16	14		2				F	
30				8	11	11	16				4	7	5	33				10	13	10	M	Suicide
15				6	6	3	18				4	11	3	12				4	7	1	F	
26			1	15	6	4	14			2	11		1	22		1	2	14	4	1	M	Road traffic accidents
12		2	3	3	4		2		1		1			3					1	2	F	
52	6	1	3	20	15	7	42	6		3	11	11	11	36		1	5	11	9	10	M	Other violent causes
15		1	2	1	1	10	36	3	3			5	25	23	1	2		3		17	F	
129	3	2	1	13	15	95	161	5	1	2	11	23	119	135	1	3	2	6	8	115	M	All other causes
151		1	4	16	22	108	165		3	1	15	27	119	135		1		12	21	101	F	
14				2	9	3	15				1	6	8	6					3	3	M	†Including deaths from ulcer of duodenum.
							2					1	1	1						1	F	

TABLE 24—contd.—Administrative County of Dorset.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1058	33	5	4	45	256	715	654	28	4	5	39	124	454	3839	300	41	36	347	999	2116
	F	1134	26	7	6	58	192	845	613	23	5	6	25	94	460	3406	209	32	29	327	736	2073
1 Typhoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
paratyphoid	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
fever	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping	M	1	1	—	—	—	—	—	1	—	—	1	—	—	—	3	3	—	—	—	—	—
cough	F	—	—	—	—	—	—	—	2	1	1	—	—	—	—	5	2	3	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Tuberculosis :—																						
6 Respiratory	M	24	—	—	—	9	11	4	17	—	—	—	7	8	2	171	—	—	—	84	78	9
system	F	16	—	—	—	12	—	4	8	—	—	—	4	2	2	134	1	1	—	111	14	7
7 Other forms	M	2	—	—	—	1	1	—	2	—	1	—	1	—	—	17	2	3	2	6	3	1
	F	9	1	2	1	2	1	2	2	—	1	—	1	—	—	28	2	10	3	11	1	1
8 Syphilitic	M	6	—	—	—	—	1	5	2	—	—	—	—	1	1	14	2	—	—	2	9	1
disease	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	2	—
9 Influenza	M	3	—	—	—	—	2	1	6	—	1	—	—	1	4	41	2	3	1	4	13	18
	F	14	—	—	—	1	3	10	6	—	—	1	1	—	4	24	1	—	1	6	5	11
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	2	—	—	—	—	1	—	1	—	—	—	—
11 Ac : poliomyelitis	M	1	—	—	1	—	—	—	2	—	—	1	1	—	—	2	—	—	1	—	1	—
& polioenceph:	F	3	—	—	—	3	—	—	1	—	—	—	1	—	—	2	—	—	—	1	—	—
12 Ac: infectious	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2	—	—	—	1	—	1
encephalitis	F	2	—	—	—	—	2	—	2	—	—	—	1	1	—	1	—	—	—	1	—	—
Cancer of																						
13M Mouth & œsoph:	M	18	—	—	—	—	5	13	7	—	—	—	—	1	6	48	—	—	—	2	8	38
13F Uterus	F	18	—	—	—	1	7	10	11	—	—	—	1	7	3	67	—	—	—	8	35	24
14 Stomach and	M	37	—	—	—	1	15	21	14	—	—	—	—	6	8	148	—	—	—	13	59	76
duodenum	F	27	—	—	—	1	4	22	15	—	—	—	1	3	11	104	—	—	—	1	38	65
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1
	F	44	—	—	—	—	20	24	21	—	—	—	1	6	14	91	—	—	—	11	44	36
16 All other	M	120	—	—	—	2	40	78	62	—	—	—	6	20	36	360	—	3	—	21	150	186
sites	F	102	—	—	—	8	37	57	61	—	—	1	3	18	39	252	—	1	1	17	101	132
17 Diabetes	M	7	—	—	—	—	1	6	5	—	—	—	—	1	4	16	—	—	1	2	3	10
	F	10	—	—	—	—	—	10	6	—	—	1	—	—	5	38	—	—	—	2	8	28
18 Intra-cranial	M	118	1	—	—	2	23	92	70	—	—	—	—	12	58	434	—	—	—	12	87	335
vasc: lesions	F	178	—	—	—	2	25	151	85	—	—	—	—	13	72	483	—	—	—	8	105	370
19 Heart disease	M	387	—	—	—	7	85	295	233	—	—	—	2	45	186	1037	—	—	1	36	254	746
	F	374	—	—	—	6	43	325	210	—	—	1	1	21	187	1012	1	—	3	49	181	778
20 Other circulatory	M	36	—	—	—	1	9	26	32	—	—	—	—	1	31	181	—	—	—	1	34	146
diseases	F	45	—	—	—	1	7	37	22	—	—	—	—	1	21	167	—	—	—	2	25	140
21 Bronchitis	M	42	—	—	—	1	14	27	29	—	—	—	2	6	21	261	16	—	—	7	87	151
	F	24	—	—	—	—	3	21	16	—	—	—	1	—	15	164	12	—	1	3	34	114
22 Pneumonia	M	27	1	1	1	—	3	21	24	8	1	—	2	2	11	144	49	5	—	10	26	54
	F	40	3	1	1	3	4	28	22	3	—	—	1	2	16	119	43	6	—	5	16	49
23 Other respiratory	M	16	—	—	—	2	6	8	12	—	—	—	—	6	6	63	1	—	—	2	37	23
diseases	F	16	—	—	—	1	5	10	9	—	—	—	—	2	7	34	2	—	—	5	17	10
24 Ulcer of stomach	M	20	—	—	—	3	8	9	6	—	—	—	—	2	4	44	—	—	—	3	19	22
or duodenum†	F	3	—	—	—	—	1	2	3	—	—	—	—	2	1	11	—	—	—	—	6	5
25 Diarrhœa	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	33	31	2	—	—	—	—
under 2 years	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—
26 Appendicitis	M	2	—	—	1	1	—	—	1	—	—	—	—	—	1	6	—	—	2	2	1	1
	F	3	—	1	—	—	2	—	1	—	—	—	1	—	—	4	—	—	4	—	—	—
27 Other digestive	M	13	—	1	—	3	1	8	7	—	—	—	1	—	6	53	3	1	2	9	12	26
diseases	F	26	—	—	—	2	3	21	13	—	—	—	1	4	8	72	4	2	1	5	24	36
28 Nephritis	M	28	—	—	—	3	4	21	9	—	—	—	—	1	8	62	—	—	1	12	11	38
	F	26	—	—	—	1	7	18	13	—	—	—	1	3	9	75	—	1	—	14	19	41
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—
30 Other maternal	F	1	—	—	—	1	—	—	1	—	—	—	1	—	—	9	—	—	—	9	—	—
31 Premature	M	16	16	—	—	—	—	—	10	10	—	—	—	—	—	62	62	—	—	—	—	—
birth	F	5	5	—	—	—	—	—	11	11	—	—	—	—	—	44	44	—	—	—	—	—
32 Cong: mal:, birth	M	12	11	—	—	—	1	—	10	6	1	—	—	—	—	115	100	2	—	8	5	—
inj:, infant: dis:	F	18	16	—	—	1	1	—	7	6	—	—	1	2	1	71	62	—	—	5	3	1
33 Suicide	M	9	—	—	—	—	7	2	8	—	—	—	2	1	5	38	—	—	—	11	17	10
	F	7	—	—	—	2	2	3	3	—	—	—	1	1	1	23	—	—	—	6	11	6
34 Road traffic	M	10	—	—	1	5	2	2	11	—	—	—	6	2	3	48	—	8	8	17	9	6
accidents	F	3	—	2	1	—	—	—	1	—	—	—	—	1	—	8	1	—	3	2	2	—
35 Other violent	M	16	1	2	—	3	4	6	17	2	—	—	5	2	8	109	11	2	9	38	32	17
causes	F	17	1	—	1	—	1	14	8	1	—	—	1	1	5	51	7	2	4	4	5	29
36 All other	M	86	1	1	—	1	13	70	55	1	—	2	2	5	45	320	16	11	8	43	42	200
causes	F	100	—	—	1	10	14	75	51	1	1	2	2	6	39	285	7	4	7	37	40	190
†Including deaths from	M	11	—	—	—	2	6	3	1	—	—	—	—	—	1	26	—	—	—	2	11	13
ulcer of duodenum.	F	1	—	—	—	—	1	—	1	—	—	—	—	—	—	3	—	—	—	—	3	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
1683 1444	145 95	23 16	16 16	167 117	399 342	933 858	352 310	15 8	1 —	5 3	23 17	89 55	219 227	218 184	15 5	4 —	2 —	24 14	39 26	134 139	M All Causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Typhoid and	1
4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F paratyphoid	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Cerebro-spinal	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F fever	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Scarlet fever	3
4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Whooping	4
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F cough	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Diphtheria	5
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
66	—	—	1	32	24	9	7	—	—	—	5	—	2	3	—	—	—	3	—	—	M Tuberculosis :—	
45	—	—	1	37	6	1	4	—	—	—	2	1	1	4	—	—	—	1	3	—	F Respiratory	6
19	3	4	3	6	3	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	M system	
12	2	3	—	5	—	2	1	—	—	—	1	—	—	1	—	—	1	—	—	—	F Other forms	7
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
3	—	—	—	1	1	1	2	—	—	—	—	2	—	2	—	—	—	—	—	2	M Syphilitic	8
3	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	F disease	
11	2	—	—	1	2	6	10	1	—	—	1	4	1	—	—	—	—	—	—	—	M Influenza	9
12	—	—	—	1	4	7	1	—	—	—	—	—	1	2	—	—	—	1	1	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Measles	10
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Ac: poliomyelitis	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F & polioenceph:	
5	—	—	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Ac: infectious	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F encephalitis	
11	—	—	—	—	3	8	3	—	—	—	—	—	3	3	—	—	—	—	1	2	M Cancer of	
24	—	—	—	3	12	9	5	—	—	—	—	3	2	3	—	—	—	1	1	1	M Mouth & œsoph:	13M
74	—	—	—	4	22	48	14	—	—	—	—	7	7	7	—	—	—	1	1	5	F Uterus	13F
43	—	—	—	—	18	25	13	—	—	—	—	4	9	4	—	—	—	1	—	3	M Stomach and	14
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F duodenum	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Breast	15
40	—	—	—	4	22	14	5	—	—	—	—	3	2	—	—	—	—	—	—	2	F	
157	—	1	1	7	55	93	40	—	—	1	2	12	25	29	—	—	—	—	—	19	M All other	16
103	—	1	—	10	46	46	25	—	—	—	2	9	14	18	—	—	—	1	9	12	F sites	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	4	—	M Diabetes	17
7	—	—	—	2	1	4	2	—	—	—	—	—	2	1	—	—	—	—	—	1	F	
20	—	—	3	1	7	9	6	—	—	—	—	2	4	8	—	—	—	1	—	6	M Intra-cranial	18
206	1	—	—	2	33	170	40	—	—	—	—	8	32	15	—	—	—	—	5	10	M vasc: lesions	
185	—	—	—	2	44	139	49	—	—	—	1	10	38	28	—	—	—	—	3	25	F	
500	1	—	1	28	137	333	132	—	—	—	5	34	93	67	—	—	2	2	8	55	M Heart disease	19
478	—	—	—	18	100	359	114	—	—	—	1	12	101	65	—	—	—	—	8	57	F	
51	1	—	—	1	9	40	12	—	—	—	—	4	8	4	—	—	—	—	—	4	M Other circulatory	20
79	—	—	—	3	17	59	8	—	—	—	—	1	7	8	—	—	—	1	2	5	F diseases	
93	6	1	1	2	27	56	15	1	—	—	—	3	11	16	—	—	—	—	3	13	M Bronchitis	21
46	7	—	—	—	9	30	14	—	—	—	—	1	13	3	—	—	—	—	—	3	F	
61	30	—	—	6	11	14	7	2	—	—	—	1	4	8	2	—	—	—	—	6	M Pneumonia	22
49	21	2	1	3	4	18	13	1	—	1	—	1	10	6	—	—	—	—	—	6	F	
28	—	1	—	6	12	9	3	—	—	—	—	—	3	2	—	—	—	1	1	—	M Other respiratory	23
18	—	—	—	—	9	9	2	—	—	—	1	—	1	4	—	—	—	2	1	1	F diseases	
18	—	—	—	3	8	7	3	—	—	—	—	3	—	3	—	—	—	—	3	—	M Ulcer of stomach	24
4	—	—	—	1	2	1	3	—	—	—	1	1	1	1	—	—	—	—	1	—	F or duodenum†	
11	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M Diarrhoea	25
6	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F under 2 years	
4	—	—	1	—	1	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M Appendicitis	26
3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
16	2	1	—	3	4	6	3	—	—	—	1	—	2	4	—	—	—	1	1	2	M Other digestive	27
19	1	2	—	2	3	11	9	—	—	1	2	—	6	—	—	—	—	—	—	—	F diseases	
38	—	2	—	7	10	19	5	—	—	—	1	1	3	3	—	—	—	1	1	1	M Nephritis	28
32	—	—	1	4	11	16	5	—	—	—	1	1	3	4	—	—	—	1	—	3	F	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F Maternal sepsis	29
4	—	—	—	4	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F Other maternal	30
39	39	—	—	—	—	—	4	4	—	—	—	—	—	6	6	—	—	—	—	—	M Premature	31
28	28	—	—	—	—	—	4	4	—	—	—	—	—	2	2	—	—	—	—	—	F birth	
42	36	3	—	2	1	—	4	3	—	—	1	—	—	6	6	—	—	—	—	—	M Cong: mal:, birth	32
23	18	1	2	2	—	—	4	3	—	1	—	—	—	3	3	—	—	—	—	—	F inj:, infant: dis:	
15	—	—	—	7	4	4	7	—	—	—	2	3	2	7	—	—	—	4	2	1	M Suicide	33
8	—	—	—	3	4	1	2	—	—	—	—	1	1	1	—	—	—	—	—	1	F	
12	—	—	3	3	3	3	6	—	—	2	1	2	1	10	—	1	—	7	—	2	M Road traffic	34
5	—	1	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F accidents	
56	3	2	—	32	9	10	7	—	—	1	2	2	2	7	—	2	—	2	2	1	M Other violent	35
27	5	3	1	3	4	11	1	—	—	—	—	—	1	4	—	—	—	1	—	3	F causes	
130	7	3	3	8	19	90	24	3	1	1	1	3	15	14	1	—	—	1	2	10	M All other	36
121	3	1	4	7	20	86	20	—	—	—	4	5	11	13	—	—	—	2	1	10	F causes	
7	—	—	—	1	2	4	3	—	—	—	—	3	—	—	—	—	—	—	—	—	M †Including deaths from	
—	—	—	—	—	—	—	2	—	—	—	1	1	—	1	—	—	—	—	1	—	F ulcer of duodenum.	

TABLE 24—contd.—Administrative County of Essex.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	6891	300	66	67	507	1896	4055	1412	44	10	6	76	263	1013	800	39	9	6	48	201	497
	F	6574	244	48	48	440	1341	4453	1222	29	9	4	57	197	926	922	33	7	10	59	152	661
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	8	2	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	2	2	3	1	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	3	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	289	—	1	1	104	126	57	35	—	—	—	5	22	8	19	—	—	—	9	7	33
	F	177	—	3	—	117	42	15	21	—	—	—	13	6	2	25	—	—	—	15	7	33
7 Other forms	M	33	1	9	3	10	6	4	4	—	2	—	—	2	—	2	—	—	—	1	1	—
	F	17	—	5	—	10	2	—	4	1	2	—	1	—	—	4	1	1	1	—	1	—
8 Syphilitic disease	M	30	—	—	—	5	11	14	5	—	—	—	—	2	3	2	—	—	—	—	1	1
	F	13	—	—	—	—	4	9	3	—	—	—	—	3	—	2	—	—	—	1	—	1
9 Influenza	M	74	—	2	—	7	16	47	16	1	—	—	1	3	11	10	—	—	—	1	4	5
	F	84	1	—	1	3	12	67	24	—	1	—	2	2	19	5	1	—	—	—	—	4
10 Measles	M	5	2	1	2	—	—	—	2	—	1	—	1	—	—	2	—	1	1	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	13	1	1	6	5	—	—	3	—	—	—	3	—	—	2	—	1	—	1	—	—
	F	14	—	3	4	7	—	—	2	—	1	—	1	—	—	1	—	—	—	1	—	—
12 Ac: infectious encephalitis	M	2	—	—	—	1	—	1	3	—	—	—	1	1	1	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	1	—	—	—	—	1	—	1	—	—	—	1	—	—
Cancer of																						
13M Mouth & œsoph:	M	73	—	—	—	2	21	50	19	—	—	—	—	3	16	10	—	—	—	1	2	7
13F Uterus	F	100	—	—	—	7	49	44	13	—	—	—	4	4	5	15	—	—	—	—	4	11
14 Stomach and duodenum	M	234	—	—	—	9	93	132	38	—	—	—	2	14	22	13	—	—	—	—	6	7
	F	145	—	—	—	4	40	101	26	—	—	—	1	3	22	17	—	—	—	—	2	15
15 Breast	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	221	—	—	—	22	104	95	44	—	—	—	5	21	18	34	—	—	—	4	10	20
16 All other sites	M	920	—	5	2	56	379	478	155	—	—	—	11	48	96	90	—	1	—	3	38	48
	F	638	—	1	6	36	224	371	107	1	1	—	2	33	70	88	—	2	—	4	25	57
17 Diabetes	M	23	—	—	—	1	4	18	14	—	—	—	3	2	9	3	—	—	—	—	1	2
	F	60	—	—	—	2	13	45	12	—	—	—	1	1	10	15	—	—	—	2	5	8
18 Intra-cranial vasc: lesions	M	581	—	—	—	5	113	463	159	—	—	—	1	21	137	78	—	—	—	3	10	65
	F	936	—	—	—	7	177	752	176	—	—	—	3	28	145	134	—	—	—	3	27	104
19 Heart disease	M	2007	—	—	3	60	450	1494	460	—	—	—	8	68	384	272	—	—	—	6	54	212
	F	2050	—	—	3	53	294	1700	402	—	—	—	1	39	362	329	—	—	—	6	32	291
20 Other circulatory diseases	M	272	—	—	—	6	63	203	59	—	—	—	2	8	49	37	—	—	—	3	10	24
	F	297	—	1	—	9	59	228	50	—	—	—	1	7	42	25	—	—	—	—	1	24
21 Bronchitis	M	524	9	1	1	16	165	332	69	—	1	—	—	16	52	44	—	—	—	—	14	30
	F	318	4	1	3	3	38	269	48	—	—	—	2	3	43	21	—	—	—	1	6	14
22 Pneumonia	M	309	34	16	4	16	74	165	57	6	3	1	3	8	36	35	9	1	—	—	8	17
	F	275	32	12	1	15	30	185	48	2	1	—	1	5	39	20	2	2	—	1	3	12
23 Other respiratory diseases	M	101	—	2	—	3	54	42	19	—	—	—	1	6	12	5	—	—	—	—	2	3
	F	71	1	2	—	11	24	33	15	—	—	—	4	5	6	11	1	—	—	1	2	7
24 Ulcer of stomach or duodenum†	M	119	—	—	1	12	63	43	13	—	—	—	—	3	10	11	—	—	—	—	5	6
	F	27	—	—	—	4	12	11	8	—	—	—	—	2	6	7	—	—	—	—	2	5
25 Diarrhœa under 2 years	M	13	12	1	—	—	—	—	2	2	—	—	—	—	—	3	3	—	—	—	—	—
	F	6	6	—	—	—	—	—	2	1	1	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	23	—	3	4	9	3	4	—	—	—	—	—	—	—	5	—	1	—	2	2	—
	F	11	—	2	2	1	2	4	2	—	—	—	1	—	1	3	—	—	1	—	2	—
27 Other digestive diseases	M	97	5	—	2	5	33	52	28	—	—	1	2	7	18	10	—	—	—	—	3	7
	F	134	3	3	3	9	40	76	14	—	—	—	1	5	8	23	1	—	1	2	6	13
28 Nephritis	M	144	—	—	1	28	36	79	21	—	—	—	1	3	17	18	—	—	—	1	5	12
	F	119	1	—	2	12	35	69	27	—	1	1	1	4	20	31	—	—	1	5	2	23
29 Maternal sepsis	M	5	—	—	—	5	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
30 Other maternal	F	13	—	—	—	13	—	—	1	—	—	—	1	—	—	5	—	—	—	5	—	—
31 Premature birth	M	77	77	—	—	—	—	—	12	12	—	—	—	—	—	10	10	—	—	—	—	—
	F	48	48	—	—	—	—	—	10	10	—	—	—	—	—	6	6	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	154	131	5	2	7	8	1	22	19	—	1	1	—	1	18	17	—	—	1	—	—
	F	156	126	1	2	10	8	9	17	13	1	—	1	1	1	16	14	—	—	1	—	1
33 Suicide	M	68	—	—	—	20	34	14	18	—	—	—	3	7	8	11	—	—	—	2	6	3
	F	45	—	—	—	15	23	7	7	—	—	—	1	4	2	6	—	—	—	—	5	1
34 Road traffic accidents	M	83	—	2	10	37	15	19	25	—	—	2	9	7	7	10	—	2	2	3	2	1
	F	20	—	3	5	2	2	8	1	—	—	—	—	—	1	4	—	—	3	—	—	1
35 Other violent causes	M	100	12	8	7	24	21	28	17	2	2	1	5	1	6	13	—	1	1	4	4	3
	F	86	11	4	1	10	14	46	16	—	—	—	1	3	12	21	4	1	—	3	—	13
36 All other causes	M	507	12	5	13	58	106	313	136	2	—	—	13	11	110	67	—	1	2	7	16	41
	F	470	6	3	11	49	93	308	118	—	—	1	8	17	92	50	2	—	3	3	9	33
†Including deaths from ulcer of duodenum	M	57	—	—	1	6	30	20	4	—	—	—	—	1	3	5	—	—	—	—	2	3
	F	6	—	—	—	—	4	2	2	—	—	—	—	—	2	1	—	—	—	—	1	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	M	F
647 537	81 68	15 13	12 7	131 100	370 286	1038 1063	329 296	16 8	3 3	3 4	24 17	88 44	198 220	489 424	20 20	3 3	3 2	25 23	95 65	343 311	M	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and paratyphoid
2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping cough
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
64	—	1	1	30	22	10	15	—	—	—	9	6	—	12	—	—	—	3	7	2	M	Tuberculosis :—
33	—	—	—	20	7	6	13	—	—	—	7	4	2	16	—	—	—	9	6	1	M	Respiratory system
8	—	3	—	4	1	—	2	1	—	1	—	—	—	1	—	—	—	1	—	—	M	Other forms
10	—	2	—	4	3	1	2	—	—	—	1	—	1	1	—	1	—	—	—	—	M	
5	—	—	—	1	1	3	1	—	—	—	—	1	—	4	—	—	—	—	3	1	M	Syphilitic disease
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Influenza
19	3	—	—	2	5	9	5	—	—	—	—	3	2	11	—	—	—	1	2	8	M	Measles
23	1	1	—	2	3	16	9	—	1	—	1	1	6	10	—	—	—	—	3	7	F	
2	—	2	—	—	—	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—	M	Ac: poliomyelitis & polioenceph:
2	—	—	—	2	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	M	Ac: infectious encephalitis
1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	Cancer of
13	—	—	—	—	—	13	3	—	—	—	—	1	2	7	—	—	—	—	7	7	M	Mouth & œsoph: 13M
28	—	—	—	—	14	14	4	—	—	—	1	1	2	4	—	—	—	—	2	2	F	Uterus 13F
50	—	—	—	2	17	31	6	—	—	—	1	1	4	14	—	—	—	6	8	8	M	Stomach and duodenum
28	—	—	—	1	6	21	4	—	—	—	—	—	4	12	—	—	—	1	4	7	F	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
43	—	—	—	6	19	18	6	—	—	—	—	3	3	10	—	—	—	2	1	7	F	
168	1	—	1	10	58	98	42	—	—	—	2	17	23	46	—	1	—	1	14	30	M	All other sites
123	—	2	—	6	40	75	28	—	—	1	—	10	17	28	—	—	—	1	7	20	F	
6	—	—	—	—	3	3	2	—	—	—	—	1	1	2	—	—	—	1	—	1	M	Diabetes
22	—	—	—	1	7	14	4	—	—	—	—	2	2	4	—	—	—	—	2	2	F	
173	—	—	—	—	20	153	39	—	—	—	—	9	30	60	—	—	—	2	11	47	M	Intra-cranial vasc: lesions
230	—	—	—	5	45	180	45	—	—	—	—	5	40	59	1	—	—	—	9	49	F	
532	—	—	3	10	97	422	102	—	—	—	2	26	74	170	—	—	—	3	17	150	M	Heart disease
546	—	—	—	12	67	467	78	—	—	—	1	5	72	128	—	—	—	1	14	113	F	
70	—	—	—	1	15	54	11	—	—	—	1	3	7	25	—	—	—	—	5	20	M	Other circulatory diseases
57	—	—	—	—	13	44	15	—	—	—	1	1	13	21	—	—	—	—	2	19	F	
82	1	—	—	3	18	60	14	—	—	—	—	4	10	15	1	—	—	1	3	10	M	Bronchitis
51	—	1	—	2	4	44	9	—	—	—	1	—	8	17	—	—	—	—	3	14	F	
64	12	4	—	2	15	31	11	1	—	—	1	1	8	11	2	1	—	—	2	6	M	Pneumonia
57	9	—	—	5	5	38	11	3	—	1	—	1	6	18	3	1	1	1	3	9	F	
28	—	—	—	2	11	15	7	—	—	—	—	4	3	3	—	—	—	—	1	2	M	Other respiratory diseases
13	—	—	—	—	4	9	1	—	—	—	—	1	—	7	—	—	—	—	1	6	F	
23	—	—	—	1	14	8	6	—	—	—	—	1	5	1	—	—	—	—	1	—	M	Ulcer of stomach or duodenum†
6	—	—	—	1	2	3	—	—	—	—	—	—	—	5	—	—	—	1	2	2	F	
7	7	—	—	—	—	—	3	3	—	—	—	—	—	1	1	—	—	—	—	—	M	Diarrhoea under 2 years
5	5	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	F	Appendicitis
5	—	1	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	F	
25	—	—	—	3	8	14	3	—	—	1	—	2	—	6	—	—	—	1	1	4	M	Other digestive diseases
26	—	—	—	3	5	18	10	—	—	—	1	3	6	7	—	—	—	—	1	6	F	
53	—	—	1	8	18	26	13	—	—	—	1	4	8	15	—	—	—	1	3	11	M	Nephritis
37	—	—	—	6	8	23	11	—	—	—	—	1	10	10	—	—	—	3	1	6	F	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Maternal sepsis
3	—	—	—	3	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	Other maternal
21	21	—	—	—	—	—	4	—	—	—	—	—	—	6	6	—	—	—	—	—	M	Premature birth
15	15	—	—	—	—	—	3	3	—	—	—	—	—	2	2	—	—	—	—	—	F	
38	33	1	—	2	—	2	6	5	—	—	1	—	—	10	9	—	—	—	1	—	M	Cong: mal; birth inj; infant: dis:
38	29	—	3	3	2	1	4	1	—	2	1	—	—	10	10	—	—	—	—	—	F	
16	—	—	—	5	7	4	3	—	—	—	1	1	1	6	—	—	—	—	6	—	M	Suicide
5	—	—	—	2	2	1	1	—	—	—	—	—	1	1	—	—	—	—	—	1	F	
36	—	—	2	20	7	7	4	—	—	1	1	1	1	9	1	—	—	3	4	1	M	Road traffic accidents
6	—	—	—	2	1	3	—	—	—	—	—	—	—	1	—	—	—	—	—	1	F	
41	1	2	3	13	15	7	4	—	—	—	2	—	2	11	—	—	2	5	1	3	M	Other violent causes
29	3	1	1	2	4	18	9	—	1	—	—	2	6	10	—	1	—	—	—	9	F	
95	1	2	1	10	16	65	21	2	—	—	—	2	17	43	—	1	1	3	6	32	M	All other causes
93	4	3	3	12	22	49	26	1	—	—	—	4	21	40	2	—	1	4	4	29	F	
10	—	—	—	—	6	4	1	—	—	—	—	—	1	—	—	—	—	—	—	—	M	†Including deaths from F ulcer of duodenum.
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	

TABLE 24—contd.—Administrative County of Hertford.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	2161	75	10	19	152	548	1357	784	35	11	8	65	176	489	188	4	—	3	12	36	133
	F	2309	62	10	6	147	422	1662	813	22	6	5	58	137	585	169	4	1	1	8	28	127
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	69	—	—	—	26	31	12	18	—	—	—	7	8	3	2	—	—	—	1	—	11
	F	38	—	—	—	24	12	2	15	—	—	—	11	4	—	4	—	—	—	3	—	11
7 Other forms	M	13	—	—	3	6	1	3	4	—	2	1	—	1	—	—	—	—	—	—	—	—
	F	8	2	2	1	2	1	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
8 Syphilitic disease	M	20	—	—	—	—	8	12	2	—	—	—	—	—	2	1	—	—	—	—	—	11
	F	2	—	—	—	—	—	2	2	—	—	—	—	1	1	—	—	—	—	—	—	—
9 Influenza	M	15	—	—	—	1	4	10	2	—	—	—	—	2	—	4	1	—	—	—	—	33
	F	18	1	1	—	1	4	11	3	—	—	—	—	1	2	3	—	—	—	—	—	33
10 Measles	M	2	—	1	1	—	—	—	2	—	1	1	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	5	—	1	—	4	—	—	4	—	—	2	2	—	—	—	—	—	—	—	—	—
	F	6	—	—	1	5	—	—	4	—	—	—	4	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	2	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	23	—	—	—	—	5	18	11	—	—	—	—	3	8	4	—	—	—	1	3	3
13F Uterus	F	26	—	—	—	2	15	9	14	—	—	—	1	7	6	4	—	—	—	—	4	4
14 Stomach and duodenum	M	75	—	—	—	3	26	46	23	—	—	—	1	4	18	5	—	—	—	2	3	3
	F	62	—	—	—	1	11	50	14	—	—	—	—	3	11	5	—	—	—	2	3	3
15 Breast	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	88	—	—	—	10	40	38	37	—	—	—	3	16	18	4	—	—	—	3	1	1
16 All other sites	M	290	—	—	1	14	111	164	87	—	—	1	6	34	46	28	—	—	—	6	22	22
	F	215	—	—	—	19	78	118	72	—	—	—	8	15	49	21	—	—	—	9	12	12
17 Diabetes	M	11	—	—	—	—	4	7	4	—	—	—	—	2	2	1	—	—	—	—	—	1
	F	17	—	—	—	—	2	15	7	—	—	—	—	1	5	1	—	—	—	—	—	1
18 Intra-cranial vasc: lesions	M	199	—	—	—	5	36	158	69	—	—	—	3	11	55	26	—	—	—	10	16	16
	F	344	1	—	—	6	60	277	111	—	—	—	1	15	95	18	—	—	—	3	15	15
19 Heart disease	M	628	—	1	1	15	136	475	244	—	—	—	4	52	188	56	—	—	—	2	7	47
	F	675	—	—	1	12	73	589	258	—	—	—	4	28	226	48	—	—	—	4	44	44
20 Other circulatory diseases	M	97	—	—	—	1	10	86	27	—	—	—	—	4	23	7	—	—	—	—	—	7
	F	141	—	—	—	4	23	114	41	—	—	—	1	6	34	5	—	—	—	—	—	5
21 Bronchitis	M	130	—	1	—	2	34	93	42	—	—	—	—	13	29	13	—	—	—	4	9	9
	F	89	—	—	—	2	9	78	28	—	1	—	—	4	23	7	1	—	—	1	5	5
22 Pneumonia	M	84	12	3	1	6	20	42	38	10	1	—	1	5	21	5	—	—	—	1	2	2
	F	104	5	—	—	6	14	79	37	4	1	—	3	5	24	4	1	—	1	—	—	1
23 Other respiratory diseases	M	37	—	—	1	3	17	16	12	—	—	—	1	4	7	1	1	—	—	—	—	—
	F	26	1	1	—	5	4	15	7	—	—	—	1	4	2	2	—	—	—	—	—	2
24 Ulcer of stomach or duodenum†	M	34	—	—	—	2	20	12	15	—	—	—	2	4	9	1	—	—	—	1	—	—
	F	9	—	—	—	1	1	7	2	—	—	—	—	2	—	—	—	—	—	—	—	—
25 Diarrhœa under 2 years	M	2	2	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
	F	2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	12	—	1	—	2	3	6	4	—	—	—	3	—	1	—	—	—	—	—	—	—
	F	10	—	—	—	3	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	33	2	—	—	5	14	12	15	—	1	1	3	4	6	1	—	—	—	—	—	1
	F	51	1	—	—	5	9	36	18	—	—	—	2	4	12	3	—	—	—	—	—	3
28 Nephritis	M	48	—	—	—	5	12	31	18	—	—	—	1	3	14	2	—	—	—	—	—	2
	F	55	—	—	—	4	10	41	12	—	—	—	2	3	7	9	—	—	—	2	—	7
29 Maternal sepsis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	1	—	—	2	—	—	—	2	—	—
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	22	22	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	5	5	—	—	—	—	—	1	1	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	40	36	—	—	4	—	—	17	13	2	—	1	1	—	3	1	—	1	—	—	—
	F	40	31	2	1	4	2	—	13	10	—	1	1	1	—	1	1	—	—	—	—	—
33 Suicide	M	24	—	—	—	6	11	7	15	—	—	—	8	4	3	1	—	—	—	—	—	1
	F	20	—	—	—	5	11	4	3	—	—	—	1	1	1	1	—	—	—	—	—	—
34 Road traffic accidents	M	29	—	1	1	16	7	4	17	—	—	1	11	3	2	4	—	—	1	2	—	1
	F	8	—	—	—	4	1	3	1	—	—	—	1	—	—	—	—	—	—	—	—	—
35 Other violent causes	M	35	1	1	4	7	7	15	20	—	4	—	7	2	7	5	—	—	1	2	1	1
	F	41	5	1	1	3	4	27	19	1	2	2	1	3	10	5	—	—	—	—	—	4
36 All other causes	M	181	—	—	6	19	31	125	64	3	—	1	4	11	45	16	—	—	—	2	2	12
	F	199	3	3	1	17	33	142	84	1	2	1	9	12	59	21	—	—	—	2	3	16
†Including deaths from ulcer of duodenum	M	20	—	—	—	1	11	8	5	—	—	—	1	1	3	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death		See first page of Table.
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over			
208 206	14 11	2 3	2 2	17 11	29 28	144 151	6730 6315	282 205	56 45	64 33	477 451	1692 1218	4209 4863	1349 1807	89 69	14 13	15 12	144 118	377 325	1210 1270	M F	All Causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and	1
—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	F	paratyphoid	
—	—	—	—	—	—	—	4	1	2	1	—	—	—	1	1	—	—	—	—	—	M	Cerebro-spinal	2
1	1	—	—	—	—	—	6	2	1	—	1	1	1	—	—	—	—	—	—	—	F	fever	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—	M	Whooping	4
1	—	1	—	—	—	—	8	4	3	1	—	—	—	—	—	—	—	—	—	—	F	cough	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria	5
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	F		
2	—	—	—	2	—	—	292	—	2	1	123	123	43	64	—	—	—	25	26	13	M	Tuberculosis :—	6
4	—	—	—	2	1	1	177	1	—	—	118	39	19	47	—	—	—	32	7	8	F	Respiratory	
1	—	—	—	—	1	—	26	1	4	3	11	6	1	15	—	2	1	8	2	2	M	system	
—	—	—	—	—	—	—	26	1	3	5	8	8	1	10	—	—	3	5	1	1	F	Other forms	7
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	40	1	—	—	4	15	20	6	—	—	—	—	2	4	M	Syphilitic	8
—	—	—	—	—	—	—	12	—	—	—	—	5	7	3	—	—	—	3	—	—	F	disease	
3	—	—	—	—	1	2	60	2	—	1	4	18	35	8	2	—	—	1	—	4	M	Influenza	9
3	—	—	—	—	1	2	59	1	—	1	4	12	41	15	—	1	—	—	2	12	F		
—	—	—	—	—	—	—	3	—	2	1	—	—	—	1	—	1	—	—	—	—	M	Measles	10
—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	F		
1	—	—	1	—	—	—	9	—	2	3	3	—	1	8	—	—	1	6	1	—	M	Ac: poliomyelitis	11
1	—	—	—	1	—	—	6	—	—	—	6	—	—	5	1	—	1	2	1	—	F	& polioenceph:	
—	—	—	—	—	—	—	4	1	—	—	2	1	—	1	—	—	—	—	1	—	M	Ac: infectious	12
—	—	—	—	—	—	—	7	1	2	—	1	2	1	2	—	—	—	—	1	1	F	encephalitis	
3	—	—	—	—	1	2	77	—	—	—	2	18	57	21	—	—	—	—	6	15	M	Cancer of	
4	—	—	—	1	—	3	118	—	—	—	7	50	61	36	—	—	—	4	18	14	F	Mouth & œsoph:	13M
6	—	—	—	—	3	3	207	—	—	—	7	76	124	46	—	—	—	2	15	29	M	Uterus	13F
9	—	—	—	—	3	6	183	—	—	—	4	42	137	36	—	—	—	1	11	24	F	Stomach and	14
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		duodenum	
7	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	M	Breast	15
24	—	—	—	1	1	5	262	—	—	—	29	117	116	59	—	—	—	5	23	31	F		
18	—	—	—	—	7	16	842	2	2	2	45	298	493	187	—	1	—	7	63	116	M	All other	16
—	—	—	—	—	5	13	597	2	1	4	37	197	356	157	—	1	—	11	52	93	F	sites	
5	—	—	—	—	—	—	31	—	—	—	2	6	23	14	—	—	—	—	4	10	M	Diabetes	17
15	—	—	—	—	—	5	58	—	—	—	3	16	39	20	—	—	—	—	6	14	F		
23	—	—	—	—	15	20	655	—	1	—	12	134	508	193	—	—	—	4	27	162	M	Intra-cranial	18
—	—	—	—	—	3	—	987	1	—	—	9	138	839	256	—	—	—	4	43	209	F	vasc: lesions	
63	—	—	—	2	5	56	2098	—	—	—	47	431	1620	616	—	—	—	14	94	508	M	Heart disease	19
60	—	—	1	—	5	54	2211	—	—	—	38	263	1910	605	—	—	1	8	72	524	F		
14	—	—	—	—	3	11	300	—	—	—	10	60	230	74	—	—	—	2	15	57	M	Other circulatory	20
8	—	—	—	—	2	6	333	1	—	1	10	35	286	61	—	—	—	—	9	52	F	diseases	
11	—	—	—	—	1	10	401	1	2	1	13	106	278	91	—	1	—	3	24	63	M	Bronchitis	21
10	—	—	—	—	1	9	262	2	—	—	5	37	218	68	1	—	—	1	8	58	F		
7	2	—	—	—	1	4	258	45	10	1	9	58	135	79	11	3	1	7	18	39	M	Pneumonia	22
4	1	—	—	1	—	2	248	27	6	1	12	37	165	78	13	1	1	3	7	53	F		
1	—	—	—	—	1	—	116	1	—	—	12	45	58	25	2	2	—	1	6	14	M	Other respiratory	23
—	—	—	—	—	—	—	88	1	—	—	10	23	54	30	1	—	—	6	8	15	F	diseases	
3	—	—	—	1	1	1	123	—	—	—	15	60	48	19	—	—	—	2	6	11	M	Ulcer of stomach	24
1	—	—	—	1	—	—	28	—	—	—	3	8	17	11	—	—	1	2	1	7	F	or duodenum†	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
1	1	—	—	—	—	—	24	21	3	—	—	—	—	12	12	—	—	—	—	—	M	Diarrhœa	25
1	—	—	—	—	—	—	7	7	—	—	—	—	—	8	8	—	—	—	—	—	F	under 2 years	
1	—	—	—	—	1	—	20	—	2	5	4	5	4	5	—	—	—	1	1	3	M	Appendicitis	26
—	—	—	—	—	—	—	12	—	2	—	3	3	4	2	—	—	1	—	1	—	F		
3	—	—	—	—	—	3	105	2	1	3	8	33	58	35	—	1	—	5	10	19	M	Other digestive	27
—	—	—	—	—	—	—	152	2	—	1	17	38	94	23	—	—	—	2	6	15	F	diseases	
3	—	—	—	1	—	2	157	2	—	3	13	41	98	49	—	—	—	4	5	40	M	Nephritis	28
8	—	—	—	—	2	6	137	—	—	1	12	26	98	37	—	—	—	3	7	27	F		
—	—	—	—	—	—	—	4	—	—	—	4	—	—	3	—	—	—	3	—	—	F	Maternal sepsis	29
1	—	—	—	1	—	—	20	—	—	—	18	2	—	2	—	—	—	2	—	—	F	Other maternal	30
5	5	—	—	—	—	—	76	76	—	—	—	—	—	13	13	—	—	—	—	—	M	Premature	31
1	1	—	—	—	—	—	53	53	—	—	—	—	—	16	16	—	—	—	—	—	F	birth	
4	4	—	—	—	—	—	130	105	8	4	8	4	1	48	40	—	1	5	2	—	M	Cong: mal:, birth	32
7	6	1	—	—	—	—	110	85	5	4	9	4	3	27	25	—	—	2	—	—	F	inj:, infant: dis:	
1	—	—	—	1	—	—	57	—	—	—	14	20	23	25	—	—	—	12	7	6	M	Suicide	33
1	—	—	—	1	—	—	50	—	—	—	18	18	14	10	—	—	—	1	6	3	F		
8	—	1	—	—	3	1	79	—	4	11	31	14	19	33	—	1	4	15	9	4	M	Road traffic	34
1	—	—	1	—	—	3	30	—	1	5	7	5	12	11	—	2	1	2	2	4	F	accidents	
9	1	—	—	1	3	2	132	11	5	11	45	27	33	36	4	1	3	10	9	9	M	Other violent	35
2	—	—	—	—	—	2	115	3	7	—	12	10	83	24	1	4	1	2	4	12	F	causes	
20	2	1	—	—	3	14	451	9	6	13	33	92	298	122	2	1	4	10	23	82	M	All other	36
24	1	1	—	2	4	16	446	10	13	9	45	82	287	144	3	3	2	17	26	93	F	causes	
3	—	—	—	1	1	1	48	—	—	—	9	25	14	7	—	—	—	1	3	3	M	†Including deaths from	
—	—	—	—	—	—	—	7	—	—	—	1	1	5	2	—	—	1	1	—	—	F	ulcer of duodenum.	

TABLE 24—*contd.*—Administrative County of Lancashire.

Administrative County

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	11360	616	128	76	792	3225	6523	1601	87	22	19	112	414	947	914	50	7	10	72	239	536
	F	11201	483	91	62	734	2446	7385	1539	53	12	12	96	307	1057	817	31	13	6	51	169	547
1 Typhoid and paratyphoid	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	8	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	3	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	9	5	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	19	9	10	—	—	—	—	2	1	1	—	—	—	—	1	—	1	—	—	—	—
5 Diphtheria	M	3	—	1	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	374	2	2	—	134	185	51	43	—	—	—	18	19	6	33	—	—	—	13	14	6
	F	230	—	—	3	165	49	13	30	—	—	1	19	8	2	25	1	1	—	16	6	1
7 Other forms	M	55	1	14	5	22	10	3	10	—	7	1	—	2	—	3	—	2	1	—	—	—
	F	43	1	7	4	24	5	2	14	1	1	2	4	4	2	6	—	1	—	1	2	2
8 Syphilitic disease	M	44	3	—	—	4	26	11	—	—	—	—	—	—	—	9	1	—	—	1	5	2
	F	29	3	—	—	3	15	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	147	4	—	—	6	46	91	18	—	—	—	2	2	14	5	—	—	—	—	1	4
	F	189	1	1	—	12	45	130	32	1	1	—	4	5	21	5	—	—	—	1	—	4
10 Measles	M	6	1	3	1	1	—	—	1	—	—	1	—	—	—	1	—	1	—	—	—	—
	F	6	3	3	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	17	—	2	4	9	1	1	2	—	—	—	2	—	—	4	—	—	2	2	—	—
	F	11	1	3	1	5	—	1	4	—	—	1	3	—	—	2	—	1	—	—	—	—
12 Ac: infectious encephalitis	M	9	—	—	—	2	5	2	1	—	—	—	—	1	—	2	—	—	—	2	—	—
	F	14	—	—	—	2	8	4	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	130	—	—	—	3	36	91	16	—	—	—	—	7	9	16	—	—	—	1	3	12
13F Uterus	F	174	—	—	—	12	96	66	18	—	—	—	2	9	7	11	—	—	—	1	5	5
14 Stomach and duodenum	M	365	—	—	—	16	147	202	43	—	—	—	2	15	26	26	—	—	—	2	9	15
	F	280	—	—	—	9	88	183	36	—	—	—	—	9	27	20	—	—	—	1	4	15
15 Breast	M	8	—	—	—	—	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	317	—	—	—	36	134	147	48	—	—	—	7	15	26	33	—	—	—	4	17	12
16 All other sites	M	1138	—	5	3	76	484	570	150	—	—	1	9	57	83	111	—	—	—	5	43	63
	F	801	—	2	3	48	311	437	132	—	—	1	13	50	68	47	—	1	—	5	15	26
17 Diabetes	M	71	—	—	—	11	16	44	4	—	—	—	—	—	4	7	—	—	—	2	2	3
	F	121	—	—	—	9	35	77	13	—	—	—	—	2	11	4	—	—	—	—	2	2
18 Intra-cranial vasc: lesions	M	1113	—	—	—	15	243	855	163	—	—	—	3	30	130	105	—	—	—	2	16	87
	F	1557	—	—	—	15	341	1201	227	—	—	—	3	39	185	136	—	—	—	1	27	108
19 Heart disease	M	3612	1	—	5	128	965	2513	541	—	—	—	16	122	403	241	—	—	—	15	72	154
	F	3652	—	—	12	124	590	2926	523	—	—	1	12	75	435	236	—	—	—	4	30	202
20 Other circulatory diseases	M	444	—	—	—	5	87	352	54	—	—	1	1	10	42	49	—	—	—	—	11	38
	F	410	—	—	—	9	81	320	64	—	—	—	1	9	54	47	—	—	—	1	12	34
21 Bronchitis	M	893	8	3	—	21	308	553	97	1	—	1	3	35	57	57	1	—	1	1	16	38
	F	696	2	2	1	26	121	544	73	1	—	—	—	13	59	29	—	—	1	—	6	22
22 Pneumonia	M	392	96	19	4	25	116	132	67	14	4	—	3	16	30	35	11	1	—	—	6	17
	F	345	74	18	4	21	56	172	32	6	3	—	1	7	15	30	6	5	1	1	3	14
23 Other respiratory diseases	M	168	1	1	1	15	73	77	24	—	2	—	2	10	10	16	—	—	—	3	4	9
	F	110	1	1	—	17	31	60	18	—	—	—	2	6	10	14	—	—	—	1	3	10
24 Ulcer of stomach or duodenum†	M	142	—	—	—	22	70	50	16	—	—	—	—	8	8	11	—	—	—	2	5	4
	F	46	—	—	—	7	16	23	5	—	—	—	—	2	3	5	—	—	—	1	2	2
25 Diarrhœa under 2 years	M	52	49	3	—	—	—	—	16	16	—	—	—	—	—	—	—	—	—	—	—	—
	F	51	48	3	—	—	—	—	6	6	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	42	—	5	4	13	9	11	4	—	1	—	—	2	1	4	—	—	—	—	1	2
	F	9	—	1	—	2	5	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—
27 Other digestive diseases	M	156	8	4	2	18	58	66	20	2	—	—	2	9	7	10	—	—	2	—	4	4
	F	222	4	1	1	20	81	115	29	1	1	1	2	11	13	17	—	—	—	3	5	9
28 Nephritis	M	274	1	—	4	30	83	156	50	—	—	—	10	16	24	22	—	—	—	4	5	13
	F	265	3	—	1	27	78	156	45	—	1	—	4	10	30	17	—	—	—	1	5	11
29 Maternal sepsis	M	5	—	—	—	5	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	19	—	—	5	—	—	—	3	—	—	—	—	—	—	2	—	—
30 Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—
31 Premature birth	M	164	164	—	—	—	—	—	24	24	—	—	—	—	—	20	20	—	—	—	—	—
	F	137	137	—	—	—	—	—	15	15	—	—	—	—	—	8	8	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	241	219	5	4	5	6	2	31	24	3	1	2	1	—	16	14	—	1	—	—	—
	F	192	161	10	3	13	4	1	18	17	1	—	—	—	—	13	11	—	1	—	—	1
33 Suicide	M	127	—	—	—	32	49	46	24	—	—	—	5	15	4	11	—	—	—	3	2	6
	F	72	—	—	—	15	35	22	6	—	—	—	3	1	2	9	—	—	—	2	6	1
34 Road traffic accidents	M	115	—	11	10	50	20	24	28	—	1	3	14	7	3	10	—	1	—	6	3	—
	F	40	—	2	8	6	9	15	9	—	—	1	1	4	3	4	—	1	1	1	1	—
35 Other violent causes	M	242	26	25	12	63	51	65	28	1	1	6	7	8	5	21	2	1	1	5	6	6
	F	192	20	14	9	15	22	112	31	2	1	—	2	5	21	19	1	1	—	4	4	13
36 All other causes	M	796	25	18	14	61	129	549	125	5	2	4	11	22	81	68	—	1	1	4	9	53
	F	940	12	11	11	67	190	649	97	1	1	4	7	23	61	75	4	1	1	4	12	53
†Including deaths from ulcer of duodenum	M	72	—	—	—	14	37	21	7	—	—	—	—	4	3	2	—	—	—	1	—	1
	F	14	—	—	—	5	4	5	3	—	—	—	—	1	2	—	—	—	—	—	—	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death		See first page of Table.
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over			
1004 919	47 33	9 12	13 6	80 63	243 171	612 634	257 235	13 13	4 —	— 3	22 18	56 36	162 165	333 318	15 20	6 2	3 1	28 20	66 43	215 232	M F	All Causes	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and paratyphoid	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Cerebro-spinal fever	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Whooping cough	4
3 2	3 1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria	5
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Tuberculosis :—	
34 27	1	—	—	16 20	17 4	— 3	8 6	—	—	—	3 5	3 1	2 —	8 4	—	—	—	5 4	3 —	—	M	Respiratory system	6
4	—	2	—	1	1	—	5	—	1	—	3	1	—	1	—	—	—	1	—	—	M	Other forms	7
2	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F		
1	—	—	—	1	—	—	1	1	—	—	—	—	—	2	—	—	—	—	1	1	M	Syphilitic disease	8
3	—	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	F	Influenza	9
14	—	—	—	—	3	11	—	—	—	—	—	—	—	2	—	—	—	1	1	—	M	Measles	10
7	—	—	—	—	1	6	2	—	—	—	1	—	1	3	—	—	—	—	1	2	F		
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M		
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
4	—	—	1	3	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	M	Ac: poliomyelitis & polioenceph:	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Ac: infectious encephalitis	12
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of	
15	—	—	—	—	4	11	6	—	—	—	—	1	5	4	—	—	—	—	1	3	M	Mouth & œsoph:	13M
14	—	—	—	—	5	9	6	—	—	—	2	2	2	5	—	—	—	2	1	2	F	Uterus	13F
31	—	—	—	1	14	16	8	—	—	—	1	5	2	14	—	—	—	—	6	8	M	Stomach and duodenum	14
11	—	—	—	—	3	8	6	—	—	—	—	1	5	6	—	—	—	1	1	4	F		
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast	15
36	—	—	—	6	17	13	3	—	—	—	—	1	2	3	—	—	—	—	3	—	F		
120	—	—	1	6	33	80	25	—	1	—	3	6	15	31	—	—	—	4	7	20	M	All other sites	16
87	—	2	—	8	28	49	15	—	—	—	1	4	10	25	—	—	—	—	8	17	F		
4	—	—	1	—	—	3	—	—	—	—	—	—	—	1	—	—	—	—	1	—	M	Diabetes	17
12	—	—	1	—	—	8	4	—	—	—	—	1	3	5	—	—	—	—	1	4	F		
99	—	—	—	2	24	73	19	—	—	—	—	6	13	40	—	—	—	1	6	33	M	Intra-cranial	18
120	—	—	—	2	26	92	34	—	—	—	—	5	29	43	—	—	—	1	5	37	F	vasc: lesions	
275	—	—	—	10	56	209	80	—	—	—	3	16	61	93	—	1	—	1	16	75	M	Heart disease	19
307	—	—	—	7	34	266	70	—	—	2	2	12	54	81	—	—	—	—	13	68	F		
40	—	—	—	—	9	31	18	—	—	1	—	16	18	18	—	—	—	—	5	13	M	Other circulatory diseases	20
30	—	—	—	—	5	25	15	—	—	—	—	1	14	9	—	—	—	—	1	8	F		
54	4	—	—	4	10	36	12	—	—	—	1	2	9	17	—	—	—	—	5	12	M	Bronchitis	21
40	—	—	1	2	4	33	11	—	—	—	—	2	9	20	1	—	—	—	2	17	F		
33	5	1	2	1	8	16	8	2	—	—	—	3	3	13	1	1	—	1	—	10	M	Pneumonia	22
22	5	1	—	1	3	12	4	1	—	—	1	—	2	12	1	1	—	—	3	7	F		
20	1	—	1	1	8	9	4	—	—	—	1	2	1	6	—	—	—	—	4	2	M	Other respiratory diseases	23
5	—	—	—	1	3	1	4	—	—	—	—	2	2	4	—	—	—	1	1	2	F	Ulcer of stomach or duodenum†	24
15	—	—	—	1	9	5	2	—	—	—	1	—	1	—	1	—	—	—	—	—	M		
2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	F		
2	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	Diarrhoea under 2 years	25
3	3	—	—	—	—	—	3	3	—	—	—	—	—	4	4	—	—	—	—	—	F	Appendicitis	26
5	—	—	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M		
5	—	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F		
23	1	1	—	1	8	12	3	—	—	—	—	1	2	4	—	—	—	1	1	2	M	Other digestive diseases	27
22	—	—	—	1	5	16	3	—	—	—	—	1	2	7	1	—	—	2	1	3	F	Nephritis	28
30	—	—	—	2	6	22	2	—	—	—	1	—	1	3	—	—	—	—	1	2	M		
23	—	—	—	2	6	15	2	—	—	—	—	1	1	2	—	—	—	—	1	1	F	Maternal sepsis	29
2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	F	Other maternal	30
15	15	—	—	—	—	—	9	9	—	—	—	—	—	3	3	—	—	—	—	—	M	Premature birth	31
8	8	—	—	—	—	—	3	3	—	—	—	—	—	8	8	—	—	—	—	—	F	Cong: mal:, birth inj:, infant: dis:	32
20	15	2	1	1	1	—	1	—	1	—	—	—	—	11	9	—	1	—	1	—	M		
15	11	2	—	1	1	—	5	4	—	—	1	—	—	3	3	—	—	—	—	—	F		
17	—	—	—	1	7	9	4	—	—	—	1	2	1	8	—	—	—	2	2	4	M	Suicide	33
5	—	—	—	2	1	2	1	—	—	—	—	—	1	1	—	—	—	1	—	—	F		
16	—	—	1	9	2	4	2	—	—	—	1	—	—	5	—	—	1	3	—	1	M	Road traffic accidents	34
5	—	1	—	1	2	1	—	—	—	—	—	—	—	3	—	—	1	2	—	—	F		
25	—	1	3	7	8	6	3	—	—	—	—	2	1	13	—	3	—	4	4	2	M	Other violent causes	35
14	4	1	1	1	1	6	2	—	—	1	1	—	—	3	1	—	—	1	—	1	F	All other causes	36
82	1	1	2	8	14	56	36	1	—	—	2	5	28	34	1	1	1	3	1	27	M		
89	1	2	2	5	16	63	35	2	—	—	3	2	28	63	1	1	—	2	1	58	F		
8	—	—	—	—	6	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M	†Including deaths from ulcer of duodenum.	

TABLE 24—contd.—Administrative County of Lincoln (Parts of Kesteven).

Causes of Death See first page of Table.			Aggregate of Urban Districts.							Aggregate of Rural Districts.						
			All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	F	284	14	2	1	22	68	177	459	36	5	3	41	91	283
	M	F	284	17	2	1	15	36	213	396	16	3	—	21	75	281
1 Typhoid and paratyphoid	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Respiratory system	M	F	10	—	—	—	6	4	—	9	—	—	—	4	3	2
7 Other forms	M	F	7	—	—	1	4	1	1	4	—	—	—	2	2	—
	M	F	2	—	1	—	—	1	—	1	—	1	—	—	—	—
	M	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—
8 Syphilitic disease	M	F	1	—	—	—	—	—	1	3	—	—	—	—	2	1
9 Influenza	M	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	M	F	1	—	—	—	—	—	—	6	1	—	—	—	4	1
10 Measles	M	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	M	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—
12 Ac: infectious encephalitis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of	M	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—
13M Mouth & œsoph:	M	F	9	—	—	—	—	1	8	5	—	—	—	—	2	3
13F Uterus	M	F	5	—	—	—	—	2	3	6	—	—	—	—	3	3
14 Stomach and duodenum	M	F	5	—	—	—	—	3	2	7	—	—	—	1	1	5
	M	F	8	—	—	—	—	1	7	4	—	—	—	—	1	3
15 Breast	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	F	8	—	—	—	1	1	6	9	—	—	—	1	3	5
16 All other sites	M	F	29	—	—	—	3	10	16	52	—	—	—	5	17	30
	M	F	17	—	1	—	—	4	12	36	—	—	—	1	10	25
17 Diabetes	M	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	M	F	3	—	—	—	—	1	2	2	—	—	—	—	—	2
18 Intra-cranial vasc: lesions	M	F	27	—	—	—	2	6	19	48	—	—	—	—	6	42
	M	F	45	—	—	—	—	6	39	65	—	—	—	1	13	51
19 Heart disease	M	F	88	—	—	—	6	22	60	128	—	—	—	3	21	104
	M	F	97	—	—	—	1	9	87	128	—	—	—	3	19	106
20 Other circulatory diseases	M	F	17	—	—	—	—	2	15	16	—	—	—	1	2	13
	M	F	12	—	—	—	—	1	11	12	—	—	—	1	4	7
21 Bronchitis	M	F	20	—	—	—	—	2	18	25	1	—	—	1	4	19
	M	F	16	—	—	—	—	2	14	25	—	—	—	—	2	23
22 Pneumonia	M	F	6	—	—	—	—	1	5	22	7	2	—	—	7	6
	M	F	12	4	—	—	2	—	6	20	4	2	—	3	3	8
23 Other respiratory diseases	M	F	5	—	—	—	—	1	4	8	—	—	—	—	7	1
	M	F	1	—	—	—	—	—	1	7	—	—	—	1	4	2
24 Ulcer of stomach or duodenum†	M	F	6	—	—	—	—	3	3	4	—	—	—	—	2	2
	M	F	—	—	—	—	—	—	—	3	—	—	—	—	1	2
25 Diarrhœa under 2 years	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	F	1	—	—	1	—	—	—	1	—	—	—	—	1	—
27 Other digestive diseases	M	F	6	—	—	—	—	—	6	10	—	—	—	5	2	3
	M	F	6	—	—	—	—	2	4	9	—	1	—	—	2	6
28 Nephritis	M	F	3	—	—	—	—	1	2	12	—	—	—	1	3	8
	M	F	5	—	—	—	1	1	3	8	—	—	—	1	—	7
29 Maternal sepsis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	M	F	2	—	—	—	2	—	—	3	—	—	—	3	—	—
31 Premature birth	M	F	4	4	—	—	—	—	—	12	12	—	—	—	—	—
	M	F	2	2	—	—	—	—	—	6	6	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	F	8	8	—	—	—	—	—	10	10	—	—	—	—	—
	M	F	6	6	—	—	—	—	—	6	5	—	—	—	1	—
33 Suicide	M	F	5	—	—	—	2	3	—	7	—	—	—	1	2	4
	M	F	2	—	—	—	1	—	1	4	—	—	—	1	2	1
34 Road traffic accidents	M	F	5	—	—	—	2	1	2	8	—	—	1	2	1	4
	M	F	2	—	1	—	—	—	1	—	—	—	—	—	—	—
35 Other violent causes	M	F	4	2	1	—	—	1	—	14	3	1	—	7	1	2
	M	F	6	2	—	—	—	1	3	10	—	—	—	1	2	7
36 All other causes	M	F	20	—	—	—	—	4	16	50	2	1	2	9	3	33
	M	F	17	—	—	—	2	4	11	25	—	—	—	2	2	21
†Including deaths from ulcer of duodenum	M	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—

TABLE 24—contd.—Administrative County of Lincoln
(Parts of Lindsey).

Administrative County of
Middlesex.

Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
874 851	52 51	6 10	10 8	69 64	207 169	530 549	897 839	48 31	12 12	14 4	62 58	157 147	604 587	11151 11139	513 305	82 71	94 58	881 808	3287 2278	6294 7619	M F	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
1	—	—	—	—	1	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	2	2	—	—	—	1	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	4	2	—	—	—	—	M	Whooping
—	—	—	—	—	—	—	1	1	—	—	—	—	—	7	4	3	—	—	—	—	F	cough
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
34	—	—	—	21	10	3	19	—	—	—	6	10	3	486	—	3	—	182	224	77	M	Tuberculosis :—
27	—	—	—	23	2	2	21	—	—	—	16	3	2	279	—	—	—	188	66	25	F	Respiratory
5	—	1	1	2	1	—	8	1	1	2	3	—	1	40	1	6	9	14	6	4	M	system
2	—	1	1	—	—	—	3	—	—	—	2	—	1	47	1	8	3	16	11	8	F	Other forms
4	—	—	—	1	—	3	1	—	—	—	—	—	1	86	—	—	—	3	39	44	M	Syphilitic
3	—	—	—	—	2	1	2	—	—	—	—	2	—	56	1	—	—	1	15	39	F	disease
20	—	—	—	2	5	13	22	—	—	1	1	2	18	81	4	—	—	3	36	38	M	Influenza
19	—	—	—	1	2	16	17	—	—	—	—	3	14	96	1	—	1	11	18	65	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1	—	4	—	—	—	M	Measles
1	—	1	—	—	—	—	1	—	1	—	—	—	—	4	—	3	1	—	—	—	F	
2	—	—	1	—	—	1	3	—	—	—	2	1	—	24	1	5	5	13	—	—	M	Ac: poliomyelitis
2	—	1	1	—	—	—	3	—	1	—	1	1	—	20	1	3	4	10	2	—	F	& polioenceph:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	3	2	1	M	Ac: infectious
—	—	—	—	—	—	—	1	—	—	—	—	—	1	6	—	—	1	1	2	2	F	encephalitis
13	—	—	—	—	1	12	13	—	—	—	—	3	10	103	—	—	—	3	25	75	M	Cancer of
9	—	—	—	—	4	5	14	—	—	—	—	9	5	204	—	1	—	16	100	87	F	Mouth &
17	—	—	—	1	8	8	20	—	—	—	—	5	15	349	—	—	—	20	127	202	M	oesoph: Uterus
24	—	—	—	1	6	17	24	—	—	—	2	6	16	252	—	—	—	8	77	167	F	Stomach and
1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	1	—	M	duodenum
32	—	—	—	3	9	20	19	—	—	—	1	7	11	438	—	—	—	55	214	169	F	Breast
110	—	—	—	6	44	60	85	—	1	2	6	23	53	1570	1	9	8	108	659	785	M	All other
65	—	2	—	5	24	34	61	—	—	1	6	22	32	1205	—	3	6	104	432	660	F	sites
4	—	—	—	—	1	3	5	—	—	1	—	—	4	43	—	—	1	5	5	32	M	Diabetes
9	—	—	—	—	2	7	9	—	1	—	1	—	7	99	—	—	—	6	14	79	F	
79	—	—	—	1	12	66	75	—	—	—	1	10	64	964	1	—	—	16	212	735	M	Intra-cranial
131	—	—	—	1	25	105	118	—	—	—	2	9	107	1401	—	—	—	17	248	1136	F	vasc: lesions
225	—	—	1	8	55	161	270	—	—	1	7	39	223	3151	—	—	1	121	877	2152	M	Heart disease
220	—	—	—	6	37	177	281	—	—	—	3	41	237	3234	—	—	—	74	405	2754	F	
35	—	—	—	—	4	31	45	—	—	—	—	5	40	484	—	—	—	25	111	348	M	Other circulatory
33	—	—	—	1	9	23	33	—	—	—	1	8	24	599	—	—	—	12	108	479	F	diseases
69	—	—	—	3	25	41	40	2	—	—	1	6	31	798	4	3	1	23	246	521	M	Bronchitis
34	—	—	1	1	3	29	33	—	—	—	1	6	26	588	2	1	—	15	70	500	F	
27	6	1	—	2	2	16	43	10	1	—	4	8	20	536	65	5	2	24	131	309	M	Pneumonia
33	6	2	1	2	7	15	30	6	3	—	1	8	12	567	42	10	1	20	84	410	F	
9	—	—	—	1	2	6	13	—	1	—	—	4	8	169	1	1	1	28	63	75	M	Other respiratory
12	1	—	—	4	3	4	4	—	—	—	1	—	3	150	2	—	1	10	45	92	F	diseases
7	—	—	—	—	5	2	11	—	—	—	2	5	4	179	—	—	—	17	88	74	M	Ulcer of stomach
8	—	—	—	—	3	5	2	—	—	—	1	—	1	63	—	—	—	—	15	48	F	or duodenum†
2	2	—	—	—	—	—	2	2	—	—	—	—	—	35	33	2	—	—	—	—	M	Diarrhoea
4	4	—	—	—	—	—	1	1	—	—	—	—	—	19	19	—	—	—	—	—	F	under 2 years
4	—	1	—	—	3	—	3	—	—	1	—	1	1	37	—	1	3	10	15	8	M	Appendicitis
1	—	—	—	—	1	—	3	—	—	1	—	1	1	31	—	3	2	4	12	10	F	
16	2	1	1	—	5	7	18	—	1	1	1	4	11	198	2	3	6	21	63	103	M	Other digestive
24	1	—	—	3	9	11	24	—	—	—	2	5	17	221	1	2	2	21	63	132	F	diseases
25	—	—	1	3	1	20	26	—	—	—	3	3	20	219	1	1	7	27	72	111	M	Nephritis
16	—	—	—	—	5	11	11	—	—	—	2	2	7	204	1	2	2	33	41	125	F	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	9	—	—	—	9	—	—	F	Maternal sepsis
3	—	—	—	3	—	—	3	—	—	—	3	—	—	24	—	—	—	24	—	—	F	Other maternal
14	14	—	—	—	—	—	12	12	—	—	—	—	—	86	86	—	—	—	—	—	M	Premature
25	25	—	—	—	—	—	7	7	—	—	—	—	—	64	64	—	—	—	—	—	F	birth
23	21	—	—	—	1	1	18	17	—	1	—	—	—	307	269	5	5	14	11	3	M	Cong: mal:, birth
16	13	1	1	—	1	—	16	12	1	—	2	1	—	191	146	10	7	16	11	1	F	inj:, infant: dis:
10	—	—	—	2	6	2	8	—	—	—	5	1	2	108	—	—	—	24	53	31	M	Suicide
10	—																					

TABLE 24—contd.—Administrative County of Norfolk.

Administrative County

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	479	30	4	3	33	79	330	1754	88	19	7	97	331	1212	832	41	8	5	60	203	515
	F	499	12	—	1	19	80	387	1645	39	12	13	75	243	1263	705	27	11	—	54	129	479
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	1	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis :—																						
6 Respiratory system	M	14	—	—	—	6	7	1	46	—	—	—	19	19	8	42	—	—	—	20	15	
	F	7	—	—	—	6	—	1	33	—	—	—	16	13	4	20	—	—	—	16	4	
7 Other forms	M	3	—	—	—	1	1	1	6	—	4	—	—	1	1	3	—	1	1	1	—	
	F	—	—	—	—	—	—	—	4	—	—	1	2	1	2	—	—	—	2	—	—	
8 Syphilitic disease	M	4	1	—	—	—	—	3	10	—	—	—	—	5	5	—	—	—	—	—	—	
	F	3	—	—	—	—	1	2	2	—	—	—	—	—	2	2	—	—	—	1	1	
9 Influenza	M	5	—	—	—	2	1	2	15	—	—	—	1	1	13	12	1	—	—	2	9	
	F	8	—	—	—	—	2	6	18	1	—	—	2	—	15	9	2	—	1	2	4	
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
	F	1	—	—	—	1	—	—	2	—	1	—	1	—	—	2	—	—	1	—	—	
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer of																						
13M Mouth & œsoph:	M	1	—	—	—	—	—	1	16	—	—	—	1	5	10	9	—	—	—	2	7	
13F Uterus	F	7	—	—	—	—	4	3	26	—	—	—	1	9	16	8	—	—	—	1	3	
14 Stomach and duodenum	M	12	—	—	—	—	4	8	50	—	—	—	5	14	31	19	—	—	—	8	11	
	F	14	—	—	—	1	5	8	37	—	—	—	2	9	26	17	—	—	—	4	2	
15 Breast	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
	F	21	—	—	—	—	11	10	36	—	—	—	3	14	19	28	—	—	—	4	11	
16 All other sites	M	63	—	—	—	5	13	45	218	—	—	—	9	72	137	107	—	—	—	7	36	
	F	48	—	—	—	3	12	33	145	—	—	1	9	35	100	65	—	—	—	4	25	
17 Diabetes	M	2	—	—	—	—	1	1	14	—	—	—	2	—	12	2	—	—	—	1	1	
	F	11	—	—	—	1	2	8	16	—	—	—	1	5	10	15	—	—	—	2	13	
18 Intra-cranial vasc: lesions	M	59	—	—	—	1	8	50	183	—	—	—	3	28	152	100	—	—	—	2	18	
	F	85	—	—	—	—	11	74	256	—	—	—	2	33	221	99	—	—	—	13	86	
19 Heart disease	M	142	—	—	—	5	21	116	545	—	—	—	5	86	454	250	—	—	—	5	54	
	F	156	—	—	—	1	18	137	549	—	1	—	6	50	492	230	—	—	—	7	31	
20 Other circulatory diseases	M	15	—	—	—	2	1	12	64	—	1	—	1	7	55	28	—	—	—	—	5	
	F	21	—	—	—	1	—	20	85	—	—	—	3	11	71	16	—	—	—	2	14	
21 Bronchitis	M	19	—	—	—	—	5	14	64	2	—	—	—	11	51	42	3	1	—	1	9	
	F	10	—	—	—	1	1	8	53	—	1	—	—	5	47	25	—	1	—	1	3	
22 Pneumonia	M	17	3	—	—	—	4	10	69	11	1	—	—	3	5	49	41	8	2	1	12	
	F	16	3	—	—	1	2	10	45	9	1	1	2	4	28	18	5	1	—	2	10	
23 Other respiratory diseases	M	9	—	—	—	—	3	6	24	—	1	—	1	9	13	13	—	—	—	1	4	
	F	8	—	—	—	1	1	6	22	—	1	—	3	6	12	7	—	—	—	1	5	
24 Ulcer of stomach or duodenum†	M	3	—	—	—	—	1	2	16	—	—	—	2	6	8	10	—	—	—	7	1	
	F	3	—	—	—	—	2	1	8	—	—	—	—	1	7	2	—	—	—	—	3	
25 Diarrhœa under 2 years	M	3	2	1	—	—	—	—	10	8	2	—	—	—	—	3	3	—	—	—	—	
	F	—	—	—	—	—	—	—	3	3	—	—	—	—	—	1	1	—	—	—	—	
26 Appendicitis	M	—	—	—	—	—	—	—	7	—	1	1	3	1	1	3	—	1	—	—	1	
	F	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—	—	
27 Other digestive diseases	M	8	—	1	—	—	3	4	26	—	1	—	3	6	16	16	1	—	—	—	3	
	F	9	—	—	—	—	1	8	28	—	—	—	1	10	17	14	1	—	—	1	4	
28 Nephritis	M	14	—	—	—	1	2	11	30	—	—	—	—	3	3	24	15	—	—	1	7	
	F	13	1	—	—	1	1	10	34	—	1	1	3	11	18	17	—	1	—	1	7	
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	
30 Other maternal	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31 Premature birth	M	4	4	—	—	—	—	—	19	19	—	—	—	—	—	10	10	—	—	—	—	
	F	3	3	—	—	—	—	—	5	5	—	—	—	—	—	4	4	—	—	—	—	
32 Cong: mal:, birth inj:, infant: dis:	M	17	14	2	—	1	—	—	44	40	3	1	—	—	—	17	13	1	—	1	1	
	F	6	5	—	—	—	1	—	24	20	—	2	—	1	1	17	13	2	—	2	—	
33 Suicide	M	2	—	—	—	—	—	2	24	—	—	—	8	11	5							

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
754 732	43 26	8 5	9 4	49 38	165 116	480 543	2080 1908	128 98	22 12	16 15	174 151	589 416	1151 1216	645 548	30 22	4 1	2 1	36 21	144 108	429 395	M F	All Causes
—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	M	Typhoid and
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Whooping
—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—	—	—	—	—	M	cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Diphtheria
21	—	—	—	6	11	4	76	—	1	—	40	27	8	14	—	—	—	6	7	1	M	Tuberculosis :—
18	—	—	1	10	5	2	58	—	—	—	48	8	2	12	—	—	—	3	7	2	F	Respiratory
—	—	—	—	—	—	—	10	—	2	2	4	1	1	3	—	1	—	1	1	—	M	system
3	—	2	—	—	1	—	11	1	1	2	3	3	1	2	—	1	—	1	—	—	F	Other forms
2	—	—	—	—	—	2	6	—	—	—	—	4	2	—	—	—	—	—	—	—	M	Syphilitic
3	—	—	—	—	2	1	3	—	—	—	—	2	1	2	—	—	—	1	1	—	F	disease
13	1	1	—	1	4	6	18	1	—	—	1	5	11	9	1	—	—	1	—	7	M	Influenza
11	—	1	—	1	1	8	16	—	1	—	1	2	12	12	1	—	—	—	—	11	F	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	F	
2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyelitis
—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
1	—	—	—	—	—	1	5	—	1	—	1	1	2	2	—	—	—	1	—	1	M	Ac: infectious
—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—	—	—	—	—	—	F	encephalitis
5	—	—	—	—	1	4	20	—	—	—	—	4	16	8	—	1	—	—	—	7	M	Cancer of
10	—	—	—	2	5	3	48	—	—	—	4	31	13	7	—	—	—	4	3	3	F	Mouth &
21	—	—	—	—	8	13	86	—	—	—	7	35	44	21	—	—	—	7	14	14	M	oesoph: Uterus
11	—	—	—	—	2	9	63	—	—	—	4	23	36	18	—	—	—	6	12	12	F	Stomach and
1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	M	duodenum
20	—	—	—	2	6	12	47	—	—	—	4	26	17	12	—	—	—	4	8	8	F	Breast
82	—	—	—	1	27	54	214	1	1	5	4	96	107	60	—	—	—	3	16	41	M	All other
67	—	—	—	4	15	48	141	—	2	—	8	53	78	50	—	—	—	4	16	30	F	sites
6	—	—	—	—	3	3	10	—	—	1	—	3	6	1	—	—	—	—	1	—	M	Diabetes
8	—	—	—	1	7	7	21	—	—	—	2	5	14	5	—	—	—	1	2	2	F	
80	—	—	—	2	17	61	214	—	—	—	1	47	166	77	—	—	—	16	61	61	M	Intra-cranial
103	—	—	—	—	17	86	268	—	—	—	6	62	200	91	—	—	—	1	16	74	F	vasc: lesions
201	—	—	1	3	49	148	702	—	—	—	24	190	488	224	—	—	—	4	40	180	M	Heart disease
221	—	—	—	3	25	193	644	—	—	3	18	99	524	202	—	—	—	2	30	170	F	
22	—	—	—	—	2	20	55	—	—	—	1	21	33	26	—	—	—	1	5	20	M	Other circulatory
37	—	—	—	1	5	31	90	—	—	—	2	19	69	27	—	—	—	1	5	21	F	diseases
45	—	—	—	3	5	37	102	3	—	—	5	38	56	23	—	—	—	2	7	14	M	Bronchitis
44	—	—	—	—	4	40	87	2	—	1	4	14	66	15	—	—	—	—	1	14	F	
37	7	1	1	1	7	20	69	17	4	—	5	16	27	20	3	1	—	—	3	13	M	Pneumonia
27	4	—	1	2	4	16	66	22	2	—	4	8	30	6	4	—	1	—	—	1	F	
14	—	—	—	—	3	11	47	2	—	—	2	22	21	9	—	—	—	—	2	7	M	Other respiratory
9	—	—	—	1	4	4	20	1	—	—	3	6	10	2	—	—	—	—	1	1	F	diseases
10	—	—	—	1	2	7	25	—	—	—	7	12	6	8	—	—	—	—	3	5	M	Ulcer of stomach
4	—	—	—	—	1	3	3	—	—	—	—	2	1	—	—	—	—	—	—	—	F	or duodenum†
1	1	—	—	—	—	—	17	16	1	—	—	—	—	1	1	—	—	—	—	—	M	Diarrhoea
1	1	—	—	—	—	—	6	5	1	—	—	—	—	3	3	—	—	—	—	—	F	under 2 years
2	—	1	—	—	1	—	4	—	—	—	—	3	1	2	—	—	—	—	1	1	M	Appendicitis
—	—	—	—	—	—	—	5	—	—	1	1	—	3	1	—	—	—	—	—	1	F	
11	3	—	—	3	2	3	24	3	4	2	4	4	7	10	1	—	—	—	4	5	M	Other digestive
11	—	—	—	1	3	7	39	2	—	2	7	9	19	17	—	—	—	—	5	12	F	diseases
37	—	—	—	2	4	31	39	—	—	—	9	4	26	17	1	—	—	—	9	7	M	Nephritis
23	—	—	—	—	5	18	26	—	—	2	2	9	13	16	—	—	—	2	5	9	F	
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	Maternal sepsis
1	—	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	F	Other maternal
11	11	—	—	—	—	—	32	32	—	—	—	—	—	9	9	—	—	—	—	—	M	Premature
4	4	—	—	—	—	—	26	26	—	—	—	—	—	6	6	—	—	—	—	—	F	birth
21	18	1	1	1	—	—	54	46	4	1	1	1	1	13	11	—	—	2	—	—	M	Cong: mal:, birth
14	14	—	—	—	—	—	33	25	1	1	2	3	1	6	5	—	—	1	—	—	F	inj:, infant: dis:
16	—	—	—	3	6	7	29	—	—	—	7	10	12	8	—	—	—	2	6	—	M	Suicide
5	—	—	—	2	1	2	10	—	—	—	3	4	3	—	—	—	—	—	—	—	F	
15	—	—	4	7	2	2	18	—	2	1	9	—	6	12	—	—	1	3	4	4	M	Road traffic
3	—	—	—	1	2	—	2	—	—	1	1	—	—	2	—	—	—	2	—	—	F	accidents
19	1	1	1	8	2	6	55	2	1	—	24	20	8	15	—	1	1	6	3	4	M	Other violent
10	2	—	2	—	—	6	28	5	2	—	2	3	16	4	2	—	—	—	—	2	F	causes
55	—	2	—	5	8	40	146	5	1	4	17	23	96	53	3	—	—	4	9	37	M	All other
63	1	2	—	5	8	47	133	4	—	1	19	22	87	30	1	—	—	2	5	22	F	causes
3	—	—	—	1	—	2	16	—	—	—	5	6	5	4	—	—	—	—	1	3	M	†Including deaths from
2	—	—	—	—	—	2	2	—	—	—	—	1	1	—	—	—	—	—	—	—	F	ulcer of duodenum.

TABLE 24—contd.—Administrative County of Nottingham.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	2043	129	28	20	181	538	1147	849	45	12	9	73	199	511	246	10	1	2	9	62	162
	F	1885	93	21	15	161	403	1192	759	29	9	8	56	154	503	263	8	5	1	11	39	199
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	78	—	1	1	43	24	9	19	—	—	—	11	5	3	7	—	—	—	—	5	2
	F	68	—	—	1	56	9	2	21	—	1	1	16	2	1	3	—	—	—	2	—	1
7 Other forms	M	7	—	4	—	1	2	—	5	—	2	—	2	1	—	—	—	—	—	—	—	—
	F	12	—	3	1	6	2	—	2	—	1	—	1	—	—	5	—	2	—	1	1	1
8 Syphilitic disease	M	12	—	—	—	1	5	6	4	—	—	—	1	2	1	3	—	—	—	1	2	2
	F	6	1	—	—	—	1	4	—	—	—	—	—	—	—	3	—	—	—	2	—	1
9 Influenza	M	28	—	—	1	3	4	20	21	1	1	—	1	4	14	—	—	—	—	—	—	—
	F	35	—	—	—	2	7	26	16	1	—	—	1	3	11	3	—	—	—	—	—	3
10 Measles	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis & polioenceph :	M	6	—	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	—	1	—	—	3	—	—	—	3	—	—	—	—	—	—	—	—	—
12 Ac : infectious encephalitis	M	1	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	18	—	—	—	1	4	13	7	—	—	—	—	2	5	4	—	—	—	—	1	3
13F Uterus	F	38	—	—	—	2	21	15	10	—	—	—	1	5	4	2	—	—	—	—	1	1
14 Stomach and duodenum	M	61	—	—	—	3	29	29	23	—	—	—	1	10	12	6	—	—	—	—	—	6
	F	47	—	—	—	2	9	36	21	—	—	—	2	6	13	3	—	—	—	—	1	2
15 Breast	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	52	—	—	—	7	26	19	26	—	—	—	1	10	15	9	—	—	—	2	—	7
16 All other sites	M	226	—	2	—	20	85	119	98	—	1	1	7	33	56	29	—	—	—	1	11	17
	F	159	—	—	—	12	51	96	70	—	1	1	3	29	36	15	—	—	1	—	4	10
17 Diabetes	M	10	—	—	—	—	2	8	2	—	—	—	—	—	2	2	—	—	—	—	—	2
	F	21	—	—	—	—	6	15	7	—	—	—	—	1	6	4	—	—	—	—	1	3
18 Intra-cranial vasc: lesions	M	202	—	—	—	5	41	156	77	—	—	—	1	15	61	23	—	—	—	1	2	20
	F	259	—	—	1	5	50	203	117	—	—	—	4	18	95	53	—	—	—	—	9	44
19 Heart disease	M	573	—	—	—	13	137	423	241	—	—	1	4	47	189	80	—	—	—	2	21	57
	F	544	—	—	—	16	96	432	233	—	—	—	6	41	186	78	—	—	—	—	9	69
20 Other circulatory diseases	M	88	—	—	—	1	22	65	40	—	—	—	1	5	34	17	—	—	—	—	4	13
	F	88	—	—	—	1	14	73	27	—	—	—	1	5	21	20	—	—	—	—	2	18
21 Bronchitis	M	163	3	1	—	7	59	93	61	1	1	—	1	20	38	7	—	—	—	—	—	7
	F	106	5	1	—	5	22	73	28	1	1	—	—	3	23	5	1	—	—	—	—	4
22 Pneumonia	M	80	25	6	1	4	19	25	31	6	1	—	1	9	14	9	—	—	1	—	1	7
	F	81	24	7	1	5	14	30	24	7	1	—	—	4	12	10	—	1	—	—	2	7
23 Other respiratory diseases	M	33	1	—	1	1	13	17	13	—	1	1	—	2	9	4	—	—	—	—	3	1
	F	29	—	—	1	6	9	13	6	—	—	—	—	2	4	2	—	—	—	—	—	2
24 Ulcer of stomach or duodenum†	M	26	—	—	—	5	11	10	15	—	—	—	2	8	5	1	—	—	—	—	—	1
	F	4	—	—	—	—	3	1	1	—	—	—	—	1	—	3	—	—	—	1	—	2
25 Diarrhœa under 2 years	M	7	7	—	—	—	—	—	4	4	—	—	—	—	—	1	1	—	—	—	—	—
	F	5	5	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	6	—	—	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	3	4	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—
27 Other digestive diseases	M	29	2	1	—	6	7	13	16	—	—	—	2	6	8	4	—	—	—	1	1	2
	F	45	—	—	—	8	11	26	18	—	1	—	2	5	10	6	—	—	—	—	—	5
28 Nephritis	M	42	—	—	—	11	12	19	23	—	—	—	6	6	11	11	—	—	—	—	2	9
	F	29	—	—	—	3	10	16	19	—	—	—	3	4	12	5	—	—	—	—	3	2
29 Maternal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
30 Other maternal	F	3	—	—	—	3	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
31 Premature birth	M	40	40	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	20	—	—	—	—	—	7	7	—	—	—	—	—	1	—	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	45	38	1	—	3	2	1	21	18	1	—	2	—	—	9	1	—	—	—	—	1
	F	34	31	—	—	1	1	1	11	10	—	1	—	—	—	7	6	—	—	—	—	1
33 Suicide	M	21	—	—	—	5	12	4	12	—	—	—	6	4	2	5	—	—	—	1	3	1
	F	9	—	—	—	2	5	2	4	—	—	—	1	2	1	—	—	—	—	—	—	—
34 Road traffic accidents	M	25	—	1	7	9	5	3	21	—	2	—	9	7	3	1	—	—	—	—	1	—
	F	12	—	2	2	—	2	6	3	—	—	2	—	1	—	—	—	—	—	—	—	—
35 Other violent causes	M	54	4	6	2	20	8	14	27	2	1	3	8	8	5	5	2	—	—	1	1	1
	F	32	3	1	2	2	5	19	13	—	—	2	—	2	9	3	—	—	—	—	—	3
36 All other causes	M	157	7	3	2	16	33	96	56	2	1	2	7	5	39	18	—	1	—	2	5	10
	F	132	3	4	5	11	25	84	65	1	2	1	10	9	42	21	—	2	—	1	5	13
†Including deaths from ulcer of duodenum	M	15	—	—	—	2	7	6	8	—	—	—	2	6	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—

of Oxford.

Administrative County of Peterborough, Soke of.

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.			
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over				
631 641	30 28	12 7	7 3	41 27	114 113	427 463	331 297	13 10	1 —	2 —	21 14	83 50	211 223	49 42	2 2	1 1	— —	— 2	9 8	37 29	M F	All Causes		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Typhoid and paratyphoid	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Cerebro-spinal fever	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Scarlet fever	3	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Whooping cough	4	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Diphtheria	5	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Tuberculosis :— Respiratory system	6	
10 5 4	1 — 2	— — —	— — —	4 3 1	3 1 1	2 1 —	7 3 1 1	— — —	— — —	— — —	5 2 1	2 1 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	M F M F	Other forms	7	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Syphilitic disease	8	
1 1 4 6	— — — —	— — — —	— — — —	— — — —	1 1 — —	— — 4 6	2 1 4 6	— — — —	— — — —	— — — —	— — — 1	2 — 2 1	— 1 2 4	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Influenza	9	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Measles	10	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Ac: poliomyelitis & polioenceph:	11	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Ac: infectious encephalitis	12	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Cancer of Mouth & œsoph:	13M	
9 13 21 19	— — — —	— — — —	— — — —	— — — —	1 7 9 5	8 6 12 13	6 7 13 8	— — — —	— — — —	— — — —	1 2 — —	1 3 4 2	4 2 9 6	— 2 1 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Uterus Stomach and duodenum	13F 14	
1 14 68 59	— — — —	— — — —	— — — —	— — — —	— 1 8 5	1 5 36 41	— 1 30 24	— — — 1	— — — —	— — — —	— — — —	— 1 11 4	— — 18 18	— 2 5 4	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Breast All other sites	15 16	
1 3 89 100	— — — —	— — — —	— — — —	— — — —	— — 10 13	1 3 79 86	3 6 45 63	— — — —	— — — —	— — — —	— — — —	— 2 5 12	3 4 40 51	— — 8 7	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Diabetes Intra-cranial vasc: lesions	17 18	
219 209 29 25	— — — —	— — — —	— — — —	— — — —	11 30 2 4	173 178 27 21	92 61 15 14	— — — —	— — — —	— — — —	3 — — —	25 9 — 2	64 52 15 12	17 16 1 1	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Heart disease Other circulatory diseases	19 20	
23 25 20 27	— — 5 5	— — 2 —	— — — —	— — — —	1 2 2 4	22 23 9 18	20 20 11 10	— — 3 —	— — — —	— — 1 —	— — — —	5 1 3 1	15 19 4 9	5 1 2 2	— — 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Bronchitis Pneumonia	21 22	
7 3 5 4	— — — —	— — — —	— — — —	— — — —	1 1 2 1	4 1 3 3	4 5 9 3	— — — —	— — — —	— — — —	2 — 1 1	2 1 5 2	— 4 3 —	— 1 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Other respiratory diseases Ulcer of stomach or duodenum†	23 24	
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	1 1 1 1	1 1 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Diarrhœa under 2 years Appendicitis	25 26	
14 12 8 14	— — — —	1 — — 1	1 — — —	— 2 — —	4 2 — 5	8 8 7 8	4 6 6 10	— — — —	— — — —	— — — —	— — — —	2 — 2 1	2 6 3 9	— — 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Other digestive diseases Nephritis	27 28	
— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Maternal sepsis Other maternal	29 30	
9 3 14 16	9 3 12 16	— — — —	— — — —	— — — —	— — 1 —	— — — —	— 2 9 5	— 2 7 5	— — — —	— — — —	— — — —	— — 1 —	— — — —	— 1 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Premature birth Cong: mal:, birth inj:, infant: dis:	31 32	
5 4 17 8	— — — —	— — 2 2	— — 1 1	— — — 3	2 1 5 1	2 1 3 1	6 3 3 2	— — — —	— — 1 —	— — — —	— — — —	3 1 2 1	3 1 — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Suicide Road traffic accidents	33 34	
12 11 41 58	1 3 2 —	2 1 3 2	3 — 1 2	5 — 6 8	— 2 4 11	1 5 25 35	7 5 32 28	1 1 — —	— — — —	1 — — —	3 — 1 3	1 — 5 4	1 4 25 21	— 1 7 2	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	M F M F	Other violent causes All other causes	35 36	
5	—	—	—	—	2	3	4	—	—	—	1	1	2	—	—	—	—	—	—	—	—	M F	†Including deaths from ulcer of duodenum.	

TABLE 24—contd.—Administrative County of Rutland.

Administrative County

Causes of Death See first page of Table.			Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
			All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	27	—	—	—	2	7	18	96	7	—	2	5	14	68	901	41	7	5	61	220	567	
	F	19	1	—	—	2	3	13	94	1	1	—	2	16	74	867	34	4	9	55	145	620	
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—		
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—		
Tuberculosis :—																							
6 Respiratory system	M	1	—	—	—	1	—	—	2	—	—	—	1	—	1	33	1	—	—	15	12	5	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	24	—	—	—	20	1	3	
7 Other forms	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1	1	—	3	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	
8 Syphilitic disease	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	3	—	—	—	—	1	2	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Influenza	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	9	—	—	—	1	4	4	
	F	2	—	—	—	—	—	2	5	—	—	—	—	1	4	11	—	—	1	—	2	8	
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Ac : poliomyelitis & polioenceph :	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Cancer of																							
13M Mouth & œsoph:	M	—	—	—	—	—	—	—	2	—	—	—	—	—	2	14	—	—	—	—	4	10	
13F Uterus	F	—	—	—	—	—	—	—	3	—	—	—	1	—	2	12	—	—	—	—	8	4	
14 Stomach and duodenum	M	—	—	—	—	—	—	—	4	—	—	—	—	—	4	31	—	—	—	1	10	20	
	F	1	—	—	—	—	—	1	1	—	—	—	—	—	1	20	—	—	—	—	6	14	
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	26	—	—	—	—	6	20	
16 All other sites	M	2	—	—	—	—	2	—	8	—	—	—	—	2	6	106	—	—	—	4	40	62	
	F	—	—	—	—	—	—	—	5	—	—	—	—	1	4	73	—	—	—	6	22	45	
17 Diabetes	M	—	—	—	—	—	—	—	2	—	—	—	—	—	2	3	—	—	—	—	1	2	
	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1	3	—	—	1	—	1	1	
18 Intra-cranial vasc: lesions	M	2	—	—	—	—	—	2	8	—	—	—	—	1	7	102	—	—	—	—	28	74	
	F	6	—	—	—	—	—	6	11	—	—	—	—	—	11	124	—	—	—	—	21	103	
19 Heart disease	M	6	—	—	—	1	1	4	20	—	—	—	—	5	15	279	—	—	—	7	54	218	
	F	4	—	—	—	1	—	3	34	—	—	—	—	5	29	308	—	—	2	4	40	262	
20 Other circulatory diseases	M	4	—	—	—	—	1	3	5	—	—	—	—	1	4	35	—	—	—	—	3	32	
	F	—	—	—	—	—	—	—	9	—	—	—	—	1	8	41	—	—	1	1	6	33	
21 Bronchitis	M	5	—	—	—	—	2	3	7	—	—	—	—	—	7	54	—	—	—	3	13	38	
	F	2	—	—	—	—	1	—	10	—	—	—	—	3	7	33	—	—	—	1	5	27	
22 Pneumonia	M	1	—	—	—	—	—	1	5	—	—	—	1	1	3	26	3	1	—	2	10	10	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24	2	1	—	1	4	16	
23 Other respiratory diseases	M	1	—	—	—	—	—	1	2	—	—	—	—	—	2	8	—	—	—	1	5	2	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	1	3	
24 Ulcer of stomach or duodenum†	M	1	—	—	—	—	—	1	3	—	—	—	—	1	2	19	—	—	—	1	10	8	
	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	1	
25 Diarrhoea under 2 years	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
26 Appendicitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	
27 Other digestive diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	1	—	1	1	6	
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	2	14	—	—	—	5	2	6	
28 Nephritis	M	—	—	—	—	—	—	—	4	—	—	—	1	1	2	22	—	—	1	—	3	18	
	F	—	—	—	—	—	—	—	3	—	—	—	—	—	1	26	—	—	—	3	6	17	
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30 Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	
31 Premature birth	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	7	7	—	—	—	—	—	
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	10	10	—	—	—	—	—	
32 Cong: mal:, birth inj:, infant: dis:	M	—	—	—	—	—	—	—	5	5	—	—	—	—	—	28	24	1	—	2	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18	17	—	—	—	1	—	
33 Suicide	M	—	—	—	—	—	—	—	2	—	—	—	1	—	1	17	—	—	—	6	8	3	
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	5	—	—	—	3	2	—	
34 Road traffic accidents	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	11	—	—	1	4	1	5	
	F																						

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
809	37	5	3	74	160	530	1402	55	12	10	87	315	923	1525	81	15	12	100	345	972	M	All Causes
717	34	5	5	38	146	489	1662	40	7	9	73	276	1257	1578	54	14	11	82	243	1174	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and paratyphoid
2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Cerebro-spinal fever
—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	2	—	—	—	1	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Whooping cough
1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	Diphtheria
3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Tuberculosis :—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Respiratory system
24	—	—	—	15	6	3	53	—	—	—	24	23	6	39	—	—	—	17	18	4	M	Other forms
19	—	—	—	18	1	—	30	—	—	—	17	8	5	19	—	—	—	14	2	3	F	
2	1	—	—	—	1	—	6	1	1	1	2	—	1	5	—	1	—	1	3	—	M	
8	—	1	2	3	2	—	2	—	—	1	1	—	—	5	—	—	1	2	2	—	F	
3	—	—	—	—	2	1	3	—	—	—	1	2	—	1	—	—	—	—	1	—	M	Syphilitic disease
—	—	—	—	—	—	—	2	—	—	—	—	1	1	3	—	—	—	—	1	2	F	Influenza
14	—	1	—	—	2	11	9	—	—	—	1	3	5	16	—	1	—	—	6	9	M	Measles
15	—	—	—	—	1	14	14	—	—	—	—	—	14	16	1	—	—	—	2	14	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyelitis & polioenceph:
1	—	—	—	—	1	—	2	—	—	1	1	—	—	2	—	—	1	1	—	—	F	Ac: infectious encephalitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cancer of
—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	—	1	—	2	F	Mouth & œsoph:
10	—	—	—	—	3	7	13	—	—	—	1	2	10	15	—	—	—	—	6	9	M	Uterus
8	—	—	—	—	4	4	23	—	—	—	1	12	10	18	—	—	—	2	9	7	F	Stomach and duodenum
35	—	—	—	5	10	20	49	—	—	—	2	12	35	44	—	—	—	—	14	30	M	
14	—	—	—	—	6	8	36	—	—	—	1	8	27	48	—	—	—	2	8	38	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	M	Breast
24	—	—	—	3	13	8	45	—	—	—	5	19	21	45	—	—	—	3	19	23	F	All other sites
80	—	—	—	7	21	52	148	—	—	—	12	51	85	174	1	—	1	13	61	98	M	
63	—	—	—	2	26	35	141	—	—	—	5	45	91	117	—	1	1	5	37	73	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diabetes
1	—	—	—	—	—	1	8	—	—	—	3	—	5	4	—	—	—	—	2	2	M	Intra-cranial vasc: lesions
7	—	—	1	—	1	5	5	—	—	—	2	1	2	22	—	—	1	1	6	14	F	Heart disease
80	—	—	—	—	8	71	164	—	—	—	1	30	133	161	—	—	—	—	27	133	M	Other circulatory diseases
107	1	—	—	1	25	80	236	—	—	—	2	43	191	249	—	—	—	—	39	210	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
285	—	—	—	7	49	229	427	—	—	—	10	76	341	489	—	1	—	7	89	392	M	
236	—	—	—	1	30	205	579	—	1	—	14	59	505	528	—	—	—	6	51	471	F	
27	—	—	—	—	4	22	50	—	—	—	—	9	41	47	—	—	—	1	8	38	M	
31	—	—	—	—	3	28	67	—	—	—	1	8	58	62	—	—	—	1	6	55	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Bronchitis
37	1	—	—	2	10	24	72	—	—	1	1	18	52	67	1	1	—	2	13	50	M	Pneumonia
24	—	—	1	—	3	20	55	—	—	—	—	5	50	50	1	—	—	1	2	46	F	
24	2	—	—	4	5	13	51	3	1	—	2	4	41	52	7	2	—	6	14	23	M	
11	1	1	—	—	2	7	49	8	1	—	1	5	34	46	6	—	1	6	2	31	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other respiratory diseases
4	—	—	—	—	2	2	20	—	—	—	2	10	8	23	—	—	—	2	7	14	M	Ulcer of stomach or duodenum†
8	—	—	—	—	2	4	23	—	—	—	1	8	14	15	—	—	—	1	7	7	F	
7	—	—	—	—	3	3	18	—	—	—	1	10	7	12	—	—	—	1	6	5	M	
1	—	—	—	—	—	1	13	—	—	—	—	1	12	7	—	—	—	1	—	6	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhoea under 2 years
3	3	—	—	—	—	—	5	4	1	—	—	—	—	1	1	—	—	—	—	—	F	Appendicitis
2	2	—	—	—	—	—	1	1	—	—	—	—	—	8	—	1	—	—	4	3	M	
1	—	—	—	—	—	1	5	—	1	1	—	—	3	2	—	—	—	—	—	2	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other digestive diseases
5	1	—	—	—	1	3	31	—	2	—	2	8	19	24	1	—	—	1	7	15	M	Nephritis
13	—	—	—	—	5	7	29	1	—	—	2	6	20	42	—	—	1	6	14	21	F	
15	1	—	—	3	5	6	55	—	—	—	5	13	37	49	—	—	—	6	15	28	M	
22	—	—	1	2	4	15	50	—	—	—	2	9	39	28	—	—	1	1	4	22	F	
—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—	F	Maternal sepsis
2	—	—	—	1	1	—	2	—	—	—	2	—	—	5	—	—	—	5	—	—	F	Other maternal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Premature birth
11	11	—	—	—	—	—	11	11	—	—	—	—	—	21	21	—	—	—	—	—	F	Cong: mal:, birth inj:, infant: dis:
5	5	—	—	—	—	—	9	9	—	—	—	—	—	16	16	—	—	—	—	—	M	
17	14	—	—	2	1	—	36	33	1	1	—	1	—	46	42	3	—	—	1	—	F	
20	18	1	—	1	—	—	23	18	—	2	1	2	—	31	27	—	—	3	1	—	M	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide
10	—	—	—	5	4	1	13	—	—	—	1	8	4	30	—	—	—	6	15	9	M	Road traffic accidents
2	—	—	—	—	2	—	9	—	—	—	—	6	3	8	—	—	—	2	4	2	F	
16	—	—	—	5	7	4	13	—	1	2	6	1	3	29	—	—	4	12	6	7	M	
4	—	—	—	—	—	4	4	—	—	—	2	2	—	12	—	—	3	1	4	4	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other violent causes
27	1	2	1	7	7	9	27	2	2	2	1	9	11	37	2	2	2	14	8	9	M	All other causes
7	1	—	—	1	1	4	34	3	1	3	—	6	21	35	3	1	—	4	4	23	F	
67	—	2	2	9	8	46	117	1	3	2	8	24	79	126	3	3	4	9	14	93	M	
60	4	1	—	1	14	40	171	—	3	1	10	22	135	140	—	9	2	13	19	97	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	†Including deaths from ulcer of duodenum.
2	—	—	—	—	2	—	5	—	—	—	—	4	1	3	—	—	—	—	2	1	F	
1	—	—	—	—	—	1	1	—	—	—	—	—	1	3	—	—	—	1	—	2	F	

TABLE 24—contd.—Administrative County of Southampton.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1848	101	18	17	111	461	1140	1444	80	14	17	85	300	948	3501	225	45	54	355	975	1847
	F	1824	57	14	8	117	327	1301	1344	45	15	10	85	207	982	3136	174	35	33	301	643	1950
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	4	2	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	4	3	—	1	—	—	—
	F	2	2	—	—	—	—	—	2	—	2	—	—	—	—	11	7	4	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	2	2	—	—	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	—	3	—	—	—
6 Tuberculosis :— Respiratory system	M	62	—	—	—	20	30	12	40	—	—	—	15	19	6	171	—	1	—	84	70	16
	F	36	—	—	—	23	10	3	26	—	—	—	17	7	2	115	—	—	1	87	16	11
7 Other forms	M	8	—	4	3	—	1	—	7	—	1	2	2	—	2	26	2	7	8	8	1	—
	F	6	2	1	—	—	2	1	5	2	—	1	2	—	—	15	2	4	4	3	2	—
8 Syphilitic disease	M	8	—	—	—	1	5	2	9	—	—	—	—	2	7	13	—	—	—	3	7	3
	F	6	—	—	—	—	3	3	1	—	—	—	1	—	—	7	—	—	—	3	3	1
9 Influenza	M	14	—	—	—	—	—	12	13	1	—	—	2	2	8	45	2	—	—	5	12	26
	F	14	—	—	1	1	3	9	12	—	—	—	2	3	7	40	2	2	1	—	9	26
10 Measles	M	1	—	1	—	—	—	—	2	—	1	1	—	—	—	4	1	2	1	—	—	—
	F	2	—	1	—	1	—	—	8	—	5	2	1	—	—	5	2	3	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	2	—	—	—	2	—	—	3	—	1	1	1	—	—	3	1	—	2	—	—	—
	F	2	—	—	—	2	—	—	1	—	—	—	1	—	—	1	—	—	1	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	4	—	—	1	1	2	—
	F	2	—	—	—	1	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	1
13M Cancer of Mouth & œsoph:	M	25	—	—	—	—	5	20	18	—	—	—	1	4	13	37	—	—	—	1	8	28
13F Uterus	F	25	—	—	—	2	11	12	20	—	—	—	—	7	13	47	—	—	—	3	29	15
14 Stomach and duodenum	M	51	—	—	—	1	15	35	51	—	—	—	—	16	35	105	—	—	—	12	50	43
	F	40	—	—	—	2	13	25	24	—	—	—	1	5	18	80	—	—	—	5	31	44
15 Breast	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	1	1
	F	66	—	—	—	12	28	26	29	—	—	—	5	8	16	100	—	—	—	12	45	43
16 All other sites	M	209	—	1	1	10	75	123	159	—	—	1	12	40	106	375	—	—	4	30	161	180
	F	177	—	1	1	12	55	108	134	—	1	—	9	46	78	254	—	—	2	28	91	133
17 Diabetes	M	6	—	—	—	1	2	3	4	—	—	—	—	—	4	17	—	—	—	2	3	12
	F	9	—	—	—	—	3	6	12	—	—	—	—	4	8	43	—	—	—	3	13	27
18 Intra-cranial vasc: lesions	M	201	2	—	—	2	50	147	155	—	—	—	—	35	120	320	—	—	—	9	73	238
	F	270	—	—	—	3	47	220	199	—	—	—	5	31	163	401	—	—	1	8	77	315
19 Heart disease	M	568	—	—	1	14	123	430	474	—	—	1	7	82	384	877	—	—	—	36	217	624
	F	580	—	—	1	5	55	519	428	—	—	—	4	36	388	851	—	—	—	40	140	671
20 Other circulatory diseases	M	66	—	—	—	—	19	47	42	—	—	1	1	5	35	115	1	—	—	4	35	75
	F	101	—	—	—	2	9	90	49	—	—	—	1	3	45	111	—	—	—	4	25	82
21 Bronchitis	M	87	3	—	—	4	24	56	63	2	1	—	1	18	41	286	10	—	1	8	93	174
	F	63	1	—	—	1	13	48	45	—	—	—	—	3	42	140	2	1	—	8	24	105
22 Pneumonia	M	65	12	3	—	—	16	34	52	9	3	—	1	8	31	162	43	9	1	7	37	65
	F	62	9	5	—	2	4	42	57	10	3	—	2	4	38	103	27	6	—	7	13	50
23 Other respiratory diseases	M	38	1	—	2	7	13	15	20	—	—	—	1	8	11	54	—	—	—	5	29	20
	F	20	1	—	—	5	5	9	16	—	—	—	1	3	12	30	—	1	—	6	1	22
24 Ulcer of stomach or duodenum†	M	33	—	—	—	6	13	14	17	—	—	—	3	5	9	73	—	—	—	11	45	17
	F	12	—	—	—	—	6	6	3	—	—	—	—	1	2	15	—	—	—	4	5	6
25 Diarrhœa under 2 years	M	8	8	—	—	—	—	—	4	4	—	—	—	—	—	18	18	—	—	—	—	—
	F	4	3	1	—	—	—	—	2	2	—	—	—	—	—	28	27	1	—	—	—	—
26 Appendicitis	M	4	—	1	—	1	—	2	2	—	—	1	1	—	—	6	—	—	1	2	2	1
	F	2	—	1	—	—	—	1	5	—	—	1	2	1	1	13	1	1	2	3	4	2
27 Other digestive diseases	M	29	2	—	1	1	14	11	26	2	—	1	2	9	12	55	1	3	6	5	18	22
	F	36	—	2	—	4	12	18	21	1	—	2	2	6	10	56	—	1	2	4	15	34
28 Nephritis	M	52	—	—	—	7	15	30	35	1	—	—	2	5	27	52	—	—	1	11	15	25
	F	45	—	—	1	4	9	31	31	—	—	—	4	10	17	75	—	—	3	10	28	34
29 Maternal sepsis	M	6	—	—	—	6	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—
30 Other maternal	F	6	—	—	—	6	—	—	8	—	—	—	8	—	—	11	—	—	—	11	—	—
31 Premature birth	M	25	25	—	—	—	—	—	18	18	—	—	—	—	—	51	51	—	—	—	—	—
	F	19	19	—	—	—	—	—	15	15	—	—	—	—	—	43	43	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	43	38	3	—	1	1	—	37	33	—	1	2	—	1	87	72	4	3	4	3	1
	F	22	18	—	—	3	1	—	18	13	1	—	2	1	1	64	54	2	4	2	2	—
33 Suicide	M	22	—	—	—	3	10	9	17	—	—	—	4	10	3	36	—	—	—	9	15	12
	F	15	—	—	—	4	11	—	9	—	—	—	1	5	3	21	—	—	—	7	11	3
34 Road traffic accidents	M	16	—	—	1	10	1	4	28	—	1	2	11	7	7	55	—	2	5	27	11	10
	F	8	—	1	—	2	—	5	9	—	—	3	2	1	3	8	—	—	—	—	2	6
35 Other violent causes	M	39	6	1	4	10	7	11	25	4	5	1	7	2	6	90	6	4	5	42	19	14
	F	29	2	—	—	—	1	26	18	2	—	—	1	3	12	50	4	2	2	4	7	31
36 All other causes	M	165	4	5	4	10	20	122	120	4	1	4	9	23	79	350	12	11	12	28	47	240
	F	137	—	1	4	14	26	92	135	—	2	1	10	19	103	390	3	6	6	37	50	288
†Including deaths from ulcer of duodenum.	M	17	—	—	—	5	5	7	7	—	—	—	2	3	2	36	—	—	—	6	20	10
	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	3	—	—	—	1	2	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over		
1150 1026	71 45	8 17	7 5	96 61	250 200	718 698	581 651	25 17	5 5	5 2	31 42	131 107	384 478	768 670	33 20	7 7	5 2	54 36	122 75	547 530	M F	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
3	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	Whooping
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	F	cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
27	—	—	—	14	11	2	15	—	—	—	6	9	—	19	1	—	—	8	8	2	M	Tuberculosis :—
17	—	—	—	12	4	1	12	—	—	—	6	5	1	6	—	—	—	4	—	2	M	Respiratory
3	—	—	—	3	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	system
4	—	2	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	M	Other forms
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
2	—	—	—	1	—	1	3	—	—	—	—	2	1	4	—	—	—	—	1	3	M	Syphilitic
1	—	—	—	—	1	—	2	—	—	—	1	—	1	1	—	—	—	—	—	1	F	disease
10	—	—	—	3	2	5	4	1	—	—	1	1	1	11	1	—	—	2	—	8	M	Influenza
16	—	—	—	1	2	13	10	—	—	—	—	2	8	17	—	1	—	—	1	15	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	Measles
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyelitis
1	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	F	& polioenceph:
—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—	—	1	—	—	M	Ac: infectious
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
15	—	—	—	—	1	14	9	—	—	—	—	3	6	7	—	—	—	—	1	6	M	Cancer of
12	—	—	—	1	5	6	12	—	—	—	—	4	8	7	—	—	—	—	2	5	M	Mouth & œsoph:
29	—	—	—	1	10	18	19	—	—	—	—	5	14	23	—	—	—	—	5	18	F	Uterus
24	—	—	—	1	6	17	12	—	—	—	—	1	11	15	—	—	—	—	3	12	M	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	duodenum
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
33	—	—	—	3	11	19	21	—	—	—	1	12	8	18	—	—	—	1	8	9	F	
124	—	1	—	6	41	76	74	—	—	—	4	26	44	77	—	1	—	—	27	49	M	All other
79	—	1	—	4	31	43	62	—	—	—	7	18	37	53	—	—	—	3	11	39	F	sites
3	—	—	—	—	—	3	2	—	—	—	—	—	2	5	—	—	—	2	—	3	M	Diabetes
11	—	—	—	—	3	8	3	—	—	—	1	—	2	5	—	—	—	1	—	4	F	
101	—	—	—	3	18	80	51	—	—	—	—	7	44	72	—	—	—	1	10	61	M	Intra-cranial
159	—	—	—	3	28	128	103	—	—	—	—	19	84	95	1	—	—	—	7	87	F	vasc: lesions
330	—	—	—	10	74	246	203	—	—	—	4	43	156	278	—	—	—	3	33	242	M	Heart disease
308	—	—	—	7	38	263	237	—	—	—	3	22	212	258	—	—	—	4	15	239	F	
49	—	—	—	3	5	41	33	—	—	—	1	7	25	22	—	—	—	2	4	16	M	Other circulatory
34	—	—	—	1	9	24	29	—	—	—	1	2	26	17	—	—	—	1	5	11	F	diseases
51	2	—	—	—	16	33	18	—	—	—	—	2	16	29	1	—	—	—	4	24	M	Bronchitis
44	2	—	—	1	9	32	15	1	—	—	1	—	13	28	—	—	1	1	2	24	F	
35	5	1	1	1	10	17	11	2	—	—	—	3	6	31	6	2	—	4	5	14	M	Pneumonia
41	11	6	—	6	3	15	23	7	—	—	1	1	14	28	2	1	—	4	5	16	F	
19	—	—	—	2	5	12	5	—	—	—	—	2	3	6	—	—	—	—	2	4	M	Other respiratory
13	—	—	—	1	6	6	4	—	—	—	1	1	2	6	—	—	—	3	1	2	F	diseases
15	—	—	—	—	6	9	6	—	—	—	2	2	2	17	—	—	—	1	6	10	M	Ulcer of stomach
4	—	—	—	—	1	3	3	—	—	—	—	1	2	1	—	—	—	—	—	1	F	or duodenum†
5	5	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—	—	—	—	—	M	Diarrhœa
5	5	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	F	under 2 years
4	—	1	—	1	—	2	1	—	—	1	—	—	—	1	—	—	—	1	—	—	M	Appendicitis
2	—	—	—	—	2	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	F	
22	—	—	1	1	6	14	10	—	2	—	—	2	6	11	—	—	1	1	2	7	M	Other digestive
19	—	2	—	1	5	11	12	1	1	—	3	3	4	15	—	1	—	1	5	8	F	diseases
38	—	—	—	5	10	23	19	—	—	—	1	3	15	19	—	—	—	3	—	16	M	Nephritis
35	—	—	1	3	11	20	16	—	—	—	3	3	10	13	—	—	—	1	2	10	F	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Maternal sepsis
4	—	—	—	4	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	Other maternal
23	23	—	—	—	—	—	6	6	—	—	—	—	—	3	3	—	—	—	—	—	M	Premature
11	11	—	—	—	—	—	3	3	—	—	—	—	—	6	6	—	—	—	—	—	F	birth
32	31	1	—	—	—	—	12	10	1	—	1	—	—	17	16	—	—	1	—	—	M	Cong: mal:, birth
15	12	2	1	—	—	—	7	4	1	—	—	1	1	9	7	1	—	—	—	1	F	inj:, infant: dis:
15	—	—	—	4	9	2	8	—	—	—	1	3	4	17	—	—	—	6	3	8	M	Suicide
2	—	—	—	2	—	—	6	—	—	—	1	3	2	2	—	—	—	2	—	—	F	
23	—	2	2	13	4	2	7	—	—	2	1	2	2	11	—	1	1	5	3	1	M	Road traffic
5	—	1	—	1	3	—	1	—	1	—	—	—	—	2	—	—	—	1	—	1	F	accidents
32	2	2	2	10	9	7	12	3	—	—	4	3	2	14	—	2	2	4	2	4	M	Other violent
14	2	2	1	—	—	9	6	—	—	1	1	—	4	7	1	1	—	—	2	3	F	causes
137	—	—	1	14	13	109	49	—	2	2	4	6	35	68	2	1	—	8	6	51	M	All other
111	2	—	1	6	22	80	47	—	—	1	10	9	27	58	2	1	1	8	6	40	F	causes
3	—	—	—	—	1	2	3	—	—	—	1	1	1	9	—	—	—	1	4	4	M	†Including deaths from
3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	ulcer of duodenum.

TABLE 24—contd.—Administrative County of Suffolk West.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	275	14	4	2	20	61	174	508	28	2	2	24	82	370	5999	238	55	44	406	1606	3650
	F	289	8	1	1	12	44	223	417	7	2	1	21	62	324	6303	175	35	32	366	1174	4521
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	2	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	7	—	—	—	1	4	2	8	—	—	—	2	4	2	215	1	1	—	77	114	22
	F	3	—	—	—	2	—	1	8	—	—	—	5	2	1	118	2	—	—	70	30	15
7 Other forms	M	2	—	1	—	1	—	—	4	—	1	—	1	—	—	30	1	5	5	14	5	—
	F	1	—	—	—	—	1	—	1	—	—	1	—	—	—	20	1	1	1	9	5	3
8 Syphilitic disease	M	2	—	—	—	—	2	—	3	—	—	—	—	1	2	41	1	—	—	1	18	21
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	21	—	—	—	—	8	13
9 Influenza	M	4	—	—	—	—	—	4	11	—	—	—	—	1	10	61	2	—	—	7	12	40
	F	3	—	—	—	—	1	2	11	—	—	—	1	1	9	84	2	1	—	4	10	67
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2	—	2	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	2	—	—	—	1	1	—	19	1	3	4	10	1	—
	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	11	1	2	2	6	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	2	2	2
Cancer of																						
13M Mouth & œsoph:	M	1	—	—	—	—	—	1	6	—	—	—	—	—	6	61	—	—	—	—	13	48
13F Uterus	F	4	—	—	—	—	2	2	6	—	—	—	—	4	2	102	—	—	—	6	48	48
14 Stomach and duodenum	M	3	—	—	—	1	1	1	8	—	—	—	—	1	7	176	—	—	—	11	57	108
	F	2	—	—	—	—	—	2	9	—	—	—	—	2	7	150	—	—	—	5	38	107
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2
	F	11	—	—	—	—	4	7	12	—	—	—	—	4	8	262	—	—	—	29	112	121
16 All other sites	M	31	—	—	—	3	14	14	38	—	—	—	3	9	26	842	2	2	4	50	319	465
	F	16	—	1	—	2	—	13	39	—	—	—	2	9	28	622	—	—	1	51	201	369
17 Diabetes	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	13	—	—	—	1	3	9
	F	2	—	—	—	—	—	2	1	—	—	—	—	—	1	40	—	—	—	2	9	29
18 Intra-cranial vasc: lesions	M	24	—	—	—	—	6	18	47	—	—	—	—	6	41	530	—	—	—	7	113	410
	F	54	—	—	—	1	6	47	55	—	—	—	2	9	44	872	—	—	—	5	144	723
19 Heart disease	M	81	—	—	—	2	13	66	194	—	—	—	5	29	160	1831	—	—	2	42	433	1354
	F	106	—	—	—	1	13	92	151	—	—	—	1	11	139	1926	—	—	2	25	212	1687
20 Other circulatory diseases	M	15	—	—	—	—	1	14	32	—	—	—	—	7	25	270	—	—	—	7	44	219
	F	19	—	—	—	1	3	15	22	—	—	—	—	3	19	340	—	—	—	5	45	290
21 Bronchitis	M	16	—	—	—	—	2	14	20	1	—	—	—	3	16	311	4	—	—	4	95	208
	F	6	—	—	—	—	—	6	12	—	1	—	—	—	10	214	2	—	—	2	24	186
22 Pneumonia	M	20	2	—	—	1	4	13	23	5	—	—	1	3	14	238	17	6	1	9	53	152
	F	11	2	—	—	—	1	8	16	1	—	—	2	1	12	260	23	3	2	8	29	195
23 Other respiratory diseases	M	3	—	—	—	1	1	1	2	—	—	—	1	1	—	83	—	3	2	6	35	37
	F	2	—	—	—	1	—	1	3	—	—	—	—	2	1	57	—	1	—	8	10	38
24 Ulcer of stomach or duodenum†	M	5	—	—	—	—	3	2	7	—	—	—	1	1	5	97	—	—	—	8	46	43
	F	1	—	—	—	—	1	—	2	—	—	—	—	—	2	38	—	—	—	—	7	31
25 Diarrhœa under 2 years	M	—	—	—	—	—	—	—	2	2	—	—	—	—	—	6	5	1	—	—	—	—
26 Appendicitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	7	6	1	—	—	—	—
	F	1	—	—	—	—	—	1	1	—	—	—	—	—	1	17	1	2	—	4	4	6
	F	1	—	—	—	—	—	1	1	—	—	—	—	—	—	8	—	—	1	2	2	3
27 Other digestive diseases	M	6	—	1	—	1	2	2	8	—	—	—	—	1	7	124	4	3	2	11	34	70
	F	4	—	—	—	—	—	4	8	—	—	—	1	1	6	151	3	1	3	16	41	87
28 Nephritis	M	11	—	—	—	1	1	9	15	—	—	—	2	1	12	129	—	—	—	13	33	83
	F	7	—	—	—	—	4	3	7	—	—	—	—	3	4	147	—	—	3	7	42	95
29 Maternal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—
30 Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	—	7	—	—
31 Premature birth	M	5	5	—	—	—	—	—	12	12	—	—	—	—	—	64	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	2	2	—	—	—	—	—	51	—	—	—	—	—	—
32 Cong: mal.; birth inj.; infant: dis:	M	6	5	—	1	—	—	—	8	8	—	—	—	—	—	139	113	4	1	9	10	2
	F	4	3	—	1	—	—	—	3	3	—	—	—	—	—	106	66	2	4	12	16	6
33 Suicide	M	4	—	—	—	1	1	2	8	—	—	—	2	2	4	75	—	—	—	21	34	20
	F	3	—	—	—	2	—	1	4	—	—	—	—	3	1	52	—	—	—	19	21	12
34 Road traffic accidents	M	3	—	1	1	—	—	1	6	—	—	—	4	1	1	74	—	3	5	33	14	19
	F	—	—	—	—	—	—	—	2	—	—	—	1	1	—	34	—	4	2	9	7	12
35 Other violent causes	M	8	1	1	—	3	1	2	6	—	—	—	—	4	2	105	16	9	9	17	26	28
	F	3	—	—	—	—	—	3	6	—	—	—	—	2	4	112	10	9	2	5	15	71
36 All other causes	M	17	1	—	—	4	5	7	35	—	—	2	1	4	28	436	3	10	9	44	87	283
	F	23	—	—	—	2	8	13	34	—	1	—	5	3	25	471	4	7	6	48	96	310
†Including deaths from ulcer of duodenum.	M	2	—	—	—	—	1	1	5	—	—	—	1	—	4	44	—	—	—	4	21	19
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—	—	—	2	—	8

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table	
799	38	7	5	40	177	532	1156	29	12	4	62	243	806	968	21	3	6	59	187	692	M	All Causes
778	22	5	5	43	122	581	1494	17	4	5	48	238	1182	1057	31	6	5	45	179	791	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	M	Whooping
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	cough
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
20	—	—	—	9	8	3	32	—	—	—	16	8	8	29	—	—	—	11	12	6	M	Tuberculosis :—
10	—	—	—	7	—	3	19	—	—	—	10	5	4	17	—	—	—	11	5	1	F	Respiratory
1	—	—	—	—	1	—	2	—	—	—	—	1	1	3	—	—	1	1	1	—	M	system
2	—	—	—	—	—	2	2	—	—	—	—	—	2	1	—	—	—	1	—	—	F	Other forms
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
3	1	—	—	—	1	1	6	—	—	—	—	2	4	4	1	—	—	—	—	3	M	Syphilitic
2	—	—	—	—	—	2	4	1	—	—	—	2	1	—	—	—	—	—	—	—	F	disease
11	1	—	—	—	5	5	8	—	1	—	—	1	6	8	—	—	—	1	1	6	M	Influenza
7	—	—	—	—	—	7	14	—	—	—	—	1	13	6	—	—	—	3	1	2	F	
—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	1	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	—	—	1	—	—	—	3	—	—	—	3	—	—	1	—	—	—	—	1	—	M	Ac: poliomyelitis
2	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	& polioenceph:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	M	Ac: infectious
—	—	—	—	—	—	—	1	—	—	—	—	1	—	3	—	—	—	1	1	1	F	encephalitis
4	—	—	—	—	—	4	19	—	—	—	—	5	14	13	—	—	—	—	6	7	M	Cancer of
16	—	—	—	1	9	6	27	—	—	—	3	10	14	18	—	—	—	1	8	9	F	Mouth & œsoph:
19	—	—	—	3	4	12	31	—	—	—	3	8	20	29	—	—	—	—	8	21	M	Uterus
12	—	—	—	1	3	8	28	—	—	—	1	4	23	21	—	—	—	—	5	16	M	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	duodenum
1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	M	Breast
30	—	—	—	6	9	15	53	—	—	—	7	17	29	41	—	—	—	2	10	29	F	
101	—	1	1	6	40	53	135	—	2	—	5	50	78	94	—	—	2	6	23	63	M	All other
76	—	—	—	5	22	49	166	—	—	2	5	55	104	92	—	1	—	4	26	61	F	sites
5	—	1	—	—	—	4	5	—	—	—	—	1	4	1	—	—	—	—	—	1	M	Diabetes
7	—	—	—	—	—	4	11	—	—	—	—	3	8	7	—	—	—	1	1	5	F	
86	—	—	—	—	14	72	112	—	—	—	1	17	94	90	—	—	—	—	11	79	M	Intra-cranial
113	—	—	—	2	17	94	227	—	—	—	1	29	197	155	—	—	—	2	21	132	F	vasc: lesions
231	—	—	—	1	37	193	399	—	—	1	7	77	314	340	—	—	—	8	53	279	M	Heart disease
250	—	—	—	2	17	231	501	—	—	—	1	40	460	340	—	—	1	3	30	306	F	
43	—	—	—	—	9	34	40	—	—	—	2	6	32	29	—	—	—	1	3	25	M	Other circulatory
44	—	—	—	1	8	35	73	—	—	—	1	12	60	52	—	—	—	1	8	43	F	diseases
40	—	—	—	—	11	29	43	—	—	—	1	4	38	46	—	—	—	1	7	38	M	Bronchitis
26	—	—	—	—	3	22	37	—	—	—	1	4	32	45	—	1	—	1	5	38	F	
39	6	1	—	—	2	30	45	6	—	—	1	7	31	45	—	—	—	3	7	35	M	Pneumonia
28	4	1	—	—	7	16	48	3	1	—	—	4	40	41	1	3	—	2	3	32	F	
14	1	—	—	—	5	8	18	—	—	—	2	4	12	23	—	1	—	—	7	15	M	Other respiratory
10	—	—	—	—	3	7	16	—	—	—	—	2	14	20	—	—	—	4	6	10	F	diseases
10	—	—	—	—	5	5	17	—	—	—	1	8	8	12	—	—	—	2	7	3	M	Ulcer of stomach
4	—	—	—	—	1	3	9	—	—	—	—	4	5	3	—	—	—	—	2	1	F	or duodenum†
1	1	—	—	—	—	—	4	2	2	—	—	—	—	1	1	—	—	—	—	—	M	Diarrhœa
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
3	—	1	—	—	—	2	2	—	—	1	—	1	—	2	—	1	—	—	—	1	M	Appendicitis
—	—	—	—	—	—	—	3	—	—	—	1	2	—	—	—	—	—	—	—	—	F	
18	2	1	—	2	5	8	24	1	—	—	—	8	15	15	—	—	—	1	4	10	M	Other digestive
19	—	—	—	—	5	14	35	—	—	—	3	5	27	21	—	—	—	—	7	14	F	diseases
21	—	—	—	2	7	12	42	—	1	—	2	7	32	29	—	—	—	3	6	20	M	Nephritis
15	—	—	—	2	4	9	48	—	—	1	—	12	35	28	—	—	1	—	9	18	F	
1	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	Maternal sepsis
1	—	—	—	1	—	—	2	—	—	—	2	—	—	2	—	—	—	2	—	—	F	Other maternal
10	10	—	—	—	—	—	5	5	—	—	—	—	—	4	4	—	—	—	—	—	M	Premature
6	6	—	—	—	—	—	2	2	—	—	—	—	—	2	2	—	—	—	—	—	F	birth
18	14	—	—	2	2	—	15	12	1	—	2	—	—	13	10	—	1	1	—	—	M	Cong: mal:, birth
14	11	—	2	1	—	—	11	7	1	—	—	—	3	21	21	—	—	—	—	—	F	inj:, infant: dis:
13	—	—	—	2	3	8	23	—	—	—	6	12	5	17	—	—	—	3	7	7	M	Suicide
5	—	—	—	1	2	2	13	—	—	—	2	5	6	6	—	—	—	1	5	—	F	
12	—	1	—	4	5	2	12	—	1	1	4	3	3	11	—	—	—	8	1	2	M	Road traffic
4	—	2	1	—	1	—	4	—	—	1	1	1	1	6	—	—	—	2	1	3	F	accidents
14	2	1	2	3	1	5	15	2	1	1	4	1	6	19	3	1	—	4	7	4	M	Other violent
11	—	1	—	—	1	9	28	2	—	1	2	4	19	24	2	1	—	—	3	18	F	causes
59	—	1	—	6	10	42	98	1	2	—	2	12	81	87	2	—	1	5	12	67	M	All other
61	—	1	—	9	8	43	109	2	1	—	5	16	85	85	5	—	3	3	22	52	F	causes
4	—	—	—	—	1	3	9	—	—	—	1	4	4	6	—	—	—	1	3	2	M	†Including deaths from
1	—	—	—	—	1	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	F	ulcer of duodenum.

TABLE 24—contd.—Administrative County of Sussex West.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	1127	36	5	6	47	234	799	873	38	7	5	56	173	594	1694	90	17	18	137	458	974
	F	1379	22	5	4	47	202	1099	934	28	6	5	43	163	689	1648	60	12	12	106	333	1125
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	37	—	2	1	13	15	6	22	—	—	—	12	9	1	67	—	1	—	34	25	7
	F	14	—	—	—	11	1	2	13	—	—	1	10	1	1	33	—	—	1	24	4	4
7 Other forms	M	1	—	1	—	—	—	—	3	—	—	1	1	1	—	12	—	2	2	4	2	2
	F	3	—	—	2	1	—	—	3	—	1	1	—	—	1	7	1	—	2	3	1	—
8 Syphilitic disease	M	7	—	—	—	—	4	3	5	—	—	—	—	2	3	7	—	—	—	—	5	2
	F	4	1	—	—	—	2	1	2	—	—	—	1	—	1	2	—	—	—	—	1	1
9 Influenza	M	9	1	—	—	2	2	4	9	—	1	—	1	1	6	15	1	—	—	2	2	10
	F	12	1	—	—	2	1	8	7	—	1	—	—	1	5	22	—	—	—	6	5	11
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
11 Ac : poliomyelitis & polioenceph:	M	2	—	—	—	1	1	—	1	—	1	—	—	—	—	5	—	—	4	1	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
12 Ac: infectious encephalitis	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	10	—	—	—	1	2	7	11	—	—	—	—	1	10	22	—	—	—	—	4	18
13F Uterus	F	15	—	—	—	—	9	6	12	—	—	—	1	5	6	40	—	—	—	6	17	17
14 Stomach and duodenum	M	48	—	—	—	—	13	35	12	—	—	—	1	7	4	47	—	—	—	2	20	25
	F	32	—	—	—	—	5	27	23	—	—	—	—	2	21	31	—	—	—	—	7	24
15 Breast	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	58	—	—	—	2	21	35	37	—	—	—	2	18	17	56	—	—	—	6	23	27
16 All other sites	M	144	—	—	1	5	51	87	122	1	1	—	6	31	83	203	—	1	1	19	77	105
	F	120	—	—	—	3	31	86	99	1	—	—	4	31	63	130	—	2	—	5	48	75
17 Diabetes	M	4	—	—	—	—	3	1	3	—	—	—	—	—	3	9	—	—	—	1	—	8
	F	7	—	—	—	—	1	6	8	—	—	—	—	3	5	13	—	—	—	—	3	10
18 Intra-cranial vasc: lesions	M	131	—	—	—	—	26	105	91	—	—	—	1	12	78	177	—	—	—	5	39	133
	F	201	—	—	—	1	30	170	140	—	—	—	2	23	115	257	1	—	1	7	38	210
19 Heart disease	M	371	—	—	—	4	51	316	280	—	—	—	3	55	222	458	—	—	—	10	114	334
	F	491	—	—	—	3	41	447	310	—	—	—	5	33	272	491	—	—	—	6	75	410
20 Other circulatory diseases	M	38	—	—	—	—	6	32	35	—	—	—	—	9	26	86	—	—	—	1	19	66
	F	55	—	—	—	1	3	51	39	—	—	—	2	5	32	83	—	—	—	4	15	64
21 Bronchitis	M	66	—	—	—	—	12	54	35	—	—	—	1	5	29	101	1	1	—	4	35	60
	F	49	1	—	2	—	2	44	33	1	—	—	—	6	26	65	1	—	—	1	13	50
22 Pneumonia	M	47	5	—	—	—	7	35	46	5	1	1	3	5	31	102	17	3	—	3	24	55
	F	56	3	1	—	1	7	44	40	2	—	1	1	7	29	86	10	1	1	2	14	58
23 Other respiratory diseases	M	16	—	—	1	1	3	11	11	—	—	—	1	3	7	21	—	—	—	—	8	13
	F	14	—	—	—	1	5	8	10	—	—	—	1	4	4	16	—	—	—	—	8	8
24 Ulcer of stomach or duodenum†	M	23	—	—	—	3	8	12	13	—	—	—	—	7	6	23	—	—	—	1	14	8
	F	8	—	—	—	—	2	6	5	—	—	—	—	2	3	5	—	—	—	—	3	2
25 Diarrhœa under 2 years	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	8	8	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—
26 Appendicitis	M	1	—	—	—	—	—	1	2	—	—	—	1	—	1	6	1	1	1	2	1	—
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—
27 Other digestive diseases	M	13	—	—	—	2	4	7	17	—	1	—	3	4	9	29	2	1	—	3	14	9
	F	27	—	—	—	4	5	18	16	—	—	—	2	4	10	43	—	1	—	2	4	27
28 Nephritis	M	26	—	—	—	2	5	19	23	—	—	—	5	4	14	36	—	—	1	3	9	23
	F	28	—	—	—	1	6	21	20	—	—	—	—	5	15	36	—	—	—	3	8	25
29 Maternal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	1	—	—	—	1	—	—	—	3	—	—	3	—	—	—	3	—	—	3	—	—
31 Premature birth	M	9	9	—	—	—	—	—	7	7	—	—	—	—	—	18	18	—	—	—	—	—
	F	6	6	—	—	—	—	—	6	6	—	—	—	—	—	11	11	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	16	13	—	—	2	—	1	19	19	—	—	—	—	—	44	40	1	2	1	—	—
	F	10	7	1	—	2	—	—	18	16	—	—	—	2	—	36	28	1	2	2	3	—
33 Suicide	M	12	—	—	—	3	4	5	5	—	—	—	2	—	3	23	—	—	—	5	11	7
	F	15	—	—	—	3	6	6	1	—	—	—	—	—	1	19	—	—	—	3	8	8
34 Road traffic accidents	M	7	—	1	—	3	1	2	13	—	1	1	2	5	4	28	—	1	2	10	5	10
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	1	3	—	—
35 Other violent causes	M	18	4	—	2	2	5	5	13	1	—	2	6	1	3	29	1	2	1	12	9	4
	F	33	—	1	—	—	4	28	18	1	—	—	4	1	12	28	1	3	—	3	2	19
36 All other causes	M	67	3	1	1	3	11	48	73	4	1	—	6	11	51	116	1	2	3	14	21	75
	F	114	—	2	—	8	19	85	69	1	4	1	5	9	49	116	1	1	3	13	24	74
†Including deaths from ulcer of duodenum.	M	8	—	—	—	1	4	3	7	—	—	—	—	3	4	12	—	—	—	1	6	5
	F	5	—	—	—	—	1	4	2	—	—	—	—	1	1	1	—	—	—	—	—	1

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
868	51	9	4	57	211	536	213	12	1	—	14	52	134	239	11	1	2	24	58	143	M	All Causes
795	36	9	6	68	129	547	255	4	1	—	11	50	189	231	8	2	1	13	40	167	F	
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	M	Whooping
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
24	—	—	—	12	10	2	5	—	—	—	4	—	1	2	—	—	—	2	—	—	M	Tuberculosis :—
22	—	—	—	18	3	1	6	—	—	—	4	2	—	7	—	—	—	3	—	4	F	Respiratory
7	3	1	1	—	1	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—	M	system
5	1	1	1	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	F	Other forms
2	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	2	—	—	M	Syphilitic
1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	F	disease
11	1	—	—	1	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Influenza
21	1	—	—	2	1	17	2	—	—	—	—	1	1	1	—	—	—	—	1	—	F	
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	M	Ac: poliomyelitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
1	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	M	Ac: infectious
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
15	—	—	—	—	3	12	—	—	—	—	—	—	—	7	—	—	—	—	3	4	M	Cancer of
9	—	—	—	1	6	2	7	—	—	—	1	4	2	1	—	—	—	—	—	1	F	Mouth & œsoph:
23	—	—	—	—	7	16	4	—	—	—	—	2	2	4	—	—	—	—	2	2	M	Uterus
22	—	—	—	1	4	17	5	—	—	—	—	1	4	4	—	—	—	3	1	1	F	Stomach and
—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	M	duodenum
30	—	—	—	6	8	16	7	—	—	—	—	3	4	5	—	—	—	1	3	1	M	Breast
98	—	—	—	3	30	65	15	—	—	—	—	4	11	17	—	—	—	1	5	11	F	
63	—	—	—	3	18	42	19	—	—	—	1	6	12	25	—	—	—	1	9	15	M	All other
5	—	—	—	—	2	3	—	—	—	—	—	—	—	4	—	—	—	1	1	2	M	sites
7	—	—	—	—	1	6	1	—	—	—	—	—	1	4	—	—	—	—	—	4	F	Diabetes
94	—	—	—	1	16	77	22	—	—	—	1	2	19	20	—	—	—	—	6	14	M	
109	—	—	—	1	23	85	51	—	—	—	—	6	45	27	—	—	—	1	6	20	F	Intra-cranial
270	—	—	—	6	63	201	88	—	—	—	2	22	64	89	—	—	—	5	16	68	M	vasc: lesions
245	—	—	—	9	31	205	88	—	—	—	1	15	72	76	—	—	—	2	5	69	F	Heart disease
33	—	—	—	1	7	25	7	—	—	—	—	2	5	3	—	—	—	—	1	2	M	
28	1	—	—	—	3	24	12	—	—	—	1	4	7	13	—	—	—	1	3	9	F	Other circulatory
49	1	1	—	—	18	29	7	1	—	—	—	2	4	13	1	—	—	—	3	9	M	diseases
30	—	—	—	—	3	27	7	1	—	—	—	1	5	6	—	—	—	—	—	6	F	Bronchitis
41	7	2	1	2	7	22	3	1	—	—	—	1	1	3	—	1	—	—	—	2	M	
42	4	1	—	2	9	26	3	1	—	—	—	—	2	8	2	—	—	1	—	5	F	Pneumonia
8	—	—	—	—	2	6	6	1	—	—	1	4	—	3	—	—	—	—	1	2	M	
6	—	—	—	1	1	4	4	—	—	—	—	1	3	1	—	—	—	—	—	1	F	Other respiratory
7	—	—	—	—	4	3	2	—	—	—	—	2	—	6	—	—	—	2	1	3	M	diseases
6	—	—	—	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Ulcer of stomach
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	or duodenum†
1	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	M	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Diarrhoea
3	—	—	1	1	—	1	1	—	—	—	1	—	—	2	—	—	—	—	1	1	M	under 2 years
2	—	—	—	1	1	—	3	—	—	—	—	2	1	1	—	—	—	—	—	1	F	Appendicitis
13	1	—	—	1	7	4	3	—	—	—	—	1	2	4	—	—	—	1	2	1	M	
18	—	—	1	1	2	14	4	—	—	—	—	—	4	12	—	—	—	2	4	6	F	Other digestive
23	1	—	—	3	8	11	5	—	—	—	—	1	4	5	—	—	—	1	1	3	M	diseases
25	—	—	—	3	3	19	5	—	—	—	1	—	4	9	—	—	—	1	1	7	M	Nephritis
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	F	
4	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Maternal sepsis
16	16	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	M	Other maternal
5	5	—	—	—	—	—	1	1	—	—	—	—	—	5	—	—	—	—	—	—	F	
19	16	—	—	1	1	1	3	3	—	—	—	—	—	9	5	—	—	—	—	—	M	Premature
19	16	—	1	1	1	—	1	1	—	—	—	—	—	2	1	1	—	—	—	—	F	birth
7	—	—	—	1	4	2	2	—	—	—	—	2	—	—	—	—	—	1	1	—	M	Cong: mal:, birth
4	—	—	—	1	2	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—	F	inj:, infant: dis:
15	—	1	—	10	2	2	6	—	—	—	3	2	—	2	—	—	—	7	2	1	M	
3	—	—	2	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	F	Suicide
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
22	2	5	—	3	—	12	6	—	—	—	—	—	6	2	—	—	—	—	—	2	F	Road traffic
64	4	2	1	5	11	41	24	1	1	—	1	4	17	24	1	—	—	2	3	17	M	accidents
43	2	2	1	5	8	25	16	—	—	—	—	1	15	20	—	1	1	—	4	14	F	causes
2	—	—	—	—	1	1	1	—	—	—	—	—	—	3	—	—	—	1	1	1	M	
2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	All other
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	†Including deaths from
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	ulcer of duodenum.

TABLE 24—*contd.*—Administrative County of Wight, Isle of.

Administrative County

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	504	19	6	2	29	119	329	144	8	2	2	8	20	104	1067	44	6	12	75	275	655
	F	522	13	1	2	32	75	399	120	2	1	—	—	20	97	1063	28	10	10	62	187	766
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	4	1	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tuberculosis :—	M	15	—	—	1	6	7	1	4	—	1	—	3	—	—	41	—	—	1	21	17	23
Respiratory system	F	9	—	—	—	7	1	1	—	—	—	—	—	—	—	13	—	—	—	10	2	1
7 Other forms	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	3	—	—	1	1	1	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—
8 Syphilitic disease	M	2	—	—	—	—	1	1	1	—	—	—	—	1	—	4	—	—	—	—	1	3
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
9 Influenza	M	4	—	—	—	1	2	1	2	—	—	—	—	—	2	5	—	—	—	1	2	2
	F	12	—	—	—	—	4	8	—	—	—	—	—	—	—	10	—	—	—	1	1	8
10 Measles	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—	—	3	5	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Cancer of Mouth & œsoph:	M	9	—	—	—	—	1	8	1	—	—	—	—	—	1	7	—	—	—	—	1	6
13F Uterus	F	5	—	—	—	1	3	1	—	—	—	—	—	—	—	14	—	—	—	—	4	10
14 Stomach and duodenum	M	7	—	—	—	1	1	5	5	—	—	—	—	—	5	38	—	—	—	—	10	28
	F	10	—	—	—	—	2	8	3	—	—	—	—	1	2	22	—	—	—	1	5	16
15 Breast	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	2	4	6	3	—	—	—	—	1	2	27	—	—	—	5	11	11
16 All other sites	M	55	—	—	—	2	21	32	16	—	—	—	1	5	10	119	1	—	1	6	39	72
	F	45	—	—	—	4	14	27	14	—	—	—	—	4	10	99	—	1	1	8	33	56
17 Diabetes	M	1	—	—	—	1	—	—	1	—	—	—	—	1	—	7	—	—	—	1	2	4
	F	5	—	—	—	—	2	3	1	—	—	—	—	—	1	10	—	—	2	—	2	6
18 Intra-cranial vasc: lesions	M	39	—	—	—	2	8	29	7	—	—	—	—	1	6	117	—	—	—	1	27	89
	F	71	—	—	—	2	8	61	20	—	—	—	—	4	16	134	—	—	—	2	22	110
19 Heart disease	M	205	—	—	—	5	33	167	55	—	—	—	—	5	50	338	—	—	1	5	87	245
	F	222	—	—	—	1	18	203	36	—	—	—	—	5	31	373	—	—	—	4	45	324
20 Other circulatory diseases	M	10	—	—	—	1	4	5	6	—	—	—	—	—	6	53	—	—	—	1	13	39
	F	11	—	—	—	—	3	8	6	—	—	—	—	2	4	45	—	—	—	1	6	38
21 Bronchitis	M	22	—	—	—	—	6	16	4	—	—	—	—	—	4	42	—	—	1	6	7	28
	F	21	1	—	—	—	—	20	7	—	—	—	—	—	7	36	—	—	—	1	6	29
22 Pneumonia	M	13	2	—	—	1	6	4	6	2	—	—	—	—	4	44	10	1	—	—	12	21
	F	11	—	—	—	—	2	9	5	1	1	—	—	—	3	51	6	3	1	2	5	34
23 Other respiratory diseases	M	7	—	—	—	—	5	2	—	—	—	—	—	—	—	14	—	—	—	—	6	8
	F	3	—	—	—	2	1	—	1	—	—	—	—	—	1	15	—	2	—	2	7	4
24 Ulcer of stomach or duodenum†	M	8	—	—	—	—	4	4	2	—	—	—	—	1	1	17	—	—	—	1	12	4
	F	3	—	—	—	—	1	2	1	—	—	—	—	—	1	6	—	—	—	—	4	2
25 Diarrhoea under 2 years	M	1	1	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	2	—	—	—	—	2	—	1	—	—	1	—	—	—	4	—	—	1	1	2	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive diseases	M	8	—	1	—	—	1	6	2	—	—	—	—	1	1	13	—	—	—	4	2	7
	F	6	—	—	—	—	2	4	6	—	—	—	—	2	4	22	—	—	2	3	4	13
28 Nephritis	M	12	—	—	—	2	2	8	4	—	—	—	1	2	1	22	—	—	—	2	8	12
	F	3	—	—	—	1	—	2	2	—	—	—	—	—	2	23	—	—	1	1	3	18
29 Maternal sepsis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—
31 Premature birth	M	5	5	—	—	—	—	—	2	2	—	—	—	—	—	9	9	—	—	—	—	—
	F	5	5	—	—	—	—	—	1	1	—	—	—	—	—	8	8	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	13	11	2	—	—	—	—	2	2	—	—	—	—	—	19	16	1	—	1	1	—
	F	7	6	—	1	—	—	—	1	—	—	—	—	—	1	13	10	1	—	1	—	1
33 Suicide	M	6	—	—	—	—	5	1	2	—	—	—	—	1	1	12	—	—	—	7	3	2
	F	3	—	—	—	2	1	—	—	—	—	—	—	—	—	12	—	—	—	2	7	3
34 Road traffic accidents	M	4	—	1	—	2	—	1	1	—	—	—	—	—	—	8	—	1	1	5	—	1
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	4	—	1	—	1	—	2
35 Other violent causes	M	11	—	2	1	3	3	2	5	—	1	1	2	—	1	12	—	—	2	1	6	3
	F	7	—	—	—	1	1	5	2	—	—	—	—	—	2	10	2	1	—	1	1	5
36 All other causes	M	42	—	—	—	1	5	36	13	—	—	—	1	2	10	103	2	1	—	5	16	79
	F	41	1	1	—	1	8	30	11	—	—	—	—	1	10	108	2	1	2	11	18	74
†Including deaths from ulcer of duodenum	M	2	—	—	—	—	—	2	2	—	—	—	—	1	1	10	—	—	—	1	7	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.			
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over				
967 939	45 34	12 9	13 2	61 47	194 161	642 686	1612 1583	89 60	18 6	13 14	123 120	414 295	955 1088	678 632	29 22	12 2	9 2	43 45	145 95	440 466	M F	All Causes		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M F	Typhoid and paratyphoid	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	M F	Cerebro-spinal fever	2	
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M F	Scarlet fever	3	
2 2	1 1	1 1	—	—	—	—	6 3	5 2	1 1	—	—	—	—	1	—	—	1	—	—	—	M F	Whooping cough	4	
1	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	M F	Diphtheria	5	
21 16 5 3	—	—	—	7 12 3 1	6 1 — —	8 3 — 1	63 53 5 9	—	1 — 1 2	1 — 1 1	28 40 2 4	26 10 1 2	7 3 — —	18 12 6 1	—	—	—	9 9 2 —	9 2 — —	— 1 — —	M F M F	Tuberculosis :— Respiratory system Other forms	6 7	
2 1 12 19	—	—	—	—	1 3 3	1 1 8 14	5 5 27 18	1 1 — —	—	—	—	2 2 5 2	2 1 21 16	—	—	—	—	—	—	—	M F M F	Syphilitic disease Influenza Measles	8 9 10	
3 1 — 1	—	—	2 — —	1 1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 — —	1 — —	— — —	M F M F	Ac: poliomyelitis & polioenceph: Ac: infectious encephalitis Cancer of	11 12
13 9 32 30	—	—	—	—	7 3 5 6	6 4 27 23	21 24 63 44	—	—	—	—	7 14 27 11	14 8 31 32	7 4 20 11	—	—	—	—	1 1 8 4	6 3 12 7	M F M F	Mouth & œsoph: Uterus Stomach and duodenum	13M 13F 14	
1 27 101 67	—	—	—	—	1 9 34 27	— 16 60 39	1 57 170 134	—	—	—	—	2 27 6 6	27 28 67 41	— 22 61 69	—	—	—	—	2 9 17 8	9 11 41 44	M F M F	Breast All other sites	15 16	
5 6 119 137	—	—	1 — — —	—	— 3 21 25	4 3 97 112	5 9 169 237	—	—	—	—	1 4 34 36	4 4 132 197	3 7 60 82	—	—	—	—	2 1 10 14	1 6 49 66	M F M F	Diabetes Intra-cranial vasc: lesions	17 18	
301 294 54 50	—	—	3 — — —	5 5 — 2	48 35 12 8	245 254 42 40	464 478 40 49	—	—	1 — — 1	11 12 — 3	128 77 5 5	325 388 35 40	202 208 35 22	—	—	—	4 5 2 1	34 21 4 —	164 182 29 21	M F M F	Heart disease Other circulatory diseases	19 20	
28 36 37 36	2 1 4 4	— — 2 1	— — — —	— — 2 1	5 2 7 6	21 33 22 24	121 67 67 58	1 2 15 9	— — 5 —	— — 3 —	5 3 12 4	34 9 32 8	81 53 32 37	35 23 32 14	— 1 4 4	— — 3 —	— — — —	1 — 1 —	11 1 9 2	23 21 15 8	M F M F	Bronchitis Pneumonia	21 22	
20 7 10 3	— — — —	— — — —	— — — —	1 — 1 —	7 1 5 —	12 6 4 3	23 17 23 5	— — — —	— — — —	— — — —	4 1 3 1	7 5 10 1	12 11 10 3	12 6 12 —	— — — —	— — — —	— — — —	— 1 1 —	9 4 4 —	3 1 7 —	M F M F	Other respiratory diseases Ulcer of stomach or duodenum†	23 24	
2 1 4	2 1 —	— — 1	— — —	— — 1	— — 1	— — 1	4 5 6 1	4 5 — —	— — — —	— — — —	— — 2 —	— — 1 —	— — 3 1	— 3 2 3	— 3 — —	— 3 — —	— — — —	— — — 1	— — — 2	— — — —	— — 1 —	M F M F	Diarrhœa under 2 years Appendicitis	25 26
13 18 23 29 1 2	— 1 — — — —	— 1 — — — —	— — — — — —	3 — 2 1 — 2	2 6 5 5 — —	8 10 16 23 — —	20 24 37 37 2 10	2 — — — — —	2 — — 1 — —	— — — — — —	3 1 6 4 — 9	6 4 5 7 — 1	7 18 26 25 — —	12 11 13 17 — 2	— — — — — —	— — — — — —	— — — — — —	1 — 3 — — 2	3 3 1 6 — —	8 8 9 11 — —	M F M F F F	Other digestive diseases Nephritis Maternal sepsis Other maternal	27 28 29 30	
12 10 23 18	12 10 21 13	— — — —	— — — —	— — 1 1	— — 1 2	— — — 1	23 13 40 25	23 34 34 23	— — 3 —	— — 1 —	— — 1 2	— — 1 —	— — — —	9 2 10 13	9 2 10 9	— — — —	— — — —	— — — 4	— — — —	— — — —	M F M F	Premature birth Cong: mal:, birth inj:, infant: dis:	31 32	
8 6 18 9	— — — —	— — 1 1	— — 2 —	4 3 8 1	4 3 5 3	— — 2 4	26 11 19 11	— — — —	— — 1 —	— — 5 3	8 4 7 2	11 4 1 2	7 3 5 4	12 3 10 2	— — — —	— — 1 —	— — 2 —	1 1 2 1	4 1 2 1	4 1 3 —	M F M F	Suicide Road traffic accidents	33 34	
18 14 80 84	1 1 2 —	4 1 1 2	— — 4 1	7 — 7 8	5 1 9 12	1 11 57 61	35 28 127 145	3 — 1 4	3 — — 1	3 3 1 3	9 2 16 8	7 5 16 18	10 18 93 111	22 10 75 75	1 1 2 1	3 — 4 1	1 1 1 4	8 — 11 7	3 — 56 62	6 7 M F	Other violent causes All other causes	35 36		
4 1	— —	— —	— —	— —	2 —	2 1	7 —	— —	— —	— —	1 —	2 —	4 —	4 —	— —	— —	— —	— —	— —	1 —	3 —	M F	†Including deaths from ulcer of duodenum.	

TABLE 24—contd.—Administrative County of Yorks (E.R.).

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	649	22	2	2	34	163	426	664	36	4	5	54	132	433	1314	99	11	9	103	320	772
	F	651	17	3	4	40	114	473	534	23	6	3	36	93	373	1331	55	18	11	83	253	911
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory system	M	14	—	—	—	3	10	1	20	1	—	—	12	6	1	53	—	—	—	24	21	8
	F	16	—	1	—	11	2	2	12	—	—	—	8	3	1	38	—	—	—	29	6	3
7 Other forms	M	4	1	—	1	2	—	—	4	—	—	—	2	2	—	2	—	—	1	1	—	—
	F	1	—	—	1	—	—	—	1	—	—	—	1	—	—	10	—	2	5	3	—	—
8 Syphilitic disease	M	3	—	—	—	—	1	2	1	1	—	—	—	—	—	4	—	—	—	2	2	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—
9 Influenza	M	7	—	—	—	1	1	5	11	—	—	—	1	1	9	9	1	—	—	4	4	—
	F	6	—	1	—	1	1	3	14	—	—	—	—	4	10	11	1	—	—	1	8	—
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	2	—	—	—	—	—	2	9	—	—	—	—	2	7	21	—	—	—	—	4	17
13F Uterus	F	17	—	—	—	1	9	7	10	—	—	—	—	5	5	29	—	—	—	2	19	8
14 Stomach and duodenum	M	18	—	—	—	—	7	11	21	—	—	—	—	7	14	49	—	—	—	2	16	31
	F	19	—	—	—	—	3	16	10	—	—	—	—	4	6	35	—	—	—	2	11	22
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	—	—	—	—	11	7	18	—	—	—	3	9	6	35	—	—	—	5	15	15
16 All other sites	M	82	—	—	—	3	33	46	68	—	—	—	4	23	41	117	—	—	—	11	43	63
	F	55	—	—	—	1	13	41	47	—	—	1	3	13	30	104	—	—	1	5	36	62
17 Diabetes	M	7	—	—	—	1	—	6	6	—	—	—	—	1	5	4	—	—	—	—	1	3
	F	6	—	—	—	1	—	5	3	—	—	—	—	—	3	11	—	—	—	1	3	7
18 Intra-cranial vasc: lesions	M	74	—	—	—	—	14	60	76	—	—	—	—	13	63	132	—	—	—	5	26	101
	F	100	—	—	—	—	16	84	71	—	—	—	1	10	60	179	—	—	—	3	28	148
19 Heart disease	M	204	—	—	—	4	54	146	206	—	—	—	7	40	159	443	—	—	2	17	95	329
	F	200	—	—	—	2	20	178	159	—	—	—	4	25	130	493	—	—	1	10	64	418
20 Other circulatory diseases	M	36	—	—	—	2	2	32	34	—	—	—	—	4	30	55	—	—	—	3	6	46
	F	25	—	—	—	—	3	22	43	—	—	—	—	3	40	51	—	—	—	—	6	45
21 Bronchitis	M	29	—	—	—	1	8	20	26	1	—	—	1	3	21	71	5	1	—	2	29	34
	F	13	—	—	—	—	2	11	11	1	—	—	—	—	10	51	2	2	—	3	6	38
22 Pneumonia	M	26	7	—	—	2	7	10	19	5	—	—	2	4	8	53	10	2	—	1	14	26
	F	17	3	—	—	1	1	12	16	4	2	—	—	—	10	42	10	2	1	1	9	19
23 Other respiratory diseases	M	14	—	—	—	—	6	8	10	—	—	—	1	1	8	15	—	—	—	1	7	7
	F	8	—	—	—	1	2	5	5	—	—	—	1	—	4	16	—	1	—	2	8	5
24 Ulcer of stomach or duodenum†	M	5	—	—	—	1	—	4	7	—	—	—	1	2	4	10	—	—	—	1	7	2
	F	5	—	—	—	—	3	2	1	—	—	—	—	—	1	5	—	—	—	1	—	4
25 Diarrhœa under 2 years	M	3	3	—	—	—	—	—	2	2	—	—	—	—	—	12	11	1	—	—	—	—
	F	3	3	—	—	—	—	—	3	3	—	—	—	—	—	9	6	3	—	—	—	—
26 Appendicitis	M	3	—	—	—	1	1	1	1	—	—	—	1	—	—	4	—	—	1	1	1	1
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
27 Other digestive diseases	M	11	—	—	—	1	3	7	13	1	—	2	—	3	7	19	—	1	—	—	8	10
	F	19	—	—	—	—	4	15	12	—	—	2	—	2	6	26	1	2	2	—	7	13
28 Nephritis	M	17	—	—	—	1	4	12	14	—	—	—	1	2	11	42	—	—	—	5	12	25
	F	28	—	—	—	6	3	19	21	—	—	—	4	4	13	46	—	1	—	2	13	30
29 Maternal sepsis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
30 Other maternal	F	5	—	—	—	5	—	—	2	—	—	—	2	—	—	3	—	—	—	3	—	—
31 Premature birth	M	2	2	—	—	—	—	—	8	8	—	—	—	—	—	24	24	—	—	—	—	—
	F	4	4	—	—	—	—	—	3	3	—	—	—	—	—	10	10	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	13	8	—	—	2	1	2	15	12	—	—	3	—	—	44	43	—	—	—	1	—
	F	7	5	1	1	—	—	—	10	9	—	—	—	1	—	18	17	—	—	—	—	1
33 Suicide	M	8	—	—	—	1	2	5	10	—	—	—	5	2	3	10	—	—	—	5	1	4
	F	6	—	—	—	4	2	—	4	—	—	—	2	—	2	5	—	—	—	1	4	—
34 Road traffic accidents	M	4	—	—	—	1	1	2	8	—	1	1	2	2	2	11	—	—	1	7	—	3
	F	1	—	—	1	—	—	—	3	—	1	—	2	—	—	6	—	2	1	—	1	2
35 Other violent causes	M	13	1	1	1	5	3	2	22	4	2	—	5	4	7	28	3	3	2	6	8	6
	F	11	—	—	—	1	3	7	14	3	2	—	1	1	7	23	4	1	—	—	1	17
36 All other causes	M	48	—	—	—	2	5	41	52	1	1	1	6	10	33	78	1	1	2	11	14	49
	F	58	2	—	1	4	14	37	39	—	—	—	1	9	29	69	3	1	—	7	14	44
†Including deaths from ulcer of duodenum	M	3	—	—	—	—	—	3	3	—	—	—	—	1	2	4	—	—	—	1	3	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over		
931 892	62 36	10 6	3 6	67 55	183 162	606 627	7471 7115	398 322	65 65	73 55	500 439	2018 1395	4417 4839	2402 2062	186 131	30 31	23 15	189 168	589 394	1385 1323	M F	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
—	—	—	—	—	—	—	4	1	—	—	2	—	1	2	2	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	6	1	—	2	2	1	—	3	—	2	—	1	—	F	fever	
—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	M	Scarlet fever	
1	1	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—	—	—	—	F	Whooping	
—	—	—	—	—	—	—	9	7	1	1	—	—	—	3	1	2	—	—	—	M	cough	
1	—	1	—	—	—	—	3	—	2	—	1	—	—	1	—	—	1	—	—	F	Diphtheria	
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	M	Tuberculosis :—	
18	—	—	—	8	10	—	222	1	—	2	76	102	41	84	—	—	—	29	41	14	M	Respiratory
18	—	—	—	12	5	1	149	—	2	1	99	39	8	43	—	—	—	31	8	4	F	system
5	2	1	—	2	—	—	28	5	8	5	5	2	3	16	3	4	—	4	4	1	M	Other forms
3	—	—	—	1	2	—	31	6	8	4	6	6	1	11	2	4	—	2	3	—	F	
—	—	—	—	—	—	—	42	2	1	—	3	19	17	9	—	—	—	—	4	5	M	Syphilitic
—	—	—	—	—	2	—	17	3	—	—	—	7	7	2	—	—	—	—	—	2	F	disease
10	—	—	—	—	2	8	76	—	1	1	4	27	43	28	2	1	—	5	5	15	M	Influenza
4	—	—	—	—	—	4	93	—	1	2	4	15	71	30	1	1	—	2	2	24	F	Measles
—	—	—	—	—	—	—	5	2	1	2	—	—	—	2	2	—	—	—	—	—	M	
—	—	—	—	—	—	—	8	5	3	—	—	—	—	3	—	2	—	—	—	1	F	
—	—	—	—	—	—	—	13	—	2	3	6	1	1	2	—	1	1	—	—	—	M	Ac: poliomyelitis
2	—	—	1	1	—	—	10	1	1	5	2	1	—	3	—	—	1	2	—	—	F	& polioenceph:
—	—	—	—	—	—	—	5	—	—	—	2	1	2	2	—	—	—	1	1	—	M	Ac: infectious
—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	—	2	F	encephalitis
13	—	—	—	—	2	11	69	—	—	—	—	15	54	28	—	—	—	2	6	20	M	Cancer of
10	—	—	—	2	6	2	133	—	—	—	20	60	53	43	—	—	—	5	22	16	M	Mouth & œsoph:
25	—	—	—	1	10	14	253	—	—	—	11	107	135	81	—	—	—	1	33	47	F	Uterus
11	—	—	—	—	3	8	196	—	—	—	6	56	134	53	—	—	—	4	14	35	M	Stomach and
—	—	—	—	—	—	—	2	—	—	—	1	—	1	1	—	—	—	—	—	1	F	duodenum
25	—	—	—	1	8	16	188	—	—	—	19	88	81	51	—	—	—	13	16	22	M	Breast
84	—	—	—	5	29	50	770	—	2	2	48	293	425	241	1	—	—	18	87	135	F	All other
75	—	—	—	1	30	44	573	—	2	2	41	197	331	167	—	1	2	20	47	97	M	sites
10	—	—	—	—	2	8	31	—	—	—	2	5	24	15	—	—	—	1	5	9	M	Diabetes
8	—	—	—	1	1	6	82	—	—	—	1	19	62	17	—	—	—	—	4	13	F	
107	—	—	—	2	15	90	812	—	—	—	9	167	636	234	—	1	—	6	36	191	M	Intra-cranial
148	—	—	—	3	27	118	1066	—	—	—	7	165	894	255	—	—	—	3	50	202	F	vasc: lesions
307	—	—	—	13	55	239	2266	—	1	3	60	573	1629	710	—	—	2	24	180	504	M	Heart disease
286	—	—	—	4	27	255	2257	—	1	4	66	335	1851	618	—	—	1	20	97	500	F	
44	—	—	—	1	5	38	276	—	—	—	9	50	217	102	—	—	—	—	9	93	M	Other circulatory
59	—	—	—	2	6	51	272	—	—	—	6	35	231	101	1	—	—	2	15	83	F	diseases
40	2	—	—	1	4	33	623	11	1	—	11	201	399	181	8	1	—	7	60	105	M	Bronchitis
20	1	—	—	1	1	17	404	9	4	2	13	63	313	124	4	1	—	6	18	95	F	
35	8	2	—	3	5	17	259	72	13	3	21	45	105	105	45	7	—	3	12	38	M	Pneumonia
26	5	1	—	2	2	16	235	51	16	3	14	49	102	80	23	3	1	5	8	40	F	
10	2	—	—	3	1	4	128	1	1	—	13	54	59	31	—	1	—	2	13	15	M	Other respiratory
11	—	—	—	1	5	5	77	1	1	1	8	20	46	23	—	1	—	3	8	11	F	diseases
9	—	—	—	2	4	3	90	—	—	—	14	45	31	33	—	—	—	6	18	9	M	Ulcer of stomach
3	—	—	—	—	2	1	23	—	—	—	1	8	14	10	—	—	—	—	8	2	F	or duodenum†
1	1	—	—	—	—	—	32	31	1	—	—	—	—	17	16	1	—	—	—	—	M	Diarrhœa
2	1	1	—	—	—	—	27	26	1	—	—	—	—	13	13	—	—	—	—	—	F	under 2 years
1	—	—	—	—	—	1	16	—	2	2	4	3	5	5	—	—	1	1	1	2	M	Appendicitis
2	—	—	1	1	—	—	9	—	1	—	1	4	3	4	—	—	1	1	—	2	F	
18	1	—	—	1	4	12	127	3	3	3	12	45	61	29	1	1	1	2	8	16	M	Other digestive
19	—	—	—	1	6	12	131	3	3	3	16	35	71	37	1	—	3	4	8	21	F	diseases
27	—	—	—	1	5	21	200	1	—	3	28	56	112	51	—	—	1	9	13	28	M	Nephritis
31	—	—	—	5	8	18	167	—	—	1	15	45	106	45	—	—	—	6	14	24	F	
1	—	—	—	1	—	—	3	—	—	—	3	—	—	1	—	—	—	1	—	—	F	Maternal sepsis
1	—	—	—	1	—	—	12	—	—	—	12	—	—	7	—	—	—	7	—	—	F	Other maternal
10	10	—	—	—	—	—	93	93	—	—	—	—	—	34	34	—	—	—	—	—	M	Premature
13	13	—	—	—	—	—	70	70	—	—	—	—	—	31	31	—	—	—	—	—	F	birth
28	26	—	—	1	—	1	151	133	6	1	3	6	2	70	62	4	4	—	—	—	M	Cong: mal:, birth
16	12	—	1	1	2	—	131	113	1	6	7	4	—	51	42	4	1	2	1	1	F	inj., infant: dis:
9	—	—	—	2	4	3	73	—	—	—	12	44	17	12	—	—	—	4	6	2	M	Suicide
5	—	—	—	2	1	2	43	—	—	—	9	17	17	12	—	—	—	6	5	1	F	
22	—	3	1	11	4	3	101	—	4	14	47											

TABLE 24—contd.—Administrative County of Anglesey.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	142	7	1	—	13	50	71	207	14	1	2	12	44	134	108	6	1	—	10	23	68
	F	122	9	—	—	13	25	75	187	9	—	2	8	34	134	125	10	3	1	7	20	84
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tuberculosis :—	M	10	—	—	—	5	4	1	2	—	—	—	1	1	—	3	—	—	—	3	—	—
Respiratory system	F	8	—	—	—	6	2	—	3	—	—	—	2	1	—	4	—	—	—	3	1	—
7 Other forms	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	1
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	3	—	—	—	—
8 Syphilitic disease	M	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	1	—	—	—	—	1	—	3	—	—	—	—	1	2	1	—	—	—	—	1	—
	F	3	—	—	—	—	1	2	2	—	—	—	—	—	2	3	—	—	—	—	1	2
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Mouth & œsoph:	M	1	—	—	—	—	—	1	3	—	—	—	—	2	1	2	—	—	—	—	1	1
13F Uterus	F	2	—	—	—	—	1	1	4	—	—	—	—	—	4	1	—	—	—	—	1	—
14 Stomach and duodenum	M	7	—	—	—	—	3	4	18	—	—	—	—	4	14	8	—	—	—	—	5	3
	F	5	—	—	—	—	3	2	11	—	—	—	—	3	8	2	—	—	—	—	—	2
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	1	—	—	—	—	—	1	2	—	—	—	—	1	1
16 All other sites	M	16	—	—	—	1	7	8	18	—	—	—	1	6	11	10	—	—	—	—	3	7
	F	10	—	—	—	—	5	5	7	—	—	—	—	5	2	10	—	—	—	2	3	5
17 Diabetes	M	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	4	—	—	—	—	2	2	—	—	—	—	—	—	—
18 Intra-cranial vasc: lesions	M	19	—	—	—	1	6	12	25	—	—	—	2	5	18	7	—	—	—	—	1	6
	F	13	—	—	—	—	3	10	32	—	—	—	—	3	29	17	—	—	—	—	4	13
19 Heart disease	M	45	—	—	—	—	13	32	62	—	—	—	—	10	52	31	—	—	—	—	6	25
	F	43	—	—	—	1	3	39	65	—	—	—	1	8	56	43	—	—	—	—	7	36
20 Other circulatory diseases	M	1	—	—	—	—	1	—	2	—	—	—	—	1	1	1	—	—	—	—	—	1
	F	1	—	—	—	—	1	—	3	—	—	—	—	1	2	—	—	—	—	—	—	—
21 Bronchitis	M	7	—	1	—	—	3	3	13	—	—	—	—	6	7	9	1	—	—	—	1	7
	F	4	1	—	—	—	—	3	5	—	—	—	—	1	4	13	1	—	—	—	—	12
22 Pneumonia	M	2	—	—	—	1	—	1	6	2	1	—	—	—	3	2	—	—	—	1	—	1
	F	4	3	—	—	1	—	—	6	2	—	—	1	2	1	—	—	—	—	—	—	—
23 Other respiratory diseases	M	2	—	—	—	1	—	1	3	—	—	—	—	2	1	3	—	—	—	—	1	2
	F	3	—	—	—	—	1	2	2	—	—	—	1	—	1	—	—	—	—	—	—	—
24 Ulcer of stomach or duodenum†	M	3	—	—	—	—	1	2	4	—	—	—	1	1	2	3	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	2	—	—	—	—	1	1	2	—	—	—	—	—	2
25 Diarrhœa under 2 years	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
26 Appendicitis	M	—	—	—	—	—	—	—	2	—	—	—	1	—	1	1	—	—	—	—	—	1
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
27 Other digestive diseases	M	1	—	—	—	—	1	—	4	—	—	—	2	—	2	3	—	—	—	1	1	1
	F	2	—	—	—	—	2	—	2	—	—	—	—	1	1	2	—	—	—	—	—	1
28 Nephritis	M	3	—	—	—	—	2	1	6	—	—	—	1	1	4	1	—	—	—	—	—	1
	F	3	—	—	—	1	1	1	5	—	—	—	1	—	4	1	—	—	—	—	—	1
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature birth	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—
	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	3	3	—	—	—	—	—	11	11	—	—	—	—	—	3	3	—	—	—	—	—
	F	4	4	—	—	—	—	—	7	5	—	1	—	1	—	2	2	—	—	—	—	—
33 Suicide	M	3	—	—	—	—	2	1	4	—	—	—	—	2	2	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 Road traffic accidents	M	2	—	—	—	1	1	—	1	—	—	—	1	—	—	2	—	—	—	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35 Other violent causes	M	3	3	—	—	—	—	—	3	—	—	1	—	1	1	5	—	—	—	2	1	1
	F	—	—	—	—	—	—	—	4	1	—	—	—	1	1	6	—	—	—	—	—	2
36 All other causes	M	11	1	—	—	2	5	3	12	—	—	—	1	—	11	10	—	—	—	1	1	8
	F	7	—	—	—	1	1	5	21	—	—	—	2	4	15	10	1	—	—	1	1	7
†Including deaths from ulcer of duodenum.	M	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death See first page of Table.	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	M	F
251 191	18 7	2 1	— 3	35 15	50 41	146 124	440 485	26 12	4 1	2 1	9 26	116 95	283 350	400 371	16 11	10 5	3 2	25 26	96 75	250 252	M	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
13 5 2	—	—	—	8 3 2	4 —	1 1	21 12 3	—	—	—	4 9 1	13 1 1	4 2 1	34 11 3	1 —	—	—	8 9 1	16 —	9 2 —	M	Tuberculosis :—
—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	1	—	1	—	1	F	Respiratory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	system
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other forms
—	—	—	—	—	—	—	2	—	—	—	—	1	1	1	—	—	—	—	—	1	M	Syphilitic
4 1	—	—	—	—	—	4 1	—	3	—	—	—	2	—	6	—	—	1	—	2	4	F	disease
—	—	—	—	—	—	—	—	2	—	—	—	2	2	2	—	—	—	—	—	2	M	Influenza
—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyelitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
5 1 9 7	—	—	—	—	1 1 2 3	4 — 6 4	7 5 25 16	—	—	—	—	1 1 8 5	6 2 17 11	4 3 21 22	—	—	—	1 —	—	3 2 12 18	M	Cancer of
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Mouth & œsoph:
6 14 14	—	—	—	—	3 5 5	3 8 9	22 54 63	—	—	—	1 1 2	15 14 22	6 39 38	17 50 39	—	—	2 1	—	11 15 10	6 30 27	M	Uterus
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	duodenum
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Breast
1 1 34 25	—	—	—	—	1 6 5	27 20	61 60	—	—	—	—	1 15 10	4 3 45 50	—	—	—	—	—	—	—	F	All other
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	sites
66 56 7 17	—	—	—	—	3 2 — 1	11 12 5 16	126 163 14 24	—	—	—	—	36 12 1 3	90 147 13 21	98 102 15 19	—	—	—	4 1 —	18 16 1 2	76 85 14 17	M	Diabetes
13 8 5 5	—	—	—	—	5 2 1 —	8 5 2 4	15 13 10 7	—	—	—	—	5 3 3 1	10 8 2 4	18 7 11 6	—	1 —	—	1 —	5 3 1 1	11 4 5 3	M	Intra-cranial
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	vasc: lesions
11 1 1	—	—	—	—	7 — 1	4 1 —	6 7 10 4	—	—	—	—	2 1 6 3	4 5 4 1	13 4 1 —	—	—	—	1 1 —	6 1 —	6 1 —	M	Heart disease
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Other circulatory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
13 8 5 5	—	—	—	—	5 2 1 —	8 5 2 4	15 13 10 7	—	—	—	—	5 3 3 1	10 8 2 4	18 7 11 6	—	1 —	—	1 —	5 3 1 1	11 4 5 3	M	Bronchitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Pneumonia
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
11 1 1	—	—	—	—	7 — 1	4 1 —	6 7 10 4	—	—	—	—	2 1 6 3	4 5 4 1	13 4 1 —	—	—	—	1 1 —	6 1 —	6 1 —	M	Other respiratory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum†
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diarrhœa
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Appendicitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
4 6 7 5	—	1 —	—	—	1 2 3 1	2 2 4 4	5 9 13 16	—	—	—	—	1 2 3 2	4 6 10 13	2 3 18 17	—	—	—	—	—	2 1 16 12	M	Other digestive
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	diseases
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Nephritis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Maternal sepsis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal
6 3 6 6	6 3 6 3	—	—	—	—	—	7 1 12 3	7 1 11 3	—	—	—	—	—	5 3 5 6	5 3 5 4	—	—	—	—	—	M	Premature
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cong: mal:, birth
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	inj:, infant: dis:
3 2 3 1	—	—	—	—	1 1 3 —	2 1 —	—	—	—	—	—	—	—	2 1 2 —	—	—	—	—	—	—	M	Suicide
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Road traffic
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	accidents
12 7 23 14	2 — 1 —	—	—	—	8 2 4 2	1 1 2 3	6 6 30 37	2 1 —	1 —	1 —	—	—	2 5 3 10	10 2 37 44	1 —	2 —	—	1 —	2 —	4 2 22 31	M	Other violent
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	All other
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	causes
1	—	—	—	—	—	—	3	—	—	—	—	2	1	1	—	—	—	—	—	—	M	†Including deaths from
—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	F	ulcer of duodenum.

TABLE 24—contd.—Administrative County of Cardigan.

Administrative County

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	143	5	—	1	6	35	96	252	8	3	—	15	51	175	505	19	6	7	37	153	283
	F	156	4	—	1	9	23	119	311	10	3	—	17	54	227	432	17	6	6	36	91	276
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Tuberculosis :— Respiratory system	M	7	—	—	—	4	1	2	4	—	—	—	4	—	—	30	—	—	—	14	13	3
	F	7	—	—	—	5	1	1	4	—	—	—	3	1	—	17	—	—	2	11	2	
7 Other forms	M	—	—	—	—	—	—	—	3	—	1	—	1	1	—	6	—	—	2	3	—	
	F	—	—	—	—	—	—	—	2	—	1	—	1	—	—	1	1	—	—	—	—	
8 Syphilitic disease	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	1	
9 Influenza	M	3	1	—	—	—	—	2	5	—	—	—	1	2	2	4	1	—	—	2	1	
	F	—	—	—	—	—	—	—	4	2	—	—	1	—	1	4	—	—	—	1	3	
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11 Ac: poliomyelitis & polioenceph:	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
Cancer of																						
13M Mouth & œsoph:	M	2	—	—	—	—	1	1	4	—	—	—	—	2	2	8	—	—	—	1	2	5
13F Uterus	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1	9	—	—	—	7	2	
14 Stomach and duodenum	M	5	—	—	—	—	2	3	9	—	—	—	—	1	8	15	—	—	—	10	5	
	F	4	—	—	—	—	1	3	8	—	—	—	1	1	6	9	—	—	—	3	6	
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	6	—	—	—	—	3	3	15	—	—	—	—	7	8	11	—	—	—	2	4	
16 All other sites	M	15	—	—	—	—	6	9	23	—	—	—	1	8	14	41	—	—	—	1	17	23
	F	7	—	—	—	—	4	3	34	—	—	—	4	8	22	48	—	—	—	3	20	25
17 Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	1	4
	F	3	—	—	—	1	—	2	1	—	—	—	—	1	—	3	—	—	—	—	—	3
18 Intra-cranial vasc: lesions	M	22	—	—	—	7	15	21	21	—	—	—	—	5	16	46	—	—	—	1	8	37
	F	30	—	—	—	2	28	54	54	—	—	—	—	7	47	60	—	—	—	—	12	48
19 Heart disease	M	39	—	—	—	10	29	76	76	—	—	—	1	10	65	131	—	—	—	2	38	91
	F	48	—	—	—	6	42	104	104	—	—	—	1	16	87	104	—	—	—	7	20	77
20 Other circulatory diseases	M	3	—	—	—	—	3	8	8	—	—	—	—	1	7	14	—	—	—	—	—	14
	F	9	—	—	—	1	8	6	6	—	—	—	—	1	5	26	—	—	—	—	4	22
21 Bronchitis	M	4	—	—	—	1	3	17	17	1	—	—	—	3	13	36	—	—	—	—	15	21
	F	4	—	—	—	1	3	16	16	1	1	—	1	1	12	14	2	—	—	—	1	11
22 Pneumonia	M	3	—	—	—	—	3	7	7	1	—	—	—	1	5	13	1	1	—	—	5	6
	F	4	1	—	—	—	3	9	9	—	—	—	—	—	9	13	1	1	—	1	1	9
23 Other respiratory diseases	M	6	—	—	—	2	4	10	10	—	—	—	1	5	4	24	—	2	—	1	12	9
	F	3	—	—	—	—	3	2	2	—	—	—	—	1	1	5	—	—	—	—	1	4
24 Ulcer of stomach or duodenum†	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	
25 Diarrhœa under 2 years	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	1	—	—	—	—	
26 Appendicitis	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
27 Other digestive diseases	M	4	—	—	—	—	4	3	3	—	—	—	1	—	2	7	—	—	—	4	1	2
	F	2	—	—	—	—	1	1	3	—	—	—	—	1	2	13	—	—	—	—	6	6
28 Nephritis	M	10	—	—	—	2	8	12	12	—	—	—	—	4	8	18	—	—	1	2	6	9
	F	8	—	—	—	1	7	4	4	—	—	—	1	1	2	10	—	—	—	2	2	6
29 Maternal sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	
30 Other maternal	F	—	—	—	—	—	—	—	2	—	—	—	2	—	—	3	—	—	—	3	—	
31 Premature birth	M	1	1	—	—	—	—	—	2	2	—	—	—	—	—	6	6	—	—	—	—	
	F	1	1	—	—	—	—	—	2	2	—	—	—	—	—	5	5	—	—	—	—	
32 Cong: mal:, birth inj:, infant: dis:	M	2	1	—	—	1	—	—	5	4	1	—	—	—	—	8	7	—	1	—	—	
	F	3	2	—	—	—	1	—	3	2	—	—	1	—	—	4	4	—	—	—	—	
33 Suicide	M	1	—	—	—	1	—	—	3	—	—	—	—	2	1	4	—	—	—	1	3	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
34 Road traffic accidents	M	1	—	—	1	—	—	—	1	—	—	—	1	—	—	8	—	1	1	2	3	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
35 Other violent causes	M	4	1	—	—	2	1	5	—	—												

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
692	42	9	4	67	192	378	484	26	3	2	35	133	285	614	34	1	7	29	155	388	M	All Causes
565	33	5	9	57	110	351	573	27	2	3	43	110	388	524	28	7	6	41	108	334	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
1	—	1	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
2	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	F	Whooping
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
24	—	—	—	11	11	2	13	—	—	—	6	5	2	13	—	—	—	2	7	4	M	Tuberculosis :—
24	—	—	—	19	2	3	14	—	—	—	10	2	2	22	—	—	2	16	3	1	F	Respiratory
6	—	2	1	—	2	1	2	—	—	—	2	—	—	3	—	—	—	1	—	2	M	system
5	1	1	—	2	1	—	5	—	1	—	3	1	—	1	—	—	—	—	1	—	F	Other forms
1	—	—	—	—	1	—	3	—	—	—	—	1	2	3	—	—	—	1	2	—	M	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	F	Syphilitic
3	—	—	—	1	—	2	5	—	—	—	—	3	2	2	1	—	—	—	—	1	F	disease
5	1	1	—	—	—	3	9	—	—	—	—	2	7	10	1	—	1	—	2	6	M	Influenza
—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyelitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	—	M	Ac: infectious
7	—	—	—	1	2	4	6	—	—	—	—	2	4	8	—	—	—	—	3	5	M	encephalitis
14	—	—	—	4	6	4	11	—	—	—	—	10	1	9	—	—	—	4	4	1	M	Cancer of
27	—	—	—	1	8	18	18	—	—	—	—	6	12	35	—	—	—	—	13	22	F	Mouth & œsoph:
13	—	—	—	3	5	5	13	—	—	—	2	1	10	17	—	—	—	1	5	11	M	Uterus
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Stomach and
15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	duodenum
57	—	1	—	—	7	8	14	—	—	—	3	4	7	8	—	—	—	1	3	4	F	Breast
47	—	1	—	1	27	28	56	1	—	—	3	23	29	57	—	—	—	4	21	32	M	
—	—	—	—	3	16	27	54	—	—	—	6	19	29	41	—	1	—	3	12	25	F	All other
1	—	—	—	—	—	1	3	—	—	—	—	1	2	3	—	—	—	—	1	2	M	sites
3	—	—	—	—	2	1	2	—	—	—	—	—	2	9	—	—	—	—	—	9	F	Diabetes
61	—	—	—	2	16	43	44	—	—	—	2	6	36	70	—	—	—	—	8	62	M	
95	—	—	—	2	24	69	86	—	—	—	—	16	70	91	—	—	—	—	19	72	F	Intra-cranial
170	—	—	—	11	34	125	136	—	—	—	7	35	94	194	—	—	2	3	33	156	M	vasc: lesions
133	—	—	—	3	19	111	192	—	—	1	4	26	161	145	—	—	1	2	23	119	F	
26	—	—	—	2	10	14	23	—	—	—	—	4	19	16	—	—	—	—	5	11	M	Heart disease
28	—	—	—	2	4	22	26	—	—	—	—	5	21	12	—	—	—	—	3	9	F	Other circulatory
44	2	—	—	—	14	28	22	—	1	—	—	4	17	30	—	—	—	1	12	17	M	diseases
30	—	—	—	1	2	27	21	—	—	—	—	5	16	24	2	—	—	—	5	17	F	Bronchitis
24	2	1	1	4	5	11	15	4	—	—	1	4	6	28	7	—	—	2	5	14	M	
20	6	—	4	—	1	9	15	5	—	—	1	4	5	17	4	1	—	—	4	8	F	Pneumonia
62	1	—	—	6	37	18	16	—	—	—	1	7	8	17	—	—	—	1	10	6	M	
8	1	—	—	2	3	2	11	—	—	—	1	3	7	3	—	—	—	3	—	—	F	Other respiratory
6	—	—	—	2	4	—	8	—	—	—	1	6	1	9	—	—	—	—	6	3	M	diseases
3	—	—	—	—	1	2	—	—	—	—	—	—	—	5	—	—	—	1	2	2	M	Ulcer of stomach
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum†
1	1	—	—	—	—	—	4	3	1	—	—	—	—	2	2	—	—	—	—	—	M	
1	1	—	—	—	—	—	2	2	—	—	—	—	—	5	3	2	—	—	—	—	F	Diarrhœa
3	—	—	—	—	1	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	M	under 2 years
2	—	—	1	—	1	—	2	—	1	—	—	1	—	1	—	—	—	1	—	—	M	Appendicitis
10	—	—	—	—	4	5	14	—	—	1	1	3	9	14	—	—	—	1	2	7	M	
4	—	—	—	—	—	4	15	1	—	—	1	2	11	16	—	—	—	1	3	12	F	Other digestive
20	—	1	—	—	2	17	18	—	—	—	2	4	12	12	—	—	—	1	1	3	M	diseases
18	—	—	1	4	2	11	13	—	—	—	1	5	7	10	—	—	—	1	1	6	M	Nephritis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	F	
4	—	—	—	4	—	—	1	—	—	—	1	—	—	2	—	—	—	2	—	—	F	Maternal sepsis
13	13	—	—	—	—	—	6	6	—	—	—	—	—	6	6	—	—	—	—	—	M	Other maternal
5	5	—	—	—	—	—	6	6	—	—	—	—	—	4	4	—	—	—	—	—	F	
18	16	—	—	1	—	1	9	7	1	—	—	1	—	13	12	—	—	—	1	—	M	Premature
17	14	—	1	—	2	—	13	12	—	—	1	—	—	13	11	1	—	1	—	—	M	birth
10	—	—	—	1	3	6	3	—	—	—	1	1	1	11	—	—	—	1	9	1	M	Cong: mal; birth
4	—	—	—	2	2	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	F	inj; infant: dis:
9	—	1	—	5	1	2	5	—	—	1	2	1	1	7	—	—	—	2	4	1	M	
2	—	—	—	1	—	1	2	—	—	—	1	—	1	4	—	—	2	—	1	1	F	Suicide
19	1	1	2	8	3	4	15	1	—	—	5	8	1	8	—	1	—	5	1	1	M	
12	1	2	—	—	1	8	8	—	—	—	1	—	7	7	—	1	—	1	1	4	F	Road traffic
68	4	2	—	8	7	47	37	2	—	—	—	8	27	42	6	—	1	2	4	29	M	accidents
50	2	—	1	5	9	33	36	—	—	2	6	4	24	43	2	1	—	2	9	29	F	Other violent
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	All other
3	—	—	—	2	1	—	3	—	—	—	1	1	1	3	—	—	—	—	3	—	M	causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	F	

†Including deaths from ulcer of duodenum.

TABLE 24—contd.—Administrative County of Flint.

Administrative County

Causes of Death <i>See first page of Table.</i>		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	433	30	3	5	32	122	241	481	24	4	2	66	126	259	3838	220	35	35	324	1115	2109
	F	462	17	1	1	31	88	324	371	13	—	1	27	63	267	2970	171	26	23	260	653	1837
1 Typhoid and paratyphoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Cerebro-spinal fever	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tuberculosis :—																						
6 Respiratory system	M	13	—	—	—	3	7	3	55	1	—	—	30	22	2	189	—	—	1	97	66	25
	F	11	—	—	—	7	3	1	15	—	—	1	10	3	1	127	—	2	1	95	25	4
7 Other forms	M	1	—	—	—	1	—	—	7	1	—	—	5	1	—	16	2	3	1	6	4	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	11	—	3	1	4	3	—
8 Syphilitic disease	M	—	—	—	—	—	—	—	4	—	—	—	1	3	—	16	—	—	—	—	9	7
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	4	1	—	—	1	2	
9 Influenza	M	8	—	1	—	—	1	6	6	—	—	—	1	1	4	31	1	—	—	4	10	16
	F	5	1	—	—	1	2	1	7	—	—	—	—	2	5	32	1	1	—	4	9	17
10 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	
11 Ac : poliomyelitis & polioenceph :	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	2	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	
12 Ac: infectious encephalitis	M	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	
Cancer of																						
13M Mouth & œsoph:	M	8	—	—	—	—	3	5	6	—	—	—	—	—	6	35	—	—	—	1	11	23
13F Uterus	F	9	—	—	—	1	4	4	8	—	—	—	—	7	1	60	—	—	—	10	33	17
14 Stomach and duodenum	M	16	—	—	—	1	7	8	15	—	—	—	1	2	12	150	—	—	—	3	72	75
	F	12	—	—	—	—	2	10	10	—	—	—	1	3	6	87	—	—	—	—	26	61
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	20	—	—	—	2	8	10	16	—	—	—	2	6	8	65	—	—	—	4	38	23
16 All other sites	M	42	—	—	—	1	15	26	52	—	—	1	5	19	27	330	—	1	3	20	143	163
	F	42	—	—	—	1	14	27	28	—	—	—	2	6	20	194	—	1	—	16	69	108
17 Diabetes	M	3	—	—	—	1	1	1	2	—	—	—	—	1	1	17	—	—	—	1	3	13
	F	7	—	—	—	—	1	6	5	—	—	—	—	1	4	29	—	1	2	—	9	17
18 Intra-cranial vasc: lesions	M	42	—	—	—	1	9	32	46	—	—	—	—	5	41	324	1	1	—	7	77	238
	F	67	—	—	—	1	17	49	62	—	—	—	1	9	52	417	—	—	—	4	94	319
19 Heart disease	M	123	—	—	—	3	38	82	115	—	—	—	4	34	77	1050	—	—	1	28	283	738
	F	151	—	—	—	4	17	130	124	—	—	—	3	12	109	915	—	—	4	28	182	701
20 Other circulatory diseases	M	18	—	—	—	2	6	10	20	—	—	—	—	4	16	111	—	—	—	5	24	82
	F	20	—	—	—	1	1	18	16	—	—	—	—	—	16	91	—	—	—	2	20	69
21 Bronchitis	M	25	—	—	—	—	11	14	16	—	1	—	—	3	12	377	4	2	—	11	120	240
	F	17	—	—	—	1	3	13	11	1	—	—	1	3	6	147	4	1	—	5	20	117
22 Pneumonia	M	13	7	—	—	—	2	4	19	3	2	—	1	2	11	100	34	7	2	3	17	37
	F	16	4	—	—	2	2	8	10	—	—	—	1	—	9	85	27	1	1	9	11	36
23 Other respiratory diseases	M	9	—	—	—	1	3	5	11	1	1	—	1	3	5	217	—	—	—	17	118	82
	F	6	—	—	—	2	1	3	2	—	—	—	—	1	1	33	—	2	—	3	12	16
24 Ulcer of stomach or duodenum†	M	11	—	—	—	1	5	5	5	—	—	—	—	3	2	46	—	—	1	8	20	17
	F	1	—	—	—	1	—	—	1	—	—	—	—	1	—	8	—	—	—	4	4	4
25 Diarrhœa under 2 years	M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	22	22	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—
26 Appendicitis	M	5	—	—	1	2	2	—	2	—	—	—	—	2	—	10	—	2	5	2	1	—
	F	2	—	—	—	1	—	1	1	—	—	—	—	1	—	6	—	—	1	3	1	1
27 Other digestive diseases	M	6	—	—	—	1	2	3	10	1	—	—	2	5	2	49	4	1	—	3	19	22
	F	7	—	—	—	1	4	2	7	—	—	—	—	4	3	79	3	2	1	5	29	39
28 Nephritis	M	12	—	—	1	3	1	7	9	1	—	—	—	2	6	85	—	—	1	14	23	47
	F	10	—	—	—	1	—	9	4	—	—	—	—	1	3	63	—	—	2	9	20	32
29 Maternal sepsis	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	5	—	—	—	5	—	—
30 Other maternal	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	—	9	—	—
31 Premature birth	M	5	5	—	—	—	—	—	4	4	—	—	—	—	—	57	57	—	—	—	—	—
	F	7	7	—	—	—	—	—	5	5	—	—	—	—	—	45	45	—	—	—	—	—
32 Cong: mal:, birth inj:, infant: dis:	M	13	11	—	—	2	—	—	9	8	—	—	1	—	—	87	75	1	3	4	3	1
	F	3	3	—	—	—	—	—	6	5	—	—	1	—	—	67	61	3	2	—	1	—
33 Suicide	M	1	—	—	—																	

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
1150 938	67 46	14 12	11 6	99 85	341 207	618 582	128 148	2 5	1 1	— 4	12 7	34 30	79 101	132 150	7 7	2 —	1 —	16 5	29 30	77 108	M F	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping
—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	F	cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
49	—	—	1	19	19	10	10	—	—	—	5	4	1	8	—	—	—	3	4	1	M	Tuberculosis :—
34	—	—	—	24	8	2	5	—	—	1	2	2	—	4	—	—	—	3	1	—	F	Respiratory
6	—	2	1	3	—	—	2	—	—	—	2	—	—	1	1	—	—	—	—	—	M	system
9	—	3	1	2	3	—	2	—	—	—	2	—	—	1	—	—	1	—	—	—	F	Other forms
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	—	—	—	—	6	2	1	—	—	—	—	—	1	1	—	—	—	1	—	—	M	Syphilitic
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	disease
9	1	—	—	1	2	5	11	—	1	—	—	—	10	—	—	—	—	—	—	—	M	Influenza
4	—	—	—	1	—	3	6	1	—	—	—	1	4	3	—	—	—	1	2	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Measles
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M	Ac: poliomyelitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: infectious
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	encephalitis
17	—	—	—	—	8	9	1	—	—	—	—	—	1	—	—	—	—	—	—	—	M	Cancer of
19	—	—	—	4	6	9	1	—	—	—	—	1	—	3	—	—	—	2	1	—	F	Mouth & œsoph: 13M
42	—	—	—	1	20	21	8	—	—	—	—	3	5	9	—	—	1	3	5	—	M	Uterus 13F
26	—	—	—	2	8	16	7	—	—	—	—	—	7	9	—	—	—	4	5	—	F	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	duodenum
26	—	—	—	5	11	10	3	—	—	—	1	1	1	5	—	—	—	1	4	—	M	Breast
113	—	—	—	9	42	62	10	—	—	—	2	8	8	15	—	—	—	3	11	—	F	
90	—	—	—	10	36	44	9	—	—	—	1	4	4	9	—	—	—	5	4	—	M	All other
6	—	—	—	2	3	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—	F	sites
15	—	—	—	—	5	10	2	—	—	—	—	1	1	3	—	—	—	—	3	—	M	Diabetes
99	—	—	—	2	23	74	13	—	—	—	—	1	12	17	—	—	—	4	13	—	F	
144	—	—	—	3	35	106	22	—	—	—	—	6	16	23	—	—	—	4	19	—	M	Intra-cranial
296	—	—	—	11	100	185	37	—	—	—	1	14	22	29	—	—	—	1	3	25	F	vasc: lesions
233	—	—	1	5	39	188	33	—	—	—	1	4	28	45	—	—	—	5	40	—	M	Heart disease
48	—	—	—	—	9	39	1	—	—	—	—	—	1	3	—	—	—	2	1	—	M	Other circulatory
35	—	—	—	3	8	24	13	—	—	—	—	2	11	11	—	—	—	1	10	—	F	diseases
81	1	—	—	2	24	54	9	—	—	—	1	3	5	10	—	1	—	1	7	—	M	Bronchitis
41	2	1	—	1	1	36	8	—	—	—	—	1	7	6	—	—	—	1	5	—	F	
32	10	2	—	1	4	15	5	—	—	—	—	2	3	4	—	—	—	1	1	2	M	Pneumonia
28	10	1	—	4	3	10	5	1	1	1	—	—	2	5	2	—	—	2	2	1	F	
69	—	1	—	1	34	33	2	—	—	—	—	—	2	4	—	—	—	1	3	—	M	Other respiratory
8	—	—	—	—	2	6	1	—	—	—	—	1	—	3	1	—	—	—	—	2	F	diseases
12	—	—	—	1	9	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ulcer of stomach
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum†
9	8	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	Diarrhoea
3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
6	—	1	1	2	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	M	Appendicitis
3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
17	—	—	—	6	3	8	—	—	—	—	—	—	—	2	—	—	—	1	1	—	M	Other digestive
18	1	—	—	3	5	9	1	—	—	—	—	1	—	2	—	—	—	—	2	—	F	diseases
29	—	—	—	7	5	17	2	—	—	—	—	—	2	7	—	—	—	—	5	—	M	Nephritis
43	—	—	—	2	14	27	8	—	—	1	—	1	6	1	—	—	—	—	1	—	F	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Maternal sepsis
4	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other maternal
24	24	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—	M	Premature
12	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	birth
18	16	—	—	—	—	2	—	—	—	—	—	—	—	4	3	—	—	1	—	—	M	Cong: mal:, birth
15	14	—	1	—	—	—	2	2	—	—	—	—	—	1	—	—	—	1	—	—	F	inj:, infant: dis:
6	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Suicide
3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	
10	—	2	1	5	—	2	1	—	—	—	—	1	—	5	—	—	5	—	—	—	M	Road traffic
5	—	1	1	1	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	F	accidents
41	5	3	3	12	11	7	3	—	—	—	2	1	—	1	—	—	—	—	1	—	M	Other violent
10	—	1	—	1	3	5	1	—	—	—	—	—	1	2	2	—	—	—	—	—	F	causes
99	—	1	4	10	14	70	6	—	—	—	—	1	5	9	1	1	1	2	—	5	M	All other
105	3	4	2	7	16	73	17	—	—	1	—	3	13	13	1	—	—	1	2	9	F	causes
7	—	—	—	1	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	†Including deaths from
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	ulcer of duodenum.

TABLE 24—contd.—Administrative County of Monmouth.

Administrative County

Causes of Death See first page of Table.		Aggregate of Urban Districts.							Aggregate of Rural Districts.							Aggregate of Urban Districts.						
		All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over
All Causes	M	1881	134	18	13	167	523	1026	297	7	7	—	19	83	181	111	8	—	—	11	18	74
	F	1476	95	15	13	137	329	887	215	13	2	1	13	46	140	122	4	1	—	6	29	82
1 Typhoid	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
paratyphoid	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal	M	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
fever	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cough	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—																						
6 Respiratory	M	74	—	—	—	39	29	6	7	—	—	—	1	5	1	7	—	—	—	5	2	—
system	F	71	—	1	1	50	16	3	5	—	—	—	3	1	1	5	—	—	—	2	3	—
7 Other forms	M	11	—	2	1	2	3	3	2	—	1	—	1	—	—	—	—	—	—	—	—	—
	F	11	—	3	1	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Syphilitic	M	6	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
disease	F	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	20	—	—	—	1	7	12	—	—	—	—	—	—	—	1	—	—	—	—	—	1
	F	16	—	—	—	1	1	14	2	1	—	—	—	—	1	3	—	—	—	—	—	3
10 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Ac : poliomyelitis	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
& polioenceph:	F	4	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
encephalitis	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of																						
13M Mouth & œsoph:	M	15	—	—	—	1	3	11	1	—	—	—	—	1	—	3	—	—	—	—	—	3
13F Uterus	F	25	—	—	—	4	12	9	8	—	—	—	1	3	4	2	—	—	—	1	1	1
14 Stomach and	M	58	—	—	—	8	24	26	9	—	—	—	2	2	5	4	—	—	—	2	2	2
duodenum	F	43	—	—	—	1	12	30	7	—	—	—	—	4	3	4	—	—	—	1	1	3
15 Breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	54	—	—	—	9	31	14	2	—	—	—	—	1	1	—	—	—	—	—	—	—
16 All other	M	172	—	—	1	9	69	93	32	—	1	—	1	13	17	9	—	—	—	3	6	6
sites	F	105	—	—	—	10	38	57	23	—	—	—	1	9	13	9	—	—	—	2	7	7
17 Diabetes	M	6	—	—	—	1	3	2	1	—	—	—	—	—	1	2	—	—	—	—	—	2
	F	17	—	—	—	—	7	10	4	—	—	—	—	1	3	2	—	—	—	—	—	2
18 Intra-cranial	M	140	—	—	—	2	32	106	31	—	—	—	—	4	27	8	—	—	—	1	7	7
vasc: lesions	F	178	—	—	—	1	35	142	36	—	—	—	—	5	31	22	—	—	—	6	16	16
19 Heart disease	M	517	—	—	—	23	131	363	109	—	—	—	3	34	72	36	—	—	—	2	5	29
	F	446	—	—	1	11	83	351	54	—	—	—	1	11	42	38	—	—	—	1	12	25
20 Other circulatory	M	62	—	—	—	2	11	49	21	—	—	—	1	2	18	4	—	—	—	1	3	3
diseases	F	48	1	—	—	—	7	40	6	—	—	—	—	—	6	9	—	—	—	1	8	8
21 Bronchitis	M	181	6	—	—	6	57	112	15	—	—	—	1	3	11	6	—	—	—	1	5	5
	F	67	4	—	—	1	11	51	10	—	—	—	1	—	9	7	1	—	—	—	6	6
22 Pneumonia	M	84	22	3	—	5	16	38	5	2	—	—	1	1	1	1	—	—	—	—	1	1
	F	50	13	2	—	5	3	27	8	1	1	—	—	1	5	1	—	—	—	—	1	1
23 Other respiratory	M	58	—	—	—	2	33	23	1	—	—	—	—	—	1	2	—	—	—	1	1	1
diseases	F	19	—	1	—	4	4	10	3	—	1	—	1	—	1	1	—	—	—	1	—	—
24 Ulcer of stomach	M	30	—	—	—	6	15	9	8	—	—	—	2	3	3	1	—	—	—	1	—	—
or duodenum†	F	6	—	—	—	—	3	3	3	—	—	—	—	1	2	2	—	—	—	1	1	1
25 Diarrhœa	M	12	10	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
under 2 years	F	12	12	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
26 Appendicitis	M	12	—	1	—	2	4	5	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	—	—	—	1	1
27 Other digestive	M	38	2	—	1	5	12	18	9	—	—	—	1	4	4	—	—	—	—	—	—	—
diseases	F	35	1	1	1	4	13	15	5	—	—	—	—	2	3	2	—	—	—	1	—	1
28 Nephritis	M	43	—	—	1	3	13	26	5	—	—	—	—	3	2	6	—	—	—	1	5	5
	F	34	—	—	1	3	9	21	—	—	—	—	—	—	—	2	—	—	—	1	1	1
29 Maternal sepsis	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other maternal	F	8	—	—	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Premature	M	38	38	—	—	—	—	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—
birth	F	23	23	—	—	—	—	—	1	1	—	—	—	—	—	2	2	—	—	—	—	—
32 Cong: mal:, birth	M	46	39	—	1	3	2	1	4	3	1	—	—	—	—	4	4	—	—	—	—	—
inj:, infant: dis:	F	34	33	—	1	—	—	—	8	8	—	—	—	—	—	1	1	—	—	—	—	—
33 Suicide	M	16	—	—	—	3	6	7	4	—	—	—	—	3	1	2	—	—	—	1	—	1
	F	13	—	—	—	4	8	1	3	—	—	—	1	1	1	—	—	—	—	—	—	—
34 Road traffic	M	19	—	3	3	6	3	4	1	—	—	—	—	—	1	1	—	—	—	1	—	—
accidents	F	7	—	—	4	—	2	1	2	—	—	1	1	—	—	1	—	—	—	—	—	—
35 Other violent	M	63	8	2	—	21	18	14	7	1	1	—	2	2	1	—	—	—	—	—	—	—
causes	F	20	4	1	—	1	1	13	2	—	—	—	—	1	1	1	—	—	—	—	—	—
36 All other	M	154	6	4	4	15	29	96	23	—	2	—	3	3	15	9	—	—	—	1	—	8
causes	F	119	3	3	3	12	26	72	21	—	—	—	3	5	13	6	—	—	—	—	—	6
†Including deaths from	M	11	—	—	—	3	5	3	2	—	—	—	1	1	—	—	—	—	—	—	—	—
ulcer of duodenum.	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—

Aggregate of Rural Districts.							Aggregate of Urban Districts.							Aggregate of Rural Districts.							Causes of Death	
All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	All Ages	0-	1-	5-	15-	45-	65 & over	See first page of Table.	
193 164	12 13	3 1	2 —	9 12	32 26	135 112	270 257	14 19	4 1	5 2	15 21	76 44	156 170	320 304	18 11	3 2	3 1	23 20	73 55	200 215	M F	All Causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Typhoid and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	paratyphoid
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Cerebro-spinal
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Scarlet fever
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Whooping
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	F	cough
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Diphtheria
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	5
4	—	—	—	—	1	3	7	—	—	—	5	2	—	9	—	—	—	2	6	1	M	Tuberculosis :—
7	—	—	—	4	1	2	8	—	—	1	6	1	—	17	1	—	—	9	5	2	F	Respiratory
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	M	system
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	Other forms
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	8
2	1	—	—	—	1	—	1	1	—	—	—	1	—	1	—	—	—	1	—	—	F	Syphilitic
—	—	—	—	—	—	—	2	—	—	—	—	1	—	4	1	—	—	1	—	2	M	disease
4	—	—	—	—	1	3	1	—	—	—	—	—	1	16	1	—	—	1	—	14	M	Influenza
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	9
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	M	Measles
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	Ac: poliomyelitis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	& polioenceph:
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	M	Ac: infectious
2	—	—	—	—	—	2	8	—	—	—	—	3	5	5	—	—	—	—	—	—	F	encephalitis
1	—	—	—	—	1	—	7	—	—	—	—	3	4	2	—	—	—	1	4	4	M	Cancer of
8	—	—	—	—	—	8	10	—	—	—	—	3	7	15	—	—	—	1	7	1	M	Mouth & œsoph: 13M
3	—	—	—	—	—	3	4	—	—	—	—	—	4	6	—	—	—	2	7	7	F	Uterus 13F
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4	F	Stomach and
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	duodenum
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	15
14	—	—	—	—	1	1	4	—	—	—	1	1	2	7	—	—	—	3	4	4	M	Breast
12	—	—	1	—	6	7	26	—	—	—	2	12	12	24	—	—	—	9	15	15	F	All other
—	—	—	—	2	6	4	22	—	—	—	4	7	11	27	—	1	—	2	9	15	F	sites
2	—	—	—	—	—	2	3	—	—	—	—	2	1	2	—	—	—	—	2	2	M	Diabetes
1	—	—	—	—	—	1	4	—	—	—	—	—	4	4	—	—	—	—	4	4	F	17
25	—	—	—	—	4	21	28	—	—	—	1	6	21	35	—	—	—	1	4	30	M	Intra-cranial
28	—	—	—	—	4	24	26	—	—	—	—	6	20	43	—	—	—	—	8	35	F	vasc : lesions
56	—	—	—	3	7	46	85	—	—	—	1	23	61	92	—	—	—	1	18	73	M	Heart disease
51	—	—	—	1	6	44	87	—	—	—	1	18	68	87	—	—	—	2	16	69	F	19
5	—	—	—	—	3	2	7	—	—	—	—	—	7	13	—	—	—	—	2	11	M	Other circulatory
2	—	—	—	—	—	2	11	—	—	—	1	3	7	11	—	—	—	—	3	8	F	diseases
9	—	—	—	—	—	9	10	—	—	—	—	3	7	12	—	—	—	1	3	8	M	Bronchitis
4	—	—	—	—	—	4	10	—	—	—	—	—	10	10	—	—	—	—	10	5	F	21
8	2	1	—	—	—	5	4	1	1	—	1	—	1	10	1	—	—	—	3	5	M	Pneumonia
1	1	—	—	—	—	—	8	2	—	1	1	—	4	8	—	—	—	—	3	5	F	22
6	—	1	—	—	2	3	10	—	2	—	2	3	3	6	—	—	—	—	3	3	M	Other respiratory
2	—	—	—	—	2	—	4	—	—	—	3	—	1	6	—	—	—	—	—	6	F	diseases
3	—	—	—	1	1	1	3	—	—	—	—	1	2	4	—	—	—	1	2	1	M	Ulcer of stomach
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	or duodenum†
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	M	Diarrhœa
2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	under 2 years
3	—	—	1	1	1	—	2	—	—	1	—	—	1	3	—	—	1	—	1	1	M	Appendicitis
—	—	—	—	—	—	—	2	1	—	—	—	1	—	2	—	—	—	1	—	1	F	26
4	—	—	—	1	—	3	7	—	—	—	—	3	4	4	—	—	—	1	1	2	M	Other digestive
5	—	—	—	1	1	3	4	—	—	—	—	1	3	5	—	—	—	1	1	3	F	diseases
6	—	—	—	—	—	6	10	—	—	—	1	4	5	12	—	1	—	1	4	6	M	Nephritis
6	—	—	—	1	—	5	5	1	—	—	1	—	3	9	—	—	—	—	1	8	F	28
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	M	Maternal sepsis
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	F	Other maternal
4	4	—	—	—	—	—	4	4	—	—	—	—	—	7	7	—	—	—	—	—	M	Premature
3	3	—	—	—	—	—	6	6	—	—	—	—	—	2	2	—	—	—	—	—	F	birth
6	6	—	—	—	—	—	9	8	—	—	—	1	—	8	7	—	—	1	—	—	M	Cong: mal:, birth
6	6	—	—	—	—	—	7	7	—	—	—	—	—	5	5	—	—	—	—	—	F	inj.: infant: dis:
2	—	—	—	—	2	—	3	—	—	—	—	1	2	5	—	—	—	3	2	—	M	Suicide
2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	F	33
1	—	—	—	1	—	—	3	—	—	1	2	—	—	7	—	—	—	4	1	2	M	Road traffic
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	accidents
7	—	—	—	2	3	2	8	—	1	2	—	4	1	6	1	1	—	1	1	2	M	Other violent
1	—	—	—	—	—	1	7	1	1	—	—	—	4	4	1	—	—	—	3	3	F	causes
17	—	—	—	—	2	15	20	1	—	1	—	3	15	34	—	—	2	4	3	25	M	All other
17	—	1	—	—	2	14	28	—	—	—	1	3	24	27	—	1	—	2	1	23	F	causes
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	M	†Including deaths from
1	—	—	—	1	—	—	1	—	—	—	—	—	1	2	—	—	—	1	1	—	F	ulcer of duodenum.

TABLE 24—contd.—Administrative County of Radnor.

Causes of Death See first page of Table.			Aggregate of Urban Districts.							Aggregate of Rural Districts.						
			All Ages	0—	1—	5—	15—	45—	65 & over	All Ages	0—	1—	5—	15—	45—	65 & over
All Causes	M	F	46	3	—	—	7	11	25	75	2	1	2	9	11	50
	M	F	54	—	—	—	2	11	41	74	4	—	—	6	8	56
1 Typhoid	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
paratyphoid	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Scarlet fever	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cough	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Diphtheria	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis :—	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Respiratory	M	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—
system	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other forms	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Syphilitic	M	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—
disease	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Influenza	M	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—
10 Measles	M	F	1	—	—	—	—	1	—	2	—	—	—	—	—	2
11 Ac : poliomyelitis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
& polioenceph:	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Ac: infectious	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
encephalitis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer of	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13M Mouth & œsoph:	M	F	1	—	—	—	—	1	—	2	—	—	—	—	1	1
13F Uterus	M	F	3	—	—	—	—	1	2	2	—	—	—	—	1	1
14 Stomach and	M	F	—	—	—	—	—	—	—	1	—	—	—	—	1	—
duodenum	M	F	1	—	—	—	—	1	—	4	—	—	—	—	1	3
15 Breast	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16 All other	M	F	3	—	—	—	1	1	1	1	—	—	—	—	—	1
sites	M	F	3	—	—	—	1	1	1	4	—	—	—	—	1	3
17 Diabetes	M	F	—	—	—	—	—	—	—	3	—	—	—	—	—	2
18 Intra-cranial	M	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1
vasc: lesions	M	F	7	—	—	—	—	1	6	8	—	—	—	—	1	7
19 Heart disease	M	F	9	—	—	—	—	1	8	7	—	—	—	1	—	6
20 Other circulatory	M	F	8	—	—	—	—	1	7	22	—	—	—	—	1	21
diseases	M	F	15	—	—	—	1	1	13	22	—	—	—	1	1	20
21 Bronchitis	M	F	3	—	—	—	—	—	3	2	—	—	—	—	1	1
22 Pneumonia	M	F	2	—	—	—	—	—	2	5	—	—	—	—	—	5
23 Other respiratory	M	F	3	—	—	—	—	1	1	2	1	—	—	—	—	1
diseases	M	F	2	—	—	—	—	—	3	2	—	—	—	—	—	2
24 Ulcer of stomach	M	F	3	—	—	—	—	—	3	3	—	—	—	—	1	2
or duodenum†	M	F	—	—	—	—	—	—	—	3	—	—	—	—	1	—
25 Diarrhoea	M	F	1	—	—	—	—	1	—	1	—	—	—	—	—	1
under 2 years	M	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—
26 Appendicitis	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other digestive	M	F	1	1	—	—	—	—	—	1	1	—	—	—	—	—
diseases	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Nephritis	M	F	2	—	—	—	1	1	—	3	—	—	—	1	—	1
29 Maternal sepsis	M	F	3	—	—	—	—	—	1	—	—	—	—	—	—	—
30 Other maternal	M	F	2	—	—	—	—	—	1	—	—	—	—	—	—	—
31 Premature	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
birth	M	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Cong: mal:, birth	M	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—
inj:, infant: dis:	M	F	1	1	—	—	—	—	—	3	3	1	—	—	—	—
33 Suicide	M	F	—	—	—	—	1	—	—	—	—	—	—	—	—	—
34 Road traffic	M	F	1	—	—	—	—	—	—	1	—	—	—	1	—	—
accidents	M	F	—	—	—	—	1	—	—	2	—	—	1	—	—	—
35 Other violent	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
causes	M	F	2	—	—	—	2	—	—	4	—	—	1	2	1	—
36 All other	M	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—
causes	M	F	5	—	—	—	—	1	4	15	—	—	—	4	1	10
	M	F	6	—	—	—	—	1	5	15	—	—	—	2	2	11
†Including deaths from	M	F	—	—	—	—	—	—	—	1	—	—	—	—	—	1
ulcer of duodenum.	M	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 24A.—Causes of Death by Sex, 1949, classified in accordance with the Supplementary Abridged List (see statement below).

England and Wales, Geographical Regions, London and Metropolitan Boroughs, County Boroughs and Administrative Counties.

(Non-civilian deaths are excluded).

See Explanatory notes on page vi.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE ABRIDGED LIST OF CAUSES OF DEATH (see page 20) and its relation to the detailed International List.

<i>No.</i>	<i>Registrar General's Supplementary Abridged List</i>	<i>Corresponding number in the Detailed International List.</i>
16 (1a)	Cancer of lung and pleura	47b.
16 (1b)	„ „ remainder of respiratory system	47a, c.
16 (2)	„ „ buccal cavity and œsophagus (females)	45, 46a.
16 (3)	„ „ remaining sites	46c-h, 49, 51-55.
19 (1)	Chronic affections of valves and endocardium	92.
19 (2)	Myocardial degeneration	93c.
19 (3)	Diseases of coronary arteries and angina pectoris	94.
19 (4)	Other diseases of heart	90, 91, 93a, b, d, 95.
27 (1)	Diseases of pharynx and tonsils ..	115b, c.
27 (2)	Cirrhosis of liver	124.
27 (3)	Other diseases of liver and biliary passages	125-127.
27 (4)	Remaining diseases of digestive system	115a, d, 116, 118, 120, 122, 123, 128, 129.
29 (1)	Septic abortion	140.
29 (2)	Infections of childbirth	147.
30 (1)	Other abortion	141.
30 (2)	Remaining maternal causes	142-146, 148-150.
32 (1)	Injury at birth	160.
32 (2a)	Congenital malformations	157.
32 (2b)	Hæmolytic diseases of the newborn ..	161e : 1.
32 (2c)	Other infantile diseases	158, 161a-d, e : 2.
36 (1)	Erysipelas	11.
36 (2)	Purulent infection and septicæmia ..	24.
36 (3)	Hodgkin's disease	44b.
36 (4)	Smallpox	34.
36 (5)	Remaining infective and parasitic diseases	3-5, 7, 12, 23, 25-29, 31-32, 38-44a, c, d.
36 (6)	Rheumatic fever	58.
36 (7)	Exophthalmic goitre	63b.
36 (8)	Diseases of blood	72-76.
36 (9)	Diseases of ear and mastoid	89.
36 (10)	Pyelitis and diseases of bladder ..	133a, 134, 135.
36 (11)	Diseases of prostate	137.
36 (12)	Old age	162.
36 (13)	Ill-defined diseases	199, 200.
36 (14a)	Paralysis agitans	87c.
36 (14b)	Remaining causes in 36	56, 57, 59, 60, 62, 63a, c-e, 64-71, 77-82, 84-87b, 87d, e, 88, 133b, 136, 138, 139, 151-156.

TABLE 24A—continued. Regions.

Causes of Death (See first page of Table)		England and Wales.	South East.	Greater London.	Remainder of South East.	North.	North I.	North II.	North III.	North IV.	Midland.	Midland I.	Midland II.	East.	South West.	Wales.
16 (1a) Cancer of lung	M	9327	3659	2349	1310	2927	373	233	804	1517	1545	1070	475	363	367	466
and pleura	F	1945	800	496	304	565	80	52	145	288	335	230	105	59	95	91
16 (1b) „ remainder of	M	836	304	171	133	258	42	24	62	130	164	110	54	30	41	39
resp: system	F	287	72	43	29	101	16	18	19	48	44	33	11	18	18	34
16 (2) „ buccal cavity	F	1318	411	221	190	432	68	49	103	212	185	123	62	64	103	123
and œsophagus																
16 (3) „ remaining	M	19369	6805	3675	3130	5822	968	555	1604	2695	3439	2233	1206	1007	1127	1169
sites	F	18062	6707	3695	3012	5457	805	542	1504	2606	2946	1906	1040	853	1127	972
19 (1) Chronic affns: of	M	5850	1940	1124	816	1975	321	167	509	978	940	611	329	273	376	346
valves & endo:	F	7946	2684	1570	1114	2728	434	219	737	1338	1249	835	414	341	447	497
19 (2) Myocardial	M	37153	11417	5321	6096	12311	1851	1341	3223	5896	6757	4501	2256	1949	2466	2253
degeneration	F	47981	15762	7896	7866	15483	2233	1580	4029	7641	8347	5586	2761	2388	3504	2497
19 (3) Dis: of cor: art:	M	27555	9604	5382	4222	9306	1616	942	2561	4187	4226	2716	1510	1248	1532	1639
& angina pec:	F	15367	5608	2971	2637	5023	914	532	1384	2193	2273	1434	839	739	922	802
19 (4) Other diseases of	M	5705	1384	678	706	1981	262	234	495	990	1086	683	403	289	422	543
heart	F	6702	1819	861	958	2373	325	267	577	1204	1176	720	456	314	427	593
27 (1) Dis: of pharynx	M	107	32	16	16	36	5	3	5	23	28	21	7	3	3	5
and tonsils	F	138	33	19	14	48	8	7	10	23	31	20	11	5	13	8
27 (2) Cirrhosis of liver	M	550	173	87	86	176	26	19	44	87	112	79	33	20	36	33
	F	361	135	76	59	108	22	5	30	51	62	41	21	20	13	23
27 (3) Other dis: of liver	M	632	219	115	104	197	31	21	58	87	118	82	36	26	32	40
& biliary pass:	F	1328	408	215	193	461	67	53	112	229	210	142	68	62	90	97
27 (4) Remaining dis:	M	2765	977	529	448	833	121	101	220	391	455	276	179	134	179	187
of diges: sys:	F	3174	1119	608	511	1022	174	99	258	491	507	317	190	144	203	179
29 (1) Septic abortion	F	78	34	23	11	26	5	—	8	13	9	6	3	—	—	9
29 (2) Infns: of childb:	F	84	25	7	18	29	6	4	4	15	15	9	6	5	4	6
30 (1) Other abortion	F	36	15	10	5	11	2	2	1	6	4	4	—	3	1	2
30 (2) Remg: mat: causes	F	529	140	68	72	185	32	29	46	78	99	72	27	27	33	45
32 (1) Injury at birth	M	1193	355	201	154	417	86	34	119	178	217	165	52	59	68	77
	F	714	203	107	96	263	46	22	71	124	144	104	40	21	38	45
32 (2a) Congenital	M	2586	824	458	366	837	172	89	211	365	500	328	172	116	127	182
malformations	F	2334	773	452	321	758	116	70	201	371	445	303	142	97	126	135
32 (2b) Hæm: dis:	M	299	95	56	39	90	9	16	23	42	64	39	25	17	13	20
of the newb:	F	221	79	44	35	69	11	8	19	31	44	32	12	11	7	11
32 (2c) Other infantile	M	1793	572	339	233	571	98	65	118	290	369	269	100	88	73	120
diseases	F	1206	345	207	138	412	61	53	104	194	252	172	80	47	59	91
36 (1) Erysipelas	M	27	5	3	2	12	3	—	1	8	4	2	2	—	3	3
	F	27	8	3	5	13	1	2	4	6	2	2	—	2	1	1
36 (2) Purulent infection	M	93	24	12	12	32	6	4	6	16	17	12	5	9	5	6
and septicæmia	F	62	17	7	10	27	2	1	6	18	12	6	6	2	1	3
36 (3) Hodgkin's disease	M	451	157	95	62	148	26	18	35	69	66	51	15	21	24	35
	F	246	102	56	46	65	7	4	24	30	46	24	22	16	10	7
36 (4) Smallpox	M	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	2	—	2	1	—	—	1	—	—	—	—	—	1	—
36 (5) Remg: infve: &	M	215	73	37	36	66	19	11	13	23	30	18	12	14	10	22
parasitic dis:	F	128	54	25	29	32	2	5	9	16	16	11	5	4	11	11
36 (6) Rheumatic fever	M	154	41	22	19	53	17	1	12	23	30	22	8	5	11	14
	F	174	42	18	24	59	15	5	8	31	45	31	14	4	8	16
36 (7) Exophthalmic	M	79	26	15	11	24	2	3	4	15	14	8	6	6	4	5
goitre	F	504	128	64	64	150	17	19	43	71	101	70	31	21	57	47
36 (8) Diseases of	M	1752	570	320	250	579	103	55	139	282	282	185	97	83	118	120
blood	F	2233	751	410	341	733	105	74	175	379	382	249	133	98	122	147
36 (9) Diseases of ear	M	319	97	64	33	116	20	6	28	62	67	53	14	12	10	17
and mastoid	F	181	49	30	19	60	7	1	16	36	44	34	10	8	7	13
36 (10) Pyelitis and	M	876	317	175	142	250	39	25	68	118	128	78	50	40	70	71
dis: of bladder	F	861	336	187	149	256	49	25	59	123	132	81	51	26	62	49
36 (11) Dis: of prostate	M	5064	1787	916	871	1363	197	194	350	622	806	526	280	254	416	438
36 (12) Old age	M	4801	1060	335	725	1710	300	119	429	862	1006	656	350	353	285	387
	F	8079	2079	718	1361	2652	409	212	614	1417	1580	1024	556	529	600	639
36 (13) Ill-defined	M	144	40	11	29	52	25	6	4	17	24	11	13	9	8	11
diseases	F	116	36	6	30	37	15	—	2	20	19	5	14	8	7	9
36 (14a) Paralysis	M	588	202	79	123	159	35	18	31	75	114	67	47	33	42	38
agitans	F	784	263	112	151	231	34	18	70	109	128	76	52	30	72	60
36 (14b) Remaining	M	4660	1461	751	710	1570	279	171	398	722	875	600	275	236	236	282
causes in 36	F	5711	1868	979	889	1890	277	195	501	917	964	662	302	254	377	358

TABLE 24A—continued. Metropolitan Boroughs.

Causes of Death (See first page of Table)		Wales I.	Wales II.	Aggregates of areas outside Greater London.			London.	City of London.	Inner & Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
				County Boroughs.	Other Urban Districts.	Rural Districts.															
16 (1a) Cancer of lung and pleura	M	341	125	3235	2595	1148	1104	2	—	46	24	31	66	9	22	20	38	24	65	49	19
	F	63	28	623	555	271	240	1	—	12	4	8	11	3	8	3	4	3	14	6	9
16 (1b) „ remainder of resp: system	M	25	14	282	254	129	93	—	—	5	—	1	5	5	2	1	3	4	4	1	3
	F	22	12	85	93	66	11	—	—	1	—	1	—	—	—	—	—	—	—	—	1
16 (2) „ buccal cavity and œsophagus	F	67	56	401	440	256	97	1	—	3	1	1	6	6	3	1	4	3	5	3	2
16 (3) „ remaining sites	M	820	349	5668	6299	3727	1584	1	—	58	25	31	82	21	32	19	57	42	59	53	34
	F	648	324	5357	5732	3278	1569	1	—	58	32	30	69	25	24	20	67	25	73	44	45
19 (1) Chronic affs: of valves & endo: F	M	280	66	1771	1838	1117	504	1	—	18	14	11	21	8	12	11	16	23	28	13	8
	F	341	156	2528	2486	1362	701	—	—	26	7	11	34	8	16	13	27	17	39	27	14
19 (2) Myocardial degeneration	M	1517	736	11445	12623	7764	2292	4	—	81	29	38	148	34	77	29	78	62	84	73	47
	F	1595	902	14931	16211	8943	3453	1	—	144	58	53	217	42	96	40	148	69	130	126	74
19 (3) Dis: of cor: art: & angina pec: F	M	1188	451	8286	9046	4841	2252	—	—	70	50	46	90	41	50	22	77	48	139	67	80
	F	516	286	4550	5173	2673	1302	1	—	37	19	13	48	28	38	10	52	20	81	37	56
19 (4) Other diseases of heart	M	417	126	1768	2032	1227	293	—	—	11	5	5	12	3	1	7	12	7	16	8	5
	F	422	171	2120	2394	1327	360	—	—	20	5	4	17	5	5	5	10	4	20	13	13
27 (1) Dis: of pharynx and tonsils	M	4	1	35	34	22	4	—	—	—	—	—	—	1	—	—	—	—	1	—	—
	F	5	3	41	48	30	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—
27 (2) Cirrhosis of liver	M	22	11	178	182	103	51	—	—	1	—	1	—	—	2	1	3	2	—	3	3
	F	17	6	111	115	59	35	—	—	2	—	—	3	—	—	1	2	—	2	—	—
27 (3) Other dis: of liver & biliary pass: F	M	24	16	202	190	125	52	—	—	1	—	1	5	—	3	1	3	1	4	—	2
	F	70	27	413	456	244	92	—	—	2	1	3	7	1	4	1	6	4	5	3	2
27 (4) Remaining dis: of diges: sys: F	M	132	55	803	890	543	210	—	—	9	4	6	16	4	6	2	9	3	13	5	5
	F	127	52	920	1098	548	288	—	—	13	8	7	21	4	4	3	10	9	23	6	4
29 (1) Septic abortion	F	8	1	25	22	8	14	—	—	—	—	—	2	—	—	1	1	1	—	—	—
29 (2) Infus: of childb:	F	4	2	27	33	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 (1) Other abortion	F	2	—	13	8	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1
30 (2) Remg: mat: causes	F	35	10	170	174	117	22	—	—	2	—	1	2	—	—	1	1	—	—	2	2
32 (1) Injury at birth	M	57	20	382	374	236	88	—	—	1	1	1	3	2	—	1	3	4	4	2	2
	F	31	14	251	221	135	52	—	—	2	1	1	—	—	1	1	2	—	1	—	3
32 (2a) Congenital malformations	M	136	46	821	812	495	208	1	—	7	5	5	11	6	5	1	5	6	10	6	4
	F	93	42	733	728	421	179	—	—	8	10	5	8	5	2	1	10	2	16	6	7
32 (2b) Hæm: dis: of the newb: F	M	15	5	92	102	49	22	—	—	—	—	2	—	—	1	—	—	—	1	—	1
	F	9	2	80	59	38	20	—	—	1	1	—	1	—	1	—	—	1	—	3	1
32 (2c) Other infantile diseases	M	76	44	570	573	311	129	—	—	10	3	2	10	3	2	—	6	1	5	2	7
	F	63	28	412	390	197	89	—	—	2	2	3	2	1	4	1	2	5	5	3	5
36 (1) Erysipelas	M	3	—	13	8	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	11	9	4	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
36 (2) Purulent infection and septicæmia	M	4	2	36	25	20	4	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	2	25	18	12	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (3) Hodgkin's disease	M	19	16	129	145	82	41	—	—	1	3	—	3	—	—	—	2	—	3	1	2
	F	6	1	63	82	45	17	—	—	1	—	—	1	—	—	—	1	1	—	—	1
36 (4) Smallpox	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg: infve: & parasitic dis: F	M	10	12	56	61	61	11	—	—	—	—	—	2	—	—	—	—	—	—	—	1
	F	6	5	34	40	29	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (6) Rheumatic fever	M	13	1	48	57	27	7	—	—	—	—	—	1	—	2	—	1	—	1	—	—
	F	15	1	59	66	31	9	—	—	—	—	2	—	—	1	—	2	—	—	—	1
36 (7) Exophthalmic goitre	M	2	3	25	24	15	9	—	—	—	—	—	—	—	1	—	—	1	1	—	1
	F	30	17	118	180	142	29	—	—	—	—	—	—	1	1	—	3	1	—	2	2
36 (8) Diseases of blood	M	89	31	552	550	330	127	—	—	4	3	2	5	4	3	2	9	1	8	1	2
	F	101	46	689	723	411	164	—	—	4	2	3	13	3	4	3	8	5	9	11	6
36 (9) Diseases of ear and mastoid	M	14	3	138	83	34	32	—	—	1	—	1	3	—	—	1	1	1	1	1	1
	F	9	4	69	54	28	9	—	—	—	—	—	1	—	—	—	2	—	—	—	2
36 (10) Pyelitis and dis: of bladder	M	54	17	265	265	171	82	1	—	4	3	2	4	—	—	1	6	1	7	2	3
	F	32	17	262	254	158	96	—	—	4	1	1	3	1	2	1	4	3	7	5	—
36 (11) Dis: of prostate	M	298	140	1349	1689	1110	389	—	—	12	3	12	17	7	11	3	12	6	23	9	7
36 (12) Old age	M	302	85	1346	1980	1140	101	—	—	5	4	—	11	2	2	2	2	1	4	1	—
	F	447	192	2399	3138	1824	251	—	—	11	6	2	14	11	7	2	7	9	12	6	5
36 (13) Ill-defined diseases	M	4	7	35	59	39	4	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	3	6	21	50	39	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (14a) Paralysis agitans	M	25	13	170	193	146	29	—	—	—	1	—	2	—	1	—	1	1	—	—	1
	F	49	11	224	294	154	36	—	—	3	—	—	3	1	—	1	2	1	2	—	2
36 (14b) Remaining causes in 36	M	204	78	1531	1491	887	330	—	—	14	7	8	23	8	5	3	10	4	14	15	4
	F	248	110	1762	1896	1074	406	—	—	6	6	7	28	9	6	2	19	5	25	18	12

TABLE 24A—continued. Metropolitan and County Boroughs.

Causes of Death (See first page of Table)			Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.
16 (1a) Cancer of lung and pleura	M	F	13 2	94 10	37 12	74 28	55 12	43 14	7 1	21 11	52 6	21 2	37 5	39 3	16 3	92 25	27 7	39 7	7 —	18 —	23 2	29 10
16 (1b) „ remainder of resp: system	M	F	— —	10 1	5 —	5 1	6 —	4 1	— —	— 3	4 —	2 —	3 —	2 —	2 —	5 —	5 —	5 2	— —	1 1	2 1	4 1
16 (2) „ buccal cavity and œsophagus	F	F	1	2	3	3	10	4	4	3	5	1	5	6	—	6	4	1	1	4	2	6
16 (3) „ remaining sites	M	F	9 9	144 102	71 83	99 111	100 90	52 52	36 40	35 41	63 90	21 17	54 50	71 48	27 25	155 180	51 59	82 59	21 12	26 26	34 34	60 57
19 (1) Chronic affns: of valves & endo:	M	F	2 6	21 59	17 33	31 40	46 62	23 17	15 20	11 14	31 30	7 9	17 24	18 16	6 12	41 74	9 14	25 32	7 14	11 12	14 22	20 24
19 (2) Myocardial degeneration	M	F	19 20	148 232	86 150	183 318	181 269	80 109	25 44	46 82	87 108	31 53	87 111	88 105	25 26	268 426	42 76	112 126	83 75	80 97	114 153	146 164
19 (3) Dis: of cor: art: & angina pec:	M	F	15 12	159 110	108 88	131 65	134 72	70 49	55 38	53 25	109 70	29 16	65 32	81 51	26 23	237 134	92 31	108 46	29 25	46 19	41 41	99 48
19 (4) Other diseases of heart	M	F	2 —	16 20	10 14	17 32	17 22	11 11	34 34	8 17	11 8	7 5	8 3	10 7	1 4	26 39	5 8	18 15	6 11	21 18	7 7	30 23
27 (1) Dis: of pharynx and tonsils	M	F	— —	1 —	— —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
27 (2) Cirrhosis of liver	M	F	— —	1 1	4 3	2 1	3 2	6 —	1 —	4 1	2 —	1 1	2 2	— 1	— 1	4 4	3 4	2 2	— 3	1 2	1 1	2 —
27 (3) Other dis: of liver & biliary pass:	M	F	1 1	5 4	1 6	3 5	2 7	3 3	— —	3 3	3 1	— 1	1 5	1 2	1 2	4 9	1 2	2 2	— 2	1 1	— 1	2 3
27 (4) Remaining dis: of diges: sys:	M	F	3 2	17 21	15 16	13 24	9 13	9 7	7 3	5 4	10 12	3 5	4 10	5 12	2 2	14 25	7 9	5 11	3 2	4 4	3 9	11 13
29 (1) Septic abortion	F	F	—	—	—	—	—	2	—	—	4	1	—	—	—	—	1	1	—	—	—	—
29 (2) Infns: of childb:	F	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
30 (1) Other abortion	F	F	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
30 (2) Remg: mat: causes	F	F	—	2	—	—	1	—	3	—	—	—	2	1	—	1	1	—	—	—	—	2
32 (1) Injury at birth	M	F	2 —	5 4	9 3	10 5	3 1	5 5	2 2	2 —	8 5	— 1	5 3	2 2	2 —	4 7	1 —	4 2	5 2	3 1	1 2	5 1
32 (2a) Congenital malformations	M	F	1 2	21 8	4 5	14 13	10 9	9 4	9 9	1 3	3 5	7 6	10 6	5 7	7 4	18 13	5 3	12 2	9 10	7 7	6 5	7 14
32 (2b) Hæm: dis: of the newb:	M	F	— —	2 —	1 —	— —	2 2	1 1	2 3	— —	2 1	— —	2 1	1 2	2 —	1 —	— —	1 —	— —	1 —	— —	2 2
32 (2c) Other infantile diseases	M	F	1 —	8 7	6 4	9 4	10 8	3 1	2 —	3 1	6 5	2 2	6 3	2 3	— 2	13 7	2 4	5 3	2 2	2 3	— 2	4 4
36 (1) Erysipelas	M	F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
36 (2) Purulent infection and septicæmia	M	F	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	1 2	— —	— —	— —	— —	— —	1 1
36 (3) Hodgkin's disease	M	F	1 —	3 2	— 2	2 1	3 1	— 1	1 —	— —	1 1	— —	1 1	1 1	— 1	8 1	2 —	3 —	— 1	1 —	1 —	3 —
36 (4) Smallpox	M	F	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
36 (5) Remg: infve: & parasitic dis:	M	F	— —	— 3	— —	— —	— 4	— 1	2 1	— —	2 1	2 —	— —	— 1	— —	1 —	1 —	— —	— —	1 —	— —	1 —
36 (6) Rheumatic fever	M	F	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	2 —	— —	— —	1 —	— —	— —	1 —	— —	— —	1 1
36 (7) Exophthalmic goitre	M	F	— —	1 1	— 1	— 1	1 3	— 2	— —	— —	— 2	1 —	— 1	— —	1 —	— 4	1 1	— 3	— 1	— —	— —	2 5
36 (8) Diseases of blood	M	F	2 —	8 9	7 10	14 6	8 10	1 4	4 3	1 3	5 7	2 3	5 2	5 7	— 3	12 18	6 6	3 2	3 6	3 3	3 4	5 10
36 (9) Diseases of ear and mastoid	M	F	— —	5 1	— —	4 —	3 —	— —	1 —	— 1	5 1	— 1	1 —	— —	— 1	— —	1 —	1 —	— —	1 —	— —	1 1
36 (10) Pyelitis and dis: of bladder	M	F	3 2	10 7	2 6	2 9	5 7	3 6	1 4	2 2	3 4	1 4	2 2	2 4	1 —	5 5	3 —	3 2	3 1	2 2	4 2	1 3
36 (11) Dis: of prostate	M	F	3 1	29 8	24 4	20 9	23 11	16 1	10 1	4 4	14 2	6 1	13 6	17 1	4 1	55 9	14 2	15 6	3 16	9 1	4 7	19 6
36 (12) Old age	M	F	— —	10 —	18 —	8 —	21 —	17 —	4 —	6 —	5 —	3 —	— —	— —	— —	30 —	7 —	19 —	12 —	8 —	12 —	14 —
36 (13) Ill-defined diseases	M	F	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
36 (14a) Paralysis agitans	M	F	— —	3 1	1 2	2 3	1 2	— —	— 2	— 1	1 2	— —	— —	2 —	— —	8 5	1 1	2 1	1 2	3 2	— 1	3 5
36 (14b) Remaining causes in 36	M	F	3 4	28 28	20 31	28 24	21 26	9 15	11 10	6 13	21 18	8 8	12 11	9 10	— 1	27 34	7 11	5 19	9 9	5 8	8 10	14 11

TABLE 24A—Continued. County Boroughs.

Causes of Death (See first page of Table)		Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton-upon-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.
16 (1a) Cancer of lung and pleura	M	286	22	25	38	27	32	70	47	89	16	9	13	4	8	14	51	55	10	41	11
	F	59	4	11	9	4	8	14	13	20	4	2	1	2	1	1	15	16	3	6	2
16 (1b) „ remainder of resp. system	M	25	2	1	3	—	2	4	8	12	3	3	1	—	—	1	3	4	1	4	1
	F	5	2	4	2	1	—	3	—	3	1	—	1	—	4	—	1	1	—	2	—
16 (2) „ buccal cavity and œsophagus	F	22	4	11	9	2	4	13	6	14	7	1	1	—	1	—	6	7	1	5	2
16 (3) „ remaining sites	M	461	59	83	92	23	82	128	80	205	41	18	25	12	21	18	100	98	42	65	21
	F	406	65	85	67	18	93	124	95	166	35	14	31	11	31	29	70	116	37	53	17
19 (1) Chronic affns: of valves & endo:	M	121	18	23	32	7	36	27	15	38	30	6	15	5	9	5	41	29	11	12	8
	F	196	42	36	54	13	36	61	39	72	34	4	20	5	15	7	39	46	11	25	13
19 (2) Myocardial degeneration	M	769	174	202	140	43	141	286	183	441	96	58	83	19	74	39	195	253	38	133	80
	F	1086	188	263	202	57	250	435	251	563	155	53	129	32	92	46	189	349	71	139	94
19 (3) Dis: of cor: art: & angina pec:	M	589	69	136	171	36	141	299	94	271	65	26	29	10	61	38	106	160	71	98	28
	F	287	26	89	67	19	106	174	67	137	38	23	20	12	27	16	60	99	42	55	18
19 (4) Other diseases of heart	M	129	17	25	29	11	7	18	19	62	16	3	11	10	8	4	33	23	5	34	3
	F	132	14	37	40	12	18	26	25	56	24	5	11	4	10	8	43	35	9	32	4
27 (1) Dis: of pharynx and tonsils	M	5	2	—	—	—	—	—	1	1	1	—	—	—	—	—	6	1	—	—	—
	F	6	1	—	—	—	—	—	—	—	—	—	1	—	1	1	—	2	—	—	—
27 (2) Cirrhosis of liver	M	19	1	3	3	—	2	2	—	5	2	3	—	1	1	—	3	—	3	4	—
	F	11	—	1	1	—	4	1	1	1	2	1	1	—	—	—	—	2	1	1	—
27 (3) Other dis: of liver & biliary pass:	M	15	4	3	2	1	2	5	4	6	2	1	—	—	—	—	4	1	3	1	—
	F	25	4	5	5	3	6	10	2	19	7	1	4	1	5	—	5	4	2	7	3
27 (4) Remaining dis: of diges: sys:	M	69	13	8	7	4	10	17	10	18	6	4	2	3	5	2	13	17	3	17	7
	F	67	9	10	17	2	11	32	11	22	10	5	6	3	2	6	6	14	7	10	3
29 (1) Septic abortion	F	2	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	1	—	—
29 (2) Infns: of childb:	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
30 (1) Other abortion	F	2	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
30 (2) Remg: mat: causes	F	7	2	2	1	1	3	6	2	5	1	2	—	—	2	2	4	4	1	1	—
32 (1) Injury at birth	M	32	3	1	2	1	2	8	2	24	5	—	—	—	—	—	9	1	2	5	2
	F	24	—	2	2	5	1	5	1	11	3	1	2	1	4	—	4	1	2	2	1
32 (2a) Congenital malformations	M	75	6	4	9	6	9	13	18	20	8	2	3	2	7	3	11	19	8	10	2
	F	67	8	4	7	3	6	14	7	30	3	3	3	2	5	5	11	14	6	11	1
32 (2b) Hæm: dis: of the newb:	M	4	—	—	—	—	—	2	2	2	—	1	1	—	—	—	3	6	—	2	—
	F	8	1	1	1	—	—	1	1	3	1	—	—	—	—	1	1	3	1	—	—
32 (2c) Other infantile diseases	M	71	6	1	10	4	3	13	9	17	7	5	1	2	2	4	22	9	4	7	—
	F	46	3	—	8	3	2	10	3	13	—	1	1	—	2	2	8	7	3	5	1
36 (1) Erysipelas	M	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (2) Purulent infection and septicæmia	M	5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—
	F	1	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	1	—
36 (3) Hodgkin's disease	M	9	2	2	2	1	1	5	1	2	—	1	—	1	—	1	3	1	—	—	1
	F	4	1	1	—	—	1	4	1	2	1	—	—	—	—	—	2	3	—	1	—
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg: infve: & parasitic dis:	M	2	—	1	—	—	—	1	—	2	—	1	—	—	—	—	—	2	3	1	—
	F	3	—	1	—	1	1	—	—	1	—	—	—	1	—	1	1	—	1	1	—
36 (6) Rheumatic fever	M	6	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	1	—
	F	11	—	—	2	—	—	1	—	—	1	—	—	—	2	—	3	—	—	—	—
36 (7) Exophthalmic goitre	M	1	—	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	9	3	—	5	1	2	1	1	5	1	—	1	—	1	1	1	3	—	7	1
36 (8) Diseases of blood	M	42	10	5	11	3	6	11	12	17	4	3	6	1	1	2	4	7	6	7	3
	F	63	10	14	7	3	15	14	12	17	6	—	4	3	6	5	15	13	7	2	4
36 (9) Diseases of ear and mastoid	M	18	1	1	2	1	1	1	—	2	2	1	—	—	—	—	7	3	2	2	—
	F	14	1	1	3	—	—	1	—	1	1	—	—	—	—	—	2	2	1	1	—
36 (10) Pyelitis and dis: of bladder	M	13	1	2	5	2	6	5	3	8	1	1	—	—	—	1	2	6	3	6	3
	F	18	2	3	2	2	5	8	2	10	—	2	—	—	—	—	1	1	1	1	—
36 (11) Dis: of prostate	M	88	17	18	23	3	25	20	34	61	6	3	7	6	9	8	23	28	9	19	7
36 (12) Old age	M	49	6	34	29	3	7	41	8	14	32	6	3	1	2	6	7	10	4	37	7
	F	112	12	65	32	13	23	93	25	30	39	23	12	3	4	9	23	12	17	74	17
36 (13) Ill-defined diseases	M	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	3	—	—
	F	—	2	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
36 (14a) Paralysis agitans	M	12	3	3	3	—	4	3	3	8	2	2	1	—	2	—	—	2	—	4	—
	F	9	2	2	1	—	6	5	5	8	2	—	1	—	—	1	5	2	2	7	—
36 (14b) Remaining causes in 36	M	126	17	15	22	6	12	37	24	45	9	6	9	2	8	7	28	23	10	19	3
	F	120	14	26	23	11	33	57	29	48	9	9	12	4	8	4	26	32	9	11	12

TABLE 24A—continued. County Boroughs.

Causes of Death (See first page of Table)		Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.
16 (1a) Cancer of lung and pleura	M	17	19	15	42	12	20	14	6	29	33	15	27	24	74	163	56	8	260	221	34
	F	1	1	7	5	6	4	—	1	2	6	6	6	4	16	29	14	1	46	46	3
16 (1b) „ remainder of resp: system	M	—	1	—	2	—	1	1	—	1	3	2	1	2	6	12	3	—	18	18	1
	F	—	—	—	1	4	—	1	2	—	—	—	1	1	2	—	2	1	1	5	—
16 (2) „ buccal cavity and œsophagus	F	1	2	4	—	1	3	2	3	1	3	1	6	3	9	12	7	2	25	27	11
16 (3) „ remaining sites	M	29	26	27	58	35	55	22	19	31	49	38	59	54	114	204	130	37	269	275	56
	F	24	17	35	49	42	55	24	22	37	60	57	71	44	115	244	104	21	266	298	38
19 (1) Chronic affns: of valves & endo:	M	9	7	5	26	9	20	12	8	9	23	12	25	15	19	81	39	12	89	100	15
	F	13	7	6	32	7	29	6	10	11	26	25	31	15	30	126	47	9	147	159	26
19 (2) Myocardial degeneration	M	62	46	98	94	80	84	76	51	68	107	106	155	93	256	345	216	51	644	510	142
	F	58	64	144	102	103	107	81	79	88	154	168	171	134	292	499	326	83	811	653	142
19 (3) Dis: of cor: art: & angina pec:	M	53	17	41	81	59	67	42	42	63	91	43	109	71	196	415	162	31	420	391	83
	F	23	19	28	44	29	52	19	21	24	58	35	55	58	122	229	78	33	247	182	45
19 (4) Other diseases of heart	M	5	8	3	6	12	10	11	5	15	4	14	41	7	26	56	35	19	81	91	22
	F	7	8	9	14	17	13	9	5	16	8	19	39	12	34	65	52	23	119	120	24
27 (1) Dis: of pharynx and tonsils	M	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	2	1	—
	F	—	1	—	—	—	1	—	—	—	—	—	—	—	2	1	1	—	2	2	—
27 (2) Cirrhosis of liver	M	1	1	2	1	—	1	1	1	1	3	2	1	1	3	4	2	—	9	21	2
	F	1	1	—	—	1	—	—	1	2	2	1	—	—	—	4	6	1	6	10	—
27 (3) Other dis: of liver & biliary pass:	M	—	4	1	2	2	2	3	—	—	2	—	1	—	3	14	4	2	14	10	2
	F	3	3	2	1	4	4	2	2	3	3	2	6	5	6	19	9	2	19	17	3
27 (4) Remaining dis: of diges: sys:	M	6	1	5	7	9	9	5	2	9	8	4	12	4	26	29	23	4	46	42	10
	F	8	7	7	5	8	10	3	3	5	8	7	11	12	15	43	18	4	52	56	6
29 (1) Septic abortion	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	3	2	—
29 (2) Infns: of childb:	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	4	—
30 (1) Other abortion	F	—	—	—	—	—	—	—	1	2	—	—	—	—	1	—	—	—	1	1	—
30 (2) Remg: mat: causes	F	—	—	2	3	1	—	—	—	1	—	1	1	1	9	8	5	1	5	9	2
32 (1) Injury at birth	M	2	2	1	4	1	5	—	1	7	3	3	4	4	3	8	4	1	25	28	2
	F	3	3	—	1	1	3	2	2	—	7	—	1	2	5	9	5	2	19	17	5
32 (2a) Congenital malformations	M	3	8	3	7	2	8	8	1	8	7	4	4	10	17	32	14	5	43	34	7
	F	6	—	5	11	7	7	2	3	2	7	3	5	9	21	31	17	1	45	55	5
32 (2b) Hæm: dis: of the newb:	M	1	—	—	—	1	—	2	—	1	1	—	2	—	4	2	3	1	3	7	—
	F	1	—	—	—	2	2	1	1	—	1	1	2	1	4	1	1	1	1	2	—
32 (2c) Other infantile diseases	M	2	2	1	5	2	7	4	4	5	4	2	3	3	11	22	6	—	53	32	5
	F	4	—	—	3	1	5	4	2	3	—	1	5	1	21	14	8	2	29	27	4
36 (1) Erysipelas	M	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
36 (2) Purulent infection and septicæmia	M	—	—	1	1	—	—	—	—	—	—	1	—	—	1	1	—	—	4	4	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3	1	—	6	1	1
36 (3) Hodgkin's disease	M	2	2	—	2	—	—	2	2	1	—	—	—	1	6	8	—	2	5	8	2
	F	1	—	3	—	—	—	—	—	—	2	—	1	—	—	2	3	1	5	5	—
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg: infve: & parasitic dis:	M	—	—	3	—	1	—	—	—	1	1	—	1	1	2	1	3	—	5	—	1
	F	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	4	1	—
36 (6) Rheumatic fever	M	—	—	—	1	3	1	1	—	1	—	—	—	—	—	4	1	—	4	1	1
	F	—	1	—	1	—	1	—	—	1	1	—	—	—	—	1	2	—	5	2	—
36 (7) Exophthalmic goitre	M	—	—	—	—	1	1	—	—	—	—	—	—	2	—	1	—	—	1	5	—
	F	—	—	—	1	1	—	1	2	—	1	1	3	—	1	3	3	1	3	5	4
36 (8) Diseases of blood	M	2	4	4	8	4	9	1	2	7	5	3	9	1	16	22	10	1	24	40	4
	F	3	—	2	10	6	2	2	—	7	10	4	10	6	13	27	11	6	37	42	7
36 (9) Diseases of ear and mastoid	M	2	—	—	1	1	1	—	1	—	—	—	—	—	3	7	—	—	17	2	2
	F	—	—	—	—	—	—	—	1	—	1	—	—	—	—	3	—	—	6	7	—
36 (10) Pyelitis and dis: of bladder	M	3	1	1	2	1	4	1	—	3	2	2	1	2	5	9	6	2	16	13	2
	F	2	1	1	1	4	4	1	2	1	1	3	1	2	12	14	5	1	17	14	1
36 (11) Dis: of prostate	M	9	3	13	13	10	5	5	3	4	18	18	20	14	35	55	34	6	58	52	16
36 (12) Old age	M	5	13	1	8	5	12	5	6	16	4	4	67	8	15	23	26	9	62	101	8
	F	13	14	3	21	16	9	13	8	18	11	19	74	6	15	36	47	13	92	243	19
36 (13) Ill-defined diseases	M	—	—	—	—	—	6	—	—	—	—	1	—	—	—	1	—	—	2	—	1
	F	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—
36 (14a) Paralysis agitans	M	—	—	1	2	1	2	—	3	—	2	1	—	—	3	5	7	—	2	5	2
	F	1	—	2	4	1	1	—	5	2	1	3	1	1	2	9	3	—	13	11	—
36 (14b) Remaining causes in 36	M	10	8	3	7	9	12	7	4	12	11	5	14	15	36	62	29	6	92	97	17
	F	10	5	7	12	7	18	6	7	6	15	7	10	10	39	80	40	5	94	123	18

TABLE 24A—continued. County Boroughs.

Causes of Death (See first page of Table)		Newcastle upon Tyne.	Northampton.	Norwich.	Nottingham.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend on Sea.	Southport.	South Shields.
16 (1a) Cancer of lung and pleura	M	59	13	33	72	26	16	35	52	31	27	28	22	32	57	149	24	36	38	29	26
	F	18	3	7	17	4	6	6	10	1	4	7	3	1	13	28	3	4	8	4	4
16 (1b) „ remainder of resp: system	M	14	5	4	6	7	3	2	3	4	3	2	3	3	9	12	2	1	1	4	—
	F	4	—	1	—	1	—	2	—	—	—	—	1	2	1	2	1	1	1	—	1
16 (2) „ buccal cavity and œsophagus	F	9	1	1	7	2	2	4	10	2	4	1	2	2	6	12	1	6	10	1	2
16 (3) „ remaining sites	M	127	39	55	113	54	39	91	131	42	50	42	33	37	93	252	34	92	67	51	48
	F	115	41	61	129	66	38	84	102	44	54	54	35	33	73	220	32	79	74	41	47
19 (1) Chronic affns: of valves & endo:	M	45	28	11	35	23	11	27	25	23	22	15	11	15	23	61	9	27	15	17	18
	F	61	17	28	48	27	12	36	47	23	13	25	9	20	43	90	11	30	23	24	18
19 (2) Myocardial degeneration	M	175	152	96	244	186	62	207	150	103	104	81	44	89	131	412	60	147	110	119	64
	F	253	180	139	342	226	99	305	192	169	131	123	50	95	167	545	109	193	191	180	88
19 (3) Dis: of cor: art: & angina pec:	M	245	51	81	178	59	68	137	118	85	74	50	43	54	77	312	61	113	103	91	64
	F	128	34	53	100	31	81	54	61	47	52	35	22	16	43	162	26	47	61	52	31
19 (4) Other diseases of heart	M	38	8	15	43	17	5	33	30	19	5	5	11	19	43	139	5	23	19	8	12
	F	49	25	10	51	25	13	29	37	14	23	7	11	32	33	136	8	33	44	10	22
27 (1) Dis: of pharynx and tonsils	M	1	—	—	1	—	1	—	—	—	—	—	—	2	2	—	—	1	1	—	—
	F	1	1	1	1	—	—	2	2	—	—	—	1	—	—	1	—	—	—	—	1
27 (2) Cirrhosis of liver	M	4	1	—	4	1	1	4	3	4	3	—	—	—	1	5	3	—	3	2	2
	F	3	2	—	—	1	—	2	5	3	—	—	1	—	3	4	—	1	2	—	1
27 (3) Other dis: of liver & biliary pass:	M	3	—	1	3	2	2	3	5	2	3	3	1	1	2	13	2	—	7	—	—
	F	7	4	1	3	6	5	5	14	3	5	3	2	6	3	11	4	6	4	13	6
27 (4) Remaining dis: of diges: sys:	M	24	9	9	14	11	—	24	15	8	6	8	4	5	10	20	1	8	13	3	2
	F	26	6	8	19	14	4	8	15	9	6	10	5	7	17	34	2	10	13	12	9
29 (1) Septic abortion	F	2	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—
29 (2) Infns: of childb:	F	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	2	—	—	2
30 (1) Other abortion	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
30 (2) Remg: mat: causes	F	5	—	3	2	3	1	6	3	—	1	3	1	3	—	4	—	3	—	2	2
32 (1) Injury at birth	M	11	—	—	8	1	7	—	5	1	1	6	—	—	11	26	1	9	2	2	1
	F	8	1	1	4	5	1	2	1	5	—	—	1	4	3	8	—	3	3	—	5
32 (2a) Congenital malformations	M	20	5	5	23	15	7	13	1	7	3	3	4	9	12	28	7	10	8	9	10
	F	13	2	6	12	6	3	14	6	9	7	4	3	6	7	29	6	9	13	6	3
32 (2b) Hæm: dis: of the newb:	M	—	—	—	5	1	3	—	—	—	—	—	—	2	4	7	—	—	—	—	—
	F	—	3	—	1	—	—	1	—	1	1	—	—	1	2	3	2	2	2	1	—
32 (2c) Other infantile diseases	M	9	3	8	11	7	5	5	9	6	5	3	3	5	14	8	2	6	8	3	1
	F	10	4	4	9	11	2	6	6	2	6	2	2	5	16	12	2	3	3	1	3
36 (1) Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—
36 (2) Purulent infection and septicæmia	M	2	—	1	2	—	—	1	1	—	—	—	—	1	1	1	—	—	—	1	—
	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
36 (3) Hodgkin's disease	M	2	—	—	1	—	4	1	1	4	1	—	—	2	3	2	—	4	4	2	1
	F	1	—	3	3	—	—	1	1	—	—	—	—	—	—	2	—	—	—	2	—
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg: infve: & parasitic dis:	M	1	1	—	2	—	—	—	1	—	—	—	—	—	—	1	—	1	1	1	—
	F	1	—	—	1	—	1	1	1	1	—	—	—	—	—	1	—	—	—	—	—
36 (6) Rheumatic fever	M	1	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	1	1	—	1
	F	3	—	—	1	1	1	—	3	—	1	—	—	—	—	1	—	2	—	—	—
36 (7) Exophthalmic goitre	M	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—
	F	2	2	1	2	2	—	6	1	—	1	2	1	2	—	5	—	1	—	3	—
36 (8) Diseases of blood	M	12	6	6	10	4	3	16	6	3	2	7	3	1	6	13	3	5	11	4	7
	F	15	6	5	15	1	3	7	10	6	6	7	6	5	18	3	6	6	13	7	9
36 (9) Diseases of ear and mastoid	M	5	1	3	1	—	—	2	1	1	1	—	—	1	1	7	1	4	2	1	3
	F	—	1	—	3	1	—	—	—	—	—	—	—	1	1	2	—	1	—	—	—
36 (10) Pyelitis and dis: of bladder	M	5	1	3	6	6	7	2	4	2	4	2	1	2	5	13	1	7	3	1	1
	F	9	1	3	11	4	3	4	4	1	—	1	—	1	5	10	—	4	4	1	3
36 (11) Dis: of prostate	M	27	10	14	20	11	16	29	29	3	22	6	13	11	13	60	6	13	16	19	9
36 (12) Old age	M	26	4	14	30	16	4	28	64	4	17	14	14	11	15	15	13	6	11	11	11
	F	34	10	33	45	23	7	42	110	21	17	27	13	30	34	22	9	18	32	10	20
36 (13) Ill-defined diseases	M	1	—	1	1	1	—	—	—	—	—	—	—	1	—	2	—	—	2	1	—
	F	—	—	—	—	3	—	—	—	—	1	—	1	1	—	—	—	—	3	—	—
36 (14a) Paralysis agitans	M	3	1	3	5	—	3	2	8	4	1	1	1	3	—	3	—	3	3	2	3
	F	3	5	2	6	1	2	3	7	2	3	2	1	2	2	12	—	3	—	5	2
36 (14b) Remaining causes in 36	M	31	9	16	34	17	8	21	38	9	6	10	10	17	21	67	8	26	17	12	17
	F	43	10	15	30	12	9	27	35	18	9	15	16	19	34	71	16	23	18	21	21

TABLE 24A—continued. County Boroughs and Administrative Counties.

Causes of Death (See first page of Table)		Stockport.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.).	Swansea.	Bedfordshire.
16 (1a) Cancer of lung and pleura	M	29	66	36	11	13	28	33	21	16	65	12	16	32	13	25	59	10	30	43	63
	F	2	12	7	2	1	6	7	2	1	13	3	4	3	5	3	14	—	2	8	12
16 (1b) „ remainder of resp: system	M	5	4	3	3	1	4	2	2	1	4	5	—	3	1	2	3	—	2	2	9
	F	1	1	1	—	—	2	1	2	1	2	—	1	—	—	—	2	1	2	—	—
16 (2) „ buccal cavity and œsophagus	F	5	9	9	3	1	4	1	2	3	6	2	—	1	2	5	9	3	5	7	7
16 (3) „ remaining sites	M	66	103	74	15	28	47	40	36	39	74	30	35	68	24	59	116	27	50	75	121
	F	67	94	59	14	21	57	36	30	31	44	20	31	47	17	45	97	18	31	70	116
19 (1) Chronic affns: of valves & endo:	M	26	36	27	8	8	10	16	11	6	26	7	15	13	6	16	36	10	13	26	31
	F	27	64	36	9	17	22	16	14	16	40	16	14	17	12	15	34	17	18	35	48
19 (2) Myocardial degeneration	M	137	188	194	79	70	104	109	55	57	147	76	79	185	48	99	186	59	75	102	246
	F	173	216	180	85	64	129	111	51	59	201	82	102	250	81	121	209	72	92	136	305
19 (3) Dis: of cor: art: & angina pec:	M	90	115	118	30	26	65	33	57	29	102	48	53	54	38	85	217	38	52	125	152
	F	47	42	68	28	26	51	13	26	16	35	30	22	42	17	51	75	10	19	58	102
19 (4) Other diseases of heart	M	13	50	13	9	5	24	17	17	7	20	11	3	13	8	15	29	24	13	27	31
	F	30	49	29	15	13	17	8	17	8	16	8	3	15	5	8	24	26	24	41	49
27 (1) Dis: of pharynx and tonsils	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1
	F	—	1	1	—	1	—	1	—	2	—	—	—	—	—	1	1	—	—	—	2
27 (2) Cirrhosis of liver	M	3	2	3	2	1	3	2	—	1	2	—	1	1	1	1	4	1	—	—	4
	F	—	1	1	4	—	1	1	—	—	1	—	—	—	2	—	1	—	4	—	1
27 (3) Other dis: of liver & biliary pass:	M	—	6	2	—	—	—	1	—	2	2	1	3	2	3	3	1	—	3	2	4
	F	3	12	9	3	2	6	3	1	1	4	1	3	5	—	4	6	—	3	5	12
27 (4) Remaining dis: of diges: sys:	M	11	11	7	4	4	4	6	7	7	21	4	4	9	1	4	7	5	6	15	20
	F	6	15	14	8	4	5	6	7	4	12	4	10	7	3	6	13	3	8	13	27
29 (1) Septic abortion	F	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—
29 (2) Infns: of childb:	F	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1
30 (1) Other abortion	F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 (2) Remg: mat: causes	F	1	6	5	2	2	1	2	—	—	1	2	2	1	—	5	6	—	—	3	4
32 (1) Injury at birth	M	4	5	9	3	2	2	4	3	5	8	5	1	7	1	3	5	3	7	5	6
	F	2	2	4	2	1	1	3	1	—	4	1	2	3	3	—	3	—	2	3	4
32 (2a) Congenital malformations	M	11	16	20	1	8	6	9	9	9	10	5	1	11	4	2	15	7	8	17	20
	F	7	21	5	5	1	4	7	9	5	11	2	3	9	4	2	7	3	7	5	20
32 (2b) Hæm: dis: of the newb:	M	1	3	2	—	—	—	4	3	—	2	1	2	1	—	—	3	—	—	2	1
	F	1	3	3	—	1	—	1	1	—	—	—	—	1	—	3	2	—	—	1	—
32 (2c) Other infantile diseases	M	4	13	4	2	1	2	7	2	6	3	3	5	10	3	1	9	1	5	7	10
	F	3	5	2	2	3	2	6	1	1	4	4	3	4	2	2	1	2	2	5	7
36 (1) Erysipelas	M	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	1
36 (2) Purulent infection and septicæmia	M	1	—	—	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
	F	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	1
36 (3) Hodgkin's disease	M	1	2	2	1	—	—	3	—	—	—	—	2	—	—	1	5	—	—	2	3
	F	1	—	—	1	—	—	—	1	—	1	1	—	2	—	—	1	—	1	—	—
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg: infve: & parasitic dis:	M	—	2	1	2	—	—	—	1	2	1	3	—	1	—	—	—	1	1	—	—
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	1	1	2
36 (6) Rheumatic fever	M	—	1	2	1	—	3	1	—	—	1	—	—	2	—	—	1	—	1	—	—
	F	1	1	—	—	—	—	2	—	—	—	1	1	—	1	—	—	—	—	3	1
36 (7) Exophthalmic goitre	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	1
	F	2	2	—	1	2	—	—	—	—	—	1	—	2	1	—	—	1	1	2	4
36 (8) Diseases of blood	M	4	10	6	4	1	2	5	2	2	6	7	10	5	1	1	13	9	1	5	17
	F	10	12	8	2	4	5	8	3	3	10	2	2	11	—	5	14	5	7	9	10
36 (9) Diseases of ear and mastoid	M	1	5	2	—	1	1	2	2	1	3	—	2	1	—	—	4	—	1	1	—
	F	—	6	—	—	—	—	2	1	—	1	—	1	—	—	—	2	—	—	1	—
36 (10) Pyelitis and dis: of bladder	M	1	4	6	1	—	2	2	2	2	6	—	1	4	—	5	6	3	2	2	4
	F	3	6	6	1	—	4	2	1	2	5	—	1	2	2	1	6	1	—	3	6
36 (11) Dis: of prostate	M	15	16	16	8	1	22	6	3	6	20	6	5	16	5	9	24	7	14	24	43
36 (12) Old age	M	13	63	31	1	7	10	46	2	11	7	3	15	6	12	4	27	19	7	25	60
	F	38	82	45	10	11	16	48	5	21	17	14	31	18	29	17	38	16	22	40	83
36 (13) Ill-defined diseases	M	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	1	7
	F	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	9
36 (14a) Paralysis agitans	M	4	5	3	2	1	3	—	1	1	—	2	—	1	—	1	—	1	—	5	7
	F	1	3	2	—	—	—	2	1	—	1	—	3	2	3	5	6	2	3	6	4
36 (14b) Remaining causes in 36	M	17	33	25	12	2	10	17	12	12	13	8	7	19	4	12	17	13	9	18	41
	F	17	42	21	6	7	20	18	12	17	16	8	11	19	5	9	32	18	17	11	40

TABLE 24A—continued. Administrative Counties.

Causes of Death (See first page of Table)		Berkshire.	Buckinghamshire.	Cambridgeshire.	Cheshire.	Cornwall.	Cumberland.	Derbyshire.	Devonshire.	Dorsetshire.	Durham.	Ely, Isle of.	Essex.	Gloucestershire.	Herefordshire.	Hertfordshire.	Huntingdonshire.	Kent.	Lancashire.	Leicestershire.	Lincolnshire; Parts of Holland.
16 (1a) Cancer of lung and pleura	M	54	76	38	158	42	25	91	82	49	121	14	342	74	24	109	9	288	379	54	9
	F	10	11	9	29	13	5	26	30	10	25	6	69	14	6	20	1	60	79	13	2
16 (1b) „ remainder of resp. system	M	4	7	3	13	4	2	9	9	3	7	—	24	10	4	8	1	37	25	7	1
	F	3	—	1	11	5	1	5	2	2	7	—	4	3	1	3	2	4	8	1	1
16 (2) „ buccal cavity and œsophagus	F	6	10	9	21	26	8	16	33	16	26	3	44	7	3	14	3	41	70	9	4
16 (3) „ remaining sites	M	123	180	92	337	162	88	309	278	130	389	55	709	174	60	260	42	704	884	170	46
	F	123	150	91	357	168	91	257	291	135	297	34	628	187	46	250	33	649	776	111	33
19 (1) Chronic affns: of valves & endo:	M	32	44	30	126	58	26	79	78	69	121	13	213	65	28	62	13	180	324	37	15
	F	43	70	22	134	85	44	94	93	53	165	22	285	84	14	93	9	285	417	45	18
19 (2) Myocardial degeneration	M	231	303	157	626	392	200	585	584	285	720	130	1141	460	130	398	55	1430	2029	260	88
	F	269	342	152	881	548	241	669	857	360	862	116	1469	615	140	560	63	1799	2580	345	81
19 (3) Dis: of cor: art: & angina pec:	M	185	220	119	573	255	143	362	357	229	591	42	964	234	81	349	38	953	1433	176	52
	F	118	133	74	320	113	79	188	250	130	337	28	494	133	31	212	26	541	732	101	28
19 (4) Other diseases of heart	M	34	38	19	119	64	67	114	93	37	105	14	149	45	33	63	13	151	367	43	18
	F	46	51	24	144	73	73	120	120	41	126	13	204	43	21	68	10	191	446	52	24
27 (1) Dis: of pharynx and tonsils	M	—	2	—	3	—	2	4	—	—	2	—	2	—	—	3	—	2	7	—	—
	F	1	1	—	4	1	1	6	6	1	4	1	4	2	—	1	1	2	10	—	—
27 (2) Cirrhosis of liver	M	6	5	—	9	4	7	9	9	3	5	2	12	6	1	6	—	26	22	5	—
	F	1	1	1	5	4	—	4	2	—	7	—	8	3	4	5	—	15	15	3	1
27 (3) Other dis: of liver & biliary pass:	M	1	8	2	12	6	2	7	11	2	14	1	17	8	3	9	—	18	23	8	1
	F	8	13	4	24	15	16	17	20	13	21	2	28	9	5	13	1	55	90	10	4
27 (4) Remaining dis: of diges: sys:	M	17	37	9	51	31	13	42	42	15	48	4	94	21	5	30	4	94	124	20	6
	F	23	21	13	73	30	15	42	50	25	59	6	108	35	8	50	1	103	136	26	5
29 (1) Septic abortion	F	—	—	—	2	—	—	1	—	—	2	—	2	—	—	1	—	3	3	1	—
29 (2) Infns: of childb:	F	—	—	2	1	—	1	1	1	—	3	—	3	2	—	—	—	4	5	1	—
30 (1) Other abortion	F	—	—	—	—	—	—	—	—	—	—	—	3	1	—	1	—	2	4	—	—
30 (2) Remg: mat: causes	F	3	1	—	18	2	6	10	10	2	13	1	11	7	1	1	3	20	20	3	2
32 (1) Injury at birth	M	3	11	2	22	14	7	12	11	7	30	4	34	14	—	13	1	25	52	7	2
	F	5	7	3	19	10	4	14	5	3	12	—	29	11	3	9	1	17	30	3	1
32 (2a) Congenital malformations	M	14	25	9	37	27	18	48	20	9	69	5	75	23	11	27	5	88	116	16	7
	F	18	15	8	38	20	10	38	19	15	55	5	91	28	6	30	4	75	118	14	4
32 (2b) Hæm: dis: of the newb:	M	5	3	1	1	3	4	3	1	2	5	1	8	2	—	2	—	11	15	4	1
	F	2	2	2	3	—	1	2	3	—	3	1	9	3	1	5	—	11	9	4	1
32 (2c) Other infantile diseases	M	10	9	7	26	6	5	30	22	4	53	—	59	17	5	15	1	54	89	9	2
	F	6	5	—	15	7	8	27	13	7	24	1	44	12	4	9	3	34	53	7	2
36 (1) Erysipelas	M	—	—	—	1	—	—	—	1	—	—	—	3	—	—	—	—	—	2	1	—
	F	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	1	2	—	—
36 (2) Purulent infection and septicæmia	M	—	2	1	—	—	1	1	1	1	1	1	1	—	—	3	—	—	4	—	1
	F	—	1	—	3	1	—	1	—	—	1	—	—	1	—	—	1	3	3	—	—
36 (3) Hodgkin's disease	M	1	2	1	11	5	2	2	3	4	13	1	23	4	1	6	2	15	19	4	—
	F	3	—	—	3	3	1	3	—	3	3	2	17	4	1	2	1	17	10	4	1
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg: infve: & parasitic dis:	M	1	2	—	5	1	1	2	4	1	7	—	11	3	—	4	—	8	8	—	2
	F	1	2	2	1	1	2	1	2	1	1	—	7	1	1	2	—	6	4	—	—
36 (6) Rheumatic fever	M	1	1	—	2	1	—	2	1	—	9	—	5	1	—	1	—	5	10	—	1
	F	2	1	1	3	1	2	6	—	2	9	1	4	1	2	1	—	3	14	1	—
36 (7) Exophthalmic goitre	M	—	—	—	1	1	—	3	1	—	1	—	2	1	—	2	—	—	4	—	1
	F	3	4	2	10	15	3	5	13	3	8	1	13	9	4	5	—	15	28	1	—
36 (8) Diseases of blood	M	12	15	4	33	20	5	17	27	13	36	2	57	13	3	23	1	59	93	14	3
	F	22	14	10	41	30	11	40	28	14	43	5	69	19	5	27	3	79	133	17	4
36 (9) Diseases of ear and mastoid	M	1	3	3	4	—	—	6	1	1	5	—	7	1	—	2	—	5	20	—	1
	F	—	1	1	4	1	—	3	2	—	5	—	1	2	—	2	—	3	7	1	—
36 (10) Pyelitis and dis: of bladder	M	7	3	3	17	20	6	12	17	3	13	1	21	8	4	10	1	40	33	5	3
	F	5	7	6	14	7	3	8	14	8	17	—	34	7	2	9	—	37	42	6	1
36 (11) Dis: of prostate	M	29	42	18	103	68	31	74	115	53	76	12	184	53	23	75	7	165	191	34	14
36 (12) Old age	M	66	28	28	172	48	46	104	60	33	153	7	146	27	9	52	16	107	296	58	33
	F	96	68	36	199	100	71	153	125	61	187	8	253	37	33	116	28	201	444	81	78
36 (13) Ill-defined diseases	M	2	1	1	—	1	2	—	4	1	11	—	2	—	1	4	—	3	8	1	1
	F	5	1	1	2	1	—	1	4	—	12	—	3	1	—	5	—	4	8	2	—
36 (14a) Paralysis agitans	M	10	8	2	10	3	2	13	11	8	12	—	17	10	1	7	2	19	22	7	—
	F	3	4	—	13	9	2	9	22	15	15	2	18	12	—	15	1	26	37	9	—
36 (14b) Remaining causes in 36	M	33	30	21	86	43	32	73	50	23	113	14	164	41	22	56	7	147	211	26	10
	F	28	46	18	98	55	41	82	90	44	104	14	168	49	18	99	11	195	305	42	13

TABLE 24A—continued. Administrative Counties.

Causes of Death (See first page of Table)		Lincolnshire: Parts of Kesteven.	Lincolnshire: Parts of Lindsey.	Middlesex.	Norfolk.	Northamptonshire.	Northumberland.	Nottinghamshire.	Oxfordshire.	Peterborough, Soke of.	Rutlandshire.	Shropshire.	Somersetshire.	Southampton.	Staffordshire.	Suffolk, East.	Suffolk, West.	Surrey.	Sussex, East.	Sussex, West.	Warwickshire.
16 (1a) Cancer of lung and pleura	M	17	64	583	69	58	78	75	28	15	1	38	74	101	148	27	15	320	59	68	83
	F	4	5	128	9	9	14	14	6	3	—	13	17	20	30	8	—	71	16	27	17
16 (1b) „ remainder of resp: system	M	2	2	41	3	6	8	11	1	3	—	7	13	10	17	8	3	18	9	8	7
	F	1	3	18	5	—	3	1	—	—	—	4	1	4	4	—	—	7	5	4	3
16 (2) „ buccal cavity and œsophagus	F	4	5	61	11	4	13	12	2	1	1	4	13	17	22	10	4	23	15	14	12
16 (3) „ remaining sites	M	62	129	946	209	125	188	238	68	17	9	141	235	257	334	116	51	605	161	190	211
	F	44	113	998	168	119	161	202	66	24	4	115	227	270	277	97	51	597	222	174	161
19 (1) Chronic affns: of valves & endo:	M	17	45	276	39	42	64	49	24	8	4	37	76	58	87	27	15	154	45	46	49
	F	18	58	369	63	43	89	90	27	5	9	54	88	77	104	29	20	191	52	77	65
19 (2) Myocardial degeneration	M	106	243	1257	376	223	421	400	159	43	6	336	482	552	658	271	158	888	417	340	337
	F	139	301	1878	458	272	505	446	179	42	21	347	746	672	744	356	178	1265	560	517	443
19 (3) Dis: of cor: art: & angina pec:	M	68	160	1444	224	137	382	291	101	55	14	158	259	387	360	165	78	915	230	238	292
	F	44	96	767	124	95	198	161	67	27	6	91	177	193	191	87	37	579	163	177	153
19 (4) Other diseases of heart	M	25	47	174	48	49	59	74	15	3	2	33	99	45	102	18	24	105	47	27	50
	F	24	46	220	60	41	54	80	14	3	2	52	96	66	120	23	22	141	66	30	75
27 (1) Dis: of pharynx and tonsils	M	—	2	8	—	1	2	—	—	—	—	2	2	1	5	—	—	3	—	—	1
	F	—	1	6	1	1	—	1	—	—	—	3	1	1	3	—	—	3	1	2	1
27 (2) Cirrhosis of liver	M	2	5	12	3	2	6	5	1	1	—	3	11	5	15	2	3	16	5	4	6
	F	2	6	20	3	1	5	3	3	1	—	3	3	9	5	2	1	14	2	4	5
27 (3) Other dis: of liver & biliary pass:	M	2	5	31	5	4	6	9	7	—	—	2	6	5	11	5	2	24	4	8	5
	F	7	15	56	11	5	14	12	3	1	—	9	20	9	17	5	—	38	13	7	14
27 (4) Remaining dis: of diges: sys:	M	12	22	147	26	20	20	31	10	3	—	7	36	44	46	14	9	99	30	18	30
	F	6	26	139	22	18	37	47	12	4	2	12	47	38	50	20	11	115	40	30	41
29 (1) Septic abortion	F	—	—	5	—	—	—	—	2	—	—	—	—	1	1	—	—	4	—	—	—
29 (2) Infns: of childb:	F	—	1	4	1	—	1	1	—	—	—	—	2	5	2	—	—	1	1	1	—
30 (1) Other abortion	F	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—
30 (2) Remg: mat: causes	F	5	6	23	3	1	2	4	—	1	—	3	6	14	15	1	—	6	4	4	7
32 (1) Injury at birth	M	3	10	62	13	7	20	9	2	—	2	14	21	14	23	4	5	32	5	10	11
	F	1	3	20	3	7	9	4	7	—	—	4	12	5	14	1	1	20	5	4	8
32 (2a) Congenital malformations	M	6	18	118	23	14	31	36	9	6	1	13	34	32	51	7	6	75	13	12	29
	F	9	17	104	15	18	20	26	10	4	—	19	25	21	43	9	5	76	18	14	28
32 (2b) Hæm: dis: of the newb:	M	1	2	11	5	1	1	4	1	3	1	3	3	2	11	2	1	13	3	—	1
	F	1	—	9	2	1	2	—	—	1	—	1	1	1	3	1	—	7	2	1	3
32 (2c) Other infantile diseases	M	8	11	116	20	16	15	17	11	1	1	15	24	32	34	16	2	37	7	13	22
	F	1	12	58	10	5	8	15	6	—	—	14	17	13	19	5	1	17	7	9	16
36 (1) Erysipelas	M	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—
	F	—	—	—	1	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
36 (2) Purulent infection and septicæmia	M	2	1	5	—	2	1	—	—	—	1	1	2	2	2	1	—	1	1	1	—
	F	—	1	1	—	—	—	3	—	—	—	—	—	2	—	—	—	2	—	—	1
36 (3) Hodgkin's disease	M	1	2	24	6	2	7	6	—	—	—	1	7	5	9	1	1	12	5	—	7
	F	—	1	14	—	1	1	7	2	—	—	2	3	4	2	5	2	11	3	2	4
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
36 (5) Remg: invfe: & parasitic dis:	M	1	3	6	2	3	2	—	1	—	—	—	1	7	4	3	1	7	2	3	1
	F	—	—	4	—	1	—	1	3	—	—	1	2	2	—	1	—	2	2	3	1
36 (6) Rheumatic fever	M	1	2	7	—	—	1	4	—	—	—	2	3	—	3	—	—	6	2	—	3
	F	—	—	5	1	—	1	4	1	—	—	1	4	—	5	—	—	4	2	—	1
36 (7) Exophthalmic goitre	M	—	—	3	2	—	—	1	1	1	—	1	1	—	—	1	—	6	—	—	1
	F	1	6	11	4	6	5	4	7	1	—	9	11	7	17	3	—	9	6	1	1
36 (8) Diseases of blood	M	3	15	83	21	7	16	23	6	3	2	13	25	28	29	9	6	49	10	7	20
	F	1	17	111	16	12	17	28	7	2	—	10	19	24	39	8	10	66	27	21	22
36 (9) Diseases of ear and mastoid	M	—	1	20	2	1	2	3	1	—	—	1	1	5	9	1	—	3	1	1	3
	F	—	2	15	2	—	1	1	—	—	—	1	2	4	4	2	—	3	3	2	1
36 (10) Pyelitis and dis: of bladder	M	2	6	36	7	4	6	9	7	1	—	3	16	12	13	4	3	23	8	8	8
	F	1	1	46	5	10	8	7	5	2	—	3	14	18	11	1	2	19	7	11	5
36 (11) Dis: of prostate	M	20	33	250	65	30	41	42	12	17	3	41	68	70	63	33	8	141	58	56	58
36 (12) Old age	M	19	66	70	80	24	59	58	13	9	3	28	59	76	239	31	17	102	51	24	28
	F	25	83	168	119	49	73	81	28	16	1	51	153	115	304	48	25	216	79	76	58
36 (13) Ill-defined diseases	M	2	2	5	1	8	4	3	—	—	—	2	1	1	2	1	1	3	1	4	—
	F	2	—	1	3	7	1	4	—	—	—	—	2	1	—	1	—	3	—	—	—
36 (14a) Paralysis agitans	M	1	5	24	10	2	8	6	2	2	—	4	9	15	11	4	3	16	8	8	6
	F	—	5	40	7	4	9	9	5	—	—	3	14	19	13	2	2	32	9	11	8
36 (14b) Remaining causes in 36	M	18	32	197	36	21	51	58	16	6	4	34	50	64	102	28	13	126	37	28	45
	F	12	36	267	55	30	47	48	21	9	3	49	86	75	106	34	15	163	56	56	57

TABLE 24A—continued. Administrative Counties.

Causes of Death (See first page of Table)		Westmorland.	Wight, Isle of.	Wiltshire.	Worcestershire.	Yorkshire, East Riding.	Yorkshire, North Riding.	Yorkshire, West Riding.	Anglesey.	Brecknockshire.	Caernarvonshire.	Cardiganshire.	Carmarthenshire.	Denbighshire.	Flintshire.	Glamorganshire.	Merionethshire.	Monmouthshire.	Montgomeryshire.	Pembrokeshire.	Radnorshire.
16 (1a) Cancer of lung and pleura	M	4	20	50	51	37	51	267	5	7	27	11	22	26	36	122	3	48	6	9	2
	F	4	8	11	22	7	16	52	3	3	1	4	5	7	8	22	—	9	1	3	1
16 (1b) „ remainder of resp: system	M	1	2	8	7	4	10	23	—	—	5	2	2	3	2	12	—	4	—	1	1
	F	1	3	1	4	3	7	12	—	—	2	2	10	1	3	5	1	2	—	2	1
16 (2) „ buccal cavity and œsophagus	F	4	—	8	11	5	11	45	3	—	14	4	10	16	9	23	2	10	3	4	1
16 (3) „ remaining sites	M	27	49	162	173	109	140	721	29	17	72	25	74	84	56	309	22	152	17	40	4
	F	35	48	146	166	87	145	631	11	21	85	31	70	71	50	234	15	107	17	40	4
19 (1) Chronic affns: of valves & endo:	M	25	17	45	34	21	52	233	2	4	10	2	30	21	13	106	4	55	5	8	1
	F	20	12	63	54	32	52	322	6	8	22	10	34	40	27	139	19	56	10	17	5
19 (2) Myocardial degeneration	M	69	149	322	348	194	406	1480	67	55	122	66	133	173	105	608	38	299	65	86	14
	F	87	191	432	435	213	513	1763	74	56	172	83	122	206	144	639	48	269	59	92	24
19 (3) Dis: of cor: art: & angina pec:	M	69	66	195	210	161	229	1071	29	29	86	39	111	101	96	441	19	175	16	55	10
	F	35	32	128	134	86	138	541	15	26	56	41	48	54	57	189	8	91	12	39	4
19 (4) Other diseases of heart	M	14	28	77	74	34	63	192	9	9	6	8	27	35	24	191	5	97	6	28	5
	F	22	23	44	63	28	76	249	13	9	15	18	33	37	47	181	3	84	8	26	4
27 (1) Dis: of pharynx and tonsils	M	—	—	1	—	—	1	5	—	—	—	—	—	—	—	1	—	2	—	—	1
	F	—	—	2	—	1	2	5	—	—	1	—	1	1	—	—	—	3	1	—	—
27 (2) Cirrhosis of liver	M	1	—	4	6	2	3	26	—	1	1	—	1	4	2	8	—	7	2	2	—
	F	1	—	—	3	2	2	14	—	—	1	—	—	3	1	9	—	3	—	1	—
27 (3) Other dis: of liver & biliary pass:	M	1	2	2	4	6	7	19	—	3	1	1	3	6	4	6	—	6	—	3	1
	F	5	5	12	8	6	12	47	—	2	6	3	5	4	2	34	1	15	4	6	1
27 (4) Remaining dis: of diges: sys:	M	5	8	19	22	16	26	106	5	3	5	6	13	18	10	51	2	32	2	6	1
	F	10	7	26	24	22	29	102	4	6	4	2	11	23	11	54	2	19	2	2	2
29 (1) Septic abortion	F	—	1	—	1	—	—	3	—	—	—	—	—	—	—	4	—	1	—	1	—
29 (2) Infns: of childb:	F	1	—	1	1	1	1	1	—	—	—	—	2	1	1	1	—	—	—	—	—
30 (1) Other abortion	F	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
30 (2) Remg: mat: causes	F	—	3	6	12	6	4	19	1	—	2	2	6	3	—	12	—	8	—	2	—
32 (1) Injury at birth	M	1	5	13	13	7	14	56	2	3	2	3	10	3	3	16	—	8	1	6	—
	F	—	2	3	8	1	3	33	1	1	—	1	4	4	—	11	—	7	2	5	1
32 (2a) Congenital malformations	M	6	7	16	21	12	22	99	6	1	4	3	11	9	10	48	3	29	3	6	2
	F	2	5	21	14	8	19	92	7	4	5	3	11	13	6	36	1	20	2	3	—
32 (2b) Hæm: dis: of the newb:	M	3	—	3	2	1	4	7	—	1	—	—	1	2	1	5	—	3	2	—	—
	F	—	—	1	1	1	2	8	—	2	—	—	1	—	1	1	—	2	—	1	—
32 (2c) Other infantile diseases	M	2	3	10	14	8	32	59	6	4	11	1	4	8	8	36	1	10	4	5	—
	F	1	1	6	15	7	10	49	3	1	4	2	5	9	2	34	2	13	3	3	—
36 (1) Erysipelas	M	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (2) Purulent infection and septicæmia	M	1	—	—	1	1	—	3	—	—	—	—	1	—	—	2	1	—	—	1	—
	F	—	—	—	2	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—
36 (3) Hodgkin's disease	M	—	—	3	5	4	4	16	—	1	1	—	1	3	6	9	1	1	1	3	1
	F	—	—	—	1	—	3	11	—	—	—	—	1	—	—	1	1	2	—	—	—
36 (4) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36 (5) Remg: infve: & parasitic dis:	M	2	1	2	—	1	4	8	—	—	1	1	2	6	1	6	1	—	—	1	1
	F	1	2	2	1	—	1	6	—	1	2	—	1	—	—	2	1	—	—	1	—
36 (6) Rheumatic fever	M	—	—	2	1	—	—	7	—	—	—	—	—	—	—	10	—	1	—	—	—
	F	—	1	1	2	—	1	3	—	—	—	—	6	1	—	1	—	5	—	—	—
36 (7) Exophthalmic goitre	M	1	1	—	1	1	1	1	—	—	1	—	—	—	—	—	2	—	—	—	—
	F	1	3	8	9	3	6	25	1	1	6	3	5	3	3	8	1	12	1	1	—
36 (8) Diseases of blood	M	6	3	10	10	8	15	66	2	3	6	3	11	8	11	10	33	5	18	3	1
	F	3	3	14	17	17	17	83	6	7	4	5	8	11	10	33	5	18	1	3	1
36 (9) Diseases of ear and mastoid	M	—	—	4	1	1	—	10	—	—	—	1	1	1	1	5	—	2	—	—	—
	F	—	1	2	1	—	1	9	—	1	1	1	—	1	1	4	—	1	—	—	—
36 (10) Pyelitis and dis: of bladder	M	1	5	7	3	5	6	23	1	1	2	2	6	3	3	26	1	8	2	2	1
	F	1	3	9	6	4	4	21	—	1	4	—	5	4	2	11	3	5	2	1	1
36 (11) Dis: of prostate	M	16	20	69	50	37	50	135	9	11	27	18	40	28	23	115	3	63	11	16	5
36 (12) Old age	M	7	16	45	80	21	20	226	3	14	10	7	23	14	16	154	4	33	8	16	7
	F	16	22	91	119	41	46	295	10	9	33	22	44	26	24	225	12	53	17	37	11
36 (13) Ill-defined diseases	M	1	—	—	1	—	2	1	1	—	—	—	1	1	1	1	—	1	—	3	—
	F	—	—	—	2	—	—	1	—	—	—	—	—	4	—	—	—	1	—	2	—
36 (14a) Paralysis agitans	M	2	1	8	6	4	3	14	—	—	5	2	3	1	3	11	—	5	—	2	—
	F	3	3	7	8	3	8	33	2	—	5	—	7	2	2	19	—	6	—	—	—
36 (14b) Remaining causes in 36	M	11	8	32	43	17	50	161	7	3	14	8	33	14	23	69	1	42	2	6	3
	F	11	14	58	52	29	49	205	9	4	26	10	23	27	13	106	7	37	2	9	7

TABLE 25—Violent Deaths by Sex and Age, 1949.—England and Wales.

Note (1) The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open Verdicts" are included with accidental deaths.

(2) The relation of the full detailed International List to the Intermediate International List will be found in the first column of Table 6.

See Explanatory notes on page vi.

(a) Civilians only (including "Occupational" deaths).

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
163-198	TOTAL {M F	11760 6885	523 385	516 312	454 186	278 88	473 114	696 137	1159 277	1433 440	1595 646	1630 837	1491 1121	1512 2342
163-164	Suicide {M F	3023 1697	— —	— —	— —	2 1	38 21	86 39	254 147	448 263	647 386	677 411	581 300	290 129
163aa	By corrosive substances {M F	51 66	— —	— —	— —	— —	— 1	— 1	— 2	6 8	16 28	15 15	10 6	4 5
	Hydrochloric acid {M F	15 6	— —	— —	— —	— —	— —	— —	— —	1 1	4 4	— —	4 —	— 1
	Carbolic acid {M F	7 4	— —	— —	— —	— —	— —	— —	— —	— —	1 1	4 2	2 —	— 1
	Lysol {M F	16 39	— —	— —	— —	— —	— 1	— 2	— 2	3 3	8 16	2 8	1 6	2 3
	Other corrosives ¹ {M F	13 17	— —	— —	— —	— —	— —	— 1	— —	2 4	3 7	3 5	3 —	2 —
163ab:1	„ analgesic drugs {M F	56 88	— —	— —	— —	— —	1 1	1 —	6 8	5 14	15 18	13 21	9 16	6 10
	Aspirin {M F	51 82	— —	— —	— —	— —	1 —	1 —	4 7	5 14	15 18	11 19	9 15	5 9
	Others ² {M F	5 6	— —	— —	— —	— —	— 1	— —	2 1	— —	— —	2 —	— 1	1 1
163ab:2	„ narcotic drugs ³ {M F	7 5	— —	— —	— —	— —	— —	— —	2 1	1 —	— —	2 2	2 1	— 1
163ac	„ soporific drugs ⁴ {M F	85 114	— —	— —	— —	— —	— 1	4 4	8 13	21 20	16 28	23 27	8 14	5 7
163ad	„ other solid or liquid poisons {M F	68 33	— —	— —	— —	— —	1 2	5 —	9 5	14 11	13 7	15 4	5 4	6 —
	Ammonia {M F	8 7	— —	— —	— —	— —	— —	— —	— —	1 3	1 1	3 1	1 2	— —
	Cyanides {M F	41 6	— —	— —	— —	— —	1 —	5 —	4 2	7 2	8 —	10 1	3 1	3 —
	Others and not stated ⁵ {M F	19 20	— —	— —	— —	— —	— 2	5 —	6 3	6 6	4 6	2 2	1 1	1 —
163ba	„ coal gas {M F	1081 852	— —	— —	— —	— 1	18 12	28 22	76 70	163 125	242 174	243 202	200 174	111 72
163bb	„ Motor exhaust gases {M F	17 4	— —	— —	— —	— —	— —	— —	3 —	4 2	4 1	4 —	1 —	— 1
163bc	„ other poisonous gases ⁶ {M F	4 632	— —	— —	— —	— 1	— 8	— 18	— 65	2 86	1 125	— 148	— 121	— 60
164a	„ hanging or strangulation {M F	143 357	— —	— —	— —	— 1	1 2	3 8	19 25	23 45	32 70	34 71	23 94	8 41
164b	„ drowning {M F	235 220	— —	— —	— —	— —	1 6	5 7	13 25	33 47	57 52	70 44	38 27	18 12
164c	„ firearms and explosives {M F	10 232	— —	— —	— —	— —	— —	— 2	— 9	2 19	3 44	2 65	1 64	— 29
164d	„ cutting or piercing instruments {M F	38 80	— —	— —	— —	— —	— —	— 6	— 6	1 8	2 18	14 11	9 20	— 11
164e	„ jumping from high places {M F	66 110	— —	— —	— —	— —	— —	3 —	5 20	11 23	17 24	15 19	8 14	7 4
164fa	„ crushing on railways {M F	38 15	— —	— —	— —	— —	2 —	4 —	20 —	23 9	24 9	19 8	14 2	4 1
164fb	„ other crushing ⁷ {M F	2 8	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
164g	„ other or unspecified means ⁸ {M F	8 7	— —	— —	— —	— —	— —	— —	— 1	1 3	4 —	1 2	2 1	— —

¹ Sulphuric acid, 1M., 1F.; oxalic acid, 3F.; acetic acid, 1F.; mercuric perchloride, 2M.; cresol, 1M., 1F.; creosote, 1M.; Izal, 2M., 4F.; Jeyes Fluid, 1M., 1F.; phenol, 2M., 2F.; bleaching fluid, 2F.; caustic soda, 1M., 1F.; corrosive (not stated), 2M., 1F.

² Aconite, 1M., 2F.; oil of wintergreen, 2M., 1F.; belladonna, 1M.; chloroform, 1F.; pethidine, 1F.; salicylate, 1M., 1F.

³ Morphia, 6M., 2F.; opium, 1M., 2F.; Amidone tablets, 1F.

⁴ Adalin, 2m., 1F.; allonal, 1F.; barbitone, 5M., 9F.; barbiturate, 17M., 32F.; barbituric acid, 5M., 10F.; bromide, 1F.; ephedrine, 1M.; luminal, 5M., 2F.; medinal, 1M., 4F.; nembutal, 3M., 4F.; phenobarbitone, 26M., 24F.; seconal, 4M., 6F.; sedormid, 2F.; sodium amytal, 10M., 8F.; soneryl, 5M., 5F.; tuinal, 2F.; veronal, 3F.; narcotic (not stated), 1M.

⁵ Arsenic, 2M., 5F.; nicotine, 4M., 3F.; coal tar disinfectant, 1M.; digitalis, 1F.; disinfectant (not stated), 3M., 2F.; liniment (turpentine), 1M.; liniment (not stated), 1F.; metaldehyde, 1M., 1F.; phosphorous rat poison, 2M., 3F.; rodine, 1M.; strychnine, 3M., 3F.; Poison (not stated), 1M., 1F.

⁶ Carbon monoxide, 3M.; ether, 1M.

⁷ Motor vehicles, 15M., 2F.

⁸ Burns, 3M., 6F.; electrocution, 1F.; exposure, 1M.; starvation, 1M.; suffocation, 1M.; swallowing foreign body, 1M.; throwing himself from train, 1M.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
165-168	Homicide { M F	72 113	16 13	7 11	2 4	3 4	3 6	5 12	12 15	7 13	6 9	8 10	2 11	1 5
165	Infanticide ¹ { M F	16 13	16 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
166	Homicide by firearms { M F	9 7	— —	— —	— —	— —	— —	3 1	2 1	2 1	2 1	2 1	— 1	— —
167	Cutting or piercing instruments { M F	5 10	— —	1 —	— —	— —	— —	2 1	2 1	3 1	— 1	— 1	— 1	— —
168	Other or unspecified means { M F	42 83	— —	6 11	2 4	3 4	3 5	5 7	7 13	4 9	4 8	5 8	2 9	1 5
	Coal gas { M F	4 12	— —	2 4	2 3	— 1	— 1	— —	— 1	— 1	— —	— 1	— —	— —
	Strangulation { M F	2 26	— —	— 1	— —	— 1	— 3	— 5	— 7	— 2	— 1	— 3	— 2	— 1
	Others and not stated ³ { M F	36 45	— —	4 6	— 1	3 2	3 1	5 2	6 5	3 6	4 7	5 4	2 7	1 4
169-195	Accident* { M F	8553 5071	507 372	509 301	452 182	273 83	432 87	598 86	874 115	973 162	919 250	903 416	893 809	1220 2208
169	Railway accidents { M F	344 30	— —	7 1	17 —	7 —	6 1	24 2	40 2	53 4	74 3	79 4	22 6	15 7
	Accidents to trains ⁸ { M F	8 29	— —	— 2	— 2	— —	— 1	2 3	— 5	— —	4 9	2 5	— 1	— 1
	Other accidents to occupants of train { M F	5 20	— —	— 2	— 2	— —	— —	1 2	— 2	— —	1 6	1 4	1 1	1 1
	Fall from carriage, engine or truck { M F	5 9	— —	— —	— —	— —	— 1	— 1	— 3	— —	— 3	— 1	— —	— —
	Others ⁴ { M F	9 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Accidents to persons on line { M F	307 25	— —	5 1	15 —	7 —	5 1	19 1	35 2	53 3	61 3	72 3	21 5	14 6
	Run over { M F	229 22	— —	3 1	4 —	5 —	3 1	10 1	26 2	41 3	48 2	61 3	16 5	12 4
	Crushed by carriage, engine or truck { M F	45 33	— —	— 2	— 11	— 2	— —	8 1	7 2	8 4	10 3	7 4	2 3	1 1
	Others ⁵ { M F	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 2
170	Motor vehicle accidents { M F	2865 924	2 3	192 102	226 107	115 44	178 45	323 43	358 33	339 55	273 68	277 110	315 173	267 141
170a	Collision with trains ⁶ { M F	7 3	— —	— —	— —	— —	— —	— 2	— 1	— —	— —	— —	— —	— —
170b	" " trams ⁷ { M F	2855 924	2 3	192 102	226 107	115 44	178 45	321 43	356 33	337 55	271 68	277 110	313 173	267 141
170c	Other motor vehicle accidents { M F	196 73	— 1	4 3	1 2	1 1	2 3	23 6	42 10	37 12	37 6	23 18	19 5	7 6
	Occupant of motor car ⁸ { M F	698 57	— —	1 1	1 —	2 —	73 9	214 19	184 9	135 13	60 4	23 2	4 —	1 1
	Rider of motor cycle { M F	151 14	— —	— 1	— —	1 —	17 3	38 2	35 4	36 3	15 1	7 —	1 —	— —
	By motor car { M F	208 12	— —	1 —	1 —	1 —	24 1	67 2	54 2	41 6	12 1	6 —	1 —	— —
	" goods transport vehicle { M F	37 2	— —	— —	— —	— —	7 —	8 —	11 —	2 —	5 —	3 —	1 —	— —
	" omnibus { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	" motor cycle { M F	26 4	— —	— —	— —	— —	2 —	6 —	9 —	3 2	5 1	1 1	— —	— —
	" other vehicle ⁹ { M F	30 1	— —	— —	— —	— —	2 —	9 —	9 —	5 5	4 4	1 1	— —	— —
	Without intervention of other vehicle { M F	246 24	— —	— —	— —	— —	21 5	86 12	66 3	48 2	19 1	5 1	1 —	— —
	Occupant of omnibus ¹⁰ { M F	51 22	— —	— —	1 1	1 —	— 2	4 1	5 1	6 2	4 2	8 4	15 6	7 3
	" " taxi cab ¹¹ { M F	4 3	— —	— —	— —	— —	— —	— —	— —	2 1	2 1	— —	— —	— —
	" " motor coach ¹² { M F	1 3	— —	— —	— —	— —	— 1	— —	— —	— 1	— 1	— —	— —	— —
	" " goods transport vehicle ¹³ { M F	177 11	— —	9 —	15 —	6 3	14 1	26 —	33 1	34 2	22 3	12 —	5 —	1 1
	" " other vehicle on road ¹⁴ { M F	11 2	— —	— —	— 1	— —	— —	— —	— —	— 2	— 2	— 4	— 2	— 1

¹ Blow, 5M., 2F.; coal gas, 1F.; cutting or piercing instrument, 1M., 1F.; drowning, 2M., 3F.; inattention at birth, 1F.; strangulation, 5M., 2F.; suffocation, 3M., 2F.; starvation, 1F.

^a Attempted abortion, 7F.; barbiturate, 1F.; blows, 22M., 20F.; carbon monoxide, 1F.; chloroform, 2F.; drowning, 1F.; lack of attention, 1M.; lysol, 1M.; motor vehicle, 9M., 8F.; suffocation, 2M., 1F.; not stated, 1M., 4F.

² Collision, 7M.; derailment, 1M.

⁵ Blow, 3M.; crushing, 2M.; electrocution, 17 M., 1F.; Fall, 11M., 2F.

* Occupant of vehicle :—motor car, 1M.; motor lorry, 4M.; other persons, 2M.

⁷ Occupant of vehicle :—motor car, 1M.; motor cycle, 2M.

⁸ With intervention of other vehicle, 118M, 51F.; without—78M., 22F.

* Excavator, 1M.; fire engine, 2M.; motor coach, 7M.; motor horse box, 1M.; taxicab, 3M.; horse drawn cart, 2M.; pedal cycle, 12M, 1F.; motor vehicle (not stated), 2M.

¹⁰ With intervention of other vehicle, 8M.; without—43M., 22F.

¹¹ With intervention of other vehicle, 3M.; without—1M.

¹² With intervention of other vehicle, 2M.; without—1M., 1F.

¹³ With intervention of other vehicle, 55M., 2F.; without—122M., 9F.

14 With intervention of other vehicle—Ambulance, 1M.; invalid carriage, 6M., 1F.; trolley, 1M.; motor vehicle (not stated), 1M., 1F.;

Without intervention of other vehicle—invalid carriage, 1 M.; motor vehicle (not stated), 1 M.

* Including occupational deaths.

TABLE 25.—continued.

Inter-national List No.	Cause or Character of Violence.		All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
170c	Rider of pedal cycle by motor vehicle ...	M	484	—	5	25	62	68	28	39	49	50	74	61	23
		F	78	—	—	7	16	18	12	5	6	9	3	2	—
	By motor car ...	M	183	—	1	5	18	26	10	15	15	21	28	33	11
		F	26	—	—	—	4	7	6	—	2	3	2	2	—
	„ motor cycle ...	M	17	—	—	1	—	1	—	—	2	1	5	3	4
		F	1	—	—	—	1	—	—	—	—	—	—	—	—
	„ omnibus ...	M	70	—	1	6	7	11	5	4	9	7	8	10	2
		F	6	—	—	1	1	1	1	1	—	1	—	—	—
	„ taxicab ...	M	5	—	—	—	—	1	—	—	1	—	—	1	—
		F	9	—	—	—	1	4	1	1	—	—	1	1	—
	„ motor coach ...	M	2	—	—	—	1	—	1	—	—	—	—	—	—
		F	196	—	3	13	36	24	12	18	22	20	29	13	6
	„ goods transport vehicle ...	M	43	—	—	6	9	10	4	4	4	5	1	—	—
		F	4	—	—	—	—	1	—	1	—	1	1	—	—
	„ other motor vehicle ¹ ...	M	1218	2	172	182	39	20	26	52	70	88	132	207	228
		F	680	2	98	96	24	12	5	7	20	43	83	159	131
	Pedestrian by motor vehicle ...	M	401	2	9	28	9	6	15	20	32	26	54	104	96
		F	231	—	10	15	7	3	3	1	8	18	38	75	53
	„ motor cycle ...	M	86	—	4	4	1	—	1	4	3	9	11	23	26
		F	62	1	4	8	1	—	—	1	2	2	8	22	13
	„ omnibus ...	M	190	—	32	51	6	4	4	5	12	14	19	19	24
		F	90	—	20	25	5	3	—	—	2	8	5	9	13
	„ taxicab ...	M	15	—	—	—	—	—	1	1	1	2	2	5	4
		F	11	—	—	2	—	1	—	—	—	—	4	3	1
	„ motor coach ...	M	28	—	2	5	—	—	1	2	1	5	6	3	3
		F	13	—	—	4	—	—	—	—	1	—	3	2	3
	„ goods transport vehicle ...	M	492	—	124	94	23	10	4	20	20	32	38	52	75
		F	267	1	64	42	11	4	2	5	7	13	25	47	46
	„ other motor vehicle ² ...	M	6	—	1	—	—	—	1	—	1	—	2	1	—
		F	6	—	—	—	—	1	—	—	—	2	—	1	2
	Occupant of horse vehicle in collision with motor vehicle ...	M	5	—	—	1	1	—	—	1	—	1	1	—	—
		F	8	—	1	—	2	—	—	—	1	4	—	—	—
	Other accidents in garage etc. ³ ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—
171a	Tramway accidents on roads ...	M	17	—	1	—	—	—	—	1	1	5	3	4	2
		F	16	—	—	—	—	—	1	—	1	2	3	4	5
	Occupant of tram ...	M	6	—	—	—	—	—	—	1	—	3	—	2	—
		F	3	—	—	—	—	—	1	—	—	1	1	—	—
171b	Pedestrian by tram ...	M	9	—	1	—	—	—	—	—	—	2	2	2	2
		F	13	—	—	—	—	—	—	—	1	1	2	4	5
	Pedal cyclist by tram ...	M	2	—	—	—	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other accidents in road transport ...	M	234	—	6	10	9	34	15	25	20	24	33	31	27
		F	72	—	1	3	2	7	3	5	4	8	17	11	11
	Occupant of horse drawn vehicle ...	M	11	—	—	3	1	—	—	—	3	1	1	1	1
		F	2	—	—	1	—	—	—	—	—	1	—	—	—
	Occupant of wheel chair ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—
171c	Rider of pedal cycle ⁴ ...	M	164	—	1	5	7	31	15	24	15	20	22	14	10
		F	28	—	—	1	1	6	3	4	4	3	4	1	1
	Pedestrian by pedal cycle ...	M	45	—	2	2	1	1	—	—	1	2	7	14	15
		F	36	—	—	1	1	1	—	—	—	4	12	10	7
	„ „ other vehicle (not motor) ⁵ ...	M	13	—	3	—	—	2	—	—	1	1	3	2	1
		F	6	—	1	—	—	—	—	1	—	—	1	—	3
172	Water transport accidents ...	M	142	—	—	2	6	20	20	21	28	24	14	6	1
		F	9	—	3	—	1	—	1	1	1	2	—	—	—
	Drowning ...	M	92	—	—	2	6	19	15	14	15	13	5	3	—
		F	7	—	3	—	1	—	—	1	1	1	—	—	—
	Fall into hold ...	M	16	—	—	—	—	1	1	2	4	3	4	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other falls ⁶ ...	M	18	—	—	—	—	—	2	2	7	2	3	1	1
		F	16	—	—	—	—	—	2	3	2	6	2	1	—
	Other accidents ⁷ ...	M	2	—	—	—	—	—	1	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—
173	Air transport accidents ...	M	76	—	2	—	—	3	10	26	23	9	3	—	—
		F	19	—	—	2	3	3	1	—	3	6	1	—	—
	Occupant of aeroplane ...	M	70	—	2	—	—	3	8	24	22	8	3	—	—
		F	14	—	—	1	2	2	1	—	3	4	1	—	—
	Other persons ...	M	6	—	—	—	—	—	2	—	1	1	—	—	—
		F	5	—	—	1	1	1	—	—	—	2	—	—	—
	Other persons ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—

¹ Ambulance, 2M.; motor vehicle (not stated), 2M.² Ambulance, 3M., 4F.; motor caravan, 1F.; motor hearse, 1M.; tank, 1M.; motor vehicle (not stated), 1M., 1F.³ Burns, 2M.; crushing, 3M.; tyre burst, 1M.; horse rider, by motor vehicle, 2M.⁴ With intervention of other vehicle, (not motor).—Horse drawn vehicle, 2M.; pedal cyclist, 17M, 1F.; not stated, vehicle, 1M.; without intervention of other vehicle,—144M., 27F.⁵ Horse drawn vehicle, 13M., 4F.; wheel chair, 1F.; not stated vehicle, 1F.⁶ From ladder, 4M.; from platform, 3M.; from gangway, 1M.; from staging, 3M.; from ship, 3M.; not stated, 4M.⁷ Blow, 5M., 1F.; crushed by cargo, 2M.; crushed between fishing gear and bulwark, 1M.; fire, 1M.; fumes, 2M., 1F.; machinery, 3M.; shipwreck, 1M.; not stated, 1M.

TABLE 25—continued.

Inter- national List No.	Cause or Character of Violence.		All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
174	Accidents in mines and quarries ¹	M	464	—	—	—	3	12	32	80	116	112	90	19	—
175	Agriculture and forestry accidents ²	M	134	—	7	7	6	6	8	14	29	24	14	16	3
		F	7	—	1	2	—	1	1	—	—	1	1	—	—
176	Accidents caused by machinery ³	M	195	—	1	5	3	6	12	54	48	29	21	15	1
		F	9	—	—	—	—	2	2	1	1	2	1	—	—
177	Food poisoning ⁴	M	28	4	—	1	—	1	—	1	3	3	9	4	2
		F	36	8	2	—	—	2	—	1	3	4	7	5	4
178	Accidental absorption of poisonous gas	M	220	1	7	1	2	7	7	18	21	20	41	36	59
		F	235	—	6	1	—	2	3	4	6	19	31	53	110
	Coal gas	M	185	—	5	1	1	6	4	13	17	15	34	32	57
		F	219	—	3	1	—	2	3	2	5	17	27	53	106
	Carbon monoxide ⁵	M	28	—	2	—	—	1	2	3	4	5	6	3	2
		F	14	—	2	—	—	—	2	1	2	3	—	—	4
	Others ⁶	M	7	1	—	—	1	—	1	2	—	—	1	1	—
		F	2	—	1	—	—	—	—	—	—	—	1	—	—
179	Other acute accidental poisoning (not by gas) ⁷	M	96	—	16	5	—	1	4	15	12	19	10	9	5
		F	103	—	14	—	—	—	6	8	12	20	18	18	6
180	Conflagration	M	21	—	6	—	—	—	—	1	4	4	2	1	3
		F	38	2	2	3	—	—	—	2	2	4	6	5	12
181	Accidental burns (conflagration excepted)	M	218	18	66	8	2	2	4	8	13	8	12	20	57
		F	420	14	82	22	4	2	8	13	13	20	40	57	145
	Burns	M	153	9	24	5	2	2	4	6	12	6	10	20	53
		F	346	8	39	21	4	2	8	13	13	20	37	50	131
	By clothing	M	96	7	20	5	1	1	1	3	7	4	8	9	30
		F	276	3	32	20	4	2	7	12	8	16	31	39	102
	From domestic fire	M	28	5	7	3	—	1	—	1	1	—	—	3	7
		F	99	2	11	12	3	1	2	8	3	5	10	11	31
	„ gas fire, stove, etc.	M	5	—	3	—	—	—	—	1	—	—	—	—	1
		F	41	—	4	5	—	1	1	—	2	2	5	9	12
	„ electric fire	M	8	—	3	—	1	—	—	—	—	—	—	1	3
		F	50	—	6	2	—	—	4	3	1	3	7	6	18
	„ other causes ⁸	M	50	1	6	2	—	—	1	1	6	4	7	5	17
		F	66	1	9	1	1	—	—	1	2	5	8	10	28
	Not stated	M	5	1	1	—	—	—	—	—	—	—	1	—	2
		F	20	—	2	—	—	—	—	—	—	1	1	3	13
	By falling into fire	M	18	—	1	—	—	—	—	—	1	—	1	6	9
		F	25	2	1	—	—	—	—	3	3	2	3	4	10
	„ other means ⁹	M	30	1	3	—	1	1	3	3	4	2	1	2	9
		F	26	2	2	1	—	—	1	1	2	1	2	4	10
	Not stated	M	9	1	—	—	—	—	—	—	—	—	—	3	5
		F	19	1	4	—	—	—	—	—	—	1	1	3	9
	Scalds	M	65	9	42	3	—	—	—	2	1	2	2	—	4
		F	74	6	43	1	—	—	—	—	—	—	3	7	14
182	Accidental mechanical suffocation	M	490	390	16	4	3	8	3	9	16	13	12	10	6
		F	320	266	12	2	1	1	—	1	7	7	7	7	9
	In bed	M	79	76	—	—	—	—	—	2	1	—	—	—	—
		F	57	49	—	—	—	1	—	1	1	1	1	2	1
	In cot, cradle, etc.	M	137	129	6	1	1	—	—	—	—	—	—	—	—
		F	81	77	4	—	—	—	—	—	—	—	—	—	—
	By food	M	237	175	6	2	1	6	1	3	12	9	11	8	3
		F	165	131	6	1	1	—	—	—	5	5	4	4	8
	„ other means ¹⁰	M	37	10	4	1	1	2	2	4	3	4	1	2	3
		F	17	9	2	1	—	—	—	—	1	1	2	1	—

¹ Including fall down mine, quarry, etc., 5M.; fall of stone, 1M.; machinery, 1M.; tubs, 1M.; For other details see page 307.

² Including animals (not venomous), 2M., 2F.; machinery, 4M.; vehicles, 18M., 2F.. For other details see page 307

³ Including coal scraper, 1M.; driving belt, 1M.; drill, 1M.; lift, 2M., 2F.; mangle, 1M.; mechanical dumper, 1M.; mechanical shovel, 1M.; sausage machine, 1M.; truck, 1M. For other details see page 307.

⁴ Bacillus gaertner, 1F.; bacillus typhimurium, 16M., 17F.; salmonella, 9M., 11F.; staphylococcus, 2F.; not stated, 3M., 5F.

⁵ Anthracite stove, etc., 5M., 2F.; burning clothes, 1F.; burning refuse, 3M.; boiler, 3M.; coal fire, 3F.; coke fumes, 2M.; furnace, 3M.; geyser, 3M., 4F.; motor exhaust fumes, 7M., 1F.; not stated, 2M., 3F.

⁶ Fumes from ammonia, 1M.; ether, 1F.; nitric acid, 1M.; smoke, 2M., 1F.; sulphuric acid, 1M.; trichloroethylene 1M.; poisonous gas (not stated), 1M.

⁷ Acetic acid, 1M.; aconite, 2M.; adrenalin, 1M.; alcohol, 1M.; ammonia, 2M., 2F.; anthisan, 1M., 3F.; aspirin, 10M., 18F.; atropine, 1M.; barbitone, 2M., 4F.; barbiturate, 11M., 18F.; barbituric acid, 2M., 3F.; belladonna, 1M.; camphor oil, 1F.; carbolic acid, 1M., 1F.; carbon tetrachloride, 2M.; caustic soda, 4M.; chloral hydrate, 4M., 3F.; chloroform, 1M.; crommesol, 1M.; cyanide, 3M.; cyclopropane, 1M.; dial, 1F.; digoxin, 1M.; disinfectant (not stated), 1F.; drug (not stated), 1M.; epanutin, 1F.; ephedrine, 1F.; ergoroxine, 1F.; evipan, 1M.; ferrous sulphate, 1F.; hydrocyanic acid, 1F.; insecticide, 1M.; insulin, 1M., 1F.; liniment (not stated), 1M.; luminal, 1M., 2F.; mercuric nitrate, 1M.; methyl alcohol, 2M.; methylated spirits, 1M.; morphia, 1M.; nembutal, 1F.; oil of wintergreen, 2M., 3F.; paraldehyde, 1M., 1F.; pethidine, 1M., 1F.; phanodorm, 1M.; phenobarbitone, 12M., 15F.; phenol, 1F.; phosphorous, 1F.; potassium chromate, 1M.; potassium permanganate, 1M.; pyranisamine malate, 1F.; quinine, 1F.; rodine, 1M., 1F.; seconal, 3M., 1F.; sedormid, 1F.; sodium amytal, 3M., 2F.; soldering fluid, 1M.; sleeping tablets (not stated), 2F.; soneryl, 4F.; strychnine, 3M., 2F.; sulfathiazole, 1M.; sulphone, 1F.; thyroid hormone, 1F.; trichlorethylene, 1M.

⁸ Acetylene burner, 1M.; anthracite stove, etc., 1M., 1F.; blow lamp, 1M.; boiler, 1M.; bonfire, 3F.; cigarette, pipe, etc., 14M., 5F.; cordite, 1M.; candle, 4M., 20F.; furnace, 1M.; matches, 7M., 17F.; methylated spirits, 1M.; molten metal, 1M.; oil stove, lamp, etc., 6M., 11F.; paper, 1M., 4F.; paraffin, 2F.; petrol, 6M.; spirit stove, lamp, etc., 1M., 3F.; taper, 2M.; tar, 1M.

⁹ Bonfire, 1M.; burning material, 3M., 3F.; candle, 1F.; cigarette, 1M.; electric fire, etc., 2M., 3F.; fat, 1M.; fire, 5M., 5F.; furnishings, 1F.; gas fire, 3F.; hot iron bar, 1M.; hot water bottle, 3M., 2F.; inflammable leather dressing, 2F.; molten metal, 2M.; oil stove, lamp, etc., 2M., 1F.; paraffin, 1F.; petrol, 4M.; pit heap, 1M.; rubber solution, 1M., 4F.; spirit stove, 1M.; sulphuric acid, 1M.; varnish, 1M.

¹⁰ Barley, 1M.; cushion, 2F.; fall of sand, etc., 9M.; foreign body, 1M.; heavy substance, 4M.; insufficient ventilation, 1M., 1F.; mucous, 2M., 1F.; mud, 2M., 1F.; rubber teat, 1M., 1F.; salt, 1M.; not stated, 15M., 11F.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.			All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
183	Accidental drowning ...	M	809	2	122	118	59	71	58	46	52	62	77	85	57	
		F	190	3	37	20	13	11	3	8	11	27	25	23	9	
	Bathing in sea ...	M	40	—	—	3	4	8	9	7	4	—	—	—	—	
		F	7	—	—	1	2	1	1	1	—	—	—	—	—	
	Other bathing ...	M	134	—	—	13	35	46	20	13	4	—	—	—	2	—
		F	12	—	—	—	5	3	1	—	—	—	—	—	1	1
	Fall into dock ...	M	10	—	—	2	—	—	—	2	1	—	—	—	3	—
	Others ¹ ...	M	305	—	106	87	14	13	9	10	9	11	8	17	21	
		F	77	2	32	17	4	3	—	2	2	3	5	4	3	
	Not stated ...	M	320	2	16	13	6	4	19	14	34	45	68	63	36	
		F	94	1	5	2	2	4	1	4	9	23	20	18	5	
184	Accidental injury by firearms ...	M	58	1	1	1	3	12	5	4	13	8	9	1	—	
		F	5	—	—	—	1	1	—	2	—	1	—	—	—	
185	„ injury by cutting or piercing instruments ...	M	6	—	—	1	—	—	1	1	—	—	—	—	1	
		F	4	—	—	—	—	—	—	—	—	—	—	—	—	
186	„ injury by fall, crushing, etc. ...	M	1645	10	27	30	26	39	47	103	126	156	138	255	688	
		F	2370	5	15	12	9	4	3	5	15	41	125	421	1715	
	From bed ...	M	53	3	1	—	—	—	—	—	—	—	—	—	7	40
		F	139	—	1	—	—	—	—	—	—	—	—	4	22	112
	Downstairs ...	M	277	—	1	—	2	—	1	10	6	24	15	68	150	
		F	447	1	2	—	1	—	—	—	2	16	38	116	270	
	Indoors ...	M	394	7	5	4	1	1	—	2	8	7	21	57	281	
		F	1187	2	2	2	—	—	—	—	3	8	47	177	946	
	From ladder ...	M	68	—	—	—	—	2	2	5	10	9	13	18	9	
		F	8	—	—	—	—	—	—	1	—	—	3	1	3	
	In street ...	M	158	—	1	3	3	1	2	1	8	8	12	35	84	
		F	137	—	—	1	—	—	1	—	2	3	12	34	84	
	From window ...	M	59	—	5	—	—	1	3	4	8	4	7	14	13	
		F	44	—	4	—	—	—	—	—	6	5	5	8	16	
	Others ¹ ...	M	377	—	12	18	20	27	27	45	39	67	43	27	52	
		F	190	1	6	6	6	3	2	2	6	6	6	25	125	
	Not stated ...	M	259	—	2	5	—	7	12	36	46	37	26	29	59	
		F	218	1	—	3	2	—	—	2	—	3	10	38	159	
187	Cataclysm ...	M	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	
188	Injury by animals (not in farming, etc) ³ ...	M	9	—	1	1	—	—	—	—	—	—	2	2	3	
		F	3	—	1	—	—	—	—	—	—	—	—	—	—	
189	Hunger or thirst ...	M	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	—	—	—	—	1	2	1	—	
190	Excessive cold ...	M	2	—	—	—	—	—	—	—	—	—	—	—	—	
191	Excessive heat ...	M	10	1	1	—	—	—	1	—	—	—	2	3	1	
		F	5	—	—	—	—	—	—	—	—	—	1	—	3	
192	Lightning ...	M	9	—	—	—	1	3	—	—	3	1	—	—	—	
		F	3	—	—	—	—	—	—	—	—	—	—	—	—	
193	Other accidents due to electric currents (not railway, etc) ⁴ ...	M	47	—	5	—	3	3	8	8	10	9	1	—	—	
		F	20	1	2	1	1	—	—	3	3	1	3	2	3	
194	Attack by venomous animals ⁵ ...	M	2	—	—	—	—	—	—	—	—	—	—	—	—	
		F	8	1	—	—	—	—	1	—	—	—	1	2	3	
195a	Vaccinia and other sequelæ of vacc. against smallpox ⁶ ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	
195b	Other accidents due to medical or surgical intervention ⁶ ...	M	5	1	2	—	—	—	—	1	1	—	—	—	—	
		F	6	—	2	—	—	—	1	2	1	—	—	—	—	
195c	Lack of care of the newborn ⁷ ...	M	65	65	—	—	—	—	—	—	—	—	—	—	—	
		F	65	65	—	—	—	—	—	—	—	—	—	—	—	
195d	Other or unspecified accidents included under 195 ...	M	339	12	22	15	24	20	16	40	40	37	51	38	24	
		F	146	4	17	6	4	2	6	22	18	9	12	20	26	
	Blow ...	M	64	1	1	3	6	1	1	10	9	8	12	9	3	
		F	25	—	2	2	—	—	—	1	2	2	4	1	10	
	Explosion ⁸ ...	M	52	—	—	1	2	1	3	9	17	10	8	1	—	
		F	7	—	—	—	—	1	1	1	2	1	—	—	1	
	Exposure ...	M	21	—	—	—	—	1	—	3	3	1	6	1	6	
		F	6	—	—	—	—	—	—	—	—	—	—	—	—	
	Sport ⁹ ...	M	18	—	—	—	2	3	4	8	1	—	—	—	—	
	Strangulation ...	M	45	3	4	1	13	8	4	1	3	5	2	—	—	
		F	12	1	4	—	—	—	1	—	1	1	—	3	1	
	Swallowing foreign body ...	M	39	5	5	—	—	1	—	2	—	6	9	6	5	
		F	35	2	6	—	1	—	2	3	4	2	4	9	2	
	Others and not stated ¹⁰ ...	M	100	3	12	10	1	5	4	7	7	14	21	9	9	
		F	61	1	5	4	3	—	2	17	9	2	4	5	9	
196	(See page 308)															
197	Deaths of civilians due to operations of war ...	M	98	—	—	—	—	—	1	14	3	22	42	15	1	
		F	3	—	—	—	—	—	—	—	—	1	1	—	—	
198	Legal executions ...	M	14	—	—	—	—	—	—	6	5	2	1	—	—	
		F	1	—	—	—	—	—	—	—	—	1	—	—	—	

¹ Including attempted rescue, 8M.; bath, 9M., 13F.; canal, 64M., 9F.; ditch, 8M., 2F.; pond, 56M., 17F.; reservoir, 11M., 4F.; river, 78M., 8F.; sea, 22M., 3F.; sewage, etc., 5M., 1F.; tank, tub, etc., 30M., 17F.; waterlogged excavation, 10M., 1F.; well, 2M., 2F.

² Crushed:—by falling masonry, 27M., 2F.; by other heavy substance, 70M., 6F.; diving, 12M.; fall—from balcony, 3M., 4F.; bridge, 3M., 1F.; cliff, etc., 32M., 9F.; crane, 10M.; dock, 7M.; fire escape, 1M.; furnace, etc., 5M.; gasometer, 4M.; horse, 15M., 8F.; lift shaft, 6M.; perambulator, 1M., 1F.; push cart, etc., 5M., 1F.; roof, etc., 46M., 6F.; skylight, 4M.; staging in shipyard, 22M.; swing, 1M.; telegraph pole, etc., 5M.; trapdoor, 8M., 4F.; tree, 19M.; trench, etc., 7M.; wall, 11M., 5F.; fracture of leg, age 65 and up, 53M., 143F.

³ Bull, 1F.; horse, 9M., 2F.

⁴ Including cable, etc., 20M., 2F.; fire, etc., 9M., 7F.; iron, 2M., 6F.; lamp, 6M., 1F.; plug, 1M., 2F.; power station, 1M.; pylon, 2M.; switch, 3M., 1F.; in bath—from fire, 1F.

⁵ Bee, 1M., 1F.; wasp, 1M., 7F.

⁶ For 195a1, a2, ba and bb, see Table 21.

⁷ Including infants abandoned, 29M., 28F.

⁸ Including ammunition, 4M., 1F.; blow lamp, 1M.; coal gas, 3F.; compressed air, 1M.; oil lamp, 2M.

⁹ Boxing, 1M.; cricket, 7M.; football, 10M.

¹⁰ Including accidents in fairground, 5M., 5F.; attempted abortion, 26F.; brawl, 3M.; broken glass, etc., 4M.; fall on sharp object, 9M., 2F.; shock due to immersion, 31M., 4F.

TABLE 25—continued. (b) Occupational deaths of Civilians classed to International List Nos. 169-195 and included in Section (a).

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
169-195a	TOTAL { M F	1834 34	— —	— —	— —	— —	72 5	134 5	350 —	430 2	385 5	324 7	115 7	24 3
169a	Railway accidents { M F	190 1	— —	— —	— —	— —	4 —	15 —	23 —	37 —	53 —	52 —	6 —	—
	Staff on trains ¹ M	19 —	— —	— —	— —	— —	1 —	3 —	1 —	— —	9 —	5 —	— —	—
	„ run over on line { M F	122 1	— —	— —	— —	— —	1 —	4 —	16 —	26 —	32 —	41 —	2 —	—
	„ crushed by engine, etc. ... M	38 —	— —	— —	— —	— —	2 —	8 —	5 —	7 —	10 —	4 —	2 —	—
	Others ² M	11 —	— —	— —	— —	— —	— —	— —	1 —	4 —	2 —	2 —	2 —	—
170aa	Motor vehicle in collision with train ³ M	2 —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	—
170ca	Other motor vehicle accidents ⁴ ... { M F	178 1	— —	— —	— —	— —	13 1	22 —	33 —	39 —	29 —	21 —	15 —	6
171aa	Tramway accidents on roads ⁵ ... M	2 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	—
171ba	Other road transport accidents ⁶ ... M	12 —	— —	— —	— —	— —	3 —	— —	— —	— —	1 —	5 —	1 —	2
172a	Water transport accidents { M F	72 1	— —	— —	— —	— —	1 —	8 —	14 —	15 —	17 —	12 —	5 —	—
	Drowning M	29 —	— —	— —	— —	— —	— —	4 —	8 —	5 —	7 —	3 —	2 —	—
	Falls ⁷ M	29 —	— —	— —	— —	— —	1 —	2 —	3 —	9 —	5 —	7 —	2 —	—
	Others ⁸ { M F	14 1	— —	— —	— —	— —	— —	2 —	3 —	1 —	5 —	2 —	1 —	—
173a	Air transport accidents ⁹ M	34 —	— —	— —	— —	— —	1 —	3 —	19 —	8 —	3 —	— —	— —	—
174a	Accidents in coal mine M	425 —	— —	— —	— —	— —	11 —	27 —	73 —	109 —	102 —	85 —	18 —	—
	Explosion of gas M	4 —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 —	1 —	— —	—
	Fall M	11 —	— —	— —	— —	— —	— —	1 —	— —	4 —	2 —	4 —	— —	—
	Fall of coal, etc. M	233 —	— —	— —	— —	— —	3 —	14 —	48 —	60 —	60 —	40 —	8 —	—
	Machinery M	33 —	— —	— —	— —	— —	2 —	6 —	8 —	8 —	5 —	4 —	— —	—
	Tubs, etc. M	102 —	— —	— —	— —	— —	5 —	6 —	11 —	19 —	27 —	25 —	9 —	—
	Others M	42 —	— —	— —	— —	— —	1 —	— —	5 —	17 —	7 —	11 —	1 —	—
	In other mines ¹⁰ M	9 —	— —	— —	— —	— —	— —	1 —	5 —	2 —	1 —	— —	— —	—
	In quarries ¹¹ M	22 —	— —	— —	— —	— —	— —	3 —	1 —	5 —	7 —	5 —	1 —	—
175a	Agriculture and forestry accidents { M F	110 3	— —	— —	— —	— —	6 1	8 —	14 —	28 —	22 1	14 1	15 —	3
175aa	Machinery { M F	16 1	— —	— —	— —	— —	1 1	2 —	4 —	2 —	3 —	1 —	3 —	—
	Vehicles M	45 —	— —	— —	— —	— —	5 —	5 —	4 —	12 —	9 —	3 —	6 —	1
175bba	Animals (not venomous) M	13 —	— —	— —	— —	— —	— —	— —	1 —	4 —	3 —	2 —	2 —	1
175ca	Others ¹² { M F	36 2	— —	— —	— —	— —	— —	1 —	5 —	10 —	7 1	8 1	4 —	1
176a	Accidents caused by machinery ¹³ { M F	185 7	— —	— —	— —	— —	6 2	12 2	53 —	48 1	29 1	21 1	15 —	1
178a	Accidental absorption of poisonous gas ¹⁴ M	24 —	— —	— —	— —	— —	1 —	— —	3 —	6 —	5 —	7 —	2 —	—
180a	Conflagration M	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	—
181a	Accidental burns ¹⁵ { M F	27 2	— —	— —	— —	— —	2 —	3 1	6 —	9 —	2 —	5 1	— —	—
182a	Accidental mechanical suffocation M	13 —	— —	— —	— —	— —	2 —	— —	4 —	3 —	4 —	— —	— —	—
183a	Accidental drowning ¹⁶ M	11 —	— —	— —	— —	— —	1 —	1 —	1 —	3 —	1 —	1 —	3 —	—
184a	Accidental injury by firearms ... { M F	2 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	—
185a	Accidental injury by cutting or piercing instrument M	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	—
186a	Accidental injury by fall, crushing, etc. { M F	411 13	— —	— —	— —	— —	18 —	22 —	80 —	90 —	86 2	18 3	25 5	12 3
	Building operations M	155 —	— —	— —	— —	— —	7 —	10 —	32 —	43 —	28 —	21 —	11 —	3
	In works and factories M	31 —	— —	— —	— —	— —	2 —	— —	7 —	9 —	4 —	8 —	1 —	—
	Others and not stated ¹⁷ ... { M F	225 13	— —	— —	— —	— —	9 —	12 —	41 —	38 —	54 2	49 3	13 5	9 3

¹ Fall from train, 7M.; inhalation of fumes, 1M.; striking bridge, etc., 4M.; train accident, 7M.
² Blow, 3M.; crushing, 2M.; fall, 6M.
³ Occupant of motor vehicle, 1M.; other person, 1M.
⁴ Staff of :—goods transport, 90M., 1F.; motor bus, 6M.; motor car, 7M.; motor cycle, 3M.; other motor vehicle, 2M.; horse drawn vehicle, 1M.; other persons, 69M.
⁵ Staff of tram, 1M.; killed by tram, 1M.
⁶ Staff of vehicle, 5M.; others killed by vehicle, 7M.
⁷ Into hold, 14M.; others in ship, 9M.; from ship, 6M.
⁸ Including blow, 5M., 1F.; crushing, 3M.; fumes, 2M.; machinery, 3M.
⁹ Occupant of plane, 30M.; other persons, 4M.
¹⁰ Explosion, 1M.; fall, 2M.; fall of stone, etc., 6M.
¹¹ Explosion, 5M.; fall, 5M.; fall of stone, etc., 9M.; machinery, 2M.; tubs, 1M.
¹² Including fall, 17M. 2F.; falling tree, 5M.
¹³ Including circular saw, 4M.; cranes, etc., 51M.; hoist, 14M., 3F.; in works and factories—metal, 20M.; textile, 7M., 1F.; other, 50M., 3F.
¹⁴ Including carbon monoxide, 9M.; coal gas, 13M.
¹⁵ Including chemicals, 1M.; clothing, 12M.; molten metal, 2M.; scalds, 5M.
¹⁶ Including fall into dock, 3M.
¹⁷ Including crane, 10M.; docks, 5M.; ladder, 38M.; roof, 22M.; shipyard, 15M.; telegraph pole, etc., 5M.; window cleaning, 12M.

TABLE 25—continued.

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
187a	Cataclysm M	1	—	—	—	—	—	—	—	—	1	—	—	—
188a	Injury by animals M	5	—	—	—	—	—	—	—	—	1	1	3	—
193a	Electric currents (not lightning) M	19	—	—	—	—	2	3	3	6	5	—	—	—
195da	Other and unspecified accidents	F	2	—	—	—	—	—	—	—	—	1	1	—
		M	78	—	—	—	1	5	16	20	13	17	6	—
		F	3	—	—	—	—	1	—	1	1	—	—	—
		M	44	—	—	—	—	3	7	17	10	6	1	—
		F	3	—	—	—	—	1	—	1	1	—	—	—
	Others ^a M	34	—	—	—	—	1	2	9	3	3	11	5	—

¹ Acetylene cylinder, 3M.; ammunition, 4M.; boiler, 2M., 1F.; chemicals, 4M.; drying stove, 1F.; electric fan, 1M.; heating valve, 1M.; metal works, 6M.; oxygen cylinder, 3M.; petrol, 11M., 1F.; tank, 9M.

² Including blow, 25M.; fall on sharp object, 2M.; shock due to sudden immersion, 2M.; not stated, 3M.

(c) Violent deaths of Non-civilians (for International List headings see Table 21A).

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and over
163-198	TOTAL {M F	326 4	— —	— —	— —	— —	82 —	97 3	102 1	36 —	8 —	1 —	— —	— —
163-164	Suicide M	30	—	—	—	—	8	7	6	6	2	1	—	—
165-168	Homicide {M F	3 1	— —	— —	— —	— —	2 —	— —	1 1	— —	— —	— —	— —	— —
169-195	Accident {M F	289 3	— —	— —	— —	— —	71 —	90 3	94 —	28 —	6 —	— —	— —	— —
Including transport accidents as follows :—														
169	Railway M	1	—	—	—	—	1	—	—	—	—	—	—	—
	Accidents to persons on line ¹ M	1	—	—	—	—	1	—	—	—	—	—	—	—
170	Motor vehicle accidents {M F	100 3	— —	— —	— —	— —	33 —	29 3	22 —	12 —	4 —	— —	— —	— —
	Occupant of motor car ² {M F	7 1	— —	— —	— —	— —	1 —	2 1	4 —	— —	— —	— —	— —	— —
	Rider of motor cycle M	45	—	—	—	—	9	16	9	8	3	—	—	—
	By motor car M	3	—	—	—	—	—	2	—	—	1	—	—	—
	„ goods transport vehicle M	21	—	—	—	—	3	6	5	6	1	—	—	—
	„ omnibus M	4	—	—	—	—	2	2	—	—	—	—	—	—
	„ other vehicle ³ M	2	—	—	—	—	1	—	1	—	—	—	—	—
	Without other vehicle M	15	—	—	—	—	3	6	3	2	1	—	—	—
	Occupant of omnibus ⁴ F	1	—	—	—	—	—	1	—	—	—	—	—	—
	Occupant of goods transport vehicle ⁵ {M F	31 1	— —	— —	— —	— —	17 —	6 1	5 —	3 —	— —	— —	— —	— —
	Occupant of other motor vehicle ⁶ M	2	—	—	—	—	1	—	1	—	—	—	—	—
	Rider of pedal cycle M	6	—	—	—	—	—	3	1	1	1	—	—	—
	By motor car M	2	—	—	—	—	—	1	—	—	1	—	—	—
	„ goods transport vehicle M	1	—	—	—	—	—	1	—	—	—	—	—	—
	„ omnibus M	2	—	—	—	—	—	1	—	1	—	—	—	—
	„ motorcoach M	1	—	—	—	—	—	—	1	—	—	—	—	—
	Pedestrian by motor vehicle M	9	—	—	—	—	5	2	2	—	—	—	—	—
	By motor car M	4	—	—	—	—	—	2	—	2	—	—	—	—
	„ goods transport vehicle M	4	—	—	—	—	2	2	—	—	—	—	—	—
	„ motor cycle M	1	—	—	—	—	1	—	—	—	—	—	—	—
171	Other road transport M	5	—	—	—	—	1	3	—	1	—	—	—	—
171b	Other accidents ⁷ M	5	—	—	—	—	—	—	—	—	—	—	—	—
196	Operations of war M	3	—	—	—	—	—	—	1	2	—	—	—	—
198	Legal executions M	1	—	—	—	—	1	—	—	—	—	—	—	—

¹ Run over on line, 1M.

² With intervention of other vehicle, 5M., 1F.; without—2M.

³ Motor coach, 1M.; pedal cycle, 1M.

⁴ Without intervention of other vehicle, 1F.

⁵ With intervention of other vehicle, 13M.; without—18M., 1F.

⁶ Without intervention of other vehicle, 2M.

⁷ Pedal cyclist without other vehicle, 5M.

TABLE 26.—Notifications of Certain Infectious Diseases. Case Rates per 1,000 Population, 1939-1949 } England and Wales and Certain
(For the years 1940-1949, the Rates in this Table relate to Civilians only). Aggregates.

See Explanatory notes on page vi.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-mouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Enteric fever	1939	0.04	0.04	0.03	0.03	0.03	0.04	0.04	0.02	0.04	0.04	0.03	0.03
	1940	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02
	1941	0.03	0.03	0.04	0.04	0.02	0.04	0.02	0.02	0.03	0.04	0.03	0.05
	1942	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1943	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01
	1944†	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01
	1945†	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Typhoid fever	1946†	0.01	0.01	0.07	0.01	0.01	0.09	0.01	0.02	0.01	0.09	0.01	0.08
	1947†	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01
	1948†	0.01	0.01	0.01	0.00	0.01	0.01	0.00	—	0.01	0.01	0.02	0.01
	1949†	0.01	0.01	0.00	0.01	0.01	0.00	0.01	—	0.01	0.00	0.01	0.00
	1940	0.05	0.05	0.01	0.02	0.05	0.02	0.05	0.01	0.06	0.02	0.03	0.01
	1941	0.09	0.10	0.04	0.06	0.07	0.04	0.16	0.03	0.07	0.06	0.07	0.02
	1942	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Paratyphoid fevers	1943	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01
	1944†	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.01	0.01	0.01
	1945†	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01
	1946†	0.02	0.02	0.03	0.01	0.01	0.03	0.03	0.02	0.01	0.04	0.01	0.01
	1947†	0.01	0.01	0.00	0.01	0.01	0.00	0.01	—	0.01	0.00	0.02	0.01
	1948†	0.01	0.01	0.00	0.01	0.01	0.00	0.01	—	0.01	0.00	0.01	0.01
	1949†	0.01	0.01	0.00	0.01	0.01	0.00	0.02	0.00	0.01	0.00	0.01	0.01
Cerebro-spinal fever	1939	0.04	0.03	0.12	0.05	0.02	0.13	0.04	0.10	0.02	0.19	0.02	0.04
	1940	0.28	0.26	0.63	0.27	0.21	0.59	0.33	0.76	0.22	0.67	0.20	0.46
	1941	0.26	0.24	0.44	0.30	0.19	0.42	0.34	0.54	0.20	0.46	0.16	0.35
	1942	0.14	0.13	0.20	0.15	0.11	0.20	0.18	0.21	0.11	0.20	0.10	0.19
	1943	0.08	0.08	0.09	0.09	0.06	0.06	0.10	0.09	0.07	0.09	0.06	0.09
	1944†	0.05	0.05	0.06	0.06	0.05	0.05	0.06	0.08	0.05	0.07	0.05	0.04
	1945†	0.05	0.05	0.06	0.06	0.04	0.05	0.05	0.08	0.04	0.07	0.04	0.04
	1946†	0.05	0.05	0.05	0.06	0.04	0.04	0.06	0.08	0.04	0.04	0.04	0.04
	1947†	0.05	0.05	0.06	0.05	0.04	0.05	0.07	0.08	0.05	0.07	0.04	0.04
	1948†	0.03	0.03	0.06	0.03	0.02	0.03	0.04	0.05	0.02	0.04	0.02	0.02
	1949†	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.01	0.02
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)

† See note at end of table.

TABLE 26—continued.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-mouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Scarlet fever	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1939	1.89	1.87	2.19	1.53	1.82	2.08	2.07	2.59	1.84	2.21	1.77	1.87
	1940	1.60	1.58	1.84	0.81	1.58	1.97	1.77	1.33	1.50	2.31	1.74	1.41
	1941	1.50	1.51	1.29	1.03	1.43	1.43	1.68	0.76	1.50	1.65	1.43	1.07
	1942	2.19	2.24	1.54	1.86	2.04	1.60	2.71	1.31	2.24	1.84	1.60	1.22
	1943	3.01	3.08	2.01	3.80	2.97	1.91	3.15	2.40	3.33	2.13	2.17	1.56
	1944†	2.40	2.41	2.28	1.57	2.35	2.22	2.70	2.52	2.43	2.43	2.15	1.88
	1945†	1.89	1.89	1.87	1.57	1.75	1.92	2.23	1.71	1.83	2.16	1.56	1.53
	1946†	1.38	1.37	1.53	1.42	1.27	1.55	1.54	1.47	1.32	1.81	1.15	1.13
	1947†	1.37	1.11	1.41	1.33	1.23	1.26	1.64	1.98	1.31	1.40	1.03	1.02
Diphtheria	1948†	1.73	1.70	2.19	1.37	1.54	1.93	2.09	3.10	1.65	2.10	1.28	1.64
	1949†	1.63	1.63	1.60	1.46	1.56	1.40	1.80	2.29	1.67	1.60	1.31	1.09
	1939	1.15	1.10	1.92	0.98	0.96	1.99	1.37	1.68	1.02	2.35	0.81	1.42
	1940	1.14	1.03	2.69	0.60	0.83	2.39	1.51	3.77	0.88	2.87	0.72	1.61
	1941	1.28	1.20	2.30	0.95	0.89	2.14	1.86	2.94	0.95	2.49	0.78	1.58
	1942	1.05	1.01	1.52	0.76	0.70	1.41	1.69	1.98	0.75	1.59	0.57	1.12
	1943	0.88	0.86	1.21	0.74	0.60	1.10	1.37	1.65	0.68	1.11	0.45	1.08
	1944†	0.59	0.56	0.90	0.31	0.44	0.86	0.85	1.06	0.50	0.92	0.31	0.77
	1945†	0.46	0.45	0.58	0.31	0.37	0.61	0.64	0.48	0.41	0.67	0.28	0.51
	1946†	0.29	0.28	0.42	0.24	0.23	0.42	0.37	0.40	0.25	0.44	0.18	0.38
Whooping cough	1947†	0.13	0.13	0.18	0.14	0.10	0.19	0.18	0.13	0.11	0.20	0.09	0.17
	1948†	0.08	0.08	0.07	0.10	0.07	0.08	0.11	0.06	0.07	0.08	0.05	0.08
	1949†	0.04	0.04	0.04	0.06	0.03	0.04	0.06	0.03	0.03	0.04	0.03	0.05
	1940	1.34	1.35	1.23	0.22	1.31	1.25	1.70	1.15	1.35	1.44	1.24	0.95
	1941	4.47	4.58	3.02	3.56	4.64	3.25	4.66	2.10	4.69	3.86	4.54	2.26
	1942	1.73	1.77	1.14	2.72	1.63	1.06	1.84	1.47	1.65	1.13	1.59	0.94
	1943	2.54	2.62	1.37	2.68	2.36	1.31	3.12	1.60	2.43	1.51	2.21	1.01
	1944†	2.49	2.53	1.85	2.90	2.57	1.91	2.37	1.64	2.52	1.85	2.70	1.99
	1945†	1.64	1.69	0.97	1.25	1.67	0.99	1.81	0.91	1.59	1.03	1.87	0.92
	1946†	2.29	2.35	1.26	2.22	2.16	1.15	2.72	1.64	2.15	1.21	2.18	1.06
Erysipelas	1947†	2.22	2.28	1.27	2.86	2.15	1.18	2.37	1.60	2.20	1.36	2.03	0.88
	1948†	3.42	3.49	2.37	3.13	3.47	2.27	3.63	2.74	3.42	2.41	3.58	2.03
	1949†	2.39	2.42	1.83	1.70	2.31	1.61	2.80	2.60	2.32	1.67	2.31	1.50
	1939	0.34	0.35	0.27	0.37	0.30	0.26	0.42	0.32	0.31	0.30	0.26	0.20
	1940	0.32	0.33	0.28	0.35	0.29	0.29	0.39	0.25	0.29	0.34	0.28	0.22
	1941	0.31	0.32	0.23	0.51	0.26	0.23	0.38	0.23	0.27	0.27	0.24	0.16
	1942	0.30	0.30	0.23	0.43	0.25	0.22	0.37	0.24	0.26	0.26	0.23	0.16
	1943	0.31	0.31	0.22	0.42	0.28	0.22	0.36	0.24	0.29	0.27	0.24	0.14
	1944†	0.29	0.29	0.22	0.37	0.27	0.21	0.32	0.28	0.28	0.26	0.24	0.13
	1945†	0.25	0.26	0.19	0.31	0.23	0.19	0.29	0.17	0.24	0.25	0.22	0.11

TABLE 26—continued.

Disease.	Year.	England and Wales (including Port Health Districts).	England.	Wales (including Mon-mouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).	England (excluding London).	Wales (including Mon-mouth).	England.	Wales (including Mon-mouth).
Dysentery	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1939	0·05	0·05	0·01	0·07	0·05	0·01	0·05	0·02	0·03	0·01	0·09	0·01
	1940	0·07	0·07	0·08	0·05	0·08	0·08	0·06	0·05	0·06	0·03	0·11	0·17
	1941	0·17	0·17	0·06	0·27	0·19	0·07	0·13	0·04	0·15	0·10	0·27	0·03
	1942	0·18	0·17	0·25	0·31	0·17	0·21	0·15	0·38	0·14	0·15	0·24	0·30
	1943	0·19	0·19	0·09	0·45	0·17	0·08	0·19	0·14	0·15	0·11	0·20	0·03
	1944†	0·30	0·29	0·43	0·59	0·29	0·23	0·23	1·20	0·26	0·26	0·36	0·19
	1945†	0·39	0·39	0·26	0·72	0·36	0·14	0·38	0·73	0·33	0·12	0·42	0·16
	1946†	0·19	0·19	0·12	0·24	0·21	0·08	0·16	0·26	0·19	0·07	0·24	0·10
	1947†	0·09	0·09	0·04	0·10	0·11	0·01	0·06	0·12	0·08	0·01	0·17	0·02
1948†	0·12	0·12	0·09	0·21	0·10	0·04	0·14	0·24	0·09	0·07	0·12	0·01	
1949†	0·11	0·10	0·12	0·13	0·08	0·10	0·13	0·17	0·09	0·15	0·08	0·02	
Measles	1940	10·19	10·18	10·26	1·77	10·45	10·53	11·83	9·26	10·59	11·63	10·15	8·73
	1941	10·53	10·53	10·54	4·86	12·08	11·46	8·62	6·85	11·01	13·77	14·34	7·73
	1942	7·46	7·75	3·39	9·17	6·55	3·24	9·93	3·99	7·62	3·50	4·23	2·83
	1943	9·88	9·86	10·28	8·62	10·32	10·53	9·11	9·30	9·95	13·13	11·13	6·37
	1944†	4·16	4·29	2·23	2·98	3·91	2·36	5·31	1·76	4·12	2·63	3·43	1·92
	1945†	11·67	11·70	11·23	9·03	12·26	10·43	11·27	14·21	11·91	11·98	13·06	7·92
	1946†	3·94	4·05	1·89	7·35	3·52	1·95	4·18	1·67	3·85	1·96	2·76	1·92
	1947†	9·41	9·36	10·24	5·39	9·34	10·30	10·40	10·03	9·51	11·83	8·93	7·79
	1948†	9·34	9·55	5·95	9·17	9·10	6·34	10·49	4·56	9·08	6·78	9·14	5·64
	1949†	8·95	9·16	5·60	8·54	9·17	4·85	9·30	8·26	9·08	5·88	9·38	3·18
Acute poliomyelitis and polioencephalitis	1939	0·02	0·02	0·01	0·03	0·02	0·01	0·01	0·01	0·02	0·01	0·03	0·02
	1940	0·03	0·03	0·04	0·01	0·03	0·03	0·03	0·10	0·03	0·03	0·03	0·02
	1941	0·02	0·02	0·02	0·02	0·03	0·02	0·02	0·01	0·03	0·02	0·03	0·03
	1942	0·02	0·02	0·01	0·01	0·02	0·02	0·01	0·01	0·02	0·02	0·02	0·02
	1943	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01
	1944†	0·01	0·01	0·01	0·01	0·02	0·01	0·01	0·00	0·01	0·02	0·02	0·01
	1945†	0·02	0·02	0·02	0·02	0·02	0·02	0·02	0·03	0·02	0·01	0·03	0·03
	1946†	0·02	0·02	0·01	0·01	0·02	0·01	0·01	0·01	0·02	0·02	0·02	0·01
	1947†	0·18	0·19	0·15	0·22	0·20	0·15	0·16	0·14	0·19	0·14	0·22	0·17
	1948†	0·04	0·04	0·05	0·04	0·05	0·04	0·04	0·07	0·04	0·04	0·05	0·04
1949†	0·14	0·14	0·08	0·20	0·15	0·07	0·12	0·09	0·14	0·09	0·15	0·04	
*Puerperal fever and puerperal pyrexia	1939	0·22	0·23	0·20	0·24	0·19	0·18	0·29	0·26	0·20	0·21	0·15	0·13
	1940	0·19	0·19	0·15	0·20	0·15	0·14	0·27	0·18	0·17	0·17	0·12	0·08
	1941	0·19	0·19	0·16	0·18	0·16	0·14	0·24	0·24	0·19	0·16	0·13	0·09
	1942	0·22	0·23	0·17	0·26	0·18	0·15	0·30	0·26	0·20	0·19	0·14	0·08
	1943	0·22	0·23	0·15	0·25	0·19	0·11	0·30	0·29	0·21	0·14	0·14	0·07
	1944†	0·21	0·21	0·14	0·22	0·17	0·10	0·30	0·31	0·19	0·12	0·13	0·06
	1945†	0·18	0·19	0·13	0·26	0·14	0·09	0·25	0·28	0·16	0·11	0·11	0·06
	1946†	0·18	0·18	0·13	0·21	0·14	0·09	0·25	0·27	0·16	0·10	0·09	0·06
	1947†	0·16	0·16	0·09	0·16	0·12	0·06	0·23	0·21	0·14	0·07	0·07	0·06
	1948†	0·13	0·13	0·06	0·15	0·09	0·04	0·20	0·21	0·11	0·05	0·06	0·03
1949†	0·11	0·11	0·06	0·13	0·08	0·04	0·17	0·14	0·09	0·06	0·05	0·01	

*The London figures include the following notification rates for Puerperal fever alone:—1939—0·04, 1940—0·05, 1941—0·02, 1942—0·04, 1943—0·05, 1944—0·06, 1945—0·06, 1946—0·04, 1947—0·03, 1948—0·01, 1949—Nil.

† The rates in these years are based upon notifications finally corrected after amendment of diagnosis (except in Port Health Districts).

TABLE 27.—Seasonal Incidence of Certain Infectious Diseases, 1949 (including Non-Civilians). } England and Wales.

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week : where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

See Explanatory notes on page vi.

Week ended			Typhoid fever.	Para-typhoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whoop-ing cough.	Diphtheria.	Measles.	Acute polio-myelitis & polioen-cephalitis.
Jan.	8,	1949	57	14	139	74	117	133	179	15
"	15		71	29	90	72	143	97	149	28
"	22		43	7	77	95	149	138	139	21
"	29		43	14	145	86	145	148	158	16
Feb.	5		86	29	103	99	161	122	187	8
"	12		100	36	97	103	153	156	249	14
"	19		43	64	119	97	153	118	264	15
"	26		57	50	148	91	154	125	271	11
March	5		57	36	106	86	134	106	252	8
"	12		14	21	113	85	133	106	234	15
"	19		43	14	184	88	141	120	220	14
"	26		43	50	126	98	151	123	207	13
April	2		14	14	97	91	152	111	214	11
"	9		14	36	126	86	132	112	199	11
"	16		29	14	90	75	116	108	177	5
"	23		43	50	110	68	129	100	183	7
"	30		86	7	103	57	147	103	155	11
May	7		529	21	68	65	155	92	125	11
"	14		100	71	142	72	147	95	113	9
"	21		57	57	110	80	144	97	115	9
"	28		57	57	126	89	132	105	130	15
June	4		57	50	87	91	111	98	132	10
"	11		129	171	90	79	92	85	125	14
"	18		114	271	71	67	114	86	124	29
"	25		114	221	84	82	111	77	93	39
July	2		57	93	74	75	114	84	94	61
"	9		71	229	126	69	111	108	75	58
"	16		86	357	55	76	111	109	73	89
"	23		114	386	90	84	102	80	68	75
"	30		43	357	87	76	91	103	58	128
Aug.	6		71	264	61	62	80	94	50	142
"	13		157	186	84	50	88	82	44	192
"	20		86	214	71	49	83	62	29	224
"	27		143	179	58	52	85	55	24	212
Sept.	3		129	214	81	51	82	56	16	233
"	10		43	143	123	53	62	69	12	232
"	17		57	129	110	68	60	82	9	260
"	24		114	164	113	81	54	98	9	227
Oct.	1		171	171	81	94	48	80	11	271
"	8		257	129	119	118	46	88	13	284
"	15		200	93	94	134	44	89	13	351
"	22		86	129	77	138	42	97	14	314
"	29		100	100	84	143	38	106	14	278
Nov.	5		157	50	58	148	45	91	15	250
"	12		257	50	65	157	49	89	14	239
"	19		300	43	71	186	50	101	18	173
"	26		157	79	103	205	52	127	20	146
Dec.	3		129	50	84	200	50	95	23	119
"	10		57	36	119	207	45	92	22	102
"	17		71	57	123	205	50	97	24	70
"	24		43	36	90	175	47	85	23	61
"	31		400	14	71	169	52	107	27	50
Average weekly number of cases notified (original notifications)			7	14	31	1,381	1,974	95	7,400	132

TABLE 28.—Cases of Certain Infectious Diseases Notified, 1939-1949. } England and Wales.

See Explanatory notes on page vi.

(a) Civilians (excluding cases in Port Health Districts).

Diseases	1939	1940	1941	1942	1943	1944†	1945†	1946†	1947†	1948†	1949†
Typhoid fever	711	855	1034	433	364	259	261	459	264	346	278
Paratyphoid fevers	734	1888	3621	354	313	225	213	720	396	370	576
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	1	—
Cerebro-spinal fever	1411	11162	9886	5281	2974	2018	1829	1880	2196	1198	934
Scarlet fever	77568	63778	58051	83830	113917	90581	72174	56099	57246	73940	70186
Whooping cough	?	53545	173249	65986	96105	93944	62663	92892	92657	146372	102801
Diphtheria	47061	45445	49432	40042	33277	22085	17580	11601	5492	3531	1874
Erysipelas	14089	12955	12025	11380	11547	10894	9701	9023	7812	9094	8259
Ophthalmia neonatorum	4594	4390	4195	4516	4502	3659	3314	3416	3245	2729	2229
Dysentery	1901	2761	6389	6788	7031	11476	14728	7688	3711	5071	4513
Malaria (contracted in England and Wales)	1	2	2	2	4	9	7	6	5	3	4
Relapsing fever	9	7	6	1	1	6	5	3	1	2	—
Smallpox	—	—	—	6	—	15	3	43	77	—	17
Measles	?	407468	407949	285446	373788	157125	445412	159553	393116	399185	385753
Poliomyelitis (acute)	732	938	861	545	398	438	748	600	7095	1674	5439
Polioencephalitis (acute)	87	128	79	91	46	57	73	55	551	155	479
Encephalitis lethargica (acute)	154	200	176	143	106	73	74	76	67	29	49
Typhus fever	1	—	—	—	—	—	5	—	1	—	—
Pneumonia (acute primary and acute influenzal)	42033	46907	49399	40926	50683	36795	33349	36134	33006	31207	34386
Puerperal fever and pyrexia	9251	7627	7355	8528	8350	7929	7006	7167	6528	5501	4724
Continued fever	3	3	—	4	4	1	1	—	—	1	—

(b) Civilians in Port Health Districts.

Typhoid fever	17	12	1	5	3	8	10	11	12	15	31
Paratyphoid fevers	6	2	6	2	—	—	1	5	4	—	3
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	3	23	7	5	2	1	3	2	4	—	1
Scarlet fever	23	26	21	17	14	35	13	25	18	7	21
Whooping cough	?	40	27	3	1	54	4	24	20	26	7
Diphtheria	15	34	57	72	34	20	15	16	17	15	9
Erysipelas	8	11	8	10	6	5	4	2	—	5	3
Ophthalmia neonatorum	—	—	—	1	—	1	—	—	—	—	—
Dysentery	13	10	6	4	6	7	16	43	28	16	14
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Smallpox	1	1	—	—	—	—	—	1	—	—	2
Measles	?	112	42	31	39	73	34	530	48	266	64
Poliomyelitis (acute)	2	—	—	—	—	3	3	6	8	7	14
Polioencephalitis (acute)	—	—	—	—	—	—	—	—	1	—	—
Encephalitis lethargica (acute)	1	—	—	—	—	—	—	—	—	—	—
Typhus fever	1	—	—	—	—	—	1	—	—	—	7
Pneumonia (acute primary and acute influenzal)	40	49	24	32	16	28	28	37	40	29	22
Puerperal fever and pyrexia	1	—	1	10	2	5	—	—	1	—	—
Continued fever	—	—	—	—	—	—	—	—	—	—	—

(c) Non-Civilians (including cases in Port Health Districts).

Typhoid fever	6	19	23	30	18	17	30	23	14	8	2
Paratyphoid fevers	5	57	80	34	15	33	20	11	16	3	3
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal fever	86	1586	1184	743	327	290	231	130	86	18	8
Scarlet fever	510	1498	1361	1237	2103	2055	1500	606	782	884	460
Whooping cough	?	22	54	27	30	46	24	20	5	12	8
Diphtheria	267	802	1308	1290	1351	1094	1001	369	100	29	7
Erysipelas	44	157	199	208	280	249	148	44	33	21	8
Dysentery	27	89	275	504	868	1542	1534	210	63	17	11
Malaria (contracted in England and Wales)	1	—	—	—	—	—	—	1	—	—	—
Relapsing fever	—	—	—	—	1	—	—	—	—	—	—
Smallpox	—	—	—	1	—	1	1	12	1	—	—
Measles	?	1941	1724	864	2277	1281	1350	319	623	155	118
Poliomyelitis (acute)	10	13	15	36	12	23	33	12	112	19	47
Polioencephalitis (acute)	1	—	4	2	—	11	1	7	9	—	3
Encephalitis lethargica (acute)	4	11	11	5	3	6	2	2	1	1	—
Typhus fever	—	—	—	*1	—	—	22	1	—	—	—
Pneumonia (acute primary and acute influenzal)	239	919	1519	1740	1708	1808	994	442	183	122	153
Puerperal fever and pyrexia	—	—	—	4	2	10	7	12	6	3	—
Continued fever	—	—	—	—	—	—	—	—	—	—	—

*Not louse-borne. †Finally corrected notifications (except in Port Health Districts).

TABLE 28A.—Cases of Certain Infectious Diseases Notified, by Sex and Age, 1949. { England and Wales, Geographical Regions
(excluding Port Health Districts).

Non-civilian cases are excluded from the Regional figures. Final numbers after correction.

Area.	All Ages.		0—		1—		3—		5—		10—		*15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Scarlet fever																		
England and Wales {Civilians Non-Civilians	33910	36276	122	108	3305	2716	7886	7284	17147	18636	3626	5100	1081	1393	659	966	84	73
Regional Summary :	441	19	—	—	—	—	—	—	—	—	—	—	429	19	12	—	—	—
Greater London	6673	6661	24	15	673	542	1445	1285	3673	3770	591	685	157	201	101	154	9	9
Remainder of South East	3734	3647	15	11	276	218	751	692	2119	1986	380	497	111	117	73	115	9	11
North I	1451	1771	7	10	154	134	313	310	594	784	234	381	102	92	44	52	3	8
North II	766	867	2	4	99	69	156	153	362	414	104	149	22	46	21	29	—	3
North III	3793	4206	11	9	434	360	1015	1025	1732	1986	379	569	142	150	73	104	7	3
North IV	6639	7125	13	19	686	556	1686	1518	3183	3559	766	1049	167	259	126	165	12	—
Midland I	3885	4268	9	15	352	317	929	879	2063	2230	337	548	111	152	78	127	6	—
Midland II	2832	2938	6	6	279	197	658	556	1418	1567	295	396	104	125	60	79	12	12
East	1251	1476	4	4	96	93	259	251	680	802	150	203	53	70	27	49	3	4
South West	993	1092	7	3	84	72	202	198	505	529	109	193	53	55	19	33	14	9
Wales I	1554	1882	20	9	136	127	395	347	652	834	243	394	70	106	33	54	5	11
Wales II	339	343	4	3	36	31	77	70	166	175	38	36	10	20	4	5	4	3
Density Summary of All Areas outside Greater London :	11331	12301	43	46	1239	1007	2859	2678	5517	5987	1128	1779	322	487	212	310	11	7
County Boroughs	11005	11936	41	31	1016	844	2613	2396	5451	6189	1263	1725	385	423	214	300	22	28
Other Urban Districts	4901	5378	14	16	377	323	969	925	2506	2690	644	911	217	282	132	202	42	29
Rural Districts...																		
Whooping cough																		
England and Wales {Civilians Non-civilians	48613	54188	4809	4915	14470	15565	13709	15470	14204	15920	895	1047	146	308	259	811	121	152
Regional Summary :	6	2	—	—	—	—	—	—	—	—	—	—	3	2	3	—	—	—
Greater London	7999	8696	791	767	2374	2521	2210	2413	2447	2644	98	119	19	54	52	161	8	17
Remainder of South East	6142	6803	555	534	1638	1727	1632	1869	2029	2250	177	184	32	61	55	156	24	22
North I	2831	3300	309	324	855	1009	874	1027	750	845	30	46	4	11	5	26	4	12
North II	1937	2182	171	190	562	602	505	620	626	703	35	39	8	8	6	36	5	3
North III	3761	4352	346	386	1164	1319	1152	1317	1019	1165	51	84	4	24	21	52	4	5
North IV	8345	9500	911	992	2795	3073	2423	2830	2057	2336	100	104	16	36	34	115	9	14
Midland I	7162	8094	712	760	2225	2355	2021	2244	2046	2465	104	141	20	29	23	87	11	13
Midland II	3271	3526	296	322	944	987	945	1035	985	1036	66	72	9	20	12	37	14	17
East	2184	2386	182	199	564	588	587	639	780	838	44	65	9	21	16	34	2	2
South West	2708	2926	233	215	706	689	705	743	890	1014	118	143	16	27	20	74	20	21
Wales I	1729	1854	221	199	493	555	524	587	424	432	44	37	7	14	7	23	3	7
Wales II	544	569	57	46	150	140	131	146	151	192	28	13	2	3	8	10	17	19
Density Summary of All Areas outside Greater London :	17236	19450	1888	1979	5610	6068	4967	5806	4502	5086	159	221	28	64	62	202	20	24
County Boroughs	14856	16767	1394	1433	4340	4704	4346	4900	4329	4980	275	340	44	99	77	253	51	58
Other Urban Districts	8522	9275	736	736	2146	2272	2186	2351	2926	3210	363	367	55	91	68	195	42	53
Rural Districts...																		

★ Including non-civilian cases of unknown age.

TABLE 28A—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		*15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Diphtheria																		
England and Wales {	860	1014	20	11	98	81	141	119	271	247	152	177	71	170	102	201	5	8
Non-civilians	6	1	—	—	—	—	—	—	—	—	—	—	5	1	1	—	—	—
Regional Summary :																		
Greater London	124	147	2	2	6	15	18	16	48	45	25	22	11	23	14	23	—	1
Remainder of South East	55	75	1	—	8	6	10	6	11	11	12	14	3	21	9	16	—	1
North I	94	99	4	—	11	3	20	13	34	25	15	18	5	17	4	21	1	1
North II	29	36	—	—	6	5	3	3	10	8	6	4	2	7	2	9	—	2
North III	77	93	—	—	11	4	14	13	22	34	14	11	3	15	10	15	—	—
North IV	198	256	6	4	25	22	27	31	59	55	40	50	22	40	19	54	—	—
Midland I	174	186	3	1	24	16	32	25	53	47	30	38	12	21	19	37	1	1
Midland II	9	20	—	—	—	6	1	3	2	1	—	4	1	2	5	3	—	—
East	29	19	—	—	—	1	5	5	11	5	2	1	4	4	7	3	—	—
South West	14	38	—	—	4	2	2	1	4	4	2	5	1	12	1	11	—	2
Wales I	49	36	2	1	2	1	8	3	14	11	6	7	7	7	10	6	—	—
Wales II	8	9	—	—	1	—	1	—	3	1	—	3	—	1	2	3	1	1
Density Summary of All Areas outside Greater London :																		
County Boroughs	390	444	14	7	61	34	65	65	106	106	70	76	33	72	40	83	1	1
Other Urban Districts	255	291	3	1	22	22	43	29	89	68	46	54	15	48	34	66	3	3
Rural Districts...	91	132	1	1	9	10	15	9	28	28	11	25	12	27	14	29	1	3
Measles																		
England and Wales {	195531	190222	7445	7487	51772	48788	55072	53371	72611	70304	5009	5355	1478	2024	1247	2014	897	879
Non-civilians	101	17	—	—	—	—	—	—	—	—	—	—	91	16	10	1	—	—
Regional Summary :																		
Greater London	36649	35318	1388	1385	10527	9639	9973	9597	13808	13282	516	606	200	378	196	374	41	57
Remainder of South East	36215	35236	899	979	8059	7663	9117	8959	15816	14783	1437	1589	352	546	361	571	174	146
North I	10320	10079	513	515	2977	2928	3111	2877	3502	3468	124	146	32	75	31	43	30	27
North II	5619	5491	248	232	1536	1419	1528	1460	2004	2045	184	201	42	52	44	56	33	26
North III	18599	18019	861	849	5425	5162	6041	5811	5790	5595	289	324	81	124	77	126	35	28
North IV	23633	23063	1220	1171	7517	7138	7266	7076	6995	6988	411	414	122	144	84	113	18	19
Midland I	24665	24127	963	962	6622	6359	7130	6999	8976	8843	570	489	215	217	129	182	60	76
Midland II	12575	12393	477	483	3208	3061	3792	3609	4630	4599	268	307	96	147	71	147	33	40
East	6774	6580	195	170	1272	1230	1551	1532	3064	2959	359	361	112	87	79	104	142	137
South West	13175	12811	353	365	2728	2406	3241	3209	5633	5430	663	726	180	195	141	251	236	229
Wales I	6216	5943	288	335	1691	1600	2062	1962	1985	1866	130	115	35	36	18	20	7	9
Wales II	1091	1162	40	41	210	183	260	280	408	446	58	77	11	23	16	27	88	85
Density Summary of All Areas outside Greater London :																		
County Boroughs	61154	59757	2916	2942	18783	17685	19109	18547	19147	18874	681	848	246	446	199	348	73	67
Other Urban Districts	62127	60459	2227	2217	15675	15021	17923	17415	23561	22639	1527	1554	402	560	320	586	492	467
Rural Districts...	35601	34688	914	943	6787	6443	8067	7812	16095	15509	2285	2347	630	640	532	706	291	288

* Including non-civilian cases of unknown age.

TABLE 28A—continued.

Area.	All Ages.		0—		1—		3—		5—		10—		*15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute Poliomyelitis																		
England and Wales {	3009	2430	123	114	556	430	448	338	668	513	390	279	415	357	395	392	14	7
Non-civilians	40	6	—	—	—	—	—	—	—	—	—	—	28	1	12	5	—	—
Regional Summary :																		
Greater London	745	611	35	34	178	125	116	94	171	140	78	63	75	77	91	78	1	—
Remainder of South East	581	472	17	11	66	62	98	62	131	88	92	66	88	75	88	107	1	—
North I	65	52	6	3	10	10	10	9	11	8	4	2	16	12	5	8	3	1
North II	58	47	—	2	13	9	7	7	11	7	7	9	11	8	8	4	1	—
North III	326	310	10	12	67	52	43	47	75	64	48	41	42	44	41	50	—	—
North IV	275	224	14	13	67	46	41	35	53	44	29	22	37	28	34	36	—	—
Midland I	268	177	10	15	52	30	46	18	62	47	30	20	37	24	31	21	—	2
Midland II	196	165	4	6	32	31	32	27	38	33	35	17	33	29	21	22	1	—
East	152	101	5	1	11	15	13	8	34	25	31	13	25	23	33	16	—	—
South West	242	193	13	8	33	27	29	18	62	43	30	20	43	32	30	45	2	—
Wales I	82	68	8	9	22	23	13	13	13	11	5	3	7	3	11	5	3	1
Wales II	19	10	1	—	5	—	—	—	7	3	1	3	1	2	2	—	2	2
Density Summary of All Areas outside Greater London :																		
County Boroughs	777	641	32	30	170	127	121	92	155	118	106	72	99	96	91	105	3	1
Other Urban Districts	908	690	35	34	151	109	131	97	206	146	124	76	133	104	125	119	3	5
Rural Districts...	579	488	21	16	57	69	80	55	136	109	82	68	108	80	88	90	7	1
Acute Polioencephalitis																		
England and Wales {	280	199	8	11	44	21	33	33	66	34	41	23	35	24	52	51	1	2
Non-civilians	3	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—
Regional Summary :																		
Greater London	77	49	1	2	13	6	10	12	16	6	9	7	11	4	17	12	—	—
Remainder of South East	51	40	1	—	5	3	6	2	11	8	7	6	6	4	14	16	1	—
North I	7	4	—	—	2	—	—	1	1	—	2	—	2	2	—	1	—	—
North II	14	4	—	—	2	—	2	1	4	3	3	—	1	—	2	—	—	—
North III	32	21	1	1	9	2	4	6	6	7	4	2	4	1	4	—	—	—
North IV	29	30	3	3	4	6	3	3	6	6	8	5	3	3	2	4	—	—
Midland I	18	13	—	2	2	1	2	2	4	1	3	—	4	4	3	3	—	—
Midland II	8	11	1	—	1	2	1	3	3	—	1	1	1	2	—	3	—	—
East	15	10	1	2	1	1	2	1	5	1	1	1	—	2	5	2	—	—
South West	20	8	—	—	2	—	1	—	8	1	2	—	3	1	4	5	—	1
Wales I	9	9	—	1	3	—	2	—	2	1	1	—	—	1	1	3	—	—
Wales II	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Summary of All Areas outside Greater London :																		
County Boroughs	61	52	3	5	14	6	8	10	12	12	13	2	6	5	5	12	—	—
Other Urban Districts	92	63	3	4	10	6	15	9	23	11	10	8	12	8	19	16	—	1
Rural Districts...	50	35	1	—	7	3	—	2	15	5	9	6	6	7	11	11	1	1

* Including non-civilian cases of unknown age.

TABLE 28A—continued.

Area.	All Ages.				0—		5—		*15—		45—		65 and over.		Unknown	
	M.		F.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Enteric or Typhoid fever																
England and Wales {	142	136	11	9	25	23	68	60	30	30	8	12	—	—	2	—
{ Civilians	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
{ Non-Civilians	23	25	2	—	4	9	12	12	4	3	1	—	—	—	1	—
Regional Summary :	42	37	4	—	7	2	23	14	7	11	1	8	—	—	—	—
Greater London	5	8	1	—	—	3	3	1	1	3	—	1	—	—	—	—
Remainder of South East	2	2	—	—	1	—	1	1	—	—	—	—	—	—	—	—
North I	4	2	—	—	2	—	2	1	—	—	—	—	—	—	—	—
North II	44	37	2	6	4	4	18	18	15	7	5	2	—	—	—	—
North III	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North IV	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland I	12	7	2	—	3	1	5	6	1	—	1	—	—	—	—	—
Midland II	7	11	—	1	3	3	2	4	2	3	—	1	—	—	—	—
East	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
South West	1	4	—	—	1	—	—	3	—	1	—	—	—	—	—	—
Wales I	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Wales II	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Density Summary of All Areas outside Greater London :	37	32	4	4	9	5	15	16	6	5	3	1	—	—	1	—
County Boroughs	42	37	1	4	4	5	20	15	14	12	3	1	—	—	—	—
Other Urban Districts	40	42	4	1	8	4	21	17	6	10	1	10	—	—	—	—
Rural Districts...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Paratyphoid fevers																
England and Wales {	245	331	51	49	88	94	85	144	17	33	2	9	2	2	2	—
{ Civilians	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
{ Non-civilians	30	43	5	3	7	15	13	19	5	6	—	—	—	—	—	—
Regional Summary :	33	36	9	7	12	10	11	15	—	2	1	2	—	—	—	—
Greater London	37	58	4	4	10	15	21	24	2	13	—	2	—	—	—	—
Remainder of South East	9	18	1	1	2	4	4	10	1	1	—	1	—	—	—	—
North I	10	6	—	2	5	—	4	2	1	1	—	1	—	—	—	—
North II	88	125	27	27	38	43	18	49	5	5	—	1	—	—	—	—
North III	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North IV	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland I	17	21	3	4	9	4	4	12	1	1	—	2	—	—	—	—
Midland II	8	11	—	—	2	—	5	9	1	—	—	—	—	—	—	—
East	1	7	—	1	1	2	—	3	—	1	—	—	—	—	—	—
South West	6	3	—	—	1	—	4	1	—	2	—	—	—	—	—	—
Wales I	4	—	2	—	—	—	1	—	1	—	1	—	—	—	—	—
Wales II	2	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Density Summary of All Areas outside Greater London :	112	149	32	28	44	45	34	60	2	13	—	3	—	—	—	—
County Boroughs	72	103	9	15	28	26	26	47	8	10	—	5	—	—	—	—
Other Urban Districts	31	36	5	3	9	8	12	18	2	4	—	1	—	—	—	—
Rural Districts...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including non-civilian cases of unknown age.

TABLE 28A—continued.

Area.	All Ages.		0—		5—		*15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Cerebro-spinal fever														
England and Wales {	547	387	291	184	129	97	92	70	24	21	6	6	5	9
Non-Civilians	8	—	—	—	—	—	8	—	—	—	—	—	—	—
Regional Summary :														
Greater London	93	62	54	33	18	17	16	8	3	3	2	1	—	—
Remainder of South East	55	46	30	14	13	16	9	8	2	6	1	—	—	—
North I	52	39	24	13	16	9	8	10	1	2	1	—	—	2
North II	12	9	5	8	2	1	5	—	—	2	—	—	2	3
North III	60	31	33	14	16	12	6	4	—	—	—	—	—	—
North IV	97	76	65	46	14	9	15	15	3	5	—	—	1	1
Midland I														
Midland II	90	56	45	24	20	18	17	10	7	2	1	2	—	—
East	24	22	10	15	10	3	3	2	—	2	1	—	—	—
South West	14	11	6	2	5	3	2	5	1	—	—	—	—	1
Wales I	18	14	7	8	4	1	3	3	3	1	—	1	1	—
Wales II	28	17	11	6	10	6	6	4	—	—	—	—	—	—
Wales II	4	4	1	1	1	2	2	1	—	—	—	—	—	—
Density Summary of All Areas outside Greater London :														
County Boroughs	242	161	148	90	50	37	29	25	11	6	2	—	2	2
Other Urban Districts	149	120	69	48	46	32	24	27	9	7	—	2	1	4
Rural Districts...	63	44	20	13	15	11	23	10	1	5	2	3	2	2
Erysipelas														
England and Wales {	3532	4727	53	58	120	120	1072	1334	1562	2131	682	1026	43	58
Non-civilians	7	1	—	—	—	—	6	1	1	—	—	—	—	—
Regional Summary :														
Greater London	589	847	10	10	24	24	202	267	256	367	93	168	4	11
Remainder of South East	418	619	7	7	14	11	128	146	165	276	96	168	8	11
North I	227	286	2	1	1	8	58	96	110	126	50	53	6	2
North II	96	142	1	2	2	4	20	54	49	63	22	18	2	1
North III	432	531	5	13	16	12	117	145	216	239	73	120	2	2
North IV	539	682	7	5	20	24	174	179	240	319	98	148	—	7
Midland I														
Midland II	475	642	9	7	19	19	155	202	212	279	74	129	6	6
East	232	303	1	4	9	6	67	67	99	159	54	63	2	4
South West	145	186	3	2	4	5	36	39	60	90	41	48	1	2
Wales I	168	249	5	4	5	3	44	66	75	113	32	57	7	6
Wales I	171	186	3	3	4	4	55	62	68	75	40	39	1	3
Wales II	40	54	—	—	2	—	16	11	12	25	9	15	1	3
Density Summary of All Areas outside Greater London :														
County Boroughs	1264	1661	24	26	39	48	375	476	567	747	253	353	6	11
Other Urban Districts	1112	1460	14	14	36	28	338	388	492	657	214	351	18	22
Rural Districts...	567	759	5	8	21	20	157	203	247	360	122	154	15	14

* Including non-civilian cases of unknown age.

TABLE 28A—continued.

Area.	All Ages.		0—		5—		*15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Dysentery														
England and Wales {	2146	2367	993	865	528	417	378	565	150	256	63	219	34	45
Non-civilians	5	1	—	—	—	—	5	1	—	—	—	—	—	—
Regional Summary :														
Greater London	322	346	179	151	61	43	59	85	19	28	3	35	1	4
Remainder of South East	186	183	39	25	60	31	55	59	23	45	7	22	2	1
North I	151	217	70	60	40	49	20	41	8	23	2	30	11	14
North II	14	45	10	9	—	2	2	24	2	4	—	5	—	1
North III	182	168	87	62	50	41	35	45	5	11	2	3	3	6
North IV	775	814	457	428	168	110	107	164	28	63	15	48	—	1
Midland I	199	283	73	56	40	43	42	71	21	55	11	46	12	12
Midland II	32	40	5	9	5	4	12	11	6	5	4	11	—	—
East	61	82	18	17	22	25	15	35	2	1	1	3	3	1
South West	73	36	11	5	12	9	19	12	17	5	13	4	1	1
Wales I	143	147	44	41	67	60	11	16	17	15	3	12	1	3
Wales II	8	6	—	2	3	—	1	2	2	1	2	—	—	1
Density Summary of All Areas outside Greater London :														
County Boroughs	900	914	547	455	197	153	100	201	22	41	11	41	23	23
Other Urban Districts	680	752	244	235	205	155	129	176	66	100	31	75	5	11
Rural Districts...	244	355	23	24	65	66	90	103	43	87	18	68	5	7
Smallpox														
England and Wales {	9	8	—	—	2	—	6	4	1	2	—	1	—	—
Non-civilians	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Regional Summary :														
Greater London	4	2	—	—	—	—	3	1	1	—	—	1	—	—
Remainder of South East	—	1	—	—	—	—	—	—	—	—	—	—	—	—
North I	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North II	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North III	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North IV	3	—	—	—	2	—	1	—	—	—	—	—	—	—
Midland I	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland II	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East	—	1	—	—	—	—	—	1	—	—	—	—	—	—
South West	1	4	—	1	—	—	1	1	—	2	—	—	—	—
Wales I	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Wales II	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Density Summary of All Areas outside Greater London :														
County Boroughs	3	—	—	—	2	—	1	—	—	—	—	—	—	—
Other Urban Districts	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Rural Districts...	1	5	—	1	—	—	1	3	—	1	—	—	—	—

* Including non-civilian cases of unknown age.

TABLE 28A—continued.

Area.	All Ages.		0—		5—		*15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis lethargica														
England and Wales { Civilians ... Non-civilians ... Regional Summary :	24	25	12	5	2	4	9	8	6	2	1	2	—	—
Greater London ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of South East ...	3	4	—	1	2	1	1	1	1	1	—	—	—	—
North I ...	1	1	1	—	—	—	—	—	—	—	—	—	—	—
North II ...	1	1	1	—	—	—	—	—	—	—	—	—	—	—
North III ...	2	—	2	—	—	1	2	1	—	—	—	—	—	—
North IV ...	3	2	1	—	—	—	2	2	2	1	—	1	—	—
Midland I ...	—	5	—	—	—	—	—	—	—	—	—	—	—	—
Midland II ...	3	2	2	1	—	—	1	—	—	—	—	1	—	—
East ...	2	3	1	1	—	1	1	1	—	—	—	—	—	—
South West ...	4	4	4	2	—	1	1	1	—	—	—	—	—	—
Wales I ...	2	2	—	—	—	—	1	1	—	—	—	—	—	—
Wales II ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Density Summary of All Areas outside Greater London :	—	—	—	—	—	—	—	—	—	—	—	—	—	—
County Boroughs ...	2	6	1	1	—	1	1	3	—	—	—	1	—	—
Other Urban Districts ...	9	7	4	—	—	1	5	2	3	2	—	1	—	—
Rural Districts... ..	10	8	7	3	—	1	2	2	—	—	—	—	1	—
Acute pneumonia														
England and Wales { Civilians ... Non-civilians ... Regional Summary :	18857	15529	4064	3249	2462	1905	4479	3619	4820	3381	2903	3243	129	132
Greater London ...	145	7	—	—	—	—	134	6	11	1	—	—	—	—
Remainder of South East ...	2776	2429	436	345	354	270	717	615	810	638	449	554	10	7
North I ...	1975	1778	372	274	342	238	426	391	486	393	329	458	20	24
North II ...	1643	1262	506	412	191	150	392	252	367	238	178	199	9	11
North III ...	530	410	99	58	58	57	151	100	144	98	69	89	9	8
North IV ...	2632	2152	683	564	314	249	570	443	637	475	421	418	7	3
Midland I ...	2938	2400	803	677	382	279	646	542	710	470	385	420	12	12
Midland II ...	2640	2048	467	365	333	253	683	511	718	438	428	464	11	17
East ...	1208	899	210	172	163	127	321	225	307	191	196	177	11	7
South West ...	766	677	142	123	92	80	186	186	198	138	137	137	11	13
Wales I ...	763	654	126	76	117	91	182	157	196	148	131	167	11	15
Wales II ...	739	611	179	149	91	81	156	150	181	111	125	113	7	7
Density Summary of All Areas outside Greater London :	247	209	41	34	25	30	49	47	66	43	55	47	11	8
County Boroughs ...	7723	6334	2113	1741	946	729	1649	1413	1894	1227	1092	1198	29	26
Other Urban Districts ...	5272	4200	1010	794	713	557	1306	980	1374	932	824	874	45	63
Rural Districts... ..	3086	2566	505	369	449	349	807	611	742	584	538	617	45	36

* Including non-civilian cases of unknown age.

TABLE 29.—Cases of Certain Infectious Diseases Notified, 1949.

England and Wales ; Geographical Regions ; Counties ; County Boroughs ; Other Urban Districts ; Rural Districts.

Notified cases among non-civilians are excluded from this table except in the England and Wales totals.

See Explanatory notes on page vi.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia. (primary and influenzal)	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

(a) Numbers Originally Notified

***ENGLAND AND WALES (including Port Health Districts) :**

Total (including non-civilians)	402	756	1619	72002	103074	4982	8405	2225	4875	386231	6975	56	34732	4789
Civilians (excluding Port Health Dists.)	368	750	1610	71528	103059	4960	8393	2225	4850	386049	6908	56	34570	4789
*Port Health Districts (all cases)	31	3	1	21	7	9	3	—	19	64	15	—	23	—
Non-civilians (excluding Port Health Districts)	3	3	8	453	8	13	9	—	6	118	52	—	139	—
Regional Summary :														
South East	146	158	383	21180	29720	1006	2511	496	1160	143543	3032	11	9014	1783
*Greater London	68	88	268	13749	16779	831	1473	303	783	72032	1819	7	5257	1170
*Remainder of														
South East	78	70	115	7431	12941	175	1038	193	377	71511	1213	4	3757	613
North	150	491	648	27217	36313	2472	2997	543	2533	114925	1806	16	14049	1675
North I	21	116	195	3310	6126	467	519	60	422	20406	170	3	2958	257
North II	5	27	20	1659	4132	105	239	36	56	11104	134	2	945	166
*North III	10	26	146	8195	8128	433	978	106	359	36616	790	5	4797	416
*North IV	114	322	287	14053	17927	1467	1261	341	1696	46799	712	6	5349	836
Midland	57	65	385	14055	22114	1008	1679	949	585	73811	1026	11	6812	755
Midland I	34	45	295	8227	15297	917	1143	843	508	48794	606	6	4706	523
Midland II	23	20	90	5828	6817	91	536	106	77	25017	420	5	2106	232
*East	3	15	40	2757	4575	84	336	75	145	13354	317	9	1442	174
*South West	8	12	41	2122	5620	117	420	49	110	26004	497	5	1431	238
Wales	4	9	113	4197	4717	273	450	113	317	14412	230	4	1822	164
*Wales I	3	4	104	3508	3600	252	357	104	302	12158	202	4	1369	157
Wales II	1	5	9	689	1117	21	93	9	15	2254	28	—	453	7
Density Summary of All Areas outside Greater London :														
County Boroughs	105	369	823	24268	36865	2568	3002	1510	1964	121067	1874	10	14161	2246
Other Urban Dis-	106	215	367	23183	31657	1115	2591	283	1503	122642	1953	20	9492	969
tricts	89	78	152	10328	17758	446	1327	129	600	70308	1262	19	5660	404
Rural Districts														

(b) Final Numbers after Correction

***ENGLAND AND WALES (excluding Port Health Districts) :**

Total (including non-civilians)	280	579	942	70646	102809	1881	8267	2229	4519	385871	5967	49	34538	4724
Civilians	278	576	934	70186	102801	1874	8259	2229	4513	385753	5918	49	34386	4724
Non-civilians	2	3	8	460	8	7	8	—	6	118	49	—	152	—
Regional Summary :														
South East	127	142	256	20715	29640	401	2473	502	1037	143418	2626	9	8958	1778
*Greater London	48	73	155	13334	16695	271	1436	310	668	71967	1482	7	5205	1171
*Remainder of														
South East	79	69	101	7381	12945	130	1037	192	369	71451	1144	2	3753	607
North	104	351	376	26618	36208	882	2935	541	2366	114823	1498	16	13967	1652
North I	13	95	91	3222	6131	193	513	60	368	20399	128	2	2905	250
North II	4	27	21	1633	4119	65	238	36	59	11110	123	2	940	165
North III	6	16	91	7999	8113	170	963	105	350	36618	689	5	4784	410
*North IV	81	213	173	13764	17845	454	1221	340	1589	46696	558	7	5338	827
Midland	37	57	192	13923	22053	389	1652	950	554	73760	856	10	6795	733
Midland I	19	38	146	8153	15256	360	1117	844	482	48792	476	5	4688	501
Midland II	18	19	46	5770	6797	29	535	106	72	24968	380	5	2107	232
*East	2	8	25	2727	4570	48	331	75	143	13354	278	8	1443	160
*South West	5	9	32	2085	5634	52	417	49	109	25986	463	4	1417	239
Wales	3	9	53	4118	4696	102	451	112	304	14412	197	2	1806	162
*Wales I	2	4	45	3436	3583	85	357	103	290	12159	168	2	1350	155
Wales II	1	5	8	682	1113	17	94	9	14	2253	29	—	456	7
Density Summary of All Areas outside Greater London :														
County Boroughs	69	261	403	23632	36686	834	2925	1511	1814	120911	1531	8	14057	2194
Other Urban Dis-	79	175	269	22941	31623	546	2572	281	1432	122586	1753	16	9472	960
tricts	82	67	107	10279	17797	223	1326	127	599	70289	1152	18	5652	399
Rural Districts														

* Smallpox cases notified :—Original. England and Wales, 22 ; Greater London, 7 imported ; Remainder of South East, 1 imported ; North III, 1 ; North IV, 3 (1 imported) ; East, 2 (1 imported) ; South West, 5 (1 imported) ; Wales I, 1 imported ; Port Health Districts, 2. Final. England and Wales, 17 ; Greater London, 6 imported ; Remainder of South East, 1 imported ; North IV, 3 (1 imported) ; East, 1 imported ; South West, 5 (1 imported) ; Wales I, 1 imported.

† See note at end of table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth)														
BEDFORDSHIRE :														
Admin. County ...	15	2	8	546	607	6	41	4	49	2444	43	—	215	24
Urban Districts ...	—	2	6	465	447	5	25	3	14	1862	18	—	154	19
Ampthill ...	—	—	—	1	1	—	—	1	1	7	2	—	—	—
Bedford M.B. ...	—	1	2	293	169	—	9	1	—	437	5	—	59	3
Biggleswade ...	—	—	—	17	61	—	—	—	—	2	—	—	—	—
Dunstable M.B. ...	—	—	1	19	9	—	1	—	—	170	5	—	5	—
Kempston ...	—	—	—	42	5	4	2	—	—	79	—	—	5	—
Leighton Buzzard ...	—	—	1	5	41	—	1	—	—	29	—	—	23	—
Luton M.B. ...	—	1	2	87	141	1	12	1	13	1047	5	—	62	16
Sandy ...	—	—	—	1	20	—	—	—	—	91	1	—	—	—
Rural Districts ...	15	—	2	81	160	1	16	1	35	582	25	—	61	5
Ampthill ...	—	—	1	13	31	—	2	—	—	155	8	—	6	2
Bedford ...	—	—	1	41	35	1	8	1	—	176	10	—	34	1
Biggleswade ...	15	—	—	10	42	—	3	—	32	57	2	—	8	2
Luton ...	—	—	—	17	52	—	3	—	3	194	5	—	13	—
BERKSHIRE														
County Borough :	36	1	7	414	1139	20	39	12	44	4334	105	—	190	21
Reading ...	—	—	2	153	216	—	9	2	3	749	40	—	29	5
Admin. County ...	36	1	5	261	923	20	30	10	41	3585	65	—	161	16
Urban Districts ...	—	1	2	81	219	1	9	5	1	854	21	—	31	8
Abingdon M.B. ...	—	—	1	10	39	1	2	—	—	331	1	—	8	1
Maidenhead M.B. ...	—	—	—	21	58	—	2	3	—	87	10	—	—	1
Newbury M.B. ...	—	—	—	27	48	—	—	1	—	57	3	—	1	—
New Windsor M.B. ...	—	1	—	18	9	—	4	—	1	97	5	—	8	4
Wallingford M.B. ...	—	—	—	—	25	—	—	—	—	9	—	—	2	—
Wantage ...	—	—	1	4	9	—	—	—	—	252	1	—	—	1
Wokingham M.B. ...	—	—	—	1	31	—	1	1	—	21	1	—	12	1
Rural Districts ...	36	—	3	180	704	19	21	5	40	2731	44	—	130	8
Abingdon ...	1	—	1	19	99	1	8	1	2	481	5	—	11	1
Bradfield ...	—	—	—	7	71	—	1	—	1	322	—	—	60	—
Cookham ...	—	—	—	10	37	2	1	—	—	77	5	—	5	—
Easthampstead ...	17	—	—	17	119	—	2	1	—	286	8	—	8	—
Faringdon ...	—	—	—	26	21	1	—	—	—	188	1	—	6	—
Hungerford ...	—	—	—	12	28	1	3	—	4	253	1	—	—	2
Newbury ...	—	—	—	9	41	—	1	1	—	136	—	—	2	1
Wallingford ...	2	—	—	9	28	—	1	—	1	144	3	—	3	—
Wantage ...	—	—	1	18	65	—	—	—	—	296	3	—	1	3
Windsor ...	—	—	—	5	13	—	1	1	—	101	1	—	—	—
Wokingham ...	16	—	1	48	182	14	3	1	32	447	17	—	34	1
BUCKINGHAMSHIRE:														
*Admin. County ...	1	—	2	421	430	1	39	14	42	3035	53	—	129	24
Urban Districts ...	1	—	2	239	197	—	26	6	6	1679	21	—	80	20
Aylesbury M.B. ...	—	—	—	21	1	—	1	4	—	56	3	—	3	7
Beaconsfield ...	—	—	—	7	2	—	—	—	3	172	2	—	—	—
Bletchley ...	—	—	—	26	3	—	—	—	—	187	—	—	19	—
Buckingham M.B. ...	—	—	—	2	—	—	—	—	—	3	—	—	—	—
Chesham ...	—	—	—	32	6	—	—	—	—	88	4	—	—	—
Eton ...	—	—	—	—	7	—	—	—	—	29	2	—	—	1
High Wycombe M.B. ...	—	—	1	36	6	—	7	1	3	594	3	—	11	1
Linslade ...	—	—	—	3	11	—	1	—	—	9	—	—	10	—
Marlow ...	—	—	—	7	—	—	—	—	—	18	4	—	—	—
Newport Pagnell ...	—	—	—	3	—	—	—	—	—	7	—	—	—	1
Slough M.B. ...	1	—	1	33	118	—	15	—	—	416	3	—	14	9
Wolverton ...	—	—	—	69	43	—	2	1	—	100	—	—	23	1
*Rural Districts ...	—	—	—	182	233	1	13	8	36	1356	32	—	49	4
Amersham ...	—	—	—	38	38	—	4	—	18	416	4	—	8	1
*Aylesbury ...	—	—	—	16	6	—	2	8	15	132	6	—	4	3

*1 imported case of Smallpox notified.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKS—contd.														
Rural Districts														
—contd.														
Buckingham ...	—	—	—	9	1	—	1	—	1	10	—	—	4	—
Eton ...	—	—	—	54	74	—	3	—	1	225	6	—	7	—
Newport Pagnell ...	—	—	—	7	24	—	—	—	—	140	4	—	5	—
Wing ...	—	—	—	2	45	1	—	—	—	67	—	—	7	—
Winslow ...	—	—	—	17	7	—	—	—	—	40	2	—	4	—
Wycombe ...	—	—	—	39	38	—	3	—	1	326	10	—	10	—
CAMBRIDGESHIRE :														
Admin. County ...	—	—	2	395	394	—	12	1	44	1972	15	7	49	15
Urban District														
Cambridge M.B.	—	—	2	270	166	—	2	1	33	625	12	—	14	13
Rural Districts ...	—	—	—	125	228	—	10	—	11	1347	3	7	35	2
Chesterton ...	—	—	—	42	86	—	6	—	11	550	1	7	23	1
Newmarket ...	—	—	—	14	13	—	2	—	—	463	—	—	5	—
South Cambridge-shire ...	—	—	—	69	129	—	2	—	—	334	2	—	7	1
CHESHIRE	12	19	18	2425	2992	136	227	12	98	9100	122	2	1025	68
County Boroughs ...	3	13	9	740	798	102	77	5	35	2501	19	—	412	23
Birkenhead ...	—	12	2	165	161	80	27	3	30	737	3	—	335	14
Chester ...	—	—	1	40	98	2	7	—	—	186	5	—	19	1
Stockport ...	3	1	3	364	367	6	25	1	—	987	6	—	29	5
Wallasey ...	—	—	3	171	172	14	18	1	5	591	5	—	29	3
Admin. County ...	9	6	9	1685	2194	34	150	7	63	6599	103	2	613	45
Urban Districts ...	8	5	5	1312	1777	30	119	7	62	5352	67	2	450	13
Alderley Edge ...	—	—	—	—	15	—	—	—	—	73	—	—	5	—
Alsager ...	—	—	—	—	58	—	—	—	—	28	—	—	6	—
Altrincham M.B. ...	—	—	1	52	99	1	9	—	1	363	4	1	37	—
Bebington M.B. ...	—	1	—	54	99	7	9	2	—	263	4	—	39	2
Bollington ...	—	—	—	17	55	—	2	—	—	9	—	—	1	—
Bowdon ...	—	—	—	4	1	—	—	—	—	44	—	—	1	—
Bredbury and Romiley ...	1	—	—	26	31	2	1	—	—	68	—	—	5	—
Cheadle and Gatley ...	—	—	—	49	70	—	7	—	—	253	4	—	8	—
Congleton M.B. ...	—	—	—	26	110	3	4	—	—	311	1	—	33	—
Crewe M.B. ...	—	—	1	209	169	1	9	—	—	697	9	—	12	1
Dukinfield M.B. ...	—	—	—	94	20	1	10	—	—	251	—	—	56	—
Ellesmere Port ...	2	—	—	51	129	—	3	—	25	340	1	—	32	—
Hale ...	1	—	—	6	20	—	—	—	—	108	—	—	8	—
Hazel Grove and Bramhall ...	—	—	—	16	31	—	3	—	1	177	1	—	5	—
Hoole ...	—	—	1	13	25	—	—	—	—	74	—	—	5	—
Hoylake ...	—	—	—	53	64	1	6	—	—	106	2	—	13	—
Hyde M.B. ...	—	—	1	142	33	—	8	1	—	354	—	—	11	1
Knutsford ...	—	1	—	17	13	—	—	—	—	8	—	—	1	—
Longdendale ...	—	—	—	7	17	—	5	—	—	57	—	—	1	—
Lymm ...	—	—	—	1	3	—	—	—	—	13	—	—	1	1
Macclesfield M.B. ...	—	1	—	119	114	5	14	3	2	31	3	1	36	2
Marple ...	—	—	—	14	58	—	1	—	1	49	—	—	2	—
Middlewich ...	—	—	—	3	1	1	1	—	—	5	1	—	1	—
Nantwich ...	—	—	—	26	8	—	—	—	—	99	4	—	—	—
Neston ...	—	—	—	6	53	1	—	1	9	178	—	—	23	1
Northwich ...	—	—	—	32	28	3	5	—	—	131	—	—	16	1
Runcorn ...	—	1	—	77	152	—	12	—	—	493	4	—	20	1
Sale M.B. ...	2	—	—	126	100	—	4	—	—	206	4	—	12	1
Sandbach ...	1	—	—	—	4	—	1	—	—	60	5	—	—	—
Stalybridge M.B. ...	1	—	—	17	95	1	2	—	—	237	1	—	22	1
Wilmslow ...	—	—	1	8	63	1	1	—	—	89	3	—	21	1
Winsford ...	—	—	—	25	8	—	1	—	—	46	15	—	3	—
Wirral ...	—	1	—	22	31	2	1	—	23	131	1	—	14	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—contd.														
Rural Districts ...	1	1	4	373	417	4	31	—	1	1247	36	—	163	32
Bucklow ...	—	—	—	144	3	—	1	—	—	56	—	—	8	—
Chester ...	—	1	1	16	45	—	2	—	1	96	1	—	9	—
Congleton ...	—	—	—	15	33	1	1	—	—	63	2	—	12	—
Disley ...	—	—	—	10	9	—	—	—	—	21	—	—	2	—
Macclesfield ...	—	—	1	28	81	1	7	—	—	167	2	—	13	30
Nantwich ...	—	—	—	30	107	1	3	—	—	291	18	—	31	1
Northwich ...	1	—	1	73	38	—	2	—	—	229	6	—	22	—
Runcorn ...	—	—	1	33	64	1	10	—	—	273	4	—	24	1
Tarvin ...	—	—	—	21	30	—	4	—	—	26	3	—	42	—
Tintwistle ...	—	—	—	3	7	—	1	—	—	25	—	—	—	—
CORNWALL :														
*Admin. County ...	—	2	2	214	672	4	53	6	39	3583	111	1	210	71
Urban Districts ...	—	1	1	131	187	2	29	5	39	2120	82	1	114	66
Bodmin M.B. ...	—	1	—	1	2	—	1	1	32	25	—	—	1	—
Bude-Stratton ...	—	—	—	1	—	—	—	—	—	2	2	—	1	—
Camborne-Redruth ...	—	—	—	22	21	—	8	1	7	497	26	—	19	59
Falmouth M.B. ...	—	—	—	34	24	—	—	1	—	148	3	—	11	3
Fowey M.B. ...	—	—	—	4	—	—	—	—	—	103	8	—	1	—
Helston M.B. ...	—	—	—	—	—	—	1	—	—	31	—	—	—	—
Launceston M.B. ...	—	—	—	2	32	—	—	—	—	4	2	—	1	—
Liskeard M.B. ...	—	—	—	—	4	—	2	—	—	151	1	—	4	1
Looe ...	—	—	—	2	4	—	1	—	—	66	—	—	14	—
Lostwithiel M.B. ...	—	—	—	—	6	—	—	—	—	86	1	—	1	1
Newquay ...	—	—	—	20	4	—	1	—	—	19	3	—	11	—
Padstow ...	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Penryn M.B. ...	—	—	—	1	21	—	2	—	—	39	1	—	1	—
Penzance M.B. ...	—	—	—	5	3	1	—	—	—	24	9	—	—	—
St. Austell ...	—	—	—	30	5	—	1	1	—	177	4	—	2	2
St. Ives M.B. ...	—	—	1	3	12	1	4	—	—	60	3	—	1	—
St. Just ...	—	—	—	1	—	—	—	—	—	34	—	—	6	—
Saltash M.B. ...	—	—	—	1	41	—	3	—	—	303	—	—	21	—
Torpoint ...	—	—	—	3	3	—	1	1	—	144	—	—	7	—
Truro M.B. ...	—	—	—	1	5	—	4	—	—	205	19	1	12	—
*Rural Districts ...	—	1	1	83	485	2	24	1	—	1463	29	—	96	5
Camelford ...	—	—	—	14	103	—	2	—	—	19	1	—	14	—
Kerrier ...	—	—	—	2	7	—	4	—	—	146	1	—	4	—
Launceston ...	—	—	—	5	27	—	3	—	—	41	1	—	2	—
*Liskeard ...	—	—	—	3	38	—	—	—	—	361	1	—	7	—
St. Austell ...	—	—	—	24	4	—	1	—	—	62	5	—	5	—
St. Germans ...	—	—	—	28	96	—	5	—	—	338	—	—	9	1
Scilly, Isles of ...	—	—	—	—	28	—	—	—	—	3	—	—	2	1
Stratton ...	—	—	—	—	10	—	—	—	—	—	3	—	—	—
Truro ...	—	1	1	3	44	1	3	1	—	285	12	—	37	1
Wadebridge ...	—	—	—	4	102	—	3	—	—	3	1	—	9	1
West Penwith ...	—	—	—	—	26	1	3	—	—	205	4	—	7	1
CUMBERLAND														
County Borough :	1	13	4	375	552	3	60	14	12	1161	35	2	173	34
Carlisle ...	1	9	1	199	101	1	12	13	—	521	6	—	23	17
Admin. County ...	—	4	3	176	451	2	48	1	12	640	29	2	150	17
Urban Districts ...	—	—	2	54	167	1	11	1	11	111	4	2	63	9
Cockermouth ...	—	—	—	6	—	—	—	—	—	—	—	—	—	—
Keswick ...	—	—	—	2	—	—	1	—	—	—	—	—	1	—
Maryport ...	—	—	—	8	11	—	1	—	—	2	—	—	1	1
Penrith ...	—	—	1	11	75	—	2	—	11	11	3	—	19	1
Whitehaven M.B. ...	—	—	—	6	7	—	1	—	—	5	1	—	22	3
Workington M.B. ...	—	—	1	21	74	1	6	1	—	93	—	2	20	4

* 4 cases of Smallpox notified.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CUMBERLAND														
—contd.														
Rural Districts ...	—	4	1	122	284	1	37	—	1	529	25	—	87	8
Alston with Garrigill ...	—	—	—	2	4	—	1	—	—	3	—	—	6	—
Border ...	—	3	—	72	42	—	1	—	—	274	3	—	4	1
Cockermouth ...	—	—	—	2	25	—	3	—	—	31	1	—	12	1
Ennerdale ...	—	—	—	11	45	1	3	—	—	85	6	—	8	3
Millom ...	—	—	1	4	24	—	17	—	—	2	3	—	14	—
Penrith ...	—	—	—	18	77	—	1	—	1	50	4	—	21	1
Wigton ...	—	1	—	13	67	—	11	—	—	84	8	—	22	2
DERBYSHIRE ...	3	5	17	2232	2595	10	183	14	21	7755	52	3	709	47
County Borough :														
Derby ...	—	1	5	218	965	—	41	6	1	1925	4	—	116	19
Admin. County ...	3	4	12	2014	1630	10	142	8	20	5830	48	3	593	28
Urban Districts ...	3	2	5	1122	884	4	60	5	1	3000	15	—	261	19
Alfreton ...	—	—	—	32	61	—	1	—	—	278	1	—	1	—
Ashbourne ...	—	—	—	—	32	—	5	—	—	11	—	—	10	—
Bakewell ...	—	—	—	—	43	—	—	—	—	9	2	—	3	—
Belper ...	—	—	—	92	2	2	1	—	—	80	1	—	4	3
Bolsover ...	—	—	1	69	45	—	4	—	—	23	—	—	4	—
Buxton M.B. ...	—	—	1	20	63	1	2	—	—	133	—	—	6	—
Chesterfield M.B. ...	—	1	1	331	90	1	23	1	1	382	3	—	60	12
Clay Cross ...	—	—	—	52	17	—	—	—	—	88	—	—	14	1
Dronfield ...	—	—	—	8	—	—	1	—	—	35	—	—	1	—
Glossop M.B. ...	—	—	—	27	4	—	1	1	—	80	1	—	4	—
Heanor ...	1	—	1	76	190	—	8	1	—	576	2	—	53	1
Ilkeston M.B. ...	—	—	—	40	55	—	2	—	—	225	1	—	6	—
Long Eaton ...	—	—	—	102	111	—	3	—	—	394	2	—	26	—
Matlock ...	2	1	1	6	19	—	—	1	—	17	—	—	4	1
New Mills ...	—	—	—	3	13	—	—	—	—	184	—	—	2	1
Ripley ...	—	—	—	56	63	—	5	—	—	327	—	—	32	—
Staveley ...	—	—	—	161	6	—	1	—	—	44	—	—	7	—
Swadlincote District ...	—	—	—	41	16	—	2	1	—	89	—	—	12	—
Whaley Bridge ...	—	—	—	2	45	—	1	—	—	22	2	—	—	—
Wirksworth ...	—	—	—	4	9	—	—	—	—	3	—	—	12	—
Rural Districts ...	—	2	7	892	746	6	82	3	19	2830	33	3	332	9
Ashbourne... ..	—	—	—	9	57	—	5	—	—	37	4	—	13	1
Bakewell ...	—	—	—	48	34	—	4	—	—	119	—	1	39	—
Belper ...	—	—	—	32	98	—	6	—	—	208	2	1	23	—
Blackwell ...	—	—	—	209	20	1	11	—	—	405	2	—	17	—
Chapel en le Frith ...	—	—	—	36	46	1	—	—	—	44	2	—	4	2
Chesterfield ...	—	2	4	294	107	4	33	3	1	765	12	1	158	2
Clowne ...	—	—	—	124	3	—	10	—	—	52	3	—	5	2
Repton ...	—	—	2	51	98	—	—	—	13	423	5	—	17	—
Shardlow ...	—	—	1	89	283	—	13	—	5	777	3	—	56	2
*DEVONSHIRE ...	2	3	8	834	2194	41	156	27	13	9293	114	1	614	75
County Boroughs ...	1	—	3	413	819	30	83	20	5	4130	26	—	278	46
Exeter ...	1	—	2	243	202	—	25	14	2	1318	6	—	51	19
Plymouth ...	—	—	1	170	617	30	58	6	3	2812	20	—	227	27
Admin. County ...	1	3	5	421	1375	11	73	7	8	5163	88	1	336	29
*Urban Districts ...	1	1	3	247	718	5	25	7	6	2524	43	—	130	10
Ashburton ...	—	—	—	2	—	—	—	—	—	12	—	—	7	—
Axminster ...	—	—	—	1	14	—	—	—	—	8	—	—	—	—
Barnstaple M.B. ...	—	—	—	9	141	—	4	—	—	118	2	—	24	—
Bideford M.B. ...	—	—	—	3	16	—	3	2	—	65	8	—	2	4
Brixham ...	—	—	—	9	—	—	—	—	—	11	1	—	8	2
Buckfastleigh ...	—	—	—	—	—	—	—	—	—	37	—	—	—	—
Budleigh Salterton ...	1	—	—	1	24	—	2	—	—	132	—	—	—	—
Crediton ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 1 imported case of Smallpox notified.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE														
—contd.														
U.D's.—contd.														
Dartmouth M.B. ...	—	—	—	19	—	—	—	—	1	21	1	—	6	—
Dawlish ...	—	—	—	—	—	—	—	—	—	8	1	—	—	—
Exmouth ...	—	—	—	19	40	—	1	—	—	42	1	—	4	1
Gt. Torrington M.B.	—	—	—	—	18	—	1	—	2	131	—	—	1	—
Holsworthy ...	—	—	—	1	13	1	—	—	—	7	—	—	—	—
Honiton M.B. ...	—	—	—	—	36	—	—	—	—	7	—	—	5	—
Ilfracombe ...	—	—	—	21	—	—	—	—	—	111	—	—	4	—
Kingsbridge ...	—	—	—	7	8	1	—	—	—	112	—	—	1	—
Lynton ...	—	—	—	3	—	—	—	—	—	58	—	—	—	—
Newton Abbot ...	—	1	—	4	24	—	2	3	—	5	2	—	2	—
Northam ...	—	—	—	1	—	1	—	—	—	181	9	—	1	—
Okehampton M.B.	—	—	—	1	8	—	1	—	—	55	1	—	10	—
Ottery St. Mary ...	—	—	—	3	62	—	—	—	5	113	1	—	—	—
Paignton ...	—	—	1	31	23	1	1	—	—	137	4	—	1	—
Salcombe ...	—	—	—	4	59	—	—	—	—	87	—	—	—	—
Seaton ...	—	—	—	2	—	—	—	—	—	27	—	—	5	—
Sidmouth ...	—	—	—	1	24	—	1	—	—	159	7	—	—	1
South Molton M.B.	—	—	—	—	27	—	—	—	—	5	—	—	1	—
Tavistock ...	—	—	—	2	1	1	—	—	—	60	1	—	—	—
Teignmouth ...	—	—	—	2	70	—	2	—	—	212	—	—	9	—
Tiverton M.B. ...	—	—	—	28	5	—	—	—	—	5	3	—	2	—
*Torquay M.B. ...	—	—	2	72	97	—	7	—	—	524	—	—	35	1
Totnes M.B. ...	—	—	—	1	8	—	—	—	—	74	1	—	2	1
Rural Districts ...	—	2	2	174	657	6	48	—	2	2639	45	1	206	19
Axminster ...	—	—	—	3	28	—	—	—	—	28	—	—	3	—
Barnstaple ...	—	1	—	13	49	—	1	—	—	238	8	—	17	—
Bideford ...	—	—	—	1	1	—	—	—	—	99	6	—	1	—
Broadwood Widger	—	—	—	—	8	—	3	—	—	6	—	—	—	—
Crediton ...	—	—	—	7	27	—	—	—	—	35	1	—	2	1
Holsworthy ...	—	—	—	2	—	1	—	—	—	68	—	—	—	—
Honiton ...	—	—	—	2	21	—	—	—	—	132	1	—	22	—
Kingsbridge ...	—	—	—	22	123	—	3	—	—	122	1	—	3	—
Newton Abbot ...	—	—	1	9	27	—	6	—	—	145	1	—	1	—
Okehampton ...	—	—	1	2	37	—	2	—	—	158	11	—	18	—
Plympton St. Mary	—	1	—	24	77	1	10	—	1	550	5	—	40	10
St. Thomas ...	—	—	—	53	65	—	13	—	1	468	4	1	32	6
South Molton ...	—	—	—	5	74	—	—	—	—	55	—	—	4	—
Tavistock ...	—	—	—	1	5	2	1	—	—	132	—	—	2	1
Tiverton ...	—	—	—	23	87	—	8	—	—	72	4	—	55	—
Torrington ...	—	—	—	1	14	—	—	—	—	247	1	—	2	1
Totnes ...	—	—	—	6	14	2	1	—	—	84	2	—	4	—
DORSETSHIRE :														
Admin. County	—	2	6	208	819	3	82	3	23	3752	66	1	198	21
Urban Districts ...	—	1	4	132	416	2	48	3	6	2446	41	1	105	21
Blandford Forum M.B.	—	—	—	1	7	—	—	—	—	2	—	—	3	—
Bridport M.B. ...	—	—	—	9	21	—	5	—	—	3	—	—	4	1
Dorchester M.B.	—	—	—	4	17	—	1	—	—	124	1	—	4	—
Lyme Regis M.B.	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Poole M.B. ...	—	—	4	48	148	2	14	1	3	1134	31	1	41	17
Portland ...	—	—	—	20	18	—	4	1	—	237	—	—	6	1
Shaftesbury M.B.	—	—	—	1	1	—	—	—	—	55	—	—	—	—
Sherborne ...	—	—	—	4	2	—	—	—	1	—	—	—	—	1
Swanage ...	—	—	—	30	34	—	7	—	—	65	2	—	4	—
Wareham M.B. ...	—	—	—	—	3	—	3	—	1	129	—	—	10	—
Weymouth and Mel-	—	1	—	9	119	—	13	1	1	566	4	—	27	1
Wimborne Minster	—	—	—	6	46	—	—	—	—	131	3	—	6	—

* 1 imported case of Smallpox notified.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE														
—contd.														
Rural Districts		1	2	76	403	1	34	—	17	1306	25	—	93	—
Beaminstor	—	—	1	5	40	1	2	—	11	25	9	—	7	—
Blandford	—	—	—	4	53	—	4	—	—	100	2	—	24	—
Bridport	—	—	—	2	34	—	4	—	3	8	1	—	2	—
Dorchester	—	—	—	1	73	—	4	—	1	176	2	—	11	—
Shaftesbury	—	—	—	8	9	—	1	—	—	82	2	—	3	—
Sherborne	—	—	—	7	8	—	—	—	1	17	—	—	2	—
Sturminster	—	—	—	4	18	—	5	—	—	107	2	—	4	—
Wareham and Purbeck	—	—	1	29	74	—	6	—	—	208	—	—	21	—
Wimborne and Cranborne	—	1	—	16	94	—	8	—	1	583	7	—	19	—
DURHAM	7	79	54	2271	4421	169	305	52	183	13096	48	1	2033	155
County Boroughs	2	21	22	613	1698	39	129	28	57	5393	20	—	1028	101
Darlington	1	2	1	61	168	1	6	1	—	549	2	—	22	13
Gateshead	—	2	5	139	67	7	25	5	29	455	5	—	126	12
South Shields	—	10	—	217	481	6	31	7	8	1368	9	—	230	16
Sunderland	1	7	11	124	844	16	45	13	15	2272	1	—	562	55
West Hartlepool	—	—	5	72	138	9	22	2	5	749	3	—	88	5
Admin. County	5	58	32	1658	2723	130	176	24	126	7703	28	1	1005	54
Urban Districts	2	53	24	1091	1945	86	119	13	117	5181	22	—	636	29
Barnard Castle	—	—	—	2	5	—	—	—	—	2	—	—	2	1
Billingham	—	—	—	18	77	—	4	—	—	404	1	—	11	—
Bishop Auckland	—	—	—	88	105	—	3	—	6	344	5	—	7	7
Blaydon	—	—	—	32	92	1	8	—	10	137	—	—	13	—
Boldon	—	2	—	5	3	1	—	—	—	36	1	—	2	—
Brandon and Byshottles	—	1	—	37	51	10	6	—	—	149	1	—	7	—
Chester le Street	—	1	—	51	4	1	2	1	—	90	—	—	14	1
Consett	—	—	—	52	19	1	1	—	—	142	—	—	9	1
Crook and Willington	—	—	7	103	49	10	14	—	—	299	—	—	29	1
Durham M.B.	1	—	3	23	83	6	3	1	—	169	—	—	3	1
Felling	—	3	3	24	104	—	3	—	—	217	—	—	19	5
Hartlepool M.B.	—	—	—	19	2	14	—	—	—	42	1	—	2	—
Hebburn	—	13	—	29	175	1	9	—	1	327	2	—	54	—
Hetton	—	—	1	37	176	7	4	2	66	183	—	—	55	—
Houghton le Spring	—	—	—	41	95	4	4	4	—	352	—	—	40	—
Jarrow M.B.	—	29	1	26	373	—	11	—	—	298	2	—	104	4
Ryton	1	—	—	11	12	4	4	—	—	186	2	—	1	—
Seaham	—	—	—	24	62	8	8	4	—	76	—	—	43	1
Shildon	—	1	—	49	26	2	1	—	—	183	1	—	23	2
Spennymoor	—	—	1	95	49	10	8	—	—	180	—	—	19	—
Stanley	—	—	3	236	114	1	16	—	32	658	—	—	113	2
Stockton on Tees	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B.	—	1	1	49	182	5	9	1	1	550	5	—	26	2
Tow Law	—	—	—	1	24	—	—	—	—	30	—	—	4	—
Washington	—	2	1	10	11	—	—	—	—	39	—	—	14	—
Whickham	—	—	3	29	52	—	1	—	1	88	1	—	22	1
Rural Districts	3	5	8	567	778	44	57	11	9	2522	6	1	369	25
Barnard Castle	—	—	—	12	31	—	2	—	—	111	—	—	9	1
Chester le Street	3	2	2	176	140	10	8	—	1	372	—	—	125	4
Darlington	—	—	—	6	5	5	—	—	—	51	—	—	2	—
Durham	—	—	1	56	162	18	1	4	5	205	2	—	29	9
Easington	—	3	—	103	210	—	13	4	2	867	1	—	70	—
Lanchester	—	—	—	59	42	1	4	—	—	244	—	—	14	2
Sedgefield	—	—	1	124	36	8	9	1	1	225	1	—	13	7
Stockton	—	—	—	3	24	—	2	—	—	11	—	1	9	—
Sunderland	—	—	1	17	107	1	15	2	—	252	—	—	96	1
Weardale	—	—	3	11	21	1	3	—	—	184	2	—	2	1

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ELY, ISLE OF : ...	—	1	—	117	160	2	23	—	3	679	4	—	86	2
Admin. County ...	—	1	—	117	160	2	23	—	3	679	4	—	86	2
Urban Districts ...	—	1	—	71	64	1	15	—	—	420	4	—	41	1
Chatteris ...	—	—	—	6	1	—	2	—	—	237	—	—	4	—
Ely ...	—	—	—	11	3	—	1	—	—	12	—	—	15	—
March ...	—	—	—	15	6	—	3	—	—	9	—	—	2	1
Whittlesey ...	—	—	—	23	14	1	6	—	—	143	3	—	18	—
Wisbech M.B. ...	—	1	—	16	40	—	3	—	—	19	1	—	2	—
Rural Districts ...	—	—	—	46	96	1	8	—	3	259	—	—	45	1
Ely ...	—	—	—	11	48	1	4	—	3	184	—	—	10	—
North Witchford ...	—	—	—	22	21	—	3	—	—	48	—	—	28	1
Thorney ...	—	—	—	—	—	—	—	—	—	4	—	—	1	—
Wisbech ...	—	—	—	13	27	—	1	—	—	23	—	—	6	—
ESSEX ...	12	14	41	3427	5131	13	417	44	99	22051	413	1	1718	223
County Boroughs ...	—	1	11	1074	1261	6	105	18	29	5424	69	1	453	56
East Ham ...	—	—	6	289	498	2	24	4	1	1098	13	—	88	2
Southend-on-Sea ...	—	1	2	349	223	—	50	3	3	2362	17	—	170	6
West Ham ...	—	—	3	436	540	4	31	11	25	1964	39	1	195	48
Admin. County ...	12	13	30	2353	3870	7	312	26	70	16627	344	—	1265	167
Urban Districts ...	10	11	22	2153	3480	7	280	24	63	13687	272	—	1163	145
Barking ...	—	1	—	172	226	1	21	5	4	603	15	—	65	18
Benfleet ...	—	—	—	52	48	—	5	—	—	266	1	—	12	1
Billericay ...	1	—	1	41	188	—	3	1	—	635	14	—	44	3
Braintree and Bocking ...	1	—	—	5	26	—	1	—	—	48	—	—	—	—
Brentwood ...	—	—	—	27	88	—	4	—	2	617	17	—	17	—
Brightlingsea ...	—	—	—	1	5	—	—	—	—	12	—	—	—	1
Burnham on Crouch ...	—	—	—	2	6	—	3	—	—	38	1	—	7	—
Canvey Island ...	—	—	—	1	2	—	1	—	—	62	2	—	2	—
Chelmsford M.B. ...	2	1	1	15	72	—	1	—	1	253	18	—	13	3
Chigwell ...	1	—	—	44	155	1	14	—	—	540	28	—	14	1
Chingford M.B. ...	—	—	—	105	174	1	17	1	3	499	5	—	83	4
Clacton ...	—	—	—	18	33	—	—	—	—	78	1	—	—	1
Colchester M.B. ...	—	—	—	79	39	—	6	—	3	331	3	—	20	8
Dagenham M.B. ...	—	—	4	275	201	—	19	12	—	603	27	—	37	6
Epping ...	—	—	—	4	16	—	2	—	11	10	2	—	4	—
Frinton and Walton ...	—	—	—	3	13	—	—	—	—	138	3	—	4	—
Halstead ...	—	—	—	2	16	—	—	—	—	18	—	—	4	—
Harwich M.B. ...	—	—	—	5	1	—	—	—	3	2	3	—	2	1
Hornchurch ...	—	2	7	211	291	3	17	—	1	1719	11	—	49	4
Ilford M.B. ...	—	1	—	380	566	—	47	1	1	1662	33	—	222	35
Leyton M.B. ...	—	2	2	144	316	—	37	2	2	1031	19	—	241	9
Maldon M.B. ...	—	—	—	3	37	—	3	—	—	76	—	—	25	—
Rayleigh ...	—	—	—	5	7	—	6	—	—	60	2	—	3	—
Romford M.B. ...	—	—	2	198	248	—	16	1	—	1116	12	—	51	19
Saffron Walden M.B. ...	—	—	1	8	7	—	—	—	—	8	2	—	—	—
Thurrock ...	1	—	—	86	228	1	10	—	27	399	7	—	85	11
Waltham Holy Cross ...	—	—	—	6	10	—	—	—	—	202	6	—	5	—
Walthamstow M.B. ...	2	3	3	182	226	—	34	1	3	1550	20	—	101	17
Wanstead and Woodford M.B. ...	1	1	—	51	167	—	12	—	2	800	11	—	2	3
West Mersea M.B. ...	1	—	—	2	52	—	—	—	—	71	—	—	4	—
Witham ...	—	—	—	3	13	—	1	—	—	183	9	—	5	—
Wivenhoe ...	—	—	1	23	3	—	—	—	—	57	—	—	2	—
Rural Districts ...	2	2	8	200	390	—	32	2	7	2940	72	—	102	22
Braintree ...	—	1	—	6	28	—	2	1	—	222	3	—	5	4
Chelmsford ...	—	—	2	22	47	—	9	—	—	380	7	—	20	1
Dunmow ...	—	—	—	15	9	—	1	—	1	290	2	—	13	—
Epping ...	—	—	1	11	48	—	1	—	2	276	19	—	5	—
Halstead ...	—	—	—	4	20	—	3	—	1	506	4	—	12	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—contd.														
R.D's.—contd.														
Lexden and Winstree	—	—	1	42	62	—	3	—	1	261	—	—	19	—
Maldon ...	—	—	1	11	15	—	8	—	—	107	1	—	14	1
Ongar ...	1	1	—	12	28	—	2	—	—	61	7	—	5	—
Rochford ...	1	—	2	42	23	—	2	1	—	259	—	—	4	13
Saffron Walden ...	—	—	1	10	49	—	—	—	1	276	29	—	—	1
Tendring ...	—	—	—	25	61	—	1	—	1	302	—	—	5	2
GLOUCESTERSHIRE :	7	3	20	1461	1208	16	231	23	88	7741	190	1	738	165
County Boroughs ...	7	2	15	952	534	6	155	11	49	4023	138	1	488	147
Bristol ...	7	2	12	785	369	4	135	9	47	3700	134	1	447	137
Gloucester ...	—	—	3	167	165	2	20	2	2	323	4	—	41	10
Admin. County ...	—	1	5	509	674	10	76	12	39	3718	52	—	250	18
Urban Districts ...	—	1	1	173	235	3	15	10	—	859	26	—	68	6
Charlton Kings ...	—	—	—	4	16	—	1	—	—	10	—	—	1	1
Cheltenham M.B. ...	—	—	—	46	86	2	4	10	—	94	3	—	40	3
Cirencester ...	—	1	—	13	13	—	—	—	—	73	2	—	3	—
Kingswood ...	—	—	—	68	—	1	4	—	—	154	8	—	3	1
Mangotsfield ...	—	—	1	12	—	—	—	—	—	81	9	—	3	—
Nailsworth ...	—	—	—	6	4	—	—	—	—	37	1	—	9	—
Stroud ...	—	—	—	18	85	—	6	—	—	402	3	—	9	—
Tewkesbury M.B. ...	—	—	—	6	31	—	—	—	—	8	—	—	—	1
Rural Districts ...	—	—	4	336	439	7	61	2	39	2859	26	—	182	12
Cheltenham ...	—	—	—	32	36	2	3	—	21	66	1	—	15	—
Cirencester ...	—	—	—	7	45	—	1	2	—	145	—	—	7	—
Dursley ...	—	—	—	11	61	—	2	—	—	396	1	—	11	2
East Dean ...	—	—	2	13	17	—	2	—	—	24	1	—	6	—
Gloucester ...	—	—	—	77	80	2	5	—	—	359	3	—	21	—
Lydney ...	—	—	—	14	4	—	—	—	—	41	—	—	3	—
Newent ...	—	—	—	1	19	1	2	—	—	88	—	—	4	1
North Cotswold ...	—	—	—	19	35	—	15	—	—	73	—	—	8	5
Northleach ...	—	—	—	10	9	—	2	—	—	18	—	—	6	—
Sodbury ...	—	—	2	61	19	—	6	—	7	845	11	—	33	1
Stroud ...	—	—	—	36	82	—	3	—	—	237	1	—	8	—
Tetbury ...	—	—	—	2	1	—	—	—	—	8	2	—	2	—
Thornbury ...	—	—	—	25	18	1	11	—	11	468	6	—	31	3
Warmley ...	—	—	—	18	2	1	5	—	—	76	—	—	12	—
West Dean ...	—	—	—	10	11	—	4	—	—	15	—	—	15	—
HEREFORDSHIRE :														
Admin. County ...	—	—	3	163	150	1	29	6	6	1476	19	—	102	9
Urban Districts ...	—	—	2	75	84	1	12	1	—	587	9	—	23	5
Bromyard ...	—	—	—	1	—	—	1	—	—	2	1	—	4	—
Hereford M.B. ...	—	—	2	47	23	1	5	1	—	73	4	—	10	4
Kington ...	—	—	—	6	—	—	—	—	—	77	—	—	—	—
Ledbury ...	—	—	—	—	8	—	—	—	—	122	—	—	—	—
Leominster M.B. ...	—	—	—	14	15	—	5	—	—	119	—	—	3	—
Ross on Wye ...	—	—	—	7	38	—	1	—	—	194	4	—	6	1
Rural Districts ...	—	—	1	88	66	—	17	5	6	889	10	—	79	4
Bromyard ...	—	—	—	11	2	—	3	—	3	61	—	—	17	—
Dore and Bredwardine ...	—	—	—	2	9	—	—	1	1	36	1	—	11	—
Hereford ...	—	—	—	25	9	—	—	2	1	45	—	—	8	2
Kington ...	—	—	—	5	3	—	1	—	—	200	1	—	—	—
Ledbury ...	—	—	—	2	13	—	—	—	1	89	3	—	—	—
Leominster and Wigmore ...	—	—	—	20	12	—	11	—	—	185	1	—	8	—
Ross and Whitchurch ...	—	—	1	20	18	—	—	—	—	221	3	—	19	1
Weobley ...	—	—	—	3	—	—	2	2	—	52	1	—	16	1

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE :														
Admin. County. ...	3	2	8	497	1165	21	77	17	18	5990	120	1	240	104
Urban Districts ...	3	1	6	377	881	19	63	15	10	4489	78	1	159	83
Baldock ...	—	—	—	29	29	—	—	—	—	7	—	—	8	—
Barnet ...	1	—	2	23	69	—	3	—	3	326	4	1	2	10
Berkhamsted ...	—	—	—	2	4	—	3	—	—	74	2	—	1	—
Bishop's Stortford ...	2	—	—	27	39	—	5	4	—	449	6	—	2	2
Bushey ...	—	—	—	9	17	—	2	2	—	250	1	—	6	29
Cheshunt ...	—	—	—	15	48	—	3	—	3	450	2	—	20	—
Chorley Wood ...	—	—	—	2	6	—	—	—	—	20	1	—	—	—
East Barnet ...	—	—	1	61	54	—	9	—	—	471	4	—	20	—
Harpden ...	—	—	—	6	47	15	2	—	—	73	2	—	1	—
Hemel Hempstead M.B. ...	—	—	1	11	8	—	—	—	3	256	2	—	7	1
Hertford M.B. ...	—	—	—	6	1	—	—	—	—	129	3	—	2	1
Hitchin ...	—	—	—	10	41	—	3	1	—	24	1	—	17	2
Hoddesdon ...	—	—	—	11	4	—	4	—	—	210	3	—	9	—
Letchworth ...	—	—	1	17	108	—	9	—	—	31	6	—	19	—
Rickmansworth ...	—	—	1	11	31	—	2	—	—	94	4	—	2	—
Royston ...	—	—	—	—	27	—	—	—	—	35	1	—	1	—
St. Alban M.B. ...	—	1	—	71	60	4	6	1	—	309	7	—	19	1
Sawbridgeworth ...	—	—	—	4	17	—	1	—	—	40	—	—	—	—
Stevenage ...	—	—	—	13	—	—	—	—	—	1	1	—	2	—
Tring ...	—	—	—	5	—	—	—	—	—	18	—	—	—	—
Ware ...	—	—	—	1	1	—	—	—	—	142	—	—	—	—
Watford M.B. ...	—	—	—	31	64	—	8	3	—	779	25	—	16	31
Welwyn Garden City ...	—	—	—	12	206	—	3	4	1	301	3	—	5	6
Rural Areas ...	—	1	2	120	284	2	14	2	8	1501	42	—	81	21
Berkhamsted ...	—	—	—	6	4	—	—	—	—	56	—	—	1	—
Braughing ...	—	—	—	6	26	1	1	—	—	351	6	—	7	—
Elstree ...	—	—	—	10	55	—	4	—	—	72	2	—	6	1
Hatfield ...	—	—	—	31	61	—	1	1	—	281	11	—	35	19
Hemel Hempstead ...	—	—	1	5	3	—	1	—	—	88	3	—	8	—
Hertford ...	—	—	—	1	3	—	—	—	—	31	—	—	1	—
Hitchin ...	—	—	—	13	57	—	—	—	1	55	2	—	7	1
St. Albans ...	—	1	1	22	33	1	5	1	6	168	10	—	4	—
Ware ...	—	—	—	5	24	—	1	—	—	182	1	—	7	—
Watford ...	—	—	—	19	17	—	1	—	1	143	6	—	5	—
Welwyn ...	—	—	—	2	1	—	—	—	—	74	1	—	—	—
HUNTINGDONSHIRE:														
Admin. County ...	—	—	—	69	124	—	9	1	—	291	13	—	51	9
Urban Districts ...	—	—	—	36	39	—	6	1	—	79	—	—	25	1
Godmanchester M.B. ...	—	—	—	—	3	—	1	—	—	8	—	—	2	—
Huntingdon M.B. ...	—	—	—	14	4	—	—	—	—	6	—	—	5	—
Old Fletton ...	—	—	—	14	22	—	1	—	—	38	—	—	4	—
Ramsey ...	—	—	—	1	—	—	—	1	—	2	—	—	11	—
St. Ives M.B. ...	—	—	—	—	7	—	—	—	—	7	—	—	—	1
St. Neots ...	—	—	—	7	3	—	4	—	—	18	—	—	3	—
Rural Districts ...	—	—	—	33	85	—	3	—	—	212	13	—	26	8
Huntingdon ...	—	—	—	17	19	—	—	—	—	54	—	—	5	1
Norman Cross ...	—	—	—	4	13	—	—	—	—	4	—	—	3	—
St. Ives ...	—	—	—	10	29	—	2	—	—	112	13	—	8	—
St. Neots ...	—	—	—	2	24	—	1	—	—	42	—	—	10	7
KENT ...	6	36	17	2155	4369	26	315	12	38	14953	306	1	1022	133
County Borough: Canterbury ...	—	—	—	69	59	—	1	1	1	202	2	—	8	4
Admin. County ...	6	36	17	2086	4310	26	314	11	37	14751	304	1	1014	129

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—contd.														
Urban Districts ...	6	26	15	1754	3391	21	261	9	33	11806	227	—	686	112
Ashford ...	—	—	—	13	167	—	2	—	—	155	—	—	15	—
Beckenham M.B. ...	—	3	—	66	84	—	14	—	3	521	12	—	33	11
Bexley M.B. ...	—	—	—	135	191	1	16	—	—	598	10	—	19	4
Broadstairs and St. Peters ...	—	—	—	41	64	1	4	—	—	144	7	—	8	—
Bromley M.B. ...	—	2	1	139	199	1	8	—	2	559	7	—	30	25
Chatham M.B. ...	—	—	—	35	190	—	8	—	1	33	2	—	19	8
Chislehurst and Sidcup ...	1	—	—	195	230	1	16	2	2	935	26	—	31	5
Crayford ...	—	1	1	23	191	1	5	1	—	170	6	—	10	4
Dartford M.B. ...	—	1	—	98	105	—	7	2	8	268	16	—	10	1
Deal M.B. ...	—	—	—	20	11	—	1	—	—	293	2	—	13	—
Dover M.B. ...	—	—	1	23	251	—	16	—	—	396	7	—	44	2
Erith M.B. ...	—	—	1	116	147	2	7	—	4	448	8	—	21	5
Faversham M.B. ...	—	—	—	14	8	—	1	—	—	13	1	—	10	—
Folkestone M.B. ...	—	—	3	55	343	2	46	—	—	967	7	—	93	1
Gillingham M.B. ...	—	—	1	57	119	—	18	—	1	286	12	—	50	—
Gravesend M.B. ...	—	—	—	23	132	—	8	—	—	672	2	—	7	2
Herne Bay ...	—	—	—	21	20	—	1	1	—	30	3	—	14	1
Hythe M.B. ...	—	6	1	4	41	—	—	—	—	137	—	—	3	—
Lydd M.B. ...	—	—	—	2	10	—	—	—	—	66	—	—	5	—
Maidstone M.B. ...	—	2	2	29	66	4	8	—	5	219	6	—	14	8
Margate M.B. ...	—	—	—	30	17	1	2	—	4	363	6	—	—	1
New Romney M.B. ...	—	—	—	2	4	—	—	—	—	38	1	—	3	—
Northfleet ...	—	—	—	6	63	—	5	—	—	345	—	—	4	—
Orpington ...	—	3	3	237	187	2	12	1	2	1058	56	—	55	20
Penge ...	—	—	—	31	116	—	3	1	—	120	1	—	14	1
Queenborough M.B. ...	—	—	—	5	1	—	1	—	—	142	—	—	2	—
Ramsgate M.B. ...	3	—	1	20	106	—	4	—	—	260	1	—	26	4
Rochester M.B. ...	1	—	—	69	63	—	8	—	—	66	10	—	47	—
Royal Tunbridge Wells M.B. ...	1	—	—	13	50	5	4	—	—	871	2	—	14	2
Sandwich M.B. ...	—	—	—	8	—	—	2	—	—	84	1	—	1	1
Sevenoaks ...	—	6	—	18	9	—	—	—	—	17	3	—	1	—
Sheerness ...	—	—	—	44	15	—	5	—	—	518	1	—	6	3
Sittingbourne and Milton ...	—	—	—	49	63	—	7	1	1	222	—	—	6	—
Southborough ...	—	1	—	8	12	—	—	—	—	188	—	—	4	—
Swanscombe ...	—	—	—	25	56	—	6	—	—	48	6	—	14	—
Tenterden M.B. ...	—	—	—	4	3	—	—	—	—	16	—	—	2	—
Tonbridge ...	—	1	—	25	49	—	3	—	—	358	5	—	25	1
Whitstable ...	—	—	—	51	8	—	13	—	—	182	—	—	13	2
Rural Districts ...	—	10	2	332	919	5	53	2	4	2945	77	1	328	17
Bridge-Blean ...	—	—	—	55	89	—	5	—	—	51	4	—	50	—
Cranbrook ...	—	3	—	43	60	1	2	—	1	339	10	—	20	1
Dartford ...	—	—	—	23	81	—	6	—	2	234	7	—	10	1
Dover ...	—	—	—	2	77	—	—	—	—	106	1	—	3	1
East Ashford ...	—	2	1	5	35	1	2	—	—	30	1	1	7	—
Eastry ...	—	—	—	19	2	—	2	—	—	160	3	—	12	—
Elham ...	—	—	—	3	102	1	2	—	—	67	2	—	4	—
Hollingbourn ...	—	—	—	14	30	1	2	1	—	34	7	—	2	2
Maidstone ...	—	1	—	23	64	—	—	—	—	89	1	—	23	1
Malling ...	—	—	—	11	34	—	3	—	—	476	2	—	17	1
Romney Marsh ...	—	—	—	1	12	1	1	1	—	78	1	—	1	—
Sevenoaks ...	—	—	1	37	45	—	11	—	1	351	17	—	125	—
Sheppey ...	—	—	—	6	35	—	10	—	—	239	—	—	18	—
Strood ...	—	—	—	17	22	—	—	—	—	89	7	—	5	—
Swale ...	—	—	—	21	65	—	2	—	—	74	1	—	16	2
Tenterden ...	—	—	—	4	24	—	—	—	—	42	3	—	3	—
Tonbridge ...	—	2	—	42	82	—	5	—	—	464	10	—	11	8
West Ashford ...	—	2	—	6	60	—	—	—	—	22	—	—	1	—

†See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
*LANCASHIRE ...	69	194	155	11339	14853	318	994	328	1491	37596	436	5	4313	759
County Boroughs ...	34	156	110	6243	9655	233	596	295	872	21910	201	2	2840	673
Barrow-in-Furness ...	—	—	2	151	40	—	9	3	1	148	4	—	60	—
Blackburn ...	—	3	2	96	332	1	23	13	1	1207	9	—	100	29
Blackpool ...	1	13	5	280	328	25	41	16	62	1089	9	1	31	41
Bolton ...	—	5	2	296	431	8	36	2	1	522	9	—	86	7
Bootle ...	1	15	14	183	514	8	7	3	13	426	11	—	70	2
Burnley ...	—	1	1	166	143	11	19	1	13	380	4	—	101	30
Bury ...	1	—	—	157	156	—	11	3	2	208	1	—	43	2
*Liverpool ...	11	89	39	1441	2791	129	164	128	449	5930	66	1	808	181
Manchester ...	5	10	29	1594	2749	22	112	94	30	6485	35	—	783	300
Oldham ...	1	1	2	391	211	8	21	5	188	1078	1	—	117	3
Preston ...	1	7	3	246	187	2	25	3	28	564	3	—	101	18
Rochdale ...	1	2	3	205	141	3	20	1	1	597	4	—	28	2
St. Helens ...	—	—	3	243	422	8	17	2	10	857	1	—	59	1
Salford ...	10	4	3	317	628	2	22	20	6	672	37	—	270	31
Southport ...	2	6	1	125	277	2	34	—	6	896	2	—	70	2
Warrington ...	—	—	—	207	148	3	21	1	1	530	4	—	41	20
Wigan ...	—	—	1	145	157	1	14	—	60	321	1	—	72	4
Admin. County ...	35	38	45	5096	5198	85	398	33	619	15686	235	3	1473	86
Urban Districts ...	32	35	44	4432	4540	73	338	32	567	13325	207	2	1202	68
Abram ...	—	—	—	12	21	—	—	—	107	27	—	—	1	1
Accrington M.B. ...	—	—	2	26	7	3	2	—	—	328	2	—	22	1
Adlington ...	—	—	—	3	5	—	—	—	—	21	—	—	6	—
Ashton in Makerfield ...	—	—	—	64	35	2	—	—	13	26	—	—	7	—
Ashton under Lyne M.B. ...	—	1	2	264	54	5	15	1	—	461	6	—	55	3
Aspull ...	—	—	—	11	24	—	5	—	8	33	—	—	16	1
Atherton ...	—	—	1	124	13	—	6	—	1	131	3	—	21	1
Audenshaw ...	—	—	—	46	12	—	4	—	—	77	1	—	7	—
Bacup M.B. ...	—	—	—	41	4	—	2	1	—	14	1	—	15	1
Barrowford ...	—	—	—	16	—	—	—	—	—	8	—	—	1	—
Billinge and Winstanley ...	—	—	—	15	32	—	—	—	—	95	—	—	2	—
Blackrod ...	—	—	—	5	—	—	1	—	—	9	—	—	5	—
Brierfield ...	—	—	—	11	6	1	—	—	—	66	—	—	2	—
Carnforth ...	—	—	—	1	—	1	1	—	—	23	1	—	—	—
Chadderton ...	—	—	—	137	111	2	3	1	14	250	—	—	20	—
Chorley M.B. ...	—	—	1	168	73	9	12	1	—	197	1	—	56	3
Church ...	—	—	—	3	—	—	—	—	—	32	—	—	—	—
Clayton le Moors ...	—	—	—	1	1	1	—	—	—	30	1	—	2	—
Clitheroe M.B. ...	—	—	—	24	19	—	4	—	—	89	2	—	10	—
Colne M.B. ...	—	—	—	106	3	1	7	—	—	122	2	—	11	1
Crompton ...	—	—	1	34	32	1	3	—	—	77	—	—	8	—
Crosby M.B. ...	1	21	—	133	291	4	5	1	3	352	7	—	31	—
Dalton in Furness ...	—	—	1	46	22	—	2	—	—	3	2	—	6	—
Darwen M.B. ...	—	1	—	75	72	4	3	1	—	314	6	—	33	4
Denton ...	—	—	3	119	80	1	5	1	—	236	—	—	17	1
Droylsden ...	—	—	—	80	67	—	2	—	1	255	2	—	3	—
Eccles M.B. ...	3	1	2	115	139	1	12	2	—	414	6	—	35	1
Failsworth ...	1	1	4	71	100	1	2	2	—	178	—	—	25	—
Farnworth M.B. ...	—	3	—	59	134	—	6	—	—	81	3	—	23	—
Fleetwood M.B. ...	—	—	1	58	210	2	1	—	—	486	6	—	15	1
Formby ...	—	1	1	15	75	—	—	—	8	139	1	—	11	—
Fulwood ...	—	—	—	18	7	1	2	—	—	91	—	—	8	5
Golborne ...	—	—	—	60	26	—	3	1	—	142	1	—	14	—
Grange ...	—	—	—	—	3	—	—	—	—	1	1	—	2	—
Great Harwood ...	—	—	—	4	1	—	1	—	1	186	—	—	7	—
Haslingden M.B. ...	—	—	—	1	5	—	4	—	—	31	—	—	3	—
Haydock ...	—	1	1	24	51	2	6	—	—	32	1	—	13	—
Heywood M.B. ...	4	1	2	31	13	4	4	—	—	96	—	—	3	—
Hindley ...	—	—	1	53	48	1	6	—	112	33	—	—	9	2
Horwich ...	—	—	—	26	3	—	5	—	—	198	—	—	10	—

* Cases of Smallpox notified :—Liverpool C.B., 3 (1 imported).

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE														
—contd.														
U.D's.—contd.														
Huyton with Roby	1	1	3	100	285	8	6	3	6	809	3	—	51	1
Ince in Makerfield	—	—	1	41	138	—	2	—	249	130	—	—	18	—
Irlam	—	—	—	52	14	1	4	—	—	27	1	—	31	—
Kearsley	—	—	1	19	55	—	1	—	—	13	1	—	10	—
Kirkham	—	—	—	11	17	—	—	1	—	46	—	—	4	2
Lancaster M.B.	—	—	1	62	29	—	15	2	26	252	19	—	65	2
Lees	—	—	—	17	2	—	3	—	2	22	—	—	13	—
Leigh M.B.	—	—	3	167	154	2	18	1	1	267	3	—	41	1
Leyland	—	—	1	20	24	—	1	—	—	35	—	—	2	—
Litherland	—	—	2	28	98	1	1	1	4	210	2	—	2	—
Littleborough	—	—	—	21	14	—	—	—	—	80	1	—	1	1
Little Lever	—	—	—	37	15	—	1	—	—	80	1	—	3	—
Longridge	—	—	—	30	6	—	4	—	—	19	—	—	3	—
Lytham	—	—	—	—	—	—	—	—	—	—	—	—	—	—
St. Anne's M.B.	—	—	—	27	22	3	4	—	—	302	1	—	4	3
Middleton M.B.	—	—	—	122	92	—	5	—	—	444	4	—	16	1
Milnrow	1	—	—	18	3	—	2	—	—	133	—	—	3	—
Morecambe and Heysham M.B.	—	—	—	74	109	—	15	—	—	278	32	—	25	2
Mossley M.B.	—	—	—	42	47	2	—	—	—	52	2	—	3	—
Nelson M.B.	—	—	—	47	9	—	5	1	—	79	1	—	21	2
Newton-le-Willows	—	—	—	89	67	—	12	—	—	313	2	—	23	—
Ormskirk	—	—	—	14	53	—	—	1	—	75	—	—	18	—
Orrell	—	—	—	20	36	—	1	—	—	55	—	—	4	—
Oswaldtwistle	—	—	—	2	3	—	—	—	—	80	1	—	—	—
Padiham	—	—	—	17	3	—	2	—	—	141	—	—	3	—
Poulton le Fylde	—	—	—	15	15	—	2	—	2	114	—	—	3	—
Preesall	—	—	—	—	8	—	—	—	—	115	1	—	—	—
Prescot	—	—	—	19	72	—	—	—	—	144	—	—	6	—
Prestwich M.B.	4	—	—	86	83	—	6	—	1	238	1	—	16	—
Radcliffe M.B.	1	—	—	80	78	—	6	2	—	189	1	—	24	4
Rainford	—	—	—	2	10	—	1	—	—	80	—	—	—	—
Ramsbottom	—	—	—	23	22	—	8	—	—	11	2	1	13	—
Rawtenstall M.B.	—	—	1	14	16	—	3	4	—	20	1	—	29	1
Rishton	—	—	—	1	35	—	—	—	—	20	1	—	7	—
Royton	—	—	—	54	76	2	1	—	3	117	1	—	7	—
Skelmersdale	—	—	—	—	1	—	2	—	—	5	1	—	—	—
Standish with Langtree	—	—	—	25	8	—	3	—	2	54	1	—	1	—
Stretford M.B.	5	—	3	95	234	—	19	1	—	878	15	—	37	8
Swinton and Pendlebury M.B.	1	2	—	115	74	—	6	—	—	316	17	—	31	1
Thornton Cleveleys	1	—	—	39	35	—	2	—	—	201	4	—	8	—
Tottington	—	—	—	7	46	—	3	—	—	78	—	1	4	—
Trawden	—	—	—	8	6	—	2	—	—	14	—	—	1	—
Turton	—	—	—	19	10	2	1	—	—	62	—	—	—	—
Tyldesley	1	1	—	131	23	—	3	1	—	47	—	—	6	1
Ulverston	—	—	1	17	46	1	—	—	—	—	3	—	6	—
Upholland	—	—	1	12	24	1	2	—	—	49	1	—	1	—
Urmston	4	—	2	46	143	—	7	1	2	322	7	—	38	8
Walton le Dale	—	—	1	28	93	1	5	—	—	144	—	—	5	—
Wardle	—	—	—	5	7	—	1	—	—	35	—	—	—	—
West Houghton	—	—	—	23	4	—	1	—	—	53	1	—	5	—
Whitefield	2	—	—	35	26	—	3	—	—	58	1	—	9	—
Whitworth	—	—	—	28	15	—	2	1	—	101	1	—	10	2
Widnes M.B.	—	—	—	150	200	2	9	—	1	304	7	—	23	1
Withnell	—	—	—	35	—	—	1	—	—	103	—	—	8	1
Worsley	2	—	—	143	36	—	3	—	—	127	10	—	5	—
Rural Districts	3	3	1	664	658	12	60	1	52	2361	28	1	271	18
Blackburn	—	2	1	22	30	2	8	—	—	104	1	—	21	—
Burnley	—	—	—	32	13	1	2	—	—	122	—	—	13	—
Chorley	—	—	—	104	63	1	4	—	1	402	—	—	54	1
Clitheroe	—	—	—	27	14	—	8	—	1	22	3	—	—	—
Fylde	—	—	—	32	29	—	—	1	—	167	—	—	7	—
Garstang	—	—	—	3	17	—	—	—	—	251	1	—	14	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia. (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE														
—contd.														
R.D.'s.—contd.														
Lancaster ...	—	—	—	10	5	—	2	—	—	33	2	—	3	—
Limehurst ...	—	—	—	31	12	2	1	—	3	86	1	—	6	—
Lunesdale ...	—	—	—	9	35	2	1	—	—	19	3	—	1	—
Preston ...	—	—	—	89	43	—	5	—	13	221	3	—	9	—
Ulverston ...	—	—	—	23	30	—	3	—	—	12	3	—	12	—
Warrington ...	1	—	—	125	26	—	6	—	1	143	3	—	35	—
West Lancashire ...	—	1	—	61	174	—	18	—	—	412	3	1	38	—
Whiston ...	2	—	—	79	145	4	1	—	33	342	4	—	54	17
Wigan ...	—	—	—	17	22	—	1	—	—	25	1	—	4	—
LEICESTERSHIRE	2	2	12	1074	2202	9	149	8	23	7291	129	1	527	78
County Borough:														
Leicester ...	—	—	11	545	1044	6	68	7	17	4195	56	—	190	64
Admin. County ...	2	2	1	529	1158	3	81	1	6	3096	73	1	337	14
Urban Districts ...														
Ashby de la Zouch	—	—	—	5	14	—	7	—	—	31	1	—	14	2
Ashby Wolds ...	—	—	—	8	3	—	—	—	—	36	—	—	1	—
Coalville ...	—	—	1	54	114	1	8	—	—	155	11	—	45	1
Hinckley ...	1	—	—	89	151	—	12	—	1	522	12	—	30	1
Loughborough M.B.	—	1	—	27	61	—	3	—	—	102	6	—	7	2
Market Harborough	—	—	—	28	58	—	—	—	—	19	—	—	5	—
Melton Mowbray	—	—	—	12	2	—	3	—	2	245	1	—	52	—
Oadby ...	—	—	—	14	16	—	2	—	—	88	3	—	—	—
Shepshed ...	—	—	—	11	—	—	2	—	—	14	8	1	2	1
Wigston ...	—	—	—	20	93	2	3	—	—	165	—	—	2	—
Rural Districts ...														
Ashby de la Zouch	—	—	—	12	42	—	5	—	—	70	3	—	22	2
Barrow upon Soar	—	—	—	46	193	—	15	—	—	283	3	—	47	1
Billesdon ...	—	—	—	11	17	—	1	—	—	82	2	—	1	—
Blaby ...	—	—	—	65	181	—	8	1	2	598	6	—	28	1
Castle Donington	—	—	—	36	41	—	1	—	—	51	—	—	17	1
Lutterworth ...	—	—	—	10	11	—	—	—	—	189	—	—	6	—
Market Bosworth	—	—	—	52	103	—	8	—	1	176	11	—	16	2
Market Harborough	—	1	—	8	20	—	—	—	—	40	4	—	5	—
Melton and Belvoir	1	—	—	21	38	—	3	—	—	230	2	—	37	—
LINCOLNSHIRE :														
Parts of Holland :														
Admin. County ...	—	1	1	161	275	—	14	6	—	401	10	—	50	11
Urban Districts ...														
Boston M.B.	—	—	—	58	66	—	5	2	—	15	2	—	20	6
Spalding ...	—	—	—	27	66	—	2	2	—	11	2	—	18	6
Rural Districts	—	—	—	31	—	—	3	—	—	4	—	—	2	—
Boston ...	—	1	1	103	209	—	9	4	—	386	8	—	30	5
East Elloe ...	—	—	—	23	66	—	4	3	—	70	2	—	17	1
Spalding ...	—	1	—	38	116	—	5	—	—	301	1	—	10	4
LINCOLNSHIRE:														
Parts of Kesteven :														
Admin. County ...	—	—	1	251	257	1	24	3	1	396	17	—	56	3
Urban Districts ...														
Bourne ...	—	—	—	170	187	—	15	1	—	246	10	—	45	2
Grantham M.B.	—	—	—	25	29	—	6	1	—	4	—	—	8	—
Sleaford ...	—	—	—	77	55	—	7	—	—	135	5	—	23	1
Stamford M.B.	—	—	—	2	51	—	1	—	—	15	—	—	3	—
Rural Districts	—	—	—	66	52	—	1	—	—	92	5	—	11	1
East Kesteven	—	—	1	81	70	1	9	2	1	150	7	—	11	1
North Kesteven	—	—	—	22	23	—	4	—	—	28	1	—	1	—
South Kesteven	—	—	1	4	8	1	2	1	—	89	1	—	—	—
West Kesteven	—	—	—	36	13	—	2	—	1	12	—	—	5	1
	—	—	—	19	26	—	1	1	—	21	5	—	5	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
*LINCOLNSHIRE														
Parts of Lindsey	—	2	10	623	1210	22	81	25	14	2229	91	—	361	39
County Boroughs ...	—	—	1	264	465	11	21	23	2	304	27	—	92	22
Grimsby ...	—	—	1	213	379	8	14	21	—	257	18	—	38	7
Lincoln ...	—	—	—	51	86	3	7	2	2	47	9	—	54	15
*Admin. County ...	—	2	9	359	745	11	60	2	12	1925	64	—	269	17
Urban Districts ...	—	2	7	262	446	5	26	1	12	944	35	—	171	11
Alford ...	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Barton upon Humber ...	—	—	—	6	16	—	1	1	5	4	2	—	3	—
Brigg ...	—	—	—	6	9	—	3	—	—	46	1	—	5	—
Cleethorpes M.B.	—	1	1	101	126	—	6	—	—	139	2	—	51	—
Gainsborough ...	—	—	—	11	13	—	—	—	—	226	—	—	9	—
Horncastle ...	—	—	—	4	—	—	1	—	—	160	1	—	2	—
Louth M.B.	—	1	—	9	8	—	1	—	—	7	8	—	2	—
Mablethorpe and Sutton ...	—	—	—	3	5	—	—	—	—	48	2	—	2	—
Market Rasen ...	—	—	—	—	4	—	—	—	—	—	—	—	—	—
Scunthorpe M.B.	—	—	4	110	249	5	11	—	6	173	18	—	91	8
Skegness ...	—	—	2	10	11	—	2	—	1	63	—	—	3	3
Woodhall Spa ...	—	—	—	2	5	—	—	—	—	78	1	—	3	—
*Rural Districts ...	—	—	2	97	299	6	34	1	—	981	29	—	98	6
Caistor ...	—	—	—	4	71	—	3	—	—	88	1	—	13	—
Gainsborough ...	—	—	—	6	16	—	2	—	—	51	1	—	5	1
Glanford Brigg ...	—	—	—	11	88	3	10	1	—	154	4	—	12	2
Grimsby ...	—	—	1	35	5	1	1	—	—	47	3	—	6	—
Horncastle ...	—	—	—	14	38	—	2	—	—	148	5	—	10	2
*Isle of Axholme ...	—	—	—	2	—	—	—	—	—	3	7	—	—	—
Louth ...	—	—	—	8	39	—	5	—	—	128	3	—	10	—
Spilsby ...	—	—	1	8	37	2	6	—	—	351	5	—	34	—
Welton ...	—	—	—	9	5	—	5	—	—	11	—	—	8	1
*LONDON ...	25	33	76	4945	5753	219	583	187	440	28815	668	4	1858	434
City of London ...	—	—	—	5	1	—	2	—	—	8	1	—	—	—
Inner and Middle Temples ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metropolitan Boroughs:														
Battersea ...	—	1	2	263	227	5	31	4	9	1203	30	1	79	15
Bermondsey ...	—	—	—	79	40	39	7	3	1	772	4	—	43	5
Bethnal Green ...	—	—	1	98	103	20	12	21	4	499	9	—	42	9
Camberwell ...	—	2	4	342	229	13	31	7	9	1200	26	—	77	29
Chelsea ...	—	1	2	37	123	1	9	—	10	302	14	—	30	1
Deptford ...	—	1	—	162	67	3	13	2	1	681	5	1	46	10
Finsbury ...	—	—	—	42	74	—	4	7	2	187	1	—	44	4
Fulham ...	10	—	4	327	192	6	20	6	10	1099	36	—	32	14
Greenwich ...	1	1	—	128	194	2	20	1	2	789	4	—	30	4
Hackney ...	—	12	3	267	362	16	24	7	9	2009	38	—	52	28
Hammersmith ...	—	1	3	168	242	8	19	3	9	864	41	—	50	16
Hampstead ...	—	1	2	80	207	—	15	6	22	625	25	—	59	13
Holborn ...	—	—	—	15	5	1	5	3	—	170	2	—	9	4
Islington ...	—	4	6	337	529	17	53	25	38	2830	58	—	143	59
Kensington ...	4	3	9	113	304	3	15	5	33	740	47	1	121	33
Lambeth ...	1	—	1	245	235	8	28	8	14	1538	31	1	93	30
Lewisham ...	1	2	3	520	363	3	37	6	9	1940	35	—	84	27
*Paddington ...	—	1	1	123	130	7	12	8	10	567	33	—	86	18
Poplar ...	—	—	4	152	353	5	11	4	49	1207	9	—	85	11
St. Marylebone ...	1	—	1	106	112	—	14	1	7	316	12	—	47	11
*St. Pancras ...	—	—	5	172	316	2	36	19	65	1141	45	—	111	15
Shoreditch ...	—	—	1	46	41	26	14	4	17	492	10	—	13	5
Southwark ...	—	—	2	209	131	14	16	15	10	948	14	—	41	12
Stepney ...	1	—	2	166	129	4	16	5	12	1130	17	—	82	8
Stoke Newington ...	1	—	2	29	72	—	10	1	6	640	10	—	18	11
Wandsworth ...	3	1	7	463	615	6	77	8	62	2969	53	—	192	23
Westminster ...	1	1	1	48	91	2	6	1	16	635	30	—	15	4
Woolwich ...	1	1	10	203	266	8	26	7	4	1314	28	—	134	15

* Cases of Smallpox notified :—Isle of Axholme R.D., 1 imported ; Paddington Met. B., 2 imported ; St. Pancras, 1 imported.
† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MIDDLESEX :														
*Admin. County ...	13	17	42	3403	3969	23	365	58	109	17663	348	1	1586	341
*Urban Districts ...	13	17	42	3403	3969	23	365	58	109	17663	348	1	1586	341
Acton M.B. ...	—	—	6	55	72	2	10	—	1	423	15	—	28	—
Brentford and Chiswick M.B. ...	—	—	—	64	45	—	2	—	—	511	4	—	22	3
Ealing M.B. ...	3	2	8	175	303	—	12	4	20	1450	22	—	174	26
Edmonton M.B. ...	—	—	—	188	169	1	24	3	1	938	15	—	29	51
Enfield ...	—	—	1	174	559	—	19	5	7	1344	17	—	85	10
Feltham ...	2	1	1	57	66	—	1	2	2	265	4	—	—	2
Finchley M.B. ...	—	—	1	124	88	—	14	8	2	381	26	—	65	12
Friern Barnet ...	—	—	1	54	59	—	4	—	3	305	4	—	26	—
Harrow ...	—	2	1	351	191	1	26	1	11	2038	23	—	77	5
Hayes and Harlington ...	—	1	3	86	116	—	10	1	2	308	8	—	97	4
Hendon M.B. ...	—	—	4	263	328	4	20	24	6	1195	37	—	157	64
Heston and Isleworth M.B. ...	—	—	2	138	173	—	26	—	2	523	14	—	52	16
Hornsey M.B. ...	3	1	1	109	98	2	14	1	6	697	34	1	66	2
Potters Bar ...	—	—	—	11	43	—	3	—	—	278	1	—	—	—
Ruislip Northwood ...	—	1	1	193	145	—	11	—	4	738	8	—	84	3
Southall M.B. ...	—	—	1	75	127	—	5	—	6	195	14	—	50	2
Southgate M.B. ...	—	1	—	69	73	—	20	1	3	497	3	—	37	13
Staines ...	—	1	—	62	14	—	—	—	—	347	7	—	16	—
Sunbury on Thames ...	—	—	1	21	20	—	—	—	—	114	4	—	—	—
Tottenham M.B. ...	—	—	3	250	199	4	23	1	2	968	15	—	73	15
Twickenham M.B. ...	2	1	—	128	200	—	16	—	8	749	14	—	34	21
Uxbridge ...	—	1	—	91	171	—	43	—	9	350	9	—	66	34
*Wembley M.B. ...	—	1	3	237	252	1	26	—	5	1146	12	—	139	1
Willesden M.B. ...	—	2	3	340	205	8	29	7	4	985	29	—	161	57
Wood Green M.B. ...	2	—	1	71	46	—	5	—	2	678	6	—	19	—
Yiewsley and West Drayton ...	1	2	—	17	207	—	2	—	3	240	3	—	29	—
NORFOLK ...	1	3	7	679	679	13	87	30	71	4184	78	1	479	40
County Boroughs ...	—	1	1	276	176	8	26	22	34	2035	26	1	148	27
Great Yarmouth ...	—	—	—	100	40	5	10	—	—	805	6	—	29	1
Norwich ...	—	1	1	176	136	3	16	22	34	1230	20	1	119	26
Admin. County ...	1	2	6	403	503	5	61	8	37	2149	52	—	331	13
Urban Districts ...	—	—	1	67	117	—	10	3	26	414	10	—	90	4
Cromer ...	—	—	—	6	2	—	—	—	—	28	—	—	—	1
Diss ...	—	—	—	4	5	—	—	—	—	4	1	—	—	—
Downham Market ...	—	—	—	—	—	—	—	—	—	126	—	—	—	—
East Dereham ...	—	—	1	2	1	—	—	1	26	7	1	—	21	1
Kings Lynn M.B....	—	—	—	46	85	—	1	2	—	26	4	—	42	1
New Hunstanton ...	—	—	—	2	2	—	—	—	—	3	—	—	—	—
North Walsham ...	—	—	—	—	3	—	1	—	—	65	—	—	—	1
Sheringham ...	—	—	—	2	—	—	—	—	—	82	—	—	1	—
Swaffham ...	—	—	—	2	2	—	1	—	—	2	—	—	—	—
Thetford M.B. ...	—	—	—	1	16	—	2	—	—	3	—	—	22	—
Wells ...	—	—	—	—	—	—	—	—	—	41	1	—	—	—
Wymondham ...	—	—	—	2	1	—	5	—	—	27	3	—	4	—
Rural Districts ...	1	2	5	336	386	5	51	5	11	1735	42	—	241	9
Blofield and Flegg ...	—	1	2	52	55	1	10	—	7	174	4	—	50	1
Depwade ...	—	—	—	30	97	1	6	—	1	31	3	—	34	1
Docking ...	—	—	—	21	24	—	—	—	—	51	—	—	3	1
Downham ...	—	—	1	13	28	—	9	1	—	215	1	—	12	—
Erpingham ...	—	—	1	5	5	—	—	2	—	77	—	—	—	1
Forehoe and Henstead ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Freebridge Lynn ...	—	—	—	27	4	—	7	—	—	119	8	—	15	—
Loddon ...	—	—	—	10	20	—	1	—	—	150	1	—	7	—
Marshland ...	—	—	—	2	11	—	3	—	—	15	1	—	9	2
Mitford and Launditch ...	1	—	—	38	35	—	3	—	—	178	—	—	14	1
St. Faith's and Aylsham ...	—	—	1	17	—	3	1	—	2	49	—	—	24	1
Smallburgh ...	—	—	—	55	36	—	3	1	1	255	10	—	25	1
Swaffham ...	—	—	—	2	34	—	2	—	—	320	2	—	21	—
Walsingham ...	—	1	—	—	6	—	1	—	—	48	—	—	1	—
Wayland ...	—	—	—	32	14	—	4	1	—	6	—	—	9	—
	—	—	—	32	17	—	1	—	—	47	12	—	17	—

* 1 imported case of Smallpox notified.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHAMPTON-SHIRE ...	11	3	5	718	956	1	76	6	7	1439	52	1	232	69
County Borough:														
Northampton ...	3	1	2	241	303	—	23	—	1	645	11	1	89	55
Admin. County ...	8	2	3	477	653	1	53	6	6	794	41	—	143	14
Urban Districts ...	2	—	1	270	274	—	38	4	1	426	24	—	87	11
Brackley M.B. ...	—	—	—	—	—	—	—	—	—	19	—	—	—	—
Burton Latimer ...	—	—	—	28	3	—	—	—	—	57	4	—	10	—
Corby ...	—	—	1	16	7	—	1	—	—	75	5	—	1	—
Daventry M.B. ...	—	—	—	—	1	—	2	—	—	1	—	—	3	—
Desborough ...	—	—	—	—	—	—	—	—	—	—	4	—	—	—
Higham Ferrers M.B. ...	—	—	—	2	2	—	—	—	—	5	—	—	5	1
Irthlingborough ...	—	—	—	3	18	—	—	—	—	8	—	—	6	—
Kettering M.B. ...	1	—	—	131	105	—	7	—	1	67	4	—	13	4
Oundle ...	—	—	—	1	—	—	1	—	—	18	—	—	—	—
Raunds ...	—	—	—	34	1	—	5	1	—	2	—	—	3	—
Rothwell ...	1	—	—	7	1	—	2	2	—	9	—	—	—	—
Rushden ...	—	—	—	38	37	—	8	—	—	45	6	—	14	—
Wellingborough ...	—	—	—	10	99	—	12	1	—	120	1	—	32	6
Rural Districts ...	6	2	2	207	379	1	15	2	5	368	17	—	56	3
Brackley ...	—	—	—	1	8	—	1	—	—	17	—	—	—	—
Brixworth ...	—	—	—	49	107	—	—	—	—	125	—	—	5	—
Daventry ...	5	—	—	34	32	1	—	1	—	83	3	—	4	1
Kettering ...	—	—	—	34	8	—	1	—	—	15	4	—	4	1
Northampton ...	—	2	—	52	47	—	4	—	4	68	1	—	9	—
Oundle and Thrapston ...	—	—	1	8	83	—	5	1	—	16	4	—	8	—
Towcester ...	—	—	1	9	65	—	—	—	—	9	—	—	11	—
Wellingborough ...	1	—	—	20	29	—	4	—	1	35	5	—	15	1
NORTHUMBER- LAND	6	16	37	951	1710	24	208	8	185	7303	80	1	872	95
County Boroughs ...	1	10	32	392	824	6	98	7	127	3913	44	—	528	71
Newcastle upon Tyne ...	1	10	28	351	688	4	87	6	127	3407	43	—	497	70
Tynemouth ...	—	—	4	41	136	2	11	1	—	506	1	—	31	1
Admin. County ...	5	6	5	559	886	18	110	1	58	3390	36	1	344	24
Urban Districts ...	5	5	5	437	702	17	87	1	58	2724	29	1	285	8
Alnwick ...	—	—	1	4	—	1	1	—	1	8	2	—	—	1
Amble ...	—	—	—	10	1	—	—	—	—	—	—	—	—	—
Ashington ...	—	—	—	26	8	1	7	—	1	116	—	—	15	—
Bedlingtonshire ...	—	—	—	31	11	2	6	—	—	216	1	—	15	—
Berwick upon Tweed ...	4	—	—	6	12	—	2	—	—	28	—	—	3	—
Blyth M.B. ...	—	—	1	39	98	1	6	—	—	352	1	—	27	3
Gosforth ...	—	—	—	13	53	—	8	—	52	174	—	1	24	1
Hexham ...	1	1	—	12	7	—	—	—	—	8	9	—	10	—
Longbenton ...	—	—	1	45	96	2	12	—	1	359	4	—	21	2
Morpeth M.B. ...	—	—	—	8	3	4	10	—	—	38	—	—	5	—
Newbiggin by the Sea ...	—	3	—	—	3	—	4	—	—	144	—	—	30	—
Newburn ...	—	1	—	39	44	—	4	—	3	215	2	—	41	1
Prudhoe ...	—	—	—	33	45	—	1	—	—	100	2	—	—	—
Seaton Valley ...	—	—	2	67	38	—	2	—	—	162	1	—	2	—
Wallsend M.B. ...	—	—	—	62	169	—	8	—	—	246	4	—	66	—
Whitley Bay ...	—	—	—	42	114	6	16	1	—	558	3	—	26	—
Rural Districts ...	—	1	—	122	184	1	23	—	—	666	7	—	59	16
Alnwick ...	—	—	—	31	—	—	—	—	—	23	—	—	—	—
Belford ...	—	—	—	4	29	—	—	—	—	17	—	—	7	—
Bellingham ...	—	—	—	1	1	—	—	—	—	22	—	—	—	1
Castle Ward ...	—	—	—	16	50	—	4	—	—	118	—	—	12	3
Glendale ...	—	—	—	—	21	—	2	—	—	62	1	—	15	—
Haltwhistle ...	—	1	—	3	15	—	1	—	—	143	1	—	3	1
Hexham ...	—	—	—	18	22	—	6	—	—	146	4	—	12	9
Morpeth ...	—	—	—	31	3	1	3	—	—	79	—	—	—	1

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHUMBER- LAND —contd.														
R.D's.—contd.														
Newcastle upon Tyne (Moot Hall and precincts) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires ...	—	—	—	4	22	—	—	—	—	36	—	—	2	—
Rothbury ...	—	—	—	14	21	—	7	—	—	20	1	—	8	1
NOTTINGHAMSHIRE	2	8	11	1601	911	9	124	78	21	8180	134	—	603	38
County Borough :														
Nottingham ...	—	1	3	389	472	1	47	61	20	2872	54	—	250	14
Admin. County ...	2	7	8	1212	439	8	77	17	1	5308	80	—	353	24
Urban Districts														
Arnold ...	—	7	5	926	285	7	53	14	—	3952	54	—	238	23
Beeston and Stapleford ...	—	—	1	48	8	—	—	1	—	276	—	—	4	1
Carlton ...	—	—	—	106	38	4	4	1	—	701	18	—	29	9
East Retford M.B.	—	—	—	41	37	—	3	4	—	336	1	—	9	1
Eastwood ...	—	2	—	73	9	—	8	—	—	33	—	—	28	1
Hucknall ...	—	—	—	27	25	—	—	—	—	91	—	—	11	—
Kirkby in Ashfield	—	—	—	53	6	—	9	2	—	520	—	—	26	—
Mansfield ...	—	1	1	25	1	1	7	1	—	185	—	—	27	1
Mansfield Woodhouse ...	—	2	2	207	14	1	7	2	—	291	3	—	22	3
Newark M.B.	—	—	—	59	2	1	—	—	—	81	2	—	2	1
Sutton in Ashfield	—	—	—	21	79	—	6	—	—	172	2	—	32	1
Warsop ...	—	—	1	153	7	—	5	—	—	875	—	—	4	1
West Bridgford ...	—	—	—	6	2	—	—	—	—	142	—	—	—	—
Worksop M.B.	—	2	—	12	44	—	3	—	—	104	5	—	1	—
	—	—	—	95	13	—	1	3	—	145	23	—	43	4
Rural Districts	2	—	3	286	154	1	24	3	1	1356	26	—	115	1
Basford ...	—	—	1	114	55	—	11	1	—	579	12	—	37	—
Bingham ...	1	—	—	12	3	1	2	—	—	21	2	—	13	—
East Retford ...	1	—	—	29	38	—	3	—	—	159	1	—	26	—
Newark ...	—	—	—	10	23	—	3	—	—	101	3	—	8	—
Nottingham (Shire Hall)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwell ...	—	—	2	52	20	—	2	—	1	255	6	—	10	1
Worksop ...	—	—	—	69	15	—	3	2	—	241	2	—	21	—
OXFORDSHIRE	—	—	5	253	609	2	46	87	26	2844	42	—	114	79
County Borough :														
Oxford ...	—	—	2	115	240	1	33	83	16	1141	19	—	76	77
Admin. County ...	—	—	3	138	369	1	13	4	10	1703	23	—	38	2
Urban Districts														
Banbury M.B.	—	—	1	38	94	1	5	2	1	464	7	—	8	1
Bicester ...	—	—	—	23	67	—	3	—	—	132	2	—	2	1
Chipping Norton	—	—	1	—	8	—	1	1	—	26	—	—	—	—
M.B.1 ...	—	—	—	7	2	—	—	—	—	84	—	—	—	—
Henley on Thames	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	—	—	11	1	—	—	—	175	1	—	—	—
Thame ...	—	—	—	4	4	—	1	—	—	10	1	—	5	—
Witney ...	—	—	—	2	1	—	—	—	1	1	2	—	1	—
Woodstock M.B.	—	—	—	2	1	—	—	1	—	36	1	—	—	—
Rural Districts														
Banbury ...	—	—	2	100	275	—	8	2	9	1239	16	—	30	1
Bullington ...	—	—	—	20	29	—	—	—	—	67	1	—	2	—
Chipping Norton	—	—	—	29	67	—	4	1	9	481	3	—	8	—
Henley ...	—	—	—	11	35	—	—	—	—	194	2	—	2	—
Ploughley ...	—	—	1	6	68	—	1	1	—	145	7	—	17	—
Witney ...	—	—	1	4	31	—	2	—	—	226	2	—	1	1
	—	—	—	30	45	—	1	—	—	126	1	—	—	—
PETERBOROUGH, SOKE OF :														
Admin. County ...	—	1	1	145	133	—	3	—	—	303	13	—	36	—
Urban Districts														
Peterborough M.B.	—	1	1	129	117	—	2	—	—	291	10	—	34	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PETERBOROUGH, SOKE OF—contd.														
Rural Districts ...	—	—	—	16	16	—	1	—	—	12	3	—	2	—
Barnack ...	—	—	—	9	13	—	—	—	—	4	2	—	1	—
Peterborough ...	—	—	—	7	3	—	1	—	—	8	1	—	1	—
RUTLANDSHIRE :														
Admin. County ...	—	—	—	17	14	2	4	—	7	78	4	—	17	—
Urban District ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oakham ...	—	—	—	2	—	2	—	—	1	2	2	—	2	—
Rural Districts ...	—	—	—	15	14	—	4	—	6	76	2	—	15	—
Ketton ...	—	—	—	4	12	—	1	—	—	3	—	—	2	—
Oakham ...	—	—	—	9	—	—	2	—	6	24	—	—	5	—
Uppingham ...	—	—	—	2	2	—	1	—	—	49	2	—	8	—
SHROPSHIRE :														
Admin. County ...	3	—	2	375	478	6	37	17	1	1969	10	—	140	13
Urban Districts ...	1	—	2	154	220	5	19	9	1	910	5	—	65	6
Bishop's Castle M.B. ...	—	—	—	—	—	—	—	—	—	3	—	—	—	—
Bridgnorth M.B. ...	—	—	—	14	11	—	—	—	—	18	1	—	5	—
Church Stretton ...	—	—	—	6	—	—	1	—	—	44	—	—	2	—
Dawley ...	—	—	—	7	41	1	1	—	—	67	1	—	12	1
Ellesmere ...	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Ludlow M.B. ...	—	—	—	—	48	—	—	—	—	3	—	—	—	—
Market Drayton ...	—	—	—	1	2	—	—	—	—	—	1	—	—	—
Newport ...	—	—	—	3	72	—	—	1	—	12	—	—	7	—
Oakengates ...	—	—	1	12	8	—	—	—	—	48	—	—	—	—
Oswestry M.B. ...	1	—	—	13	3	—	2	1	—	10	—	—	10	1
Shrewsbury M.B. ...	—	—	1	64	15	3	12	3	—	370	2	—	8	2
Wellington ...	—	—	—	13	8	—	—	2	—	69	—	—	10	—
Wem ...	—	—	—	5	2	—	1	1	—	42	—	—	10	—
Wenlock M.B. ...	—	—	—	12	8	1	2	1	—	218	—	—	1	1
Whitchurch ...	—	—	—	2	2	—	—	—	1	6	—	—	—	1
Rural Districts ...	2	—	—	221	258	1	18	8	—	1059	5	—	75	7
Atcham ...	1	—	—	54	34	1	4	—	—	273	1	—	12	2
Bridgnorth ...	—	—	—	21	57	—	3	—	—	100	—	—	9	1
Clun ...	—	—	—	4	2	—	—	2	—	85	—	—	7	—
Drayton ...	—	—	—	4	12	—	2	—	—	9	—	—	9	1
Ellesmere ...	—	—	—	6	8	—	—	—	—	5	—	—	—	1
Ludlow ...	—	—	—	10	38	—	—	—	—	128	—	—	2	—
Oswestry ...	1	—	—	44	6	—	2	—	—	39	2	—	13	1
Shifnal ...	—	—	—	17	15	—	1	4	—	88	—	—	6	—
Wellington ...	—	—	—	49	70	—	5	2	—	136	1	—	12	—
Wem ...	—	—	—	12	16	—	1	—	—	196	1	—	5	1
SOMERSETSHIRE ...	2	2	8	560	1142	2	94	9	16	5834	105	1	238	35
County Borough:														
Bath ...	—	—	1	51	216	—	18	1	2	434	21	—	25	1
Admin. County ...	2	2	7	509	926	2	76	8	14	5400	84	1	213	34
Urban Districts ...	1	—	1	283	394	1	44	3	8	2703	35	—	85	27
Bridgwater M.B. ...	—	—	—	22	12	—	5	—	—	251	—	—	5	3
Burnham on Sea ...	—	—	—	5	9	—	2	—	—	185	2	—	16	1
Chard M.B. ...	—	—	—	1	2	—	1	—	—	2	—	—	—	3
Clevedon ...	—	—	—	3	15	—	3	—	1	200	2	—	3	1
Crewkerne ...	—	—	—	7	—	—	1	—	—	11	—	—	—	1
Frome ...	—	—	—	34	5	—	—	—	—	98	—	—	1	2
Glastonbury M.B. ...	—	—	—	3	10	—	—	—	—	4	1	—	—	—
Ilminster ...	—	—	—	17	—	—	2	—	—	45	—	—	—	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE —contd.														
U.D.s.—contd.														
Keynsham ...	1	—	—	11	1	—	3	—	—	108	2	—	7	1
Minehead ...	—	—	—	3	32	—	—	—	—	15	5	—	—	1
Norton Radstock ...	—	—	—	8	25	—	5	—	—	19	3	—	8	—
Portishead ...	—	—	—	—	49	—	—	—	—	23	—	—	3	—
Shepton Mallet ...	—	—	—	2	3	—	1	1	1	2	2	—	—	—
Street ...	—	—	—	5	3	—	1	—	—	11	—	—	1	—
Taunton M.B. ...	—	—	—	24	44	—	7	1	—	273	7	—	2	6
Watchet ...	—	—	1	—	10	—	—	—	—	8	—	—	—	—
Wellington... ..	—	—	—	1	14	—	—	—	—	206	1	—	—	—
Wells M.B. ...	—	—	—	3	—	—	1	—	—	164	1	—	—	1
Weston super Mare M.B. ...	—	—	—	119	62	1	10	—	3	953	4	—	22	4
Yeovil M.B. ...	—	—	—	15	98	—	2	1	3	125	5	—	17	3
Rural Districts ...	1	2	6	226	532	1	32	5	6	2697	49	1	128	7
Axbridge ...	1	—	—	45	27	—	6	2	—	459	2	—	22	—
Bathavon ...	—	—	1	20	88	—	3	—	—	119	5	—	15	—
Bridgwater... ..	—	—	—	15	15	—	2	1	—	288	1	—	17	—
Chard ...	—	—	—	29	6	—	4	—	—	105	—	—	3	—
Clutton ...	—	—	1	9	45	—	1	—	—	54	1	1	9	1
Dulverton ...	—	—	—	1	4	—	—	—	—	24	1	—	9	—
Frome ...	—	1	1	18	13	—	2	—	—	91	5	—	12	—
Langport ...	—	—	—	9	14	—	—	1	4	286	1	—	5	—
Long Ashton ...	—	—	1	24	118	—	1	—	—	389	4	—	11	—
Shepton Mallet ...	—	1	1	6	33	1	1	—	—	34	5	—	3	1
Taunton ...	—	—	—	14	28	—	5	—	—	271	1	—	2	1
Wellington ...	—	—	—	13	44	—	1	—	—	153	6	—	1	—
Wells ...	—	—	—	2	3	—	2	—	—	133	2	—	3	2
Williton ...	—	—	1	1	14	—	1	—	—	118	2	—	1	—
Wincanton ...	—	—	—	11	19	—	1	1	—	119	9	—	10	—
Yeovil ...	—	—	—	9	61	—	2	—	2	54	4	—	5	2
SOUTHAMPTON ...	4	16	15	1218	1888	17	166	29	31	18385	208	—	573	66
County Boroughs ...	3	9	11	694	901	10	100	16	11	8368	94	—	241	32
Bournemouth ...	—	—	2	96	122	2	19	—	2	1785	28	—	77	5
Portsmouth ...	2	8	5	454	323	7	42	3	5	4010	29	—	25	13
Southampton ...	1	1	4	144	456	1	39	13	4	2573	37	—	139	14
Admin. County ...	1	7	4	524	987	7	66	13	20	10017	114	—	332	34
Urban Districts ...	1	3	1	323	532	3	42	8	6	5955	64	—	202	22
Aldershot M.B. ...	—	—	—	55	10	—	3	—	—	352	8	—	1	3
Alton ...	—	—	—	39	9	—	—	—	—	31	—	—	18	—
Andover M.B. ...	—	—	—	6	4	2	1	—	—	184	9	—	2	—
Basingstoke M.B. ...	—	1	—	13	40	—	1	—	—	190	3	—	1	3
Christchurch M.B. ...	—	—	—	14	14	—	1	—	—	331	5	—	8	—
Eastleigh M.B. ...	—	—	—	10	90	—	10	1	—	53	—	—	14	—
Fareham ...	1	—	1	52	80	1	4	—	—	997	3	—	26	—
Farnborough ...	—	—	—	19	3	—	—	1	—	288	11	—	—	2
Fleet ...	—	—	—	—	3	—	2	—	—	305	—	—	18	—
Gosport M.B. ...	—	—	—	66	106	—	15	5	—	1859	6	—	89	—
Havant and Waterloo ...	—	2	—	18	10	—	2	—	—	399	5	—	2	1
Lymington M.B. ...	—	—	—	8	87	—	1	1	6	436	5	—	8	—
Petersfield ...	—	—	—	13	19	—	1	—	—	193	—	—	1	—
Romsey M.B. ...	—	—	—	1	—	—	1	—	—	6	4	—	—	1
Winchester M.B. ...	—	—	—	9	57	—	—	—	—	331	5	—	14	12
Rural Districts ...	—	4	3	201	455	4	24	5	14	4062	50	—	130	12
Alton ...	—	2	—	35	33	—	—	2	—	409	2	—	13	2
Andover ...	—	—	—	8	5	1	1	—	—	172	4	—	1	—
Basingstoke ...	—	1	—	8	27	—	—	1	14	234	—	—	12	—
Droxford ...	—	—	—	16	21	—	1	—	—	212	—	—	2	—
Hartley Wintney ...	—	—	—	7	11	—	3	—	—	315	5	—	6	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON —contd.														
R.D.s.—contd.														
Kingsclere and Whitchurch ...	—	—	1	13	74	—	7	—	—	309	1	—	25	1
New Forest ...	—	—	1	14	75	—	6	—	—	639	26	—	13	5
Petersfield ...	—	—	—	29	46	—	1	—	—	344	1	—	2	—
Ringwood and Fordingbridge ...	—	—	1	11	47	2	2	1	—	545	3	—	31	2
Romsey and Stockbridge ...	—	—	—	33	25	—	2	—	—	249	2	—	4	2
Winchester ...	—	1	—	27	91	1	1	1	—	634	6	—	21	—
STAFFORDSHIRE ...	—	11	32	2629	4471	128	301	57	107	16354	69	2	1440	102
County Boroughs ...	—	2	21	1328	2238	38	132	42	93	8737	29	1	845	67
Burton upon Trent	—	—	2	142	368	—	10	5	—	836	4	—	38	4
Smethwick ...	—	—	1	113	222	12	13	6	22	1009	2	—	86	3
Stoke on Trent ...	—	—	13	465	585	3	35	19	—	1504	14	—	321	30
Walsall ...	—	2	2	167	451	3	24	4	1	2478	2	—	195	4
West Bromwich ...	—	—	3	93	221	7	6	3	—	805	2	1	35	11
Wolverhampton	—	—	—	348	391	13	44	5	70	2105	5	—	170	15
Admin. County ...	—	9	11	1301	2233	90	169	15	14	7617	40	1	595	35
Urban Districts ...	—	7	9	993	1742	84	131	13	12	6018	33	—	481	27
Aldridge ...	—	—	—	65	243	—	12	—	2	556	—	—	33	—
Amblecote ...	—	—	—	7	14	1	—	—	—	9	—	—	1	—
Biddulph ...	—	—	1	15	37	—	4	1	—	13	—	—	25	—
Bilston M.B. ...	—	—	—	34	120	7	5	2	1	222	—	—	49	—
Brierley Hill ...	—	—	—	60	155	2	13	1	1	504	—	—	11	2
Brownhills ...	—	—	1	66	76	1	9	2	—	362	1	—	29	—
Cannock ...	—	—	—	111	61	1	11	1	1	872	4	—	19	—
Coseley ...	—	1	—	57	103	28	15	3	—	437	—	—	72	—
Darlaston ...	—	1	1	39	25	2	2	—	1	133	—	—	10	—
Kidsgrove ...	—	—	1	14	31	1	4	2	—	16	3	—	14	—
Leek ...	—	1	1	31	29	—	—	—	—	5	3	—	11	—
Lichfield M.B. ...	—	—	—	13	15	—	5	—	—	22	7	—	9	8
Newcastle under Lyme M.B. ...	—	—	2	82	168	11	2	—	1	228	5	—	17	2
Rowley Regis M.B.	—	3	—	91	109	5	4	—	—	752	—	—	13	2
Rugeley ...	—	—	—	10	—	—	—	—	—	18	4	—	1	1
Sedgley ...	—	—	1	27	21	2	8	—	2	429	—	—	25	4
Stafford M.B. ...	—	—	1	46	169	1	6	1	1	90	2	—	28	4
Stone ...	—	—	—	13	29	—	7	—	—	11	—	—	8	—
Tamworth M.B. ...	—	—	—	7	46	1	3	—	—	44	—	—	5	1
Tettenhall ...	—	—	—	15	48	3	2	—	—	122	—	—	16	—
Tipton M.B. ...	—	—	—	42	46	8	3	—	—	362	—	—	25	—
Uttoxeter ...	—	—	—	6	32	—	1	—	—	17	—	—	—	—
Wednesbury M.B.	—	—	—	96	105	8	7	—	—	518	1	—	22	—
Wednesfield ...	—	—	—	16	25	—	—	—	2	154	—	—	12	2
Willenhall ...	—	1	—	30	35	2	8	—	—	122	3	—	26	1
Rural Districts ...	—	2	2	308	491	6	38	2	2	1599	7	1	114	8
Cannock ...	—	1	1	65	80	2	5	—	—	388	—	—	18	1
Cheadle ...	—	—	—	22	52	—	6	—	—	113	2	—	24	2
Leek ...	—	—	—	31	19	—	3	—	—	36	—	—	11	—
Lichfield ...	—	—	1	47	57	3	4	1	1	316	1	1	20	1
Newcastle under Lyme ...	—	—	—	6	36	—	—	—	—	32	—	—	1	—
Seisdon ...	—	—	—	41	84	—	2	1	1	246	1	—	20	1
Stafford ...	—	—	—	34	36	—	5	—	—	43	1	—	6	—
Stone ...	—	—	—	18	35	1	4	—	—	131	—	—	10	2
Tutbury ...	—	1	—	37	51	—	2	—	—	167	1	—	3	1
Uttoxeter ...	—	—	—	7	41	—	7	—	—	127	1	—	1	—
SUFFOLK EAST	1	1	3	344	1189	8	50	9	2	1875	34	—	219	30
County Borough:														
Ipswich ...	—	—	—	83	429	7	15	2	—	242	5	—	36	16
Admin. County ...	1	1	3	261	760	1	35	7	2	1633	29	—	183	14

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK EAST														
—contd.														
Urban Districts ...	1	—	1	149	215	—	13	2	1	667	16	—	57	10
Aldeburgh M.B. ...	—	—	—	1	11	—	—	—	1	8	—	—	—	—
Beccles M.B. ...	—	—	—	—	—	—	—	—	—	19	2	—	1	—
Bungay ...	—	—	—	5	17	—	1	—	—	2	—	—	12	1
Eye M.B. ...	—	—	—	1	—	—	—	—	—	—	—	—	4	1
Felixstowe ...	—	—	—	12	26	—	—	—	—	12	—	—	—	—
Halesworth ...	—	—	—	1	—	—	—	—	—	—	—	—	—	2
Leiston cum Sizewell ...	—	—	—	44	32	—	3	—	—	83	—	—	8	—
Lowestoft M.B. ...	1	—	1	57	9	—	4	1	—	350	13	—	5	4
Saxmundham ...	—	—	—	1	—	—	—	—	—	48	—	—	6	—
Southwold M.B. ...	—	—	—	4	37	—	—	—	—	6	—	—	8	—
Stowmarket ...	—	—	—	12	27	—	3	1	—	93	—	—	3	2
Woodbridge ...	—	—	—	11	56	—	2	—	—	46	1	—	10	—
Rural Districts ...	—	1	2	112	545	1	22	5	1	966	13	—	126	4
Blyth ...	—	—	—	27	112	—	4	1	—	377	1	—	10	—
Deben ...	—	—	1	26	131	1	10	—	1	195	4	—	56	—
Gipping ...	—	—	—	12	65	—	2	—	—	18	4	—	12	2
Hartismere ...	—	—	1	20	91	—	2	—	—	137	3	—	26	1
Lothingland ...	—	—	—	5	72	—	4	4	—	136	1	—	9	1
Samford ...	—	—	—	17	48	—	—	—	—	93	—	—	4	—
Wainford ...	—	1	—	5	26	—	—	—	—	10	—	—	9	—
SUFFOLK WEST :														
Admin. County ...	—	—	1	71	268	—	27	—	1	1249	12	—	75	11
Urban Districts ...	—	—	1	21	89	—	4	—	1	562	2	—	22	7
Bury St. Edmunds M.B. ...	—	—	—	6	7	—	—	—	1	55	2	—	5	2
Hadleigh ...	—	—	—	2	2	—	—	—	—	1	—	—	1	—
Haverhill ...	—	—	—	—	3	—	—	—	—	—	—	—	—	—
Newmarket ...	—	—	1	10	27	—	1	—	—	383	—	—	1	4
Sudbury M.B. ...	—	—	—	3	50	—	3	—	—	123	—	—	15	1
Rural Districts ...	—	—	—	50	179	—	23	—	—	687	10	—	53	4
Clare ...	—	—	—	8	36	—	2	—	—	145	1	—	3	1
Cosford ...	—	—	—	7	34	—	12	—	—	41	1	—	26	2
Melford ...	—	—	—	13	83	—	6	—	—	121	6	—	16	—
Mildenhall ...	—	—	—	10	1	—	2	—	—	301	1	—	6	—
Thedwastre ...	—	—	—	4	6	—	—	—	—	8	—	—	1	—
Thingoe ...	—	—	—	8	19	—	1	—	—	71	1	—	1	1
*SURREY ...	9	9	21	2382	3119	22	198	29	103	13347	188	1	550	169
County Borough: Croydon ...	—	—	2	475	309	2	37	8	4	2136	10	—	44	29
*Admin. County ...	9	9	19	1907	2810	20	161	21	99	11211	178	1	506	140
*Urban Districts ...	7	9	16	1778	2584	19	141	20	97	10055	154	—	463	140
Banstead ...	—	—	—	68	100	—	2	—	11	228	4	—	5	—
Barnes M.B. ...	1	—	1	35	15	—	7	—	—	587	10	—	21	1
Beddington and Wallington M.B. ...	—	—	—	44	14	—	5	1	1	116	1	—	1	1
Carshalton ...	—	—	1	109	225	1	6	—	2	474	3	—	42	39
Caterham and Warlingham ...	—	2	1	38	81	—	3	—	1	316	2	—	3	—
Chertsey ...	1	1	—	36	37	1	5	—	13	205	12	—	13	1
Coulsdon and Purley ...	1	2	—	138	43	—	4	—	14	600	9	—	5	2
Dorking ...	—	—	—	50	63	—	2	5	—	19	—	—	4	7
Egham ...	—	—	—	20	35	1	1	—	—	338	3	—	1	—
Epsom and Ewell M.B. ...	2	2	—	116	164	—	10	1	11	250	7	—	44	14
Esher ...	—	—	—	106	139	—	10	—	—	374	4	—	14	1
Farnham ...	—	—	—	13	16	—	4	—	—	282	2	—	6	1
Frimley and Camberley ...	1	—	1	22	9	—	1	1	1	319	3	—	—	—
Godalming M.B. ...	—	—	—	5	7	—	1	—	1	26	1	—	24	1
Guildford M.B. ...	—	—	1	17	29	2	—	—	—	460	11	—	2	6
Haslemere ...	—	—	1	9	11	—	—	—	—	125	—	—	2	1

* Cases of Smallpox notified :—Richmond M.B., 1 imported ; Sutton and Cheam M.B., 1 imported.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia. (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—contd.														
U.D.s.—contd.														
Kingston upon Thames M.B. ...	—	—	—	73	83	—	3	—	3	483	10	—	14	29
Leatherhead ...	—	—	—	28	68	—	12	—	—	48	4	—	11	1
Malden and Coombe M.B. ...	—	1	—	67	94	—	6	—	1	503	3	—	27	—
Merton and Morden ...	—	—	1	187	331	2	12	1	3	721	11	—	74	5
Mitcham M.B. ...	—	—	—	89	212	1	13	8	7	354	6	—	21	2
Reigate M.B. ...	—	—	—	55	82	—	16	—	3	135	2	—	20	7
*Richmond M.B. ...	—	—	2	18	107	—	3	—	—	458	11	—	5	3
Surbiton M.B. ...	—	—	—	95	102	—	2	—	—	601	6	—	15	—
*Sutton and Cheam M.B. ...	—	1	1	167	219	—	3	—	—	367	6	—	50	4
Walton and Weybridge ...	1	—	—	50	89	—	1	1	—	571	4	—	18	—
Wimbledon M.B. ...	—	—	2	55	149	6	7	2	2	707	10	—	19	8
Woking ...	—	—	4	68	60	5	2	—	23	388	9	—	2	6
Rural Districts ...	2	—	3	129	226	1	20	1	2	1156	24	1	43	—
Bagshot ...	1	—	—	8	3	—	1	—	—	75	2	—	2	—
Dorking and Horley ...	—	—	—	47	120	—	3	—	—	184	2	—	16	—
Godstone ...	—	—	1	21	19	1	2	—	—	209	3	—	10	—
Guildford ...	1	—	1	30	50	—	8	1	2	390	6	1	8	—
Hambledon ...	—	—	1	23	34	—	6	—	—	298	11	—	7	—
SUSSEX EAST ...	2	11	12	623	834	21	126	8	16	5313	87	—	620	90
County Boroughs ...	—	8	11	282	469	15	67	—	6	1807	43	—	402	64
Brighton ...	—	6	7	191	202	10	31	—	3	799	38	—	341	43
Eastbourne ...	—	—	2	32	177	2	15	—	3	388	3	—	32	11
Hastings ...	—	2	2	59	90	3	21	—	—	620	2	—	29	10
Admin. County ...	2	3	1	341	365	6	59	8	10	3506	44	—	218	26
Urban Districts ...	—	2	1	212	158	6	42	7	10	1666	18	—	130	20
Bexhill M.B. ...	—	—	—	16	31	—	6	—	—	130	3	—	8	4
Burgess Hill ...	—	—	—	—	3	—	1	—	—	121	2	—	12	—
Cuckfield ...	—	2	—	51	8	1	3	5	7	244	3	—	5	10
East Grinstead ...	—	—	—	34	3	—	2	—	—	170	—	—	9	—
Hove M.B. ...	—	—	—	56	46	—	15	2	—	248	1	—	47	4
Lewes M.B. ...	—	—	1	7	25	4	3	—	3	295	—	—	7	1
Newhaven ...	—	—	—	—	10	—	—	—	—	112	7	—	2	—
Portslade by Sea ...	—	—	—	38	18	1	6	—	—	87	—	—	23	1
Rye M.B. ...	—	—	—	4	—	—	5	—	—	30	—	—	13	—
Seaford ...	—	—	—	6	14	—	1	—	—	229	2	—	4	—
Rural Districts ...	2	1	—	129	207	—	17	1	—	1840	26	—	88	6
Battle ...	—	—	—	32	42	—	6	—	—	422	1	—	23	1
Chailey ...	—	1	—	19	45	—	3	—	—	299	5	—	8	1
Cuckfield ...	—	—	—	29	15	—	3	—	—	253	10	—	14	2
Hailsham ...	1	—	—	23	71	—	5	1	—	328	4	—	25	1
Uckfield ...	1	—	—	26	34	—	—	—	—	538	6	—	18	1
SUSSEX WEST :														
Admin. County ...	1	1	1	361	471	8	49	1	22	3317	34	—	119	63
Urban Districts ...	—	—	—	187	295	—	23	—	1	1553	17	—	74	49
Arundel M.B. ...	—	—	—	6	—	—	—	—	—	52	—	—	1	—
Bognor Regis ...	—	—	—	20	35	—	7	—	—	557	1	—	16	3
Chichester M.B. ...	—	—	—	8	18	—	—	—	—	137	5	—	15	6
Horsham ...	—	—	—	68	12	—	—	—	—	37	2	—	1	7
Littlehampton ...	—	—	—	25	18	—	6	—	—	366	1	—	7	—
Shoreham-by-Sea ...	—	—	—	9	65	—	—	—	—	68	1	—	9	26
Southwick ...	—	—	—	14	22	—	2	—	—	47	—	—	8	—
Worthing M.B. ...	—	—	—	37	125	—	8	—	1	289	7	—	17	7
Rural Districts ...	1	1	1	174	176	8	26	1	21	1764	17	—	45	14
Chanctonbury ...	1	—	—	19	17	2	8	—	—	343	10	—	7	1
Chichester ...	—	—	—	30	39	—	3	—	—	715	1	—	3	1
Horsham ...	—	1	—	51	19	—	6	—	21	191	4	—	4	1
Midhurst ...	—	—	1	23	37	—	3	—	—	246	—	—	12	—
Petworth ...	—	—	—	6	24	—	4	—	—	25	2	—	10	1
Worthing ...	—	—	—	45	40	6	2	1	—	244	—	—	9	10

* Cases of Smallpox notified :—Richmond M.B., 1 imported ; Sutton and Cheam M.B., 1 imported.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia. (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE ...	9	17	77	2836	7188	170	429	689	218	15783	167	1	1912	177
County Boroughs ...	9	9	65	2159	5954	150	356	676	52	12799	106	1	1501	148
Birmingham ...	7	8	61	1866	5202	138	295	663	50	11841	86	1	1332	120
Coventry ...	2	1	4	293	752	12	61	13	2	958	20	—	169	28
Admin. County ...	—	8	12	677	1234	20	73	13	166	2984	61	—	411	29
Urban Districts ...	—	6	11	501	822	14	57	9	6	2340	39	—	241	18
Bedworth ...	—	—	2	43	171	—	3	—	—	50	—	—	24	1
Kenilworth ...	—	—	—	6	7	6	1	—	—	55	—	—	4	—
Nuneaton M.B. ...	—	—	4	97	140	2	6	1	1	173	6	—	60	6
Royal Leamington	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spa M.B. ...	—	—	1	19	8	2	2	2	—	99	—	—	16	5
Rugby M.B. ...	—	1	—	70	84	—	17	1	2	422	23	—	37	1
Solihull ...	—	2	—	113	213	1	13	3	—	828	3	—	41	5
Stratford upon Avon	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	—	1	48	11	—	3	1	—	99	1	—	25	—
Sutton Coldfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ...	—	3	—	95	152	3	11	1	3	579	4	—	31	—
Warwick M.B. ...	—	—	3	10	36	—	1	—	—	35	2	—	3	—
Rural Districts ...	—	2	1	176	412	6	16	4	160	644	22	—	170	11
Alcester ...	—	—	—	12	14	1	2	1	—	98	1	—	16	—
Atherstone ...	—	—	—	25	21	1	1	—	—	33	—	—	33	1
Meriden ...	—	—	1	56	174	1	11	3	—	207	1	—	86	5
Rugby ...	—	—	—	30	82	1	—	—	1	91	8	—	9	4
Shipston on Stour	—	—	—	2	17	—	1	—	—	23	1	—	—	—
Southam ...	—	—	—	4	—	—	—	—	—	11	—	—	1	—
Stratford upon Avon	—	—	—	18	44	—	—	—	—	103	2	—	10	—
Tamworth ...	—	—	—	11	42	—	1	—	—	42	6	—	9	—
Warwick ...	—	2	—	18	18	2	—	—	159	36	3	—	6	1
WESTMORLAND :														
Admin. County ...	—	—	1	33	305	—	8	—	—	427	17	—	27	1
Urban Districts ...	—	—	1	6	133	—	4	—	—	267	5	—	4	1
Appleby M.B. ...	—	—	1	1	8	—	2	—	—	6	—	—	—	—
Kendal M.B. ...	—	—	—	4	101	—	1	—	—	252	2	—	—	1
The Lakes ...	—	—	—	1	12	—	1	—	—	7	3	—	4	—
Windermere ...	—	—	—	—	12	—	—	—	—	2	—	—	—	—
Rural Districts ...	—	—	—	27	172	—	4	—	—	160	12	—	23	—
North Westmorland	—	—	—	19	102	—	4	—	—	34	5	—	18	—
South Westmorland	—	—	—	8	70	—	—	—	—	126	7	—	5	—
WIGHT, ISLE OF :														
Admin. County ...	—	—	2	70	156	2	11	—	—	927	11	—	24	7
Urban Districts ...	—	—	2	43	141	1	5	—	—	777	11	—	17	7
Cowes ...	—	—	—	8	1	—	—	—	—	210	2	—	4	1
Newport M.B. ...	—	—	1	12	29	—	1	—	—	349	4	—	8	4
Ryde M.B. ...	—	—	—	8	33	—	—	—	—	72	3	—	2	1
Sandown-Shanklin	—	—	1	9	59	—	1	—	—	122	2	—	—	1
Ventnor ...	—	—	—	6	19	1	3	—	—	24	—	—	3	—
Rural District:														
Isle of Wight ...	—	—	—	27	15	1	6	—	—	150	—	—	7	—
WILTSHIRE :														
Admin. County ...	1	—	8	269	807	2	32	4	18	3524	67	—	157	37
Urban Districts ...	—	—	7	114	359	1	18	1	—	1680	30	—	62	32
Bradford on Avon	—	—	—	—	1	—	2	—	—	57	—	—	1	1
Calne M.B. ...	—	—	—	5	6	—	—	—	—	105	1	—	—	1
Chippenham M.B. ...	—	—	1	14	24	—	2	—	—	17	2	—	7	1
Devizes M.B. ...	—	—	—	19	45	—	1	—	—	31	3	—	—	—
Malmesbury M.B. ...	—	—	—	1	1	—	—	—	—	5	—	—	4	—
Marlborough M.B.	—	—	—	9	—	—	—	—	—	37	1	—	7	—
Melksham ...	—	—	—	—	14	—	2	—	—	46	—	—	—	—
Salisbury M.B. ...	—	—	—	16	42	1	1	—	—	73	5	—	—	5
Swindon M.B. ...	—	—	—	40	192	—	5	—	—	965	5	—	39	24
Trowbridge ...	—	—	2	5	1	—	3	—	—	74	3	—	3	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spina lfever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—contd.														
U.D's.—contd.														
Warminster ...	—	—	4	2	25	—	2	—	—	22	10	—	1	—
Westbury ...	—	—	—	3	2	—	—	—	—	245	—	—	—	—
Wilton M.B. ...	—	—	—	—	6	—	—	1	—	3	—	—	—	—
Rural Districts ...	1	—	1	155	448	1	14	3	18	1844	37	—	95	5
Amesbury ...	—	—	—	14	83	—	1	—	—	34	2	—	3	—
Bradford and Melksham ...	—	—	1	6	9	—	—	1	—	58	1	—	2	—
Calne and Chippenham ...	—	—	—	50	44	—	2	—	—	223	7	—	12	1
Cricklade and Wootton Bassett ...	—	—	—	4	21	—	2	—	—	152	—	—	6	—
Devizes ...	—	—	—	13	18	1	2	—	13	34	6	—	3	—
Highworth ...	1	—	—	11	20	—	3	—	4	257	4	—	7	1
Malmesbury ...	—	—	—	11	6	—	2	—	—	61	—	—	3	—
Marlborough and Ramsbury ...	—	—	—	8	38	—	—	—	—	239	1	—	19	—
Mere and Tisbury ...	—	—	—	19	85	—	—	—	—	152	10	—	15	2
Pewsey ...	—	—	—	8	23	—	1	1	—	319	2	—	5	—
Salisbury and Wilton ...	—	—	—	9	69	—	1	—	—	114	1	—	18	—
Warminster and Westbury ...	—	—	—	2	32	—	—	1	1	201	3	—	2	1
WORCESTERSHIRE														
County Boroughs ...	—	7	11	689	1761	39	90	52	62	5469	21	1	356	35
Dudley ...	—	5	3	171	481	10	20	41	1	1121	7	—	92	5
Worcester ...	—	—	3	47	266	6	13	2	1	614	5	—	58	3
Worcester ...	—	5	—	124	215	4	7	39	—	507	2	—	34	2
Admin. County ...	—	2	8	518	1280	29	70	11	61	4348	14	1	264	30
Urban Districts ...	—	1	7	425	983	27	56	10	55	3338	11	—	203	24
Bewdley M.B. ...	—	—	—	19	94	—	—	—	—	110	—	—	7	—
Bromsgrove ...	—	—	1	18	64	2	5	—	15	196	—	—	15	5
Droitwich M.B. ...	—	—	—	2	22	—	3	—	—	78	—	—	1	—
Evesham M.B. ...	—	—	—	27	26	—	4	—	—	6	—	—	4	—
Halesowen M.B. ...	—	—	1	50	188	3	5	—	1	525	—	—	13	—
Kidderminster M.B. ...	—	1	2	53	97	2	11	—	—	427	4	—	34	4
Malvern ...	—	—	—	19	145	—	5	1	38	368	2	—	37	1
Oldbury M.B. ...	—	—	2	125	91	11	14	2	1	1004	—	—	64	1
Redditch ...	—	—	1	18	23	9	3	—	—	194	2	—	2	—
Stourbridge M.B. ...	—	—	—	84	148	—	5	7	—	145	2	—	19	6
Stourport on Severn ...	—	—	—	10	85	—	1	—	—	285	1	—	7	7
Rural Districts ...	—	1	1	93	297	2	14	1	6	1010	3	1	61	6
Bromsgrove ...	—	—	—	23	61	1	2	—	—	251	—	—	9	—
Droitwich ...	—	—	—	11	52	—	4	1	—	217	—	1	5	1
Evesham ...	—	—	—	13	41	—	—	—	3	53	1	—	4	—
Kidderminster ...	—	—	1	15	52	—	5	—	—	89	1	—	13	—
Martley ...	—	1	—	11	25	—	1	—	—	200	1	—	22	2
Pershore ...	—	—	—	9	6	1	2	—	—	56	—	—	1	2
Tenbury ...	—	—	—	7	1	—	—	—	—	103	—	—	1	1
Upton on Severn ...	—	—	—	4	59	—	—	—	3	41	—	—	6	—
YORKSHIRE, EAST RIDING														
County Borough:	1	1	8	702	1753	6	75	14	37	3371	45	—	372	50
Kingston upon Hull ...	1	—	6	445	1228	2	42	12	28	1647	25	—	200	46
Admin. County ...	—	1	2	257	525	4	33	2	9	1724	20	—	172	4
Urban Districts ...	—	—	—	165	317	4	14	1	8	513	8	—	94	3
Beverley M.B. ...	—	—	—	34	27	1	1	—	—	29	2	—	21	1
Bridlington M.B. ...	—	—	—	52	46	—	5	—	—	177	4	—	29	—
Driffield ...	—	—	—	3	20	—	—	—	—	35	—	—	7	1
Filey ...	—	—	—	7	98	—	2	—	—	41	—	—	17	—
Haltemprice ...	—	—	—	58	101	3	6	1	8	182	1	—	18	1
Hedon M.B. ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hornsea ...	—	—	—	2	12	—	—	—	—	9	—	—	2	—
Norton ...	—	—	—	8	13	—	—	—	—	40	1	—	—	—
Withernsea ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—

†See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, EAST RIDING—contd.														
Rural Districts ...	—	1	2	92	208	—	19	1	1	1211	12	—	78	1
Beverley ...	—	—	—	28	58	—	1	—	—	118	3	—	20	—
Bridlington ...	—	1	—	9	5	—	2	—	—	45	1	—	1	—
Derwent ...	—	—	—	24	24	—	2	—	—	230	1	—	14	—
Driffield ...	—	—	—	4	5	—	1	1	—	73	—	—	7	1
Holderness ...	—	—	—	10	27	—	4	—	—	61	2	—	5	—
Howden ...	—	—	1	2	52	—	3	—	—	242	—	—	12	—
Norton ...	—	—	—	6	11	—	1	—	—	136	1	—	1	—
Pocklington ...	—	—	1	9	26	—	5	—	1	306	4	—	18	—
YORKSHIRE, NORTH RIDING	2	13	8	523	1509	56	95	8	10	6151	26	—	368	80
County Borough :														
Middlesbrough ...	1	6	4	131	533	36	28	2	4	2093	2	—	186	51
Admin. County ...	1	7	4	392	976	20	67	6	6	4058	24	—	182	29
Urban Districts ...	1	2	3	214	496	8	47	4	4	2070	8	—	87	23
Eston ...	—	1	1	59	14	1	13	2	—	335	1	—	24	8
Guisborough ...	—	—	—	4	6	1	2	—	—	83	—	—	2	—
Loftus ...	—	—	—	2	4	—	4	—	—	61	—	—	9	—
Malton ...	—	—	—	—	21	—	1	—	—	41	—	—	—	1
Northallerton ...	—	—	—	3	1	—	—	1	—	35	2	—	—	—
Pickering ...	—	—	—	—	18	—	—	—	—	72	1	—	3	—
Redcar M.B. ...	—	—	—	42	41	1	1	—	—	91	1	—	12	—
Richmond M.B. ...	—	—	—	7	—	—	—	—	—	4	—	—	—	1
Saltburn and Marske by the Sea	—	—	1	3	—	—	—	—	—	74	—	—	1	1
Scalby ...	—	—	—	2	24	—	—	—	—	46	—	—	1	—
Scarborough M.B.	1	1	—	64	262	—	4	—	—	539	2	—	6	6
Skelton and Brotton ...	—	—	—	11	8	—	4	—	—	265	1	—	6	1
Thornaby on Tees M.B. ...	—	—	1	2	53	5	13	1	4	56	—	—	17	4
Whitby ...	—	—	—	15	4	—	5	—	—	368	—	—	6	1
Rural Districts ...	—	5	1	178	480	12	20	2	2	1988	16	—	95	6
Aysgarth ...	—	—	—	2	3	—	—	—	—	14	1	—	4	1
Bedale ...	—	—	—	3	30	—	1	—	1	225	1	—	9	—
Croft ...	—	—	—	5	—	—	—	—	—	11	—	—	—	—
Easingwold ...	—	—	—	10	8	1	4	—	—	175	4	—	8	—
Flaxton ...	—	—	1	42	122	2	7	—	—	348	2	—	12	—
Helmsley ...	—	—	—	—	18	—	1	—	—	113	—	—	6	—
Kirkby Moorside	—	1	—	—	33	—	—	—	—	75	—	—	1	—
Leyburn ...	—	—	—	14	13	—	—	1	—	32	1	—	9	2
Malton ...	—	—	—	3	22	—	—	—	—	130	—	—	—	—
Masham ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Northallerton ...	—	3	—	6	12	1	—	—	—	63	1	—	3	1
Pickering ...	—	—	—	1	23	2	—	—	—	147	2	—	1	—
Reeth ...	—	—	—	—	2	—	—	1	—	19	—	—	5	—
Richmond ...	—	—	—	31	18	1	1	—	—	125	1	—	6	1
Scarborough ...	—	—	—	6	26	—	—	—	—	72	2	—	1	—
Startforth ...	—	1	—	11	6	—	1	—	—	19	—	—	5	—
Stokesley ...	—	—	—	17	112	3	3	—	1	253	—	—	17	1
Thirsk ...	—	—	—	12	8	1	—	—	—	24	—	—	1	—
Wath ...	—	—	—	12	14	1	—	—	—	36	—	—	1	—
Whitby ...	—	—	—	3	10	—	2	—	—	107	1	—	6	—
YORKSHIRE, WEST RIDING ...	6	16	91	7999	8113	170	963	105	350	36618	689	5	4784	410
County Boroughs ...	3	5	48	4809	4163	104	534	67	276	20132	435	1	3336	312
Barnsley ...	—	—	2	296	124	21	23	3	28	1096	25	—	286	6
Bradford ...	—	—	12	531	347	20	101	17	—	3406	32	—	445	23
Dewsbury ...	1	1	4	147	172	6	8	1	10	628	24	—	14	8
Doncaster ...	1	—	—	194	182	9	9	13	7	997	5	—	23	75
Halifax ...	—	—	1	222	92	8	25	—	—	775	7	—	85	16
Huddersfield ...	1	3	6	273	81	—	28	—	56	1387	55	—	79	4

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, WEST RIDING														
—contd.														
C.B's.—contd.														
Leeds ...	—	—	8	783	1918	5	109	16	127	5260	109	—	472	47
Rotherham ...	—	—	1	226	96	26	26	—	1	855	12	—	122	13
Sheffield ...	—	—	9	1759	538	3	179	9	43	4023	131	—	1704	107
Wakefield ...	—	1	3	107	49	3	12	7	2	326	7	1	64	9
York ...	—	—	2	271	564	3	14	1	2	1379	28	—	42	4
Admin. County ...	3	11	43	3190	3950	66	429	38	74	16486	254	4	1448	98
Urban Districts ...	1	9	35	2328	3006	52	341	25	53	12594	196	4	1126	69
Adwick le Street ...	—	—	—	52	18	—	6	1	1	166	—	—	28	1
Aireborough ...	—	—	—	33	87	1	9	—	—	357	1	—	15	1
Baildon ...	—	—	—	14	14	—	—	—	—	48	—	—	8	—
Barnoldswick ...	—	—	1	12	23	—	6	—	—	11	2	—	39	—
Batley M.B. ...	—	—	1	71	44	2	2	—	3	273	19	1	9	3
Bentley with Arksey ...	—	—	—	43	13	—	1	6	—	180	—	—	12	1
Bingley ...	—	—	—	23	34	1	8	—	—	384	—	—	41	—
Brighouse M.B. ...	—	—	—	37	46	1	4	—	—	520	3	—	41	1
Castleford ...	—	—	—	98	90	6	6	1	—	787	1	—	30	4
Colne Valley ...	—	—	—	79	13	—	16	—	—	181	21	—	21	1
Conisbrough ...	—	—	1	41	—	7	2	—	—	80	1	—	14	2
Cudworth ...	—	—	1	30	28	2	7	—	—	82	—	—	4	—
Darfield ...	—	—	—	5	75	—	1	—	—	6	—	—	5	—
Darton ...	—	—	2	50	55	—	1	—	4	259	2	—	5	—
Dearne ...	—	—	4	114	96	—	10	1	—	277	—	—	41	1
Denby Dale ...	—	1	—	17	—	—	3	—	—	48	2	—	2	—
Denholme ...	—	—	—	4	2	—	4	—	—	12	—	—	19	—
Dodworth ...	—	—	1	5	1	—	1	—	—	111	1	—	2	—
Earby ...	—	—	1	36	4	—	3	—	—	21	1	—	5	—
Elland ...	—	—	—	107	16	—	3	—	—	225	3	—	12	2
Featherstone ...	—	—	—	62	33	1	4	1	3	67	2	—	12	3
Garforth ...	—	—	—	19	30	—	—	1	—	141	—	—	1	—
Goole M.B. ...	—	—	1	13	63	—	2	1	—	32	2	—	5	1
Harrogate M.B. ...	—	1	1	100	230	—	11	—	2	400	2	—	37	8
Hebden Royd ...	—	—	—	8	9	—	2	—	—	40	1	—	4	—
Heckmondwike ...	—	—	—	12	51	—	1	—	—	27	5	—	4	—
Hemsworth ...	—	—	—	27	42	—	8	—	—	145	2	—	63	2
Holmfirth ...	—	1	—	18	10	—	9	—	—	248	3	—	22	—
Horbury ...	—	—	—	17	21	—	2	—	—	102	—	—	17	—
Horsforth ...	—	—	—	33	26	—	1	—	—	104	1	—	13	1
Hoyland Nether ...	—	—	2	63	39	—	13	—	—	226	11	—	43	2
Ilkley ...	—	1	—	28	10	—	5	1	—	150	4	—	8	—
Keighley M.B. ...	1	1	1	46	24	4	15	2	17	413	3	1	37	3
Kirkburton ...	—	2	—	24	14	—	3	—	4	442	12	—	11	—
Knaresborough ...	—	—	—	22	143	—	—	—	—	56	1	—	3	1
Knottingley ...	—	—	—	41	91	—	1	1	—	46	1	—	14	—
Maltby ...	—	—	—	15	2	—	7	—	—	337	1	—	7	1
Meltham ...	—	—	—	26	2	—	—	—	—	99	1	—	10	—
Mexborough ...	—	—	2	14	11	—	2	—	1	240	1	—	25	3
Mirfield ...	—	1	1	6	26	—	1	—	—	140	11	—	1	1
Morley M.B. ...	—	—	3	57	94	—	10	—	—	328	8	—	22	1
Normanton ...	—	—	1	44	90	6	2	—	—	405	2	—	27	1
Ossett M.B. ...	—	—	2	38	23	—	—	—	—	82	2	—	3	—
Otley ...	—	—	—	8	65	—	5	—	4	187	3	—	23	—
Penistone ...	—	—	—	18	32	—	1	—	—	14	3	—	3	—
Pontefract M.B. ...	—	—	1	69	216	1	8	3	—	653	2	—	21	3
Pudsey M.B. ...	—	—	—	41	89	—	6	1	—	231	1	—	22	1
Queensbury and Shelf ...	—	—	—	44	84	—	26	—	—	103	—	2	22	—
Rawmarsh ...	—	—	1	63	5	—	13	—	—	493	3	—	23	1
Ripon M.B. ...	—	—	—	20	18	2	—	—	—	399	1	—	1	4
Ripponden ...	—	—	—	9	—	—	1	—	—	7	2	—	4	—
Rothwell ...	—	—	—	23	109	—	12	1	—	292	4	—	38	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE, WEST RIDING														
—contd.														
U.D's.—contd.														
Royston ...	—	—	1	10	22	—	1	—	—	16	1	—	1	—
Saddleshworth ...	—	—	—	31	32	7	2	—	3	168	2	—	26	—
Selby ...	—	—	—	38	29	—	4	1	—	4	2	—	10	—
Shipley ...	—	—	—	44	29	6	9	—	10	259	3	—	13	—
Silsden ...	—	—	—	9	3	—	1	—	—	5	—	—	3	—
Skipton ...	—	—	—	5	23	—	5	1	—	99	—	—	—	3
Sowerby Bridge ...	—	—	—	39	43	—	7	—	—	173	2	—	14	—
Spenborough ...	—	1	2	44	151	—	14	1	1	151	15	—	30	2
Stanley ...	—	—	—	21	80	—	5	—	—	186	—	—	25	—
Stocksbridge ...	—	—	—	25	—	—	2	—	—	34	8	—	2	1
Swinton ...	—	—	—	14	12	—	1	—	—	114	—	—	9	1
Tickhill ...	—	—	—	3	2	—	—	—	—	4	—	—	1	1
Todmorden M.B. ...	—	—	—	37	107	3	6	—	—	22	6	—	29	1
Wath upon Dearne ...	—	—	—	26	41	—	3	—	—	257	—	—	3	—
Wombwell ...	—	—	2	30	43	—	5	—	—	66	3	—	32	5
Worsborough ...	—	—	—	53	28	2	12	1	—	359	2	—	29	1
Rural Districts ...	2	2	8	862	944	14	88	13	21	3892	58	—	322	29
Bowland ...	—	—	—	2	4	—	4	—	—	5	—	—	—	—
Doncaster ...	—	1	1	107	92	2	7	3	—	307	1	—	17	8
Goole ...	—	—	—	3	19	—	1	—	—	9	—	—	—	—
Hemsworth ...	—	—	2	83	63	5	6	4	1	371	4	—	26	—
Hepton ...	—	—	—	2	3	—	2	—	—	37	—	—	1	—
Kiveton Park ...	—	—	—	81	2	1	4	—	—	38	2	—	33	—
Nidderdale ...	—	—	—	15	34	—	2	—	3	241	1	—	10	—
Osgoldcross ...	—	1	—	7	19	—	3	—	—	44	—	—	6	—
Penistone ...	—	—	2	20	27	—	1	—	—	51	4	—	3	—
Ripon and Pateley Bridge ...	—	—	—	24	126	—	9	—	1	300	1	—	17	—
Rotherham ...	—	—	2	140	43	4	6	1	1	503	2	—	50	11
Sedbergh ...	—	—	—	3	32	—	—	—	10	26	—	—	—	—
Selby ...	—	—	—	34	8	—	—	—	—	16	—	—	1	—
Settle ...	—	—	—	6	28	—	5	—	—	120	—	—	9	—
Skipton ...	—	—	—	22	23	1	9	—	—	92	2	—	25	—
Tadcaster ...	—	—	—	59	89	—	7	—	—	226	7	—	24	3
Thorne ...	—	—	—	20	90	—	7	5	—	442	1	—	15	1
Wakefield ...	—	1	—	38	35	—	3	—	3	101	7	—	9	—
Wetherby ...	—	—	—	25	163	—	5	—	—	320	5	—	15	1
Wharfedale ...	—	—	—	8	28	—	1	—	1	88	1	—	15	1
Wortley ...	2	—	—	163	16	1	6	—	1	555	20	—	46	4
WALES AND MONMOUTH														
ANGLESEY :														
Admin. County ...	—	—	—	14	44	2	3	1	—	227	1	—	31	—
Urban Districts ...	—	—	—	7	14	—	—	—	—	164	—	—	10	—
Amlwch ...	—	—	—	2	—	—	—	—	—	4	—	—	6	—
Beaumaris M.B. ...	—	—	—	4	—	—	—	—	—	1	—	—	—	—
Holyhead ...	—	—	—	—	7	—	—	—	—	158	—	—	4	—
Llangefni ...	—	—	—	—	7	—	—	—	—	—	—	—	—	—
Menai Bridge ...	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Rural Districts ...	—	—	—	7	30	2	3	1	—	63	1	—	21	—
Aethwy ...	—	—	—	3	18	2	1	—	—	16	—	—	3	—
Twrcelyn ...	—	—	—	2	8	—	2	1	—	6	—	—	14	—
Valley ...	—	—	—	2	4	—	—	—	—	41	1	—	4	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scar let fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE :														
Admin. County ...	—	—	—	38	89	5	3	—	4	307	5	—	14	3
Urban Districts ...	—	—	—	12	9	1	1	—	—	108	4	—	11	1
Brecknock M.B. ...	—	—	—	3	—	—	—	—	—	17	1	—	—	—
Brynmawr ...	—	—	—	8	—	—	—	—	—	87	3	—	9	—
Builth Wells ...	—	—	—	1	3	—	—	—	—	—	—	—	—	—
Hay ...	—	—	—	—	—	1	—	—	—	3	—	—	—	1
Llanwrtyd ...	—	—	—	—	6	—	1	—	—	1	—	—	2	—
Rural Districts ...	—	—	—	26	80	4	2	—	4	199	1	—	3	2
Brecknock :—														
Defynnock and														
Llangorse Div. ...	—	—	—	1	—	—	—	—	4	88	—	—	1	1
Merthyr Cynog														
Div. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Builth ...	—	—	—	1	36	—	1	—	—	7	—	—	1	1
Crickhowell ...	—	—	—	5	29	3	—	—	—	1	1	—	—	—
Hay ...	—	—	—	4	—	—	—	—	—	—	—	—	1	—
Vaynor and	—	—	—	3	1	1	1	—	—	74	—	—	—	—
Penderyn ...	—	—	—	12	14	—	—	—	—	29	—	—	—	—
Ystradgynlais ...	—	—	—											
CAERNARVONSHIRE :														
Admin. County ...	—	2	—	102	148	4	14	1	7	296	3	—	40	—
Urban Districts ...	—	—	—	74	105	3	10	—	6	210	2	—	22	—
Bangor M.B. ...	—	—	—	27	22	—	3	—	—	20	—	—	1	—
Bethesda ...	—	—	—	4	4	1	2	—	—	67	—	—	—	—
Bettws y Coed ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caernarvon M.B. ...	—	—	—	5	14	—	—	—	—	5	—	—	—	—
Conway M.B. ...	—	—	—	15	24	1	1	—	—	3	—	—	6	—
Criccieth ...	—	—	—	3	—	1	—	—	6	54	—	—	2	—
Llandudno... ..	—	—	—	14	34	—	3	—	—	54	1	—	10	—
Llanfairfechan ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Penmaenmawr ...	—	—	—	3	—	—	1	—	—	5	—	—	—	—
Portmadoc... ..	—	—	—	—	7	—	—	—	—	—	—	—	1	—
Pwllheli M.B. ...	—	—	—	3	—	—	—	—	—	2	—	—	2	—
Rural Districts ...	—	2	—	28	43	1	4	1	1	86	1	—	18	—
Gwyrfaï ...	—	—	—	7	20	—	3	—	1	1	—	—	9	—
Lleyn ...	—	2	—	7	7	—	1	—	—	57	1	—	7	—
Nant Conway ...	—	—	—	7	13	—	—	1	—	18	—	—	2	—
Ogwen ...	—	—	—	7	3	1	—	—	—	10	—	—	—	—
CARDIGANSHIRE :														
Admin. County ...	1	—	—	10	12	—	3	—	1	46	2	—	4	—
Urban Districts ...	1	—	—	6	10	—	3	—	—	30	2	—	—	—
Aberayron... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aberystwyth M.B. ...	1	—	—	6	9	—	3	—	—	30	1	—	—	—
Cardigan M.B. ...	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Lampeter M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Quay ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts ...	—	—	—	4	2	—	—	—	1	16	—	—	4	—
Aberayron ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aberystwyth :—														
North ...	—	—	—	2	2	—	—	—	1	11	—	—	1	—
South ...	—	—	—	2	—	—	—	—	—	4	—	—	3	—
Teifside ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tregaron ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—
CARMARTHENSHIRE :														
Admin. County ...	1	—	4	129	204	—	16	5	4	519	13	—	134	7
Urban Districts ...	1	—	3	78	168	—	6	4	3	371	7	—	79	5
Ammanford ...	—	—	1	9	11	—	—	—	—	56	1	—	8	—
Burry Port ...	—	—	—	11	65	—	—	—	—	4	1	—	3	—
Carmarthen M.B. ...	1	—	—	4	6	—	—	—	1	94	1	—	4	—
Cwmmaman ...	—	—	—	6	23	—	1	—	—	14	—	—	6	1
Kidwelly M.B. ...	—	—	—	10	8	—	—	—	—	15	1	—	—	—

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute Poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARMARTHEN-SHIRE —contd.														
U.D's.—contd.														
Llandilo ...	—	—	—	2	—	—	—	—	—	17	1	—	5	—
Llandovery M.B. ...	—	—	—	1	—	—	—	—	—	2	—	—	—	—
Llanelly M.B. ...	—	—	2	35	52	—	5	4	2	166	2	—	53	4
Newcastle Emlyn	—	—	—	—	3	—	—	—	—	3	—	—	—	—
Rural Districts ...	—	—	1	51	36	—	10	1	1	148	6	—	55	2
Carmarthen ...	—	—	1	9	8	—	—	—	—	21	4	—	3	1
Llandilo ...	—	—	—	12	13	—	5	1	—	27	—	—	29	—
Llanelly ...	—	—	—	30	15	—	5	—	1	98	2	—	22	1
Newcastle Emlyn	—	—	—	—	—	—	—	—	—	2	—	—	1	—
DENBIGHSHIRE :														
Admin. County ...	—	2	3	258	240	1	41	—	4	813	2	—	158	1
Urban Districts ...	—	2	1	130	156	1	19	—	4	430	2	—	78	1
Abergele ...	—	—	1	6	81	—	5	—	—	158	2	—	4	—
Colwyn Bay M.B.	—	—	—	14	44	1	6	—	—	31	—	—	12	—
Denbigh M.B. ...	—	—	—	3	2	—	1	—	3	4	—	—	4	—
Llangollen ...	—	—	—	3	1	—	—	—	—	29	—	—	—	—
Llanrwst ...	—	—	—	2	2	—	—	—	—	3	—	—	—	—
Ruthin M.B. ...	—	—	—	10	6	—	2	—	—	122	—	—	8	—
Wrexham M.B. ...	—	2	—	92	20	—	5	—	1	83	—	—	50	1
Rural Districts ...	—	—	2	128	84	—	22	—	—	383	—	—	80	—
Aled ...	—	—	—	5	24	—	1	—	—	39	—	—	6	—
Ceiriog ...	—	—	—	13	—	—	1	—	—	37	—	—	1	—
Hiraethog ...	—	—	—	10	17	—	—	—	—	3	—	—	1	—
Ruthin ...	—	—	—	5	10	—	2	—	—	183	—	—	8	—
Wrexham ...	—	—	2	95	33	—	18	—	—	121	—	—	64	—
FLINTSHIRE :														
Admin. County ...	—	1	4	165	201	8	18	2	1	483	13	—	114	4
Urban Districts ...	—	—	3	47	100	7	8	—	1	244	8	—	44	1
Buckley ...	—	—	1	8	11	—	2	—	—	3	2	—	6	—
Connah's Quay ...	—	—	1	13	13	2	1	—	—	5	3	—	4	—
Flint M.B. ...	—	—	—	5	15	1	—	—	—	104	2	—	12	—
Holywell ...	—	—	1	7	2	2	—	—	—	19	—	—	17	—
Mold ...	—	—	—	4	13	1	—	—	—	1	—	—	1	—
Prestatyn ...	—	—	—	3	12	—	—	—	—	63	—	—	1	—
Rhyl ...	—	—	—	7	34	1	5	—	1	49	1	—	3	1
Rural Districts ...	—	1	1	118	101	1	10	2	—	239	5	—	70	3
Hawarden ...	—	1	—	89	66	—	5	—	—	26	4	—	9	1
Holywell ...	—	—	1	15	16	1	4	1	—	141	—	—	30	—
Overton ...	—	—	—	1	—	—	—	1	—	5	—	—	4	1
St. Asaph ...	—	—	—	13	19	—	1	—	—	67	1	—	27	1
GLAMORGANSHIRE :														
County Boroughs ...	1	4	37	2364	2529	63	250	82	221	8942	115	2	905	120
Cardiff ...	—	1	11	866	1279	13	114	64	76	4085	53	—	342	76
Merthyr Tydfil ...	—	—	7	301	816	1	67	45	75	2419	21	—	259	44
Swansea ...	—	1	—	56	24	12	9	—	—	114	2	—	14	3
Admin. County ...	1	3	26	1498	1250	50	136	18	145	4857	62	2	563	44
Urban Districts ...	—	—	20	1161	857	22	107	15	136	3879	52	2	459	42
Aberdare ...	—	—	4	173	151	1	11	2	15	456	1	—	33	5
Barry M.B. ...	—	—	—	26	25	—	10	—	1	607	3	—	27	12
Bridgend ...	—	—	3	27	1	—	3	—	—	30	5	—	3	—
Caerphilly ...	—	—	1	40	51	2	—	—	—	61	1	—	32	2
Cowbridge M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gelligaer ...	—	—	2	52	42	2	7	4	1	330	12	—	15	1
Glyncorwg ...	—	—	—	20	26	—	2	1	—	219	—	—	19	1
Llwchwr ...	—	—	—	74	69	—	6	—	—	96	—	—	6	3
Maesteg ...	—	—	1	108	38	1	9	1	—	131	2	—	32	5
Mountain Ash ...	—	—	—	111	10	3	12	—	—	89	—	—	25	2

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenzal.	†Puerperal pyrexia.
<i>I</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>	<i>8</i>	<i>9</i>	<i>10</i>	<i>11</i>	<i>12</i>	<i>13</i>	<i>14</i>	<i>15</i>
GLAMORGANSHIRE—contd.														
U.D's.—contd.														
Neath M.B. ...	—	—	1	30	104	3	1	1	13	224	1	—	10	—
Ogmore and Garw ...	—	—	—	119	160	—	13	—	12	215	2	—	25	2
Penarth ...	—	—	1	40	33	—	1	2	82	176	9	2	101	—
Pontypridd ...	—	—	—	40	10	2	5	4	—	76	2	—	13	3
Porthcawl ...	—	—	—	9	6	—	—	—	—	26	—	—	—	—
Port Talbot M.B. ...	—	—	3	116	61	4	9	—	—	386	9	—	6	3
Rhondda ...	—	—	4	176	70	4	18	—	12	757	5	—	112	3
Rural Districts ...	1	3	6	337	393	28	29	3	9	978	10	—	104	2
Cardiff ...	—	—	—	34	53	—	3	—	8	282	3	—	20	—
Cowbridge ...	—	—	—	15	31	—	—	1	—	102	—	—	4	—
Gower ...	—	1	—	5	6	1	2	1	—	33	—	—	3	—
Llantrisant and Llantwitfardre	—	—	1	32	147	—	4	—	—	61	1	—	12	1
Neath ...	—	2	—	114	103	26	1	—	—	212	3	—	23	1
Penybont ...	1	—	4	54	10	—	2	1	1	95	2	—	10	—
Pontardawe ...	—	—	1	83	43	1	17	—	—	193	1	—	32	—
MERIONETHSHIRE :														
Admin. County ...	—	—	—	4	51	2	—	1	—	21	—	—	8	—
Urban Districts ...	—	—	—	—	10	—	—	—	—	18	—	—	2	—
Bala ...	—	—	—	—	—	—	—	—	—	3	—	—	—	—
Barmouth ...	—	—	—	—	3	—	—	—	—	—	—	—	—	—
Dolgelley ...	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Ffestiniog ...	—	—	—	—	6	—	—	—	—	14	—	—	2	—
Towyn ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts ...	—	—	—	4	41	2	—	1	—	3	—	—	6	—
Deudraeth ...	—	—	—	—	6	—	—	1	—	—	—	—	—	—
Dolgelley ...	—	—	—	2	14	—	—	—	—	—	—	—	—	—
Edeirnion ...	—	—	—	—	19	2	—	—	—	1	—	—	6	—
Penllyn ...	—	—	—	2	2	—	—	—	—	2	—	—	—	—
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
*MONMOUTHSHIRE :	—	—	4	905	761	17	88	16	61	2391	35	—	297	25
County Borough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newport ...	—	—	1	442	203	5	30	1	22	625	1	—	86	5
*Admin. County ...	—	—	3	463	558	12	58	15	39	1766	34	—	211	20
*Urban Districts ...	—	—	2	395	493	12	56	14	37	1569	29	—	204	19
Abercarn ...	—	—	—	10	25	1	4	4	3	77	—	—	20	1
Abergavenny M.B.	—	—	—	16	2	2	2	—	3	21	—	—	1	—
*Abertillery ...	—	—	—	37	2	—	1	—	5	219	3	—	2	—
Bedwas and Machen ...	—	—	—	5	49	1	3	—	—	10	1	—	8	—
Bedwellty ...	—	—	—	34	71	2	7	6	—	104	11	—	7	—
Blaenavon ...	—	—	1	31	49	1	3	—	—	—	7	—	2	1
Caerleon ...	—	—	—	12	20	—	1	—	—	41	—	—	1	14
Chepstow ...	—	—	—	8	—	—	—	1	—	2	—	—	—	—
Cwmbran ...	—	—	—	47	64	1	—	—	—	119	—	—	20	—
Ebbw Vale ...	—	—	—	30	30	1	17	1	—	146	2	—	79	1
Monmouth M.B. ...	—	—	—	1	38	—	3	—	—	28	—	—	5	—
Mynyddislwyn ...	—	—	1	23	5	—	4	—	—	181	3	—	1	—
Nantyglo and Blaina ...	—	—	—	27	5	—	1	—	—	185	—	—	5	—
Pontypool ...	—	—	—	87	35	3	5	—	1	114	1	—	3	1
Rhymney ...	—	—	—	3	1	—	—	—	25	130	—	—	—	1
Risca ...	—	—	—	20	90	—	4	2	—	163	1	—	50	—
Tredegar ...	—	—	—	1	—	—	1	—	—	15	—	—	—	—
Usk ...	—	—	—	3	7	—	—	—	—	14	—	—	—	—
Rural Districts ...	—	—	1	68	65	—	2	1	2	197	5	—	7	1
Abergavenny ...	—	—	—	14	7	—	—	—	2	59	2	—	1	1
Chepstow ...	—	—	—	6	4	—	—	—	—	24	—	—	—	—
Magor and St. Mellons ...	—	—	1	29	6	—	1	—	—	35	1	—	4	—
Monmouth ...	—	—	—	10	14	—	1	1	—	29	1	—	1	—
Pontypool ...	—	—	—	9	34	—	—	—	—	50	1	—	1	—

* 1 imported case of Smallpox notified.

† See note at end of Table.

TABLE 29—continued.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Acute pneumonia (primary and influenza).	†Puerperal pyrexia.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONTGOMERY-SHIRE :														
Admin. County ...	—	—	—	39	33	—	8	3	—	64	3	—	38	—
Urban Districts ...	—	—	—	18	8	—	6	1	—	31	—	—	17	—
Llanfyllin M.B. ...	—	—	—	—	—	—	2	—	—	1	—	—	1	—
Llanidloes M.B. ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Machynlleth ...	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Montgomery ...	—	—	—	10	2	—	—	—	—	5	—	—	—	—
Newtown and Llanllwchaiarn ...	—	—	—	—	3	—	4	—	—	—	—	—	4	—
Welshpool M.B. ...	—	—	—	5	3	—	—	1	—	25	—	—	12	—
Rural Districts ...	—	—	—	21	25	—	2	2	—	33	3	—	21	—
Forden ...	—	—	—	11	5	—	1	—	—	24	1	—	4	—
Llanfyllin ...	—	—	—	4	4	—	—	2	—	4	2	—	5	—
Machynlleth ...	—	—	—	6	—	—	—	—	—	—	—	—	—	—
Newtown and Llanidloes ...	—	—	—	—	16	—	1	—	—	5	—	—	12	—
PEMBROKESHIRE :														
Admin. County ...	—	—	1	82	355	—	4	1	1	267	3	—	45	1
Urban Districts ...	—	—	—	48	141	—	1	1	—	206	2	—	14	1
Fishguard and Goodwick ...	—	—	—	1	44	—	—	—	—	119	2	—	1	—
Haverfordwest M.B. ...	—	—	—	2	37	—	—	—	—	4	—	—	—	—
Milford Haven ...	—	—	—	29	34	—	1	1	—	12	—	—	1	—
Narberth ...	—	—	—	—	5	—	—	—	—	—	—	—	—	—
Neyland ...	—	—	—	3	1	—	—	—	—	3	—	—	—	—
Pembroke M.B. ...	—	—	—	7	13	—	—	—	—	66	—	—	12	—
Tenby M.B. ...	—	—	—	6	7	—	—	—	—	2	—	—	—	1
Rural Districts ...	—	—	1	34	214	—	3	—	1	61	1	—	31	—
Cemaes ...	—	—	—	4	69	—	1	—	1	2	1	—	11	—
Haverfordwest ...	—	—	—	20	110	—	2	—	—	42	—	—	12	—
Narberth ...	—	—	1	7	31	—	—	—	—	4	—	—	—	—
Pembroke ...	—	—	—	3	4	—	—	—	—	13	—	—	8	—
RADNORSHIRE :														
Admin. County ...	—	—	—	8	29	—	3	—	—	36	2	—	18	1
Urban Districts ...	—	—	—	3	—	—	2	—	—	16	1	—	4	—
Knighton ...	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Llandrindod Wells ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Presteign ...	—	—	—	1	—	—	1	—	—	16	1	—	4	—
Rural Districts ...	—	—	—	5	29	—	1	—	—	20	1	—	14	1
Colwyn ...	—	—	—	2	—	—	—	—	—	8	—	—	—	—
Knighton ...	—	—	—	2	—	—	—	—	—	—	1	—	—	—
New Radnor ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Paincastle ...	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Rhayader ...	—	—	—	1	29	—	—	—	—	12	—	—	14	1

† By virtue of the Public Health Act, 1936, in all areas outside London A.C., conditions notifiable as puerperal fever prior to the 1st October, 1937, are, from that date, notifiable as and included with notifications of puerperal pyrexia. There were no cases of puerperal fever notified in London in 1949.

TABLE 30.—Air Temperature, Rainfall and Sunshine during the Year 1949. } England and Wales.

District.	Air Temperature.			Rainfall.		Sunshine.	Average Values, 1881-1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1949						Years 1881-1915			
	°F.	°F.	°F.	%		%	°F.	mm.		hr.
England N.E.	90	15	+2·1	76	—3	118	47·4	646	188	3·93
England E.	91	17	+2·0	77	—4	115	48·4	610	181	4·32
Midland Counties	92	16	+2·4	87	—3	119	47·9	686	181	3·82
England S.E.	91	15	+2·3	95	—4	125	49·5	709	175	4·49
England N.W.*	89	17	+2·1	95	—1	110	48·2	901	201	3·89
England S.W.*	91	17	+2·4	83	—3	112	49·5	1001	199	4·28
Mean	—	—	+2·2	85	—3	117	48·5	759	187	4·12

*The district known as England N.W., includes the Northern half of Wales, whilst England S.W. includes the Southern half.

TABLE 31.—Meteorological

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910)	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910)	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910)	Mean Temperature of the Air	Departure from Average of 50 Years (1861-1910)
	Miles	Miles	in.	mm.	mm.	%	%	°F.	°F.
1900	2050	+ 99	22.3	567	— 43	79	— 2	50.4	+ 0.9
1901	1970	+ 19	20.3	515	— 95	78	— 3	49.2	— 0.3
1902	1933	— 18	19.3	491	—119	80	— 1	49.2	— 0.3
1903	2226	+275	35.5	903	+293	80	— 1	50.1	+ 0.6
1904	1913	— 38	20.7	525	— 85	82	+ 1	49.8	+ 0.3
1905	2063	+112	23.0	585	— 25	81	0	49.9	+ 0.4
1906	2093	+142	24.7	628	+ 18	79	— 2	50.7	+ 1.2
1907	1977	+ 26	22.3	565	— 45	81	0	49.7	+ 0.2
1908	1932	— 19	23.8	604	— 6	83	+ 2	50.1	+ 0.6
1909	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	— 0.6
1910	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911	2140	+189	23.7	601	— 9	79	— 2	51.8	+ 2.3
1912	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913	2030	+ 79	22.4	570	— 40	83	+ 2	51.3	+ 1.8
1914	2087	+136	23.9	606	— 4	81	0	51.5	+ 2.0
1915	1932	— 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917	2059	+108	26.0	660	+ 50	82	+ 1	48.9	— 0.6
1918	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919	1940	— 11	23.0	586	— 24	81	0	48.8	— 0.7
1920	1918	— 33	21.5	546	— 64	82	+ 1	51.1	+ 1.6
1921	1855	— 96	12.8	318	—292	77	— 4	52.7	+ 3.2
1922	2043	+ 92	23.2	589	— 21	80	— 1	49.4	— 0.1
1923	2055	+104	24.0	610	0	81	0	50.3	+ 0.8
1924	1947	— 4	30.6	779	+169	83	+ 2	50.5	+ 1.0
1925	1957	+ 6	23.4	594	— 16	81	0	50.5	+ 1.0
1926	1948	— 3	28.1	714	+104	82	+ 1	51.1	+ 1.6
1927	†2003	+ 52	29.4	746	+136	83	+ 2	50.2	+ 0.7
1928	2086	+135	25.3	643	+ 33	80	— 1	51.1	+ 1.6
1929	1846	—105	21.7	551	— 59	78	— 3	50.1	+ 0.6
1930	1979	+ 28	27.4	696	+ 86	79	— 2	51.2	+ 1.7
1931	1968	+ 17	24.9	634	+ 24	82	+ 1	49.9	+ 0.4
1932	1970	+ 19	24.7	628	+ 18	82	+ 1	50.7	+ 1.2
1933	1871	— 80	17.0	430	—180	79	— 2	51.5	+ 2.0
1934	1891	— 60	19.5	496	—114	81	0	51.7	+ 2.2
1935	2070	+109	25.6	651	+ 41	79	— 2	51.3	+ 1.8
1936	††1915	— 36	24.6	625	+ 15	83	+ 2	50.5	+ 1.0
1937	1786	—165	28.8	730	+120	83	+ 2	51.1	+ 1.6
1938	2080	+129	19.7	500	—110	78	— 3	51.4	+ 1.9
1939	Not available		30.0	762	+152	81	0	50.5	+ 1.0
1940	Not available		26.6	677	+ 67	79	— 2	49.5	0.0
1941	Not available		25.6	650	+ 40	80	— 1	49.3	— 0.2
1942	Not available		22.9	583	— 27	79	— 2	49.6	+ 0.1
1943	Not available		21.3	542	— 68	76	— 5	51.7	+ 2.2
1944	Not available		21.1	536	— 74	77	— 4	49.9	+ 0.4
1945	Not available		19.5	494	—116	81	0	51.9	+ 2.4
1946	Not available		27.7	704	+ 94	81	0	50.1	+ 0.6
1947	Not available		20.5	520	+ 90	74	— 7	50.7	+ 1.2
1948	Not available		22.8	579	— 31	75	— 6	51.5	+ 2.0
1949	Not available		18.4	468	—142	77	— 4	52.7	+ 3.2
Average 50 years (1861-1910)	1951	—	24.0	610	—	81	—	49.5	—

†Mean of 52 weeks only (50th week—defective record).
††Mean of 51 weeks only (4th and 5th weeks missing).

Corresponding values from the year 1849 are

Elements, Greenwich, 1900-1949.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910)	June.	Departure from Average of 50 Years (1861-1910)	September.	Departure from Average of 50 Years (1861-1910)	December.	Departure from Average of 50 Years (1861-1910)	
°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	
39.2	— 0.8	52.8	— 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	— 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	— 0.4	1901
40.5	+ 0.5	51.0	— 2.0	59.6	— 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	— 1.8	60.0	— 0.5	45.2	+ 0.9	1903
39.5	— 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	— 2.1	1905
41.1	+ 1.1	52.8	— 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	— 0.1	60.1	— 0.4	45.8	+ 1.5	1907
39.5	— 0.5	53.8	+ 0.8	60.3	— 0.2	46.6	+ 2.3	1908
38.4	— 1.6	52.5	— 0.5	59.7	— 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	— 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	— 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	— 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	— 0.1	44.7	+ 0.4	1916
36.4	— 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	— 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	— 1.9	54.3	+ 1.3	60.2	— 0.3	42.5	— 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	— 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
41.2	+ 1.2	54.2	+ 1.2	58.1	— 2.4	44.2	— 0.1	1922
44.8	+ 4.8	51.4	— 1.6	61.8	+ 1.3	43.0	— 1.3	1923
39.8	— 0.2	54.6	+ 1.6	60.8	+ 0.3	47.1	+ 2.8	1924
42.2	+ 2.2	55.0	+ 2.0	60.9	+ 0.4	44.0	— 0.3	1925
43.8	+ 3.8	53.9	+ 0.9	63.0	+ 2.5	43.9	— 0.4	1926
42.8	+ 2.8	53.8	+ 0.8	60.6	+ 0.1	43.6	— 0.7	1927
43.4	+ 3.4	53.1	+ 0.1	62.2	+ 1.7	45.9	+ 1.6	1928
37.0	— 3.0	53.0	0.0	64.0	+ 3.5	46.4	+ 2.1	1929
42.0	+ 2.0	55.0	+ 2.0	61.8	+ 1.3	45.9	+ 1.6	1930
39.7	— 0.3	54.6	+ 1.6	59.2	— 1.3	46.0	+ 1.7	1931
40.9	+ 0.9	53.1	+ 0.1	63.1	+ 2.6	45.4	+ 1.1	1932
41.2	+ 1.2	55.9	+ 2.9	65.5	+ 5.0	43.0	— 1.3	1933
40.1	+ 0.1	55.3	+ 2.3	63.6	+ 3.1	47.8	+ 3.5	1934
42.8	+ 2.8	53.9	+ 0.9	63.6	+ 3.1	44.9	+ 0.6	1935
41.3	+ 1.3	53.9	+ 0.9	61.9	+ 1.4	45.0	+ 0.7	1936
41.6	+ 1.6	55.4	+ 2.4	63.2	+ 2.7	44.1	— 0.2	1937
44.7	+ 4.7	53.0	0.0	61.6	+ 0.9	46.6	+ 2.3	1938
41.9	+ 1.9	53.6	+ 0.6	55.7	— 4.8	44.4	+ 0.1	1939
37.3	— 2.7	55.7	+ 2.7	60.3	— 0.2	44.6	+ 0.3	1940
38.3	— 1.7	51.3	— 1.7	61.9	+ 1.4	45.8	+ 1.5	1941
35.7	— 4.3	54.6	+ 1.6	61.8	+ 1.3	46.3	+ 2.0	1942
42.8	+ 2.8	56.6	+ 3.6	61.9	+ 1.4	45.1	+ 0.8	1943
40.7	+ 0.7	54.4	+ 1.4	60.9	+ 0.4	43.6	— 0.7	1944
42.1	+ 2.1	56.4	+ 3.4	62.2	+ 1.7	47.2	+ 2.9	1945
40.9	+ 0.9	53.7	+ 0.7	61.1	+ 0.6	44.9	+ 0.6	1946
34.9	— 5.1	56.5	+ 3.5	65.2	+ 4.7	46.3	+ 2.0	1947
44.1	+ 4.1	54.5	+ 1.5	61.0	+ 0.5	46.6	+ 2.3	1948
42.2	+ 2.2	55.6	+ 2.6	65.5	+ 5.0	47.5	+ 3.2	1949
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910)

published in previous Statistical Reviews.

TABLE 32.—Quarterly Meteorological Elements, Greenwich, 1949.

1st Quarter : Jan., Feb., Mar., 2nd " April, May, June, 3rd " July, Aug., Sept., 4th " Oct., Nov., Dec.	Temperature of						Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.							
	Air.		Evaporation		Dew Point.		Air Daily Range.		Mean.	Difference from Average of 60 years.	gms.	gms.	%	mb.	gms.	gms.	mm.	mm.	mm.	°F.	°F.					
			Mean of "Wet Bulb" Readings at 9h. and 21h.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.																		
	Mean of Maximum and Minimum.	Difference from Average of 130 years.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Mean.	Difference from Average of 60 years.	Amount in Millimetres.	Difference from Average of 86 years.	At or below 30° F.	Between 30° and 40° F.	Above 40° F.	Lowest Reading at Night	Highest Reading at Night		
1949	52.7	+4.0	+3.3	48.3	+1.8	44.7	+1.2	17.3	+1.5	10.4	+0.5	7.6	—0.2	77	—5	1012.5	+3.6	1244	+4	469	—161	76	128	161	7	60
Year	42.2	+3.3	+2.4	39.0	+1.1	35.8	+0.6	13.4	+1.6	7.1	+0.1	5.5	0.0	81	—3	1017.9	+9.1	1278	+14	65	—60	43	40	7	7	48
1st Qtr.	55.6	+3.2	+2.7	50.3	+1.2	45.6	+0.4	19.8	—0.1	10.4	+0.4	7.9	+0.2	71	—6	1012.0	+2.8	1234	+3	101	—42	9	40	42	23	50
2nd	65.5	+5.7	+5.1	59.1	+2.6	54.8	+1.8	20.0	0.0	14.7	+1.1	10.1	—0.4	71	—6	1013.3	+3.7	1213	—1	81	—101	0	12	80	32	60
3rd	47.5	+3.8	+3.1	44.7	+2.1	42.5	+1.9	16.0	+4.3	9.3	+0.6	7.2	+0.1	87	—2	1006.8	—1.3	1252	—1	222	+42	24	36	32	21	47
4th																										

* Height of barometer cistern above mean sea level = 152 feet (average correction to sea level + 5.6 mb.).
In this table + and — respectively signify that the numbers in the preceding column are above or below the average to which the signs are affixed.
Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).
Density is expressed in grams per cubic metre (2.294 grams per cubic metre = 1 grain per cubic foot).

APPENDIX A.—Death Rates per million in England and Wales based upon the Sex and Age Distribution of the Population of Great Britain in the year of experience, with rates for Scotland for Comparison.

See Explanatory note on page vi.

Inter-national List No.	Causes of Death			1945		1946		1947		1948		1949	
				England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES	M		14,951	16,188	14,038	15,817	14,157	15,414	12,737	14,031	13,683	14,561
		F		10,688	12,270	10,325	12,238	10,228	11,898	9,171	11,032	9,966	11,539
		P		12,525	13,984	11,964	13,841	11,960	13,457	10,741	12,368	11,598	12,884
6	Cerebro-spinal (meningococcal) meningitis	M		17	22	13	24	14	22	8	9	7	8
		F		11	11	11	15	11	11	6	8	6	5
		P		14	15	12	19	12	16	7	9	7	6
13	Tuberculosis of respiratory system	M		755	804	622	764	588	744	560	767	516	691
		F		339	472	335	556	367	635	387	619	302	564
		P		513	619	466	655	466	679	437	680	397	613
14-22	Tuberculosis (other forms)...	M		117	173	91	141	84	128	70	93	60	76
		F		89	172	77	143	75	135	64	87	49	72
		P		100	170	84	142	79	132	67	90	54	74
30	Syphilis	M		98	83	93	75	82	63	74	53	73	53
		F		33	28	33	21	30	26	27	16	26	22
		P		62	53	60	46	53	43	48	32	47	36
33	Influenza	M		84	47	138	147	90	77	35	35	141	86
		F		58	44	121	145	66	63	23	22	118	76
		P		69	46	129	147	76	70	28	28	129	82
45-55	Cancer and other malignant tumours	M		2,188	2,293	2,083	2,192	2,064	2,136	2,104	2,167	2,136	2,203
		F		1,712	1,920	1,662	1,749	1,600	1,684	1,601	1,754	1,608	1,808
		P		1,915	2,081	1,841	1,941	1,798	1,880	1,815	1,931	1,831	1,977
61	Diabetes mellitus...	M		84	105	71	80	62	67	56	62	58	63
		F		121	182	105	148	96	126	131	88	93	147
		P		105	148	90	120	82	99	74	99	78	112
83	Intra - cranial lesions of vascular origin	M		1,380	1,848	1,324	1,710	1,359	1,615	1,227	1,506	1,348	1,591
		F		1,331	1,739	1,327	1,713	1,333	1,663	1,232	1,594	1,339	1,713
		P		1,352	1,784	1,326	1,712	1,344	1,641	1,230	1,558	1,344	1,663
90-95	Heart diseases	M		3,890	4,237	3,807	4,359	3,989	4,438	3,658	4,133	4,126	4,559
		F		2,891	3,289	2,832	3,384	2,843	3,361	2,631	3,203	3,019	3,526
		P		3,323	3,703	3,257	3,811	3,340	3,830	3,078	3,610	3,501	3,981
107-109	Pneumonia (all forms)	M		639	566	590	651	633	653	494	507	559	543
		F		426	379	416	494	437	446	332	347	404	421
		P		520	464	495	569	526	542	404	419	473	477
130-132	Nephritis	M		390	322	367	317	346	319	301	272	298	270
		F		278	277	267	252	254	229	219	221	221	223
		P		324	293	309	278	293	266	254	242	254	242

APPENDIX 2.—Estimated civilian Population
by Sex and Age, Mid-year, 1949.

} England and Wales, Standard Regions.

(Figures given to nearest thousand)

Area.		All Ages.	0–	5–	15–	25–	35–	45–	55–	65 & over
ENGLAND & WALES	{ M	20,580	1,898	2,952	2,526	3,135	3,336	2,739	2,026	1,968
	{ F	22,520	1,803	2,844	2,904	3,253	3,427	3,051	2,490	2,748
Regional Summary Northern	{ M	1,517	142	231	210	227	229	194	144	140
	{ F	1,581	135	222	225	226	229	207	167	170
East and West Ridings	{ M	1,961	182	284	240	299	316	266	194	180
	{ F	2,109	173	274	269	300	320	293	234	246
North Western	{ M	3,021	279	437	364	453	491	413	305	279
	{ F	3,381	264	424	427	478	517	476	391	404
North Midland	{ M	1,623	152	233	206	249	260	214	154	155
	{ F	1,696	145	224	224	245	255	227	181	195
Midland	{ M	2,121	204	316	262	347	349	273	191	179
	{ F	2,230	193	306	296	343	338	290	225	239
Eastern	{ M	1,437	132	207	177	209	229	186	143	154
	{ F	1,552	125	198	197	217	231	204	173	207
London & South Eastern	{ M	5,076	460	682	589	806	874	685	504	476
	{ F	5,779	437	659	730	861	921	793	647	731
Southern	{ M	1,188	112	178	146	167	184	153	120	128
	{ F	1,336	107	169	169	187	198	173	150	183
South Western	{ M	1,378	125	200	167	194	212	185	143	152
	{ F	1,543	119	190	192	208	225	209	179	221
Wales	{ M	1,258	110	184	165	184	192	170	128	125
	{ F	1,313	105	178	175	188	193	179	143	152

APPENDIX 13.—Deaths at Various Periods in the First Year of Life, 1949

{ England and Wales,
Standard Regions.

See Explanatory notes on page vi.

Area.	Total under 1 year.	Under 30 minutes.	30 minutes and under 1 day.	Total under 1 day.	Days.						1 day and under 1 week.	Weeks.			Total under 4 weeks.	Months.				
					1	2	3	4	5	6		0	1	2		3	4 weeks to 3 mths.	3-6	6-9	9-12
England and Wales	All Infants ... M F P	368	2898	3266	1214	894	580	329	256	182	3455	6721	724	401	372	2098	1897	1023	618	
		343	1985	2328	879	571	358	252	165	148	2373	4701	584	327	276	1478	1368	809	485	
		711	4883	5594	2093	1465	938	581	421	330	5828	11422	1308	728	648	3576	3265	1832	1103	
Legitimate	M F P	288	2703	2991	1127	831	547	312	240	171	3228	6219	688	368	346	1951	1786	974	587	
		249	1835	2084	820	521	336	235	152	133	2197	4281	541	307	257	1381	1289	711	459	
		537	4538	5075	1947	1352	883	547	392	304	5425	10500	1229	675	603	3332	3075	1745	1046	
Illegitimate	M F P	80	195	275	87	63	33	17	16	11	227	502	36	33	26	147	111	49	31	
		94	150	244	59	50	22	17	13	15	176	420	43	20	19	97	79	38	26	
		174	345	519	146	113	55	34	29	26	403	922	79	53	45	244	190	87	57	
Northern	...	56	448	504	169	138	72	59	33	33	504	1008	126	77	60	412	436	214	112	
East and West Ridings	...	58	523	581	211	131	85	48	48	28	551	1132	154	83	74	408	389	194	108	
North Western	...	125	766	891	324	244	160	107	78	48	961	1852	213	141	131	788	667	362	212	
North Midland	...	48	379	427	154	131	82	45	30	30	472	899	106	45	48	267	273	168	113	
Midland	...	96	521	617	220	172	94	63	36	37	622	1239	145	78	73	399	386	196	124	
Eastern	...	31	305	336	120	88	38	28	31	21	326	662	71	37	38	152	132	100	54	
London and South Eastern	...	160	1020	1180	467	299	205	116	80	72	1239	2419	226	125	103	583	491	271	185	
Southern	...	44	279	323	136	65	52	33	12	14	312	635	54	44	31	130	105	96	53	
South Western	...	38	316	354	145	95	72	39	41	17	409	763	111	44	42	166	138	80	67	
Wales	...	55	326	381	147	102	78	43	32	30	432	813	102	54	48	271	248	151	75	

APPENDIX 15.—Infant Mortality from Certain Causes, 1949
(Deaths under 1 year and various sub-divisions of the first
year per 1,000 related live births).

England and Wales,
Standard Regions.

See Explanatory notes on page vi.

Area.	All Causes.						I.—Infective Diseases other than Tuberculosis (1-12 ; 23-44).						II.—Tuberculous Diseases (13-22).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales ...	32·37	19·27	4·85	4·38	2·43	1·44	1·15	0·09	0·25	0·32	0·27	0·22	0·21	0·00	0·01	0·05	0·07	0·08
Northern ...	41·91	21·99	7·08	7·40	3·59	1·85	1·43	0·17	0·33	0·51	0·27	0·15	0·33	—	—	0·08	0·08	0·17
East and West Ridings	35·95	20·58	5·78	5·44	2·68	1·47	1·04	0·11	0·24	0·21	0·26	0·22	0·39	—	0·01	0·08	0·10	0·20
North Western ...	39·42	21·29	7·13	5·96	3·20	1·84	1·78	0·10	0·42	0·48	0·45	0·33	0·21	—	0·03	0·06	0·08	0·04
North Midland ...	32·58	18·81	4·54	4·59	2·79	1·85	1·08	0·05	0·24	0·29	0·27	0·23	0·08	—	—	0·03	0·02	0·03
Midland ...	33·41	19·59	5·05	4·83	2·43	1·51	1·49	0·13	0·37	0·44	0·37	0·18	0·35	—	0·03	0·10	0·07	0·15
Eastern ...	24·85	16·23	3·03	2·60	1·95	1·04	0·71	0·06	0·10	0·18	0·16	0·21	0·12	—	—	—	0·06	0·06
London and South Eastern ...	25·52	16·77	3·38	2·81	1·53	1·03	0·81	0·05	0·14	0·26	0·16	0·20	0·09	—	0·02	0·01	0·03	0·03
Southern ...	26·22	17·58	2·97	2·37	2·14	1·16	0·76	0·07	0·16	0·16	0·13	0·24	0·27	—	—	0·11	0·07	0·09
South Western ...	28·75	19·69	3·38	2·78	1·59	1·31	0·88	0·06	0·16	0·22	0·28	0·16	0·16	0·02	—	—	0·08	0·06
Wales ...	39·33	22·89	6·05	5·48	3·30	1·61	1·63	0·14	0·40	0·42	0·39	0·28	0·30	—	—	0·04	0·17	0·09
III.—Enteritis and Diarrhoea (119).							IV.—Developmental and Wasting Diseases (157-9; 161a).						V.—Miscellaneous Diseases (Remainder).					
England and Wales ...	2·63	0·24	0·85	0·87	0·45	0·22	15·73	13·59	1·20	0·53	0·26	0·15	12·61	5·34	2·53	2·60	1·38	0·76
Northern ...	4·77	0·43	1·48	1·72	0·89	0·25	18·11	15·59	1·20	0·83	0·32	0·17	17·28	5·80	4·07	4·26	2·03	1·12
East and West Ridings	3·31	0·51	1·15	0·92	0·47	0·26	16·28	14·03	1·27	0·67	0·24	0·07	14·91	5·92	3·10	3·55	1·62	0·72
North Western ...	4·31	0·39	1·54	1·46	0·61	0·31	18·01	15·18	1·62	0·72	0·32	0·17	15·11	5·62	3·53	3·24	1·74	0·98
North Midland ...	2·38	0·10	0·63	0·79	0·52	0·34	15·78	13·76	1·19	0·44	0·28	0·11	13·26	4·90	2·48	3·04	1·71	1·13
Midland ...	3·29	0·29	1·05	1·19	0·52	0·24	15·50	13·59	1·09	0·48	0·19	0·15	12·80	5·58	2·52	2·63	1·28	0·79
Eastern ...	1·31	0·06	0·32	0·41	0·33	0·19	13·11	11·35	0·94	0·32	0·37	0·13	9·61	4·76	1·68	1·70	1·03	0·44
London and South Eastern ...	1·38	0·09	0·43	0·45	0·27	0·14	13·78	11·90	1·06	0·44	0·22	0·16	9·47	4·72	1·73	1·66	0·86	0·50
Southern ...	1·37	0·23	0·41	0·29	0·31	0·13	14·33	12·72	0·80	0·38	0·25	0·18	9·49	4·56	1·60	1·42	1·38	0·53
South Western ...	1·15	0·16	0·35	0·40	0·14	0·10	15·08	13·21	1·10	0·34	0·20	0·23	11·47	6·23	1·77	1·81	0·90	0·76
Wales ...	2·98	0·18	0·96	1·04	0·50	0·30	19·26	16·47	1·65	0·68	0·35	0·11	15·15	6·10	3·04	3·29	1·88	0·84
Cerebro-spinal (meningococcal) meningitis (6).							Whooping cough (9).						Measles (35).					
England and Wales ...	0·15	0·01	0·01	0·05	0·06	0·02	0·48	0·01	0·12	0·16	0·10	0·09	0·11	—	0·01	0·01	0·04	0·05
Northern ...	0·21	0·03	0·02	0·07	0·07	0·02	0·55	0·03	0·17	0·24	0·03	0·08	0·18	—	—	0·05	0·10	0·03
East and West Ridings	0·13	0·01	0·01	0·01	0·06	0·04	0·35	—	0·14	0·07	0·11	0·03	0·21	—	0·03	0·03	0·04	0·11
North Western ...	0·26	0·01	0·03	0·11	0·07	0·04	0·89	0·02	0·22	0·25	0·24	0·16	0·15	—	0·01	0·02	0·07	0·05
North Midland ...	0·13	0·02	0·02	0·02	0·05	0·02	0·44	—	0·05	0·17	0·07	0·15	0·15	—	—	0·02	0·10	0·03
Midland ...	0·13	—	0·03	0·03	0·07	—	0·73	0·04	0·16	0·28	0·15	0·10	0·11	—	0·01	0·01	0·05	0·04
Eastern ...	0·12	—	—	0·02	0·08	0·02	0·16	—	0·04	0·06	—	0·06	0·06	—	—	—	—	0·06
London and South Eastern ...	0·12	—	0·01	0·05	0·03	0·03	0·26	—	0·06	0·10	0·05	0·05	0·05	—	—	—	0·02	0·03
Southern ...	0·04	—	—	0·02	0·02	—	0·38	0·02	0·09	0·09	0·07	0·11	0·06	—	0·02	—	—	0·04
South Western ...	0·14	—	0·02	0·02	0·08	0·02	0·40	—	0·12	0·14	0·08	0·06	0·08	—	—	—	0·04	0·04
Wales ...	0·17	—	0·02	0·04	0·11	—	0·56	0·02	0·16	0·18	0·11	0·09	0·13	—	—	0·02	0·02	0·09

APPENDIX 15—continued.

Area.	Convulsions (86).						Bronchitis (106).						Pneumonia (107-109).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
England and Wales ...	0·18	0·06	0·05	0·04	0·02	0·01	0·68	0·07	0·21	0·24	0·11	0·05	5·12	0·89	1·50	1·54	0·79	0·40
Northern ...	0·53	0·17	0·12	0·15	0·07	0·02	1·71	0·16	0·53	0·68	0·22	0·12	7·38	0·66	2·34	2·65	1·17	0·56
East and West Ridings	0·05	0·03	—	0·01	0·01	—	1·02	0·09	0·33	0·36	0·21	0·03	6·62	1·13	1·87	2·23	1·04	0·35
North Western ...	0·30	0·07	0·15	0·04	0·02	0·02	0·55	0·06	0·15	0·17	0·11	0·06	6·79	0·93	2·16	2·15	0·99	0·56
North Midland ...	0·18	0·10	0·03	0·03	0·02	—	1·05	0·15	0·27	0·35	0·13	0·15	6·11	0·89	1·57	1·98	1·03	0·64
Midland ...	0·15	0·05	0·04	0·05	—	0·01	0·70	0·08	0·25	0·23	0·09	0·05	5·13	0·97	1·43	1·55	0·79	0·39
Eastern ...	0·04	—	—	—	—	0·04	0·30	—	0·08	0·06	0·10	0·06	3·19	0·62	1·02	0·83	0·49	0·23
London and South Eastern...	0·03	0·01	0·01	—	0·01	—	0·41	0·02	0·12	0·19	0·05	0·03	3·25	0·78	0·99	0·77	0·46	0·25
Southern ...	0·02	—	—	0·02	—	—	0·36	0·05	0·16	0·02	0·13	—	3·37	0·71	0·80	0·77	0·78	0·31
South Western ...	0·08	0·02	0·02	—	0·02	0·02	0·32	0·04	0·08	0·12	0·04	0·04	4·53	1·29	1·10	1·15	0·54	0·45
Wales ...	0·67	0·20	0·18	0·18	0·07	0·0	0·90	0·11	0·29	0·31	0·15	0·04	6·00	0·99	1·81	1·92	0·96	0·32
	Congenital hydrocephalus, spina bifida (157a, b).						Other malformations included under 157 (157c-j).						Congenital debility (158).					
England and Wales ...	1·36	0·87	0·24	0·12	0·07	0·06	3·23	1·94	0·66	0·36	0·18	0·09	0·26	0·14	0·08	0·03	0·01	0·00
Northern ...	1·55	0·95	0·21	0·17	0·12	0·10	3·30	2·06	0·43	0·56	0·18	0·07	0·45	0·26	0·14	0·03	0·02	—
East and West Ridings	1·44	0·94	0·28	0·11	0·07	0·04	3·27	1·88	0·68	0·53	0·15	0·03	0·24	0·13	0·10	0·01	—	—
North Western ..	1·94	1·20	0·31	0·21	0·14	0·08	3·15	1·60	0·89	0·39	0·17	0·10	0·36	0·17	0·09	0·09	0·01	—
North Midland ..	1·44	0·98	0·26	0·05	0·10	0·05	3·16	2·00	0·58	0·34	0·17	0·07	0·21	0·09	0·07	0·03	0·02	—
Midland ...	1·17	0·82	0·18	0·11	0·01	0·05	3·40	2·13	0·68	0·33	0·17	0·09	0·31	0·17	0·10	0·03	—	0·01
Eastern ...	1·00	0·56	0·18	0·12	0·06	0·08	3·20	2·09	0·58	0·18	0·29	0·06	0·38	0·30	0·04	0·02	0·02	—
London and South Eastern..	0·95	0·59	0·21	0·06	0·03	0·06	3·26	1·98	0·65	0·35	0·18	0·10	0·11	0·05	0·04	0·02	—	—
Southern ...	1·00	0·64	0·09	0·09	0·07	0·11	2·77	1·70	0·55	0·27	0·18	0·07	0·18	0·07	0·09	0·02	—	—
South Western ..	1·72	1·13	0·31	0·12	0·10	0·06	3·12	2·09	0·59	0·18	0·08	0·18	0·18	0·08	0·06	0·02	0·02	—
Wales ...	1·71	1·15	0·34	0·20	0·02	—	3·63	2·03	0·76	0·42	0·31	0·11	0·38	0·16	0·16	0·04	0·02	—
	Premature birth (159).						Injury at birth (160).						Asphyxia, atelectasis (161a).					
England and Wales ..	7·60	7·40	0·19	0·01	—	—	2·60	2·55	0·04	0·01	0·00	0·00	3·29	3·25	0·03	0·01	0·00	—
Northern ...	10·10	9·69	0·38	0·03	—	—	2·98	2·87	0·09	—	0·02	—	2·71	2·63	0·05	0·03	—	—
East and West Ridings	8·25	8·08	0·17	—	—	—	2·94	2·87	0·04	0·03	—	—	3·05	2·99	0·04	0·01	0·01	—
North Western ...	9·13	8·85	0·25	0·03	—	—	2·75	2·67	0·07	0·01	—	—	3·42	3·33	0·08	0·01	—	—
North Midland ...	7·75	7·47	0·26	0·02	—	—	2·12	2·02	0·05	0·05	—	—	3·25	3·22	0·03	—	—	—
Midland ...	6·80	6·66	0·13	0·01	—	—	2·64	2·57	0·06	0·01	—	—	3·82	3·82	—	—	—	—
Eastern ...	5·99	5·87	0·12	—	—	—	2·37	2·31	0·04	0·02	—	—	2·55	2·53	0·02	—	—	—
London and South Eastern...	5·92	5·80	0·12	—	—	—	2·33	2·30	0·01	0·01	—	0·01	3·53	3·49	0·03	0·01	—	—
Southern ...	7·32	7·25	0·07	—	—	—	2·32	2·30	0·02	—	—	—	3·06	3·06	—	—	—	—
South Western ...	6·99	6·87	0·12	—	—	—	3·24	3·20	0·02	—	0·02	—	3·08	3·04	0·02	0·02	—	—
Wales ...	10·03	9·61	0·40	0·02	—	—	2·74	2·72	0·02	—	—	—	3·53	3·53	—	—	—	—

APPENDIX 16.—Deaths at Various Periods in the First Year of Life by Legitimacy. { England and Wales.
Death rates per 1,000 related Live Births, 1949. Standard Regions.

See Explanatory notes on page vi.

Area.	All Infants.										Legitimate Infants.										Illegitimate Infants.									
	Deaths.								Deaths per 1,000 related live births.		Deaths.								Deaths per 1,000 related live births.		Deaths.								Deaths per 1,000 related live births.	
	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	1 year.
ENGLAND AND WALES	5594	5828	2684	3576	3265	1832	1103	23882	19	32	5075	5425	2507	3332	3075	1745	1046	22205	19	32	519	403	177	244	190	87	57	1677	30	45
Regional Summary:																														
Northern
East and West Ridings
North Western
North Midland
Midland
Eastern
London and South Eastern
Southern
South Western
Wales

APPENDIX 17.—Civilian Population, Births, Deaths, and Infant Mortality, 1949. England and Wales. Standard Regions.

See Explanatory notes on page v.

Area.	Estimated Resident Civilian Population (Middle 1949).	LIVE BIRTHS.						DEATHS.						Deaths under 1 year.					
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted birth rate to National Rate.	M.	F.	TOTAL.	Crude Rate per 1,000 Civilian Population.	Comparability Factor.	Ratio of local adjusted death rate to National Rate.	Number.	Rate per 1,000 Related Live Births.	Deaths under 4 weeks.	Stillbirths.
		M.	F.	M.	F.														
						3	4	5	6	7	8	9	10	11	12	13	14	15	16
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ENGLAND AND WALES ...	43,100,000	357,000	336,611	19,064	17,843	730,518	16.9	1.00	1.00	259,942	250,031	509,973	11.8	1.00	1.00	23,882	32	14,106	16,947
Regional Summary:																			
Northern ...	3,098,037	28,280	26,854	1,283	1,251	57,668	18.6	1.02	1.13	19,802	18,045	37,847	12.2	1.08	1.11	2,445	42	1,271	1,456
East and West Ridings	4,070,563	34,126	32,161	1,909	1,778	69,974	17.2	1.01	1.03	26,212	24,708	50,920	12.5	1.05	1.11	2,542	36	1,443	1,682
North Western ...	6,401,845	53,448	50,545	2,866	2,673	109,532	17.1	1.00	1.01	41,297	40,507	81,804	12.8	1.06	1.14	4,366	39	2,337	2,863
North Midland ...	3,318,817	28,293	26,865	1,580	1,489	58,227	17.5	1.02	1.06	19,463	17,992	37,455	11.3	1.01	0.97	1,919	33	1,098	1,323
Midland ...	4,350,200	38,272	36,131	1,968	1,815	78,186	18.0	0.99	1.06	24,961	22,822	47,783	11.0	1.09	1.01	2,640	33	1,535	1,849
Eastern ...	2,989,427	24,430	22,813	1,267	1,163	49,673	16.6	1.04	1.02	17,573	17,064	34,637	11.6	0.91	0.89	1,246	25	808	1,060
London and South Eastern ...	10,854,931	83,450	78,321	4,763	4,375	170,909	15.7	0.95	0.89	60,415	60,403	120,818	11.1	0.98	0.92	4,403	26	2,873	3,471
Southern ...	2,524,280	21,036	19,838	1,250	1,237	43,361	17.2	1.02	1.04	14,645	14,569	29,214	11.6	0.91	0.89	1,148	26	764	859
South Western ...	2,921,100	23,652	22,498	1,295	1,206	48,651	16.7	1.04	1.03	18,269	19,117	37,386	12.8	0.88	0.95	1,411	29	960	1,096
Wales ...	2,570,800	22,013	20,585	883	856	44,337	17.2	1.03	1.05	17,305	14,804	32,109	12.5	1.01	1.07	1,762	39	1,017	1,288

APPENDIX 18.—Stillbirths by Sex and Legitimacy
(with Ratio per 1,000 Total Births), 1949.

England and Wales,
Standard Regions.

See Explanatory notes on page vi.

Area.	Legitimate.		Illegitimate.		Total.	Still- births per 1,000 Total Births.
	M.	F.	M.	F.		
SUMMARY.						
ENGLAND AND WALES	8,503	7,321	626	497	16,947	23
Northern	720	643	53	40	1,456	25
East and West Ridings	860	685	80	57	1,682	23
North Western	1,377	1,284	110	92	2,863	25
North Midland	665	569	51	38	1,323	22
Midland	943	785	76	45	1,849	23
Eastern	538	468	32	22	1,060	21
London and South Eastern	1,725	1,502	129	115	3,471	20
Southern	440	357	34	28	859	19
South Western	560	482	30	24	1,096	22
Wales	675	546	31	36	1,288	28

APPENDIX 20.—Deaths at Different Ages, 1949.

Non-Civilian deaths are shown for England and Wales only. They are excluded from the rest of the table.

England and Wales, Standard Regions.

See Explanatory notes on page vi.

Age. (l.b.d.)	Sex.	England & Wales		Northern.	East and West Ridings.	North Western.	North Midland.	Midland.	Eastern.	London and South Eastern.	Southern.	South Western.	Wales.
		Total excluding Non-Civilians.	Non-Civilians.										
All Ages	M	259,942	744	19,802	26,212	41,297	19,463	24,961	17,573	60,415	14,645	18,269	17,305
	F	250,031	19	18,045	24,708	40,507	17,992	22,822	17,064	60,403	14,569	19,117	14,804
Under 4 weeks	M	8,218	—	769	803	1,319	656	897	488	1,703	451	547	585
4 weeks to 3 months	F	5,888	—	502	640	1,018	442	638	320	1,170	313	413	432
	M	2,098	—	229	231	465	157	236	87	352	87	89	165
	F	1,478	—	183	177	323	110	163	65	231	43	77	106
3-6 months	M	1,897	—	258	226	370	158	222	77	301	61	74	150
6-12 months	F	1,368	—	178	163	297	115	164	55	190	44	64	98
	M	1,641	—	192	165	310	159	172	98	251	85	90	119
	F	1,294	—	134	137	264	122	148	56	205	64	57	107
Total under 1 year	M	13,854	—	1,448	1,425	2,464	1,130	1,527	750	2,607	684	800	1,019
	F	10,028	—	997	1,117	1,902	789	1,113	496	1,796	464	611	743
1—	M	1,081	—	111	107	205	87	116	66	197	60	58	74
	F	898	—	72	120	168	75	102	51	146	48	55	61
2—	M	640	—	50	73	122	40	79	39	121	29	40	47
	F	571	—	62	75	102	49	49	27	110	35	34	28
3—	M	484	—	41	49	80	40	50	32	95	28	38	31
	F	342	—	27	39	66	21	39	19	71	16	26	18
4—	M	371	—	31	35	66	29	45	24	71	18	29	23
	F	254	—	15	31	40	23	29	14	50	19	20	13
Total under 5 years	M	16,430	—	1,681	1,689	2,937	1,326	1,817	911	3,091	819	965	1,194
	F	12,093	—	1,173	1,382	2,278	957	1,332	607	2,173	582	746	863
5—	M	1,213	—	80	119	185	97	151	71	271	62	93	84
	F	832	—	70	85	128	75	99	55	154	46	67	53
10—	M	903	—	68	106	139	88	86	66	185	50	62	53
	F	683	—	66	68	113	47	91	35	142	31	36	54
15—	M	1,442	146	148	121	237	106	166	87	286	81	95	115
	F	1,337	1	170	101	213	103	174	52	271	46	100	107
20—	M	2,210	177	210	205	332	180	226	138	449	123	158	189
	F	2,153	8	227	221	365	187	252	104	411	92	123	171
25—	M	2,821	125	240	271	409	254	302	170	646	134	180	215
	F	2,765	4	267	271	471	215	293	126	581	131	174	236
30—	M	2,680	42	248	241	407	202	316	161	611	115	177	202
	F	2,616	—	225	289	433	185	289	136	615	96	157	191
35—	M	4,159	73	375	414	703	303	483	228	932	177	259	285
	F	3,689	1	280	365	659	293	382	221	863	176	242	208
40—	M	6,254	60	522	627	1,096	475	665	386	1,432	272	371	408
	F	4,817	2	390	464	820	351	474	288	1,175	257	304	294
45—	M	9,808	43	791	1,015	1,681	670	1,030	562	2,336	455	630	638
	F	6,910	2	536	671	1,231	500	673	409	1,649	325	446	470
50—	M	13,165	37	1,029	1,396	2,256	947	1,305	683	3,176	646	782	945
	F	9,520	1	705	982	1,601	710	907	539	2,293	507	654	622
55—	M	18,932	23	1,472	1,963	3,337	1,362	1,830	1,098	4,428	905	1,182	1,355
	F	13,102	—	1,099	1,329	2,313	902	1,210	774	3,079	655	931	810
60—	M	26,933	13	1,964	2,910	4,611	1,878	2,578	1,618	6,396	1,394	1,733	1,851
	F	18,832	—	1,464	1,941	3,310	1,389	1,741	1,198	4,380	981	1,265	1,163
65—	M	33,647	4	2,387	3,577	5,506	2,334	3,142	2,124	8,240	1,789	2,284	2,264
	F	27,053	—	2,031	2,918	4,807	1,911	2,449	1,715	6,237	1,505	1,848	1,632
70—	M	39,543	—	2,941	4,190	6,602	2,938	3,674	2,677	9,047	2,181	2,736	2,557
	F	37,332	—	2,750	3,982	6,636	2,643	3,339	2,383	8,674	2,028	2,641	2,256
75—	M	37,584	1	2,735	3,755	5,648	2,902	3,527	2,811	8,616	2,366	2,806	2,418
	F	41,090	—	2,768	4,121	6,582	2,942	3,749	3,012	10,083	2,432	3,174	2,227
80—	M	26,036	—	1,867	2,425	3,526	2,028	2,360	2,117	6,171	1,781	2,199	1,562
	F	34,751	—	2,232	3,216	5,044	2,426	2,879	2,695	9,102	2,267	2,978	1,912
85—	M	16,182	—	1,044	1,188	1,685	1,373	1,303	1,665	4,102	1,295	1,557	970
	F	30,456	—	1,592	2,302	3,503	2,156	2,489	2,715	8,521	2,412	3,231	1,535

APPENDIX 24.—Causes of Death by Sex at Different Periods of Life, } Standard Regions.
1949, classified in accordance with the Abridged List (see page 200).

(Non-civilian deaths are excluded).
See Explanatory notes on page vi.

Causes of Death See page 200		Northern.							East and West Ridings.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	19802	1448	233	148	1743	5256	10974	26212	1425	264	225	1879	7284	15135
	F	18045	997	176	136	1559	3804	11373	24708	1117	265	153	1711	4923	16539
1 Typhoid and paratyphoid	M	2	—	1	—	—	1	—	2	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	2	1	—	—	—	1	—
2 Cerebro-spinal fever	M	18	8	8	—	1	1	—	13	6	2	1	3	—	1
	F	12	4	4	1	3	—	—	16	4	6	2	3	1	—
3 Scarlet fever	M	—	—	—	—	—	—	—	5	—	—	3	1	—	1
	F	1	—	—	1	—	—	—	1	—	—	1	—	—	—
4 Whooping cough	M	19	18	1	—	—	—	—	12	8	4	—	—	—	—
	F	30	15	15	—	—	—	—	28	17	10	1	—	—	—
5 Diphtheria	M	7	1	4	1	1	—	—	5	—	3	1	1	—	—
	F	5	—	3	2	—	—	—	4	—	3	1	—	—	—
6 Tuberculosis:— Respiratory system	M	930	2	4	4	429	395	96	930	5	1	3	340	452	129
	F	691	2	4	4	538	110	33	616	1	8	6	429	142	30
7 Other forms	M	112	9	27	13	39	19	5	131	11	29	14	43	23	11
	F	126	7	29	18	52	13	7	112	12	32	15	32	18	3
8 Syphilitic disease	M	87	5	—	—	5	52	25	154	4	1	—	10	84	55
	F	35	2	—	1	2	18	12	60	3	—	1	2	29	25
9 Influenza	M	177	9	5	1	9	50	103	301	6	6	3	22	90	174
	F	147	4	2	1	12	31	97	321	4	5	2	18	48	244
10 Measles	M	11	7	2	2	—	—	—	16	8	5	2	—	1	—
	F	7	4	2	1	—	—	—	21	7	13	—	—	—	1
11 Acute poliomyelitis and polioencephalitis	M	11	1	1	3	5	1	—	54	—	17	13	20	3	1
	F	10	—	3	2	4	1	—	49	1	8	14	22	4	—
12 Acute infectious encephalitis	M	26	—	2	—	10	5	9	21	—	—	—	8	6	7
	F	16	—	—	—	5	8	3	15	—	—	1	6	5	3
13M Cancer of Mouth and œsophagus	M	250	—	1	—	6	57	186	263	—	—	—	6	55	202
13F Uterus	F	371	—	—	—	34	211	126	495	—	—	—	47	255	193
14 Stomach and duodenum	M	688	—	—	—	51	261	376	806	—	—	—	36	338	432
	F	506	—	—	—	23	172	311	604	—	—	—	31	171	402
15 Breast	M	5	—	—	—	—	3	2	7	—	—	—	1	3	3
	F	462	—	—	—	43	217	202	680	—	—	—	68	305	307
16 All other sites	M	1851	1	9	8	118	741	974	2814	3	7	7	197	1124	1476
	F	1386	1	8	3	94	531	749	2015	—	13	7	145	669	1181
17 Diabetes	M	87	—	—	3	10	21	53	100	—	—	—	5	20	75
	F	179	—	—	4	14	42	119	218	—	—	—	4	45	169
18 Intra-cranial vascular lesions	M	2119	2	—	—	30	436	1651	2645	2	1	—	33	551	2058
	F	2517	—	—	—	40	508	1969	3453	1	—	—	46	605	2801
19 Heart disease	M	5827	1	—	7	234	1446	4139	7695	—	1	11	239	2089	5355
	F	5667	1	—	13	196	917	4540	7564	—	3	10	231	1167	6153
20 Other circulatory diseases	M	799	3	1	1	13	145	636	1274	1	—	—	25	213	1035
	F	851	—	—	1	21	135	694	1357	2	1	—	23	149	1182
21 Bronchitis	M	1199	56	2	1	43	422	675	2176	37	6	2	53	719	1359
	F	794	43	5	3	22	135	586	1292	35	10	6	35	222	984
22 Pneumonia	M	766	234	29	4	39	158	302	1151	277	57	12	68	242	495
	F	651	200	31	3	33	85	299	1002	194	52	9	56	165	526
23 Other respiratory diseases	M	354	7	5	1	34	162	145	363	4	5	—	30	146	178
	F	202	3	2	2	28	85	82	283	4	4	2	29	92	152
24 Ulcer of stomach or duodenum†	M	259	—	—	—	41	129	89	348	—	—	—	53	155	140
	F	47	—	—	—	5	21	21	93	1	—	—	6	34	52
25 Diarrhœa under 2 years	M	180	170	10	—	—	—	—	135	131	4	—	—	—	—
	F	116	110	6	—	—	—	—	109	105	4	—	—	—	—
26 Appendicitis	M	51	1	—	5	14	16	15	61	—	4	6	16	20	15
	F	38	—	1	10	9	9	9	44	—	3	5	9	12	15
27 Other digestive diseases	M	271	13	11	9	32	89	117	383	11	9	10	41	127	185
	F	381	11	11	9	36	109	205	464	9	9	12	52	115	267
28 Nephritis	M	392	3	3	1	53	96	236	561	1	2	8	69	175	306
	F	417	—	2	5	53	112	245	576	—	4	6	62	158	346
29 Maternal sepsis	F	14	—	—	—	14	—	—	13	—	—	—	13	—	—
30 Other maternal	F	48	—	—	—	46	2	—	64	—	—	—	64	—	—
31 Premature birth	M	343	343	—	—	—	—	—	338	338	—	—	—	—	—
	F	241	241	—	—	—	—	—	241	241	—	—	—	—	—
32 Congenital malformation, birth injuries, infant: dis:	M	506	448	17	4	22	12	3	534	466	19	10	19	14	6
	F	319	270	8	8	18	12	3	463	394	15	12	21	19	2
33 Suicide	M	204	—	—	—	59	93	52	255	—	—	—	71	115	69
	F	98	—	—	—	31	47	20	151	—	—	—	43	65	43
34 Road traffic accidents	M	233	—	25	28	84	52	44	297	1	15	38	125	55	63
	F	59	1	10	13	15	10	10	97	2	12	15	22	16	30
35 Other violent causes	M	538	39	24	22	208	140	105	622	59	24	40	170	156	173
	F	281	42	17	10	20	28	164	472	40	27	4	32	49	320
36 All other causes	M	1480	67	41	30	153	253	936	1740	46	42	41	173	307	1131
	F	1320	36	13	21	148	235	867	1713	39	23	21	160	362	1108
†Including deaths from ulcer of duodenum	M	138	—	—	—	25	68	45	189	—	—	—	32	88	69
	F	14	—	—	—	1	8	5	35	—	—	—	3	16	16

APPENDIX 24—contd.—Standard Regions.

Causes of Death <i>See page 200</i>		North Western.							North Midland.						
		All Ages	0–	1–	5–	15–	45–	65 and over	All Ages	0–	1–	5–	15–	45–	65 and over
All Causes	M	41297	2464	473	324	3184	11885	22967	19463	1130	196	185	1520	4857	11575
	F	40507	1902	376	241	2961	8455	26572	17992	789	168	122	1334	3501	12078
1 Typhoid and paratyphoid	M	6	1	1	—	2	2	—	—	—	—	—	—	—	—
	F	4	—	—	2	2	—	—	4	—	1	—	2	—	1
2 Cerebro-spinal fever	M	37	18	12	3	4	—	—	6	4	—	1	—	1	—
	F	24	11	5	2	4	2	—	10	3	3	1	1	2	—
3 Scarlet fever	M	2	—	1	1	—	—	—	1	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	3	—	1	2	—	—	—
4 Whooping cough	M	72	51	19	2	—	—	—	20	15	5	—	—	—	—
	F	82	48	33	1	—	—	—	18	11	7	—	—	—	—
5 Diphtheria	M	12	—	6	1	5	—	—	3	—	—	2	—	1	—
	F	5	1	3	—	—	—	1	1	—	—	1	—	—	—
6 Tuberculosis:— Respiratory system	M	1692	2	9	4	691	774	212	728	1	2	1	338	293	93
	F	1113	4	6	10	801	218	74	534	1	7	7	384	106	29
7 Other forms	M	237	12	60	29	82	42	12	87	2	28	10	31	13	3
	F	177	6	39	22	74	22	14	76	1	16	9	34	12	4
8 Syphilitic disease	M	202	10	—	2	22	99	69	90	3	—	—	9	45	33
	F	99	5	—	—	10	47	37	41	2	—	—	2	14	23
9 Influenza	M	442	14	4	2	21	136	265	223	6	3	5	17	55	137
	F	628	6	6	1	44	140	431	226	5	2	1	14	40	164
10 Measles	M	31	7	19	4	1	—	—	12	4	5	2	—	1	—
	F	30	10	14	3	2	—	1	10	5	4	—	1	—	—
11 Acute poliomyelitis and polioencephalitis	M	42	2	9	6	23	1	1	30	—	2	9	17	1	1
	F	38	1	7	8	18	3	1	23	1	5	4	11	2	—
12 Acute infectious encephalitis	M	32	—	—	3	8	17	4	14	—	—	1	3	5	5
	F	43	—	—	1	10	16	16	10	—	1	1	1	5	2
13M Cancer of Mouth and œsophagus	M	483	—	—	—	11	155	317	219	—	—	—	4	44	171
13F Uterus	F	647	—	—	—	59	344	244	309	—	—	—	32	154	123
14 Stomach and duodenum	M	1330	—	—	—	69	523	738	528	—	—	—	24	207	297
	F	1012	—	—	—	34	307	671	404	—	—	—	21	96	287
15 Breast	M	13	—	—	—	—	5	8	7	—	—	—	—	3	4
	F	1150	—	—	—	133	487	530	558	—	—	—	69	237	252
16 All other sites	M	4396	3	9	11	296	1858	2219	2129	1	8	8	140	783	1189
	F	3195	2	12	8	222	1218	1733	1466	1	9	5	105	496	850
17 Diabetes	M	188	1	1	—	18	47	121	100	—	—	3	9	19	69
	F	388	—	—	—	17	106	265	194	—	1	2	7	36	148
18 Intra-cranial vascular lesions	M	3984	2	—	—	70	892	3020	1941	—	—	—	33	399	1509
	F	5465	1	1	4	71	1050	4338	2537	—	1	1	31	471	2033
19 Heart disease	M	12199	2	3	15	429	3289	8461	5528	—	1	8	158	1299	4062
	F	12547	—	5	27	443	1940	10132	5501	—	—	5	135	806	4555
20 Other circulatory diseases	M	1575	1	—	1	24	331	1218	833	—	—	1	10	152	670
	F	1743	—	—	—	40	286	1417	778	—	—	—	16	139	623
21 Bronchitis	M	3554	36	15	1	104	1311	2087	1362	41	8	3	45	397	868
	F	2534	26	5	5	83	464	1951	852	22	6	3	19	121	681
22 Pneumonia	M	1694	424	70	13	111	399	677	834	205	30	7	37	167	388
	F	1464	334	73	11	83	231	732	710	158	35	5	44	103	365
23 Other respiratory diseases	M	591	10	7	3	59	268	244	326	5	4	4	22	125	166
	F	424	5	3	—	56	135	225	209	2	1	2	29	75	100
24 Ulcer of stomach or duodenum†	M	510	—	—	—	63	258	189	288	—	—	—	37	135	116
	F	167	—	—	—	15	59	93	84	—	—	—	5	26	53
25 Diarrhœa under 2 years	M	303	284	19	—	—	—	—	83	82	1	—	—	—	—
	F	209	197	12	—	—	—	—	60	60	—	—	—	—	—
26 Appendicitis	M	112	1	12	8	39	31	21	49	—	6	5	11	16	11
	F	70	1	4	4	14	25	22	40	—	4	4	6	16	10
27 Other digestive diseases	M	594	32	11	9	74	214	254	323	15	9	5	32	84	178
	F	801	18	11	13	88	259	412	375	9	2	4	42	91	227
28 Nephritis	M	853	5	1	6	126	252	463	444	—	1	7	67	98	271
	F	867	3	1	7	99	244	513	393	—	2	1	51	102	237
29 Maternal sepsis	F	28	—	—	—	27	1	—	11	—	—	—	11	—	—
30 Other maternal	F	84	—	—	—	84	—	—	44	—	—	—	42	2	—
31 Premature birth	M	561	561	—	—	—	—	—	271	271	—	—	—	—	—
	F	442	442	—	—	—	—	—	181	181	—	—	—	—	—
32 Congenital malformation, birth injuries, infant: dis:	M	884	797	20	14	23	26	4	444	385	12	8	21	14	4
	F	724	626	31	10	36	18	3	333	279	13	7	20	12	2
33 Suicide	M	453	—	—	—	116	203	134	264	—	—	1	62	113	88
	F	278	—	—	1	59	135	83	134	—	—	—	41	54	39
34 Road traffic accidents	M	462	—	51	60	167	83	101	265	—	11	30	117	50	57
	F	179	—	20	26	23	47	63	78	—	12	12	14	16	24
35 Other violent causes	M	804	84	55	65	224	173	203	478	42	33	29	145	118	111
	F	626	75	34	19	45	91	362	277	26	9	20	18	37	167
36 All other causes	M	2947	104	59	61	302	496	1925	1533	48	27	34	131	219	1074
	F	3219	80	51	56	264	560	2208	1508	22	26	25	126	230	1079
Including deaths from ulcer of duodenum	M	232	—	—	—	35	122	75	136	—	—	—	22	66	48
	F	42	—	—	—	7	15	20	22	—	—	—	3	6	13

APPENDIX 24—contd.—Standard Regions.

Causes of Death <i>See page 200</i>		Midland.							Eastern.						
		All Ages	0—	1—	5—	15—	45—	65 and over	All Ages	0—	1—	5—	15—	45—	65 and over
All Causes	M	24961	1527	290	237	2158	6743	14006	17573	750	161	137	1170	3961	11394
	F	22822	1113	219	190	1864	4531	14905	17064	496	111	90	927	2920	12520
1 Typhoid and paratyphoid	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	1	—	—	—	—	1	—
2 Cerebro-spinal fever	M	21	7	7	1	4	1	1	11	3	2	3	1	1	1
	F	9	3	3	1	2	—	—	11	3	1	5	2	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	40	30	7	3	—	—	—	5	3	2	—	—	—	—
	F	42	28	14	—	—	—	—	8	5	3	—	—	—	—
5 Diphtheria	M	7	—	4	3	—	—	—	—	—	—	—	—	—	—
	F	11	—	5	5	—	1	—	—	—	—	—	—	—	—
Tuberculosis:—															
6 Respiratory system	M	1236	3	6	3	545	545	134	534	1	2	—	192	243	96
	F	770	1	3	7	588	117	54	318	—	1	—	200	82	35
7 Other forms	M	135	17	30	21	41	20	6	73	2	24	5	20	15	7
	F	135	7	30	25	52	19	2	43	3	13	4	16	3	4
8 Syphilitic disease	M	115	2	—	—	11	54	48	87	2	—	—	2	39	44
	F	46	3	—	—	6	19	18	45	2	—	—	2	18	23
9 Influenza	M	357	14	4	1	23	100	215	192	8	2	1	18	42	121
	F	363	9	6	3	28	62	255	213	3	3	—	7	29	171
10 Measles	M	16	3	10	3	—	—	—	16	3	9	2	2	—	—
	F	21	6	12	1	1	—	1	6	—	1	3	2	—	—
11 Acute poliomyelitis and polioencephalitis	M	21	1	3	8	7	2	—	27	1	3	9	13	1	—
	F	8	2	1	1	4	—	—	24	1	2	4	17	—	—
12 Acute infectious encephalitis	M	19	3	1	2	3	5	5	10	1	—	—	3	3	3
	F	16	1	1	—	5	7	2	10	—	—	1	2	5	2
Cancer of															
13M Mouth and œsophagus	M	310	—	—	1	5	61	243	206	—	—	1	2	44	159
13F Uterus	F	351	—	—	—	32	186	133	264	—	—	—	19	109	136
14 Stomach and duodenum	M	758	—	—	—	45	319	394	531	—	—	—	22	180	329
	F	539	—	—	—	22	157	360	387	—	—	—	11	94	282
15 Breast	M	6	—	—	—	1	1	4	5	—	—	—	—	2	3
	F	783	—	—	—	78	323	382	544	—	—	—	42	245	257
16 All other sites	M	2812	—	9	11	183	1124	1485	2133	1	7	6	118	752	1249
	F	1851	—	8	7	136	661	1039	1536	1	4	5	101	474	951
17 Diabetes	M	94	—	—	—	9	20	65	84	—	—	—	9	14	61
	F	211	—	—	2	11	51	147	173	—	—	1	8	32	132
18 Intra-cranial vascular lesions	M	2337	2	—	—	51	539	1745	1728	—	—	—	23	298	1407
	F	3080	3	1	3	57	603	2413	2491	1	—	1	22	381	2086
19 Heart disease	M	6754	2	—	5	219	1598	4930	5476	—	1	4	140	1017	4314
	F	6757	2	—	9	212	982	5552	5540	—	2	5	74	612	4847
20 Other circulatory diseases	M	910	3	—	1	32	208	666	726	—	1	—	14	117	594
	F	909	1	1	2	27	165	713	798	—	1	—	17	111	669
21 Bronchitis	M	1882	30	4	5	59	597	1187	917	7	2	1	7	232	668
	F	1126	25	4	3	32	182	880	663	8	3	4	12	71	565
22 Pneumonia	M	1154	234	47	8	58	271	536	680	94	25	7	34	129	391
	F	935	175	30	6	50	146	528	646	67	14	5	35	67	458
23 Other respiratory diseases	M	366	4	2	1	33	167	159	219	3	3	—	11	91	111
	F	218	—	2	—	26	72	118	187	2	4	1	32	46	102
24 Ulcer of stomach or duodenum†	M	389	—	—	—	39	204	146	262	—	—	1	26	123	112
	F	83	—	—	—	7	35	41	77	—	—	—	6	25	46
25 Diarrhœa under 2 years	M	151	144	7	—	—	—	—	50	45	5	—	—	—	—
	F	127	119	8	—	—	—	—	24	22	2	—	—	—	—
26 Appendicitis	M	64	2	8	6	18	12	18	59	—	4	7	19	12	17
	F	56	1	3	8	16	14	14	31	—	2	3	4	10	12
27 Other digestive diseases	M	384	15	21	14	43	124	167	275	5	8	6	27	77	152
	F	424	7	10	11	32	125	239	334	6	5	2	34	81	206
28 Nephritis	M	485	3	1	5	78	123	275	383	—	1	1	47	74	260
	F	547	1	2	9	73	137	325	368	1	2	2	33	95	235
29 Maternal sepsis	F	11	—	—	—	11	—	—	8	—	—	—	8	—	—
30 Other maternal	F	62	—	—	—	59	3	—	27	—	—	—	27	—	—
31 Premature birth	M	310	310	—	—	—	—	—	185	185	—	—	—	—	—
	F	223	223	—	—	—	—	—	113	113	—	—	—	—	—
32 Congenital malformation, birth injuries, infant: dis:	M	668	586	19	8	35	16	4	370	318	18	9	17	7	1
	F	491	413	13	14	24	19	8	285	223	14	9	14	15	10
33 Suicide	M	317	—	—	1	83	145	88	223	—	—	—	68	86	69
	F	161	—	—	—	40	78	43	107	—	—	—	31	53	23
34 Road traffic accidents	M	340	1	19	38	148	71	63	261	—	8	25	116	57	55
	F	99	—	9	13	18	23	36	64	—	3	13	16	8	24
35 Other violent causes	M	560	43	37	36	188	119	137	324	38	15	21	80	67	103
	F	368	30	21	19	29	34	235	257	21	16	8	12	21	179
36 All other causes	M	1942	68	44	52	197	296	1285	1520	30	19	28	139	237	1067
	F	1986	53	32	40	184	310	1367	1461	14	15	14	121	232	1065
†Including deaths from ulcer of duodenum	M	167	—	—	—	23	85	59	123	—	—	1	15	53	54
	F	22	—	—	—	1	9	12	23	—	—	—	1	10	12

APPENDIX 24—contd.—Standard Regions.

Causes of Death <i>See page 200</i>		London and South Eastern.							Southern.						
		All Ages	0-	1-	5-	15-	45-	65 and over	All Ages	0-	1-	5-	15-	45-	65 and over
All Causes	M	60415	2607	484	456	4356	16336	36176	14645	684	135	112	902	3400	9412
	F	60403	1796	377	296	3916	11401	42617	14569	464	118	77	798	2468	10644
1 Typhoid and paratyphoid	M	1	—	—	—	—	1	—	1	—	—	—	—	—	1
	F	4	—	—	1	1	—	2	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	24	11	10	1	—	2	—	6	2	1	—	2	1	—
	F	29	10	10	—	3	2	4	3	—	2	1	—	—	—
3 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	27	23	4	—	—	—	—	12	10	1	1	—	—	—
	F	39	23	13	2	—	—	1	11	7	4	—	—	—	—
5 Diphtheria	M	10	—	4	4	1	—	1	—	—	—	—	—	—	—
	F	7	—	5	2	—	—	—	2	—	—	—	2	—	—
Tuberculosis:—															
6 Respiratory system	M	2637	2	12	5	940	1200	478	479	1	3	2	177	214	82
	F	1458	4	5	7	949	338	155	264	1	—	—	163	61	39
7 Other forms	M	256	5	39	38	100	52	22	57	3	16	9	15	8	6
	F	203	6	32	25	76	42	22	47	7	7	5	10	11	7
8 Syphilitic disease	M	432	5	—	—	19	195	213	93	1	—	1	2	40	49
	F	214	4	—	—	7	77	126	44	—	—	—	9	17	18
9 Influenza	M	536	20	5	4	42	165	300	110	4	2	—	10	24	70
	F	592	13	7	5	43	103	421	128	1	1	2	7	25	92
10 Measles	M	22	3	10	8	1	—	—	10	2	6	1	—	—	1
	F	25	6	13	6	—	—	—	20	1	13	3	3	—	—
11 Acute poliomyelitis and polioencephalitis	M	106	3	20	25	52	5	1	23	—	2	5	16	—	—
	F	85	5	13	14	49	4	—	23	1	1	3	17	1	—
12 Acute infectious encephalitis	M	29	2	1	—	13	9	4	2	—	—	1	—	—	1
	F	39	1	2	1	11	13	11	12	—	1	—	2	6	3
Cancer of															
13M Mouth and œsophagus	M	706	—	—	2	22	174	508	181	—	—	—	2	34	145
13F Uterus	F	1014	—	2	—	78	464	470	230	—	—	—	11	115	104
14 Stomach and duodenum	M	1805	—	—	—	92	662	1051	417	—	—	—	9	141	267
	F	1464	—	—	—	47	378	1039	330	—	—	—	12	73	245
15 Breast	M	19	—	—	—	—	8	11	8	—	—	—	—	4	4
	F	2239	—	—	—	239	971	1029	476	—	—	—	45	188	243
16 All other sites	M	8038	8	27	31	463	3158	4351	1731	—	2	4	95	580	1050
	F	5977	5	16	23	420	1988	3525	1345	2	8	3	79	416	837
17 Diabetes	M	234	—	2	1	15	55	161	57	—	—	—	3	15	39
	F	497	—	—	1	21	102	373	124	—	—	3	5	27	89
18 Intra-cranial vascular lesions	M	5098	2	2	1	75	1072	3946	1492	4	—	—	13	312	1163
	F	7820	4	—	1	86	1291	6438	2185	—	—	—	27	343	1815
19 Heart disease	M	17453	—	4	9	510	4066	12864	4617	—	2	2	105	952	3556
	F	18814	—	1	8	392	2210	16203	4683	—	—	4	70	502	4107
20 Other circulatory diseases	M	2687	1	1	1	80	553	2051	566	—	1	2	9	109	445
	F	3217	1	—	1	68	504	2643	616	—	—	—	13	78	525
21 Bronchitis	M	4462	43	8	2	106	1280	3023	756	12	3	—	14	193	534
	F	2947	28	7	4	56	370	2482	472	4	1	—	9	51	407
22 Pneumonia	M	2849	331	67	9	115	633	1694	526	88	19	3	19	103	294
	F	2788	232	57	13	105	368	2013	568	61	23	2	21	68	393
23 Other respiratory diseases	M	922	11	12	6	85	346	462	240	2	2	2	22	104	108
	F	696	7	2	2	83	196	406	189	2	2	—	17	53	115
24 Ulcer of stomach or duodenum†	M	1065	—	—	—	98	511	456	209	—	—	—	18	85	106
	F	351	—	—	1	17	94	239	73	—	—	—	2	22	49
25 Diarrhoea under 2 years	M	170	153	17	—	—	—	—	38	36	2	—	—	—	—
	F	93	88	5	—	—	—	—	27	25	2	—	—	—	—
26 Appendicitis	M	179	1	13	15	39	54	57	36	—	2	7	8	7	12
	F	123	—	11	11	22	34	45	33	—	4	3	8	8	10
27 Other digestive diseases	M	1014	22	19	17	94	309	553	241	9	7	3	23	62	137
	F	1250	13	6	8	107	326	790	289	5	9	4	25	59	187
28 Nephritis	M	1177	4	2	15	141	314	701	347	1	—	2	33	70	241
	F	1167	3	3	14	117	273	757	318	1	2	2	27	69	217
29 Maternal sepsis	F	41	—	—	—	41	—	—	13	—	—	—	13	—	—
30 Other maternal	F	108	—	—	—	104	4	—	35	—	—	—	35	—	—
31 Premature birth	M	595	595	—	—	—	—	—	182	182	—	—	—	—	—
	F	420	420	—	—	—	—	—	136	136	—	—	—	—	—
32 Congenital malformation, birth injuries, infant: dis:	M	1369	1160	36	19	72	66	16	305	267	14	5	9	7	3
	F	1038	784	36	27	71	74	46	215	177	8	3	12	8	7
33 Suicide	M	736	—	—	—	220	318	198	197	—	—	—	47	82	68
	F	469	—	—	—	146	209	114	96	—	—	—	27	47	22
34 Road traffic accidents	M	647	—	33	78	252	131	153	200	—	7	17	93	39	44
	F	252	—	22	35	45	44	106	67	—	7	8	17	17	18
35 Other violent causes	M	1169	115	65	77	299	245	368	281	35	23	21	71	42	89
	F	1107	73	45	18	89	140	742	241	20	5	6	16	23	171
36 All other causes	M	3940	87	71	88	409	752	2533	1225	25	20	24	87	172	897
	F	3815	66	64	65	423	782	2415	1254	13	18	25	94	180	924
†Including deaths from ulcer of duodenum	M	452	—	—	—	49	216	187	94	—	—	—	12	38	44
	F	104	—	—	1	6	33	64	19	—	—	—	1	7	11

APPENDIX 24—contd.—Standard Regions.

Causes of Death See page 200		South Western.							Wales.						
		All Ages	0–	1–	5–	15–	45–	65 and over	All Ages	0–	1–	5–	15–	45–	65 and over
All Causes	M	18269	800	165	155	1240	4327	11582	17305	1019	175	137	1414	4789	9771
	F	19117	611	135	103	1100	3296	13872	14804	743	120	107	1207	3065	9562
1 Typhoid and paratyphoid	M	1	—	—	—	1	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Cerebro-spinal fever	M	8	4	4	—	—	—	—	10	4	3	—	3	—	—
	F	10	3	3	—	3	—	1	9	4	4	—	1	—	—
3 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Whooping cough	M	16	11	5	—	—	—	—	15	10	2	3	—	—	—
	F	14	9	4	—	—	—	1	17	15	2	—	—	—	—
5 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	2	—	1	—	—	1	—	—	—
Tuberculosis:—															
6 Respiratory system	M	631	—	2	4	275	270	80	815	4	1	2	376	331	101
	F	426	2	4	2	279	92	47	586	1	4	12	417	115	37
7 Other forms	M	80	3	14	15	30	14	4	99	6	19	7	39	17	11
	F	74	3	16	12	25	12	6	73	3	18	4	32	13	3
8 Syphilitic disease	M	71	—	—	—	3	31	37	82	2	—	—	3	45	32
	F	31	1	—	—	2	10	18	27	5	1	1	1	6	13
9 Influenza	M	161	4	2	1	13	46	95	170	7	2	1	12	50	98
	F	201	4	2	—	11	25	159	170	10	1	1	10	29	119
10 Measles	M	10	3	6	1	—	—	—	8	5	3	—	—	—	—
	F	6	1	5	—	—	—	—	9	1	4	2	1	—	1
11 Acute poliomyelitis and polioencephalitis	M	36	1	2	12	20	1	—	9	—	2	1	5	1	—
	F	20	1	1	7	11	—	—	12	3	2	1	5	1	—
12 Acute infectious encephalitis	M	10	—	1	—	5	2	2	8	—	1	—	5	1	1
	F	14	1	—	—	4	4	5	14	—	—	—	6	7	1
Cancer of															
13M Mouth and œsophagus	M	218	—	—	—	3	55	160	230	—	—	1	11	67	151
13F Uterus	F	299	—	—	—	26	130	143	267	—	—	—	33	137	97
14 Stomach and duodenum	M	564	—	—	—	14	178	372	669	—	—	—	27	274	368
	F	483	—	—	—	13	109	361	428	—	—	—	15	120	293
15 Breast	M	8	—	—	—	1	2	5	—	—	—	—	—	—	—
	F	570	—	—	—	58	229	283	413	—	—	—	42	201	170
16 All other sites	M	1954	3	6	6	107	683	1149	1674	2	6	10	84	667	905
	F	1621	—	9	5	79	533	995	1220	2	6	2	86	445	679
17 Diabetes	M	82	—	—	1	8	15	58	76	—	—	—	7	21	48
	F	192	—	—	3	11	46	132	166	—	1	2	6	45	112
18 Intra-cranial vascular lesions	M	1846	—	—	—	21	320	1505	1618	2	1	—	29	340	1246
	F	2791	—	—	—	30	476	2285	2089	—	—	—	23	435	1631
19 Heart disease	M	5933	—	1	13	117	1203	4599	4781	—	1	4	149	1255	3372
	F	6534	—	1	2	111	728	5692	4389	—	—	9	116	720	3544
20 Other circulatory diseases	M	698	—	—	—	14	152	532	575	1	—	—	17	124	433
	F	772	1	—	—	20	97	654	574	1	—	—	12	94	467
21 Bronchitis	M	892	10	1	3	26	240	612	1246	20	8	—	32	391	795
	F	647	6	1	—	14	69	557	660	21	5	—	21	86	527
22 Pneumonia	M	686	125	30	2	31	145	353	547	159	28	3	27	93	237
	F	692	99	18	9	34	82	450	438	112	11	8	33	60	214
23 Other respiratory diseases	M	299	1	1	1	28	119	149	642	4	10	—	44	323	261
	F	196	1	4	—	17	62	112	165	3	5	—	26	42	89
24 Ulcer of stomach or duodenum†	M	242	—	—	—	21	127	94	239	—	—	1	37	120	81
	F	85	—	—	—	5	20	60	58	—	—	—	3	27	28
25 Diarrhoea under 2 years	M	40	37	3	—	—	—	—	82	76	6	—	—	—	—
	F	23	20	3	—	—	—	—	64	59	5	—	—	—	—
26 Appendicitis	M	61	—	5	3	14	20	19	67	—	4	12	16	21	14
	F	32	—	3	4	4	6	15	40	1	3	4	9	12	11
27 Other digestive diseases	M	304	6	8	—	24	89	177	265	8	5	5	36	81	130
	F	376	5	3	5	35	93	235	307	11	3	4	22	99	168
28 Nephritis	M	539	2	2	3	60	127	345	475	1	4	5	51	119	295
	F	479	—	—	6	35	99	339	385	2	—	10	42	91	240
29 Maternal sepsis	F	8	—	—	—	8	—	—	15	—	—	—	15	—	—
30 Other maternal	F	46	—	—	—	46	—	—	47	—	—	—	46	1	—
31 Premature birth	M	199	199	—	—	—	—	—	263	263	—	—	—	—	—
	F	142	142	—	—	—	—	—	183	183	—	—	—	—	—
32 Congenital malformation, birth injuries, infant: dis:	M	392	348	14	2	17	9	2	399	348	5	9	19	12	6
	F	325	266	6	13	20	13	7	282	254	6	7	7	7	1
33 Suicide	M	224	—	—	—	55	108	61	150	—	—	—	45	61	44
	F	129	—	—	—	29	74	26	74	—	—	—	23	35	16
34 Road traffic accidents	M	231	—	13	23	114	44	37	180	—	17	23	78	33	29
	F	71	—	5	7	16	18	25	46	—	3	14	11	9	9
35 Other violent causes	M	384	21	17	35	106	106	99	461	45	24	24	150	120	98
	F	331	29	17	10	23	32	220	216	26	18	3	17	23	129
36 All other causes	M	1448	22	27	30	112	221	1036	1449	52	23	26	112	221	1015
	F	1474	17	30	18	130	235	1044	1360	26	18	22	126	205	963
†Including deaths from ulcer of duodenum	M	102	—	—	—	9	57	36	104	—	—	1	21	46	36
	F	18	—	—	—	1	5	12	11	—	—	—	2	5	4

APPENDIX 24A.—Causes of Death by Sex, 1949
classified in accordance with the Supplementary
Abridged List (see statement on page 291).

{ England and Wales,
Standard Regions.

(Non-civilian deaths are excluded).
See Explanatory notes on page vi.

Causes of Death.			England and Wales	Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales
See page 291.													
16 (1a)	Cancer of lung and pleura	{ M 9,327 495 915 1,529 591 893 580 2,872 491 495 466 F 1,945 109 168 292 115 196 116 642 97 119 91											
16 (1b)	Cancer of remainder of resp. system	{ M 836 56 72 131 59 87 56 236 39 61 39 F 287 29 24 48 17 26 15 58 13 23 34											
16 (2)	Cancer of buccal cavity and œsophagus	F 1,318 103 117 214 77 100 101 296 77 110 123											
16 (3)	Cancer of remaining sites	{ M 19,369 1,300 1,827 2,736 1,479 1,832 1,497 4,930 1,201 1,398 1,169 F 18,062 1,145 1,706 2,641 1,257 1,529 1,304 4,981 1,158 1,369 972											
19 (1)	Chronic affections of valves and endo.	{ M 5,850 448 549 998 411 496 377 1,438 365 422 346 F 7,946 591 799 1,355 520 673 504 2,031 420 556 497											
19 (2)	Myocardial degeneration	{ M 37,153 2,742 3,673 5,974 2,740 3,524 2,803 8,003 2,283 3,158 2,253 F 47,981 3,308 4,534 7,761 3,354 4,327 3,454 11,465 2,878 4,403 2,497											
19 (3)	Diseases of coronary arteries & ang. pec.	{ M 27,555 2,201 2,918 4,220 1,865 2,169 1,936 7,055 1,702 1,850 1,639 F 15,367 1,238 1,592 2,218 1,045 1,145 1,135 4,091 1,020 1,081 802											
19 (4)	Other diseases of heart	{ M 5,705 436 555 1,007 512 565 360 957 267 503 543 F 6,702 530 639 1,213 582 612 447 1,227 365 494 593											
27 (1)	Diseases of pharynx and tonsils	{ M 107 8 5 24 9 20 6 21 5 4 5 F 138 12 13 25 10 18 9 23 6 14 8											
27 (2)	Cirrhosis of liver	{ M 550 40 49 88 40 67 30 129 29 45 33 F 361 25 32 51 33 37 18 101 24 17 23											
27 (3)	Other dis. of liver and biliary passages	{ M 632 43 67 87 46 65 45 155 37 47 40 F 1,328 108 124 233 95 112 71 294 87 107 97											
27 (4)	Remaining dis. of digestive system	{ M 2,765 180 262 395 228 232 194 709 170 208 187 F 3,174 236 295 492 237 257 236 832 172 238 179											
29 (1)	Septic abortion	F 78 5 8 13 3 4 3 27 4 2 9											
29 (2)	Infect. of childbirth	F 84 9 5 15 8 7 5 14 9 6 6											
30 (1)	Other abortion	F 36 2 3 6 2 2 3 12 1 3 2											
30 (2)	Remng. matnl. causes	F 529 46 61 78 42 60 24 96 34 43 45											
32 (1)	Injury at birth	{ M 1,193 110 129 178 77 127 71 259 66 99 77 F 714 62 77 124 47 80 47 138 35 59 45											
32 (2a)	Congenital malformations	{ M 2,586 232 240 373 209 277 166 612 126 169 182 F 2,334 157 230 373 173 243 158 579 115 171 135											
32 (2b)	Hæmolytic diseases of the newborn	{ M 299 20 28 42 32 33 17 74 16 17 20 F 221 14 24 31 15 25 17 62 8 14 11											
32 (2c)	Other infantile diseases	{ M 1,793 144 137 291 126 231 116 424 97 107 120 F 1,206 86 132 196 98 143 63 259 57 81 91											
36 (1)	Erysipelas	{ M 27 3 1 8 2 2 — 5 — 3 3 F 27 2 5 6 — 2 4 4 2 1 1											
36 (2)	Purulent infection and septicæmia	{ M 93 8 8 16 10 12 7 16 6 4 6 F 62 3 6 18 7 5 2 11 5 2 3											
36 (3)	Hodgkins' disease	{ M 451 34 45 69 21 43 34 119 23 28 35 F 246 11 24 30 25 18 23 81 14 13 7											
36 (4)	Smallpox	{ M 1 — — — — — 1 — — 1 — F 4 — 1 — — — 2 — — 1 —											
36 (5)	Remng. infective & parasitic diseases	{ M 215 27 16 23 19 13 14 52 15 14 22 F 128 6 10 16 5 9 9 36 14 12 11											
36 (6)	Rheumatic fever	{ M 154 18 12 23 13 20 5 32 4 13 14 F 174 20 8 31 15 30 8 25 14 7 16											
36 (7)	Exophthalmic goitre	{ M 79 4 5 15 7 5 11 18 2 7 5 F 504 32 47 73 37 55 26 86 32 69 47											
36 (8)	Diseases of blood	{ M 1,752 134 163 285 125 154 125 411 99 136 120 F 2,233 149 205 388 159 211 137 567 124 146 147											
36 (9)	Diseases of ear and mastoid	{ M 319 22 32 62 16 50 20 70 18 12 17 F 181 8 16 37 11 31 8 40 7 10 13											
36 (10)	Pyelitis and diseases of bladder	{ M 876 54 78 121 63 61 47 232 65 84 71 F 861 58 75 125 54 63 56 247 62 72 49											
36 (11)	Diseases of prostate	M 5,064 319 422 634 348 407 403 1,280 331 482 438											
36 (12)	Old age	{ M 4,801 383 465 870 488 610 423 547 330 298 387 F 8,079 565 670 1,437 754 944 706 1,180 565 619 639											
36 (13)	Ill defined diseases	{ M 144 31 4 17 18 9 19 21 5 9 11 F 116 15 2 20 16 3 25 9 8 9 9											
36 (14a)	Paralysis agitans	{ M 588 46 38 77 51 49 55 119 63 52 38 F 784 47 75 111 58 56 49 181 70 77 60											
36 (14b)	Remaining causes in 36	{ M 4,660 397 451 727 352 507 357 1,017 264 306 282 F 5,711 404 569 927 367 559 408 1,346 337 436 358											

APPENDIX 28A.—Cases of Certain Infectious Diseases Notified, by Sex and Age, 1949. { England and Wales, Standard Regions (excluding Port Health Districts).

Non-civilian cases are excluded from the Regional figures. Final numbers after correction.

Area	All Ages.		0—		1—		3—		5—		10—		*15—		25 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Scarlet fever																		
England and Wales { Civilians Non-civilians	33910 441	36276 19	122 —	108 —	3305 —	2716 —	7886 —	7284 —	17147 —	18636 —	3626 —	5100 —	1081 429	1393 19	659 12	966 —	84 —	73 —
Regional Summary:																		
Northern ...	1906	2247	9	14	214	181	410	396	807	999	293	462	112	117	58	67	3	11
East and West Ridings ...	4104	4597	11	9	473	382	1074	1092	1881	2185	424	637	154	171	80	118	7	3
North Western ...	6683	7169	13	19	691	560	1694	1523	3206	3582	770	1057	170	259	126	169	13	—
North Midland ...	3280	3454	6	9	315	225	754	637	1655	1859	357	464	113	154	68	92	12	14
Midland ...	3149	3543	7	13	278	251	766	709	1648	1876	281	464	93	125	71	105	5	—
Eastern ...	1911	2032	10	5	157	131	388	371	1084	1111	185	281	44	66	36	60	7	7
London and South Eastern ...	8069	8002	28	19	768	610	1733	1549	4451	4485	752	879	202	252	125	197	10	11
Southern ...	1287	1297	5	5	89	87	253	249	740	699	121	165	43	42	32	46	4	4
South Western ...	1628	1710	9	3	148	131	342	341	857	831	162	261	70	81	26	53	14	9
Wales ...	1893	2225	24	12	172	158	472	417	818	1009	281	430	80	126	37	59	9	14
Whooping cough																		
England and Wales { Civilians Non-civilians	48613 6	54188 2	4809 —	4915 —	14470 —	15565 —	13709 —	15470 —	14204 —	15920 —	895 —	1047 —	146 3	308 2	259 3	811 —	121 —	152 —
Regional Summary:																		
Northern ...	3919	4578	421	429	1153	1343	1185	1381	1077	1275	57	76	12	16	10	46	4	12
East and West Ridings ...	4610	5256	424	452	1428	1587	1346	1583	1318	1438	59	93	4	27	22	68	9	8
North Western ...	8434	9582	916	997	2820	3095	2448	2851	2088	2365	103	107	16	36	34	115	9	16
North Midland ...	4038	4344	372	402	1161	1208	1148	1262	1245	1303	71	85	11	28	15	40	15	16
Midland ...	6608	7440	661	702	2058	2155	1861	2065	1890	2277	87	122	19	26	23	80	9	13
Eastern ...	2993	3402	244	252	771	851	820	930	1036	1163	81	104	12	32	25	66	4	4
London and South Eastern ...	10451	11386	1007	975	3074	3219	2824	3118	3253	3540	160	186	33	80	77	240	23	28
Southern ...	2425	2616	233	213	599	625	656	726	805	890	87	78	15	18	22	57	8	9
South Western ...	2862	3161	247	248	763	787	766	821	917	1045	118	146	15	28	16	66	20	20
Wales ...	2273	2423	284	245	643	695	655	733	575	624	72	50	9	17	15	33	20	26

* Including non-civilian cases of unknown age.

APPENDIX 28A—continued.

Area	All Ages.		0—		1—		3—		5—		10—		*15—		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Diphtheria																		
England and Wales { Civilians Non-civilians	860 6	1014 1	20 —	11 —	98 —	81 —	141 —	119 —	271 —	247 —	152 —	177 —	71 5	170 1	102 1	201 —	5 —	8 —
Regional Summary :																		
Northern ...	122	130	4	—	17	7	23	16	44	33	20	22	7	21	6	29	1	2
East and West Ridings ...	77	99	2	1	11	5	14	13	22	34	15	11	2	19	10	16	1	—
North Western ...	199	257	6	4	25	22	27	31	59	55	40	50	22	40	20	55	—	—
North Midland ...	23	29	—	1	—	7	1	6	9	3	—	5	3	3	10	4	—	—
Midland ...	165	179	3	1	24	15	30	25	49	46	28	36	11	21	19	34	1	1
Eastern ...	28	26	—	—	1	1	8	3	8	6	5	5	3	7	2	3	1	1
London and South Eastern ...	145	183	3	2	7	17	20	20	50	51	33	29	13	33	19	30	—	1
Southern ...	22	23	—	—	6	3	5	1	5	2	1	3	2	7	3	7	—	—
South Western ...	22	43	—	1	4	3	4	1	8	5	4	6	1	11	1	14	—	2
Wales ...	57	45	2	1	3	1	9	3	17	12	6	10	7	8	12	9	1	1
Measles																		
England and Wales { Civilians Non-civilians	195531 101	190222 17	7445 —	7487 —	51772 —	48788 —	55072 —	53371 —	72611 —	70304 —	5009 —	5355 —	1478 91	2024 16	1247 10	2014 1	897 —	879 —
Regional Summary :																		
Northern ...	14219	13919	695	668	4063	3906	4193	3941	4865	4881	229	286	54	108	68	82	52	47
East and West Ridings ...	20319	19670	927	928	5875	5603	6487	6207	6431	6227	368	385	101	143	84	143	46	34
North Western ...	23872	23287	1228	1175	7571	7185	7323	7127	7108	7101	413	417	124	145	85	117	20	20
North Midland ...	13945	13664	523	527	3493	3342	4111	3931	5247	5152	327	356	116	156	86	155	42	45
Midland ...	20809	20242	852	829	5753	5503	6021	5822	7445	7326	426	389	155	162	103	146	54	65
Eastern ...	14463	14151	388	349	3034	2906	3472	3524	6426	6081	629	707	186	210	147	209	181	165
London and South Eastern ...	48538	46991	1653	1711	13023	12052	12802	12317	19345	18518	985	1101	306	558	312	605	112	129
Southern ...	16938	16339	440	470	3785	3602	4428	4317	7112	6567	756	793	171	266	175	270	71	54
South Western ...	15121	14854	411	454	3274	2906	3913	3943	6239	6139	688	729	219	217	153	240	224	226
Wales ...	7307	7105	328	376	1901	1783	2322	2242	2393	2312	188	192	46	59	34	47	95	94

* Including non-civilian cases of unknown age

APPENDIX 28A—continued.

Area	All Ages.		0-		1-		3-		5-		10-		*15-		25 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute Poliomyelitis																		
England and Wales { Civilians Non-civilians	3009 40	2430 6	123 —	114 —	556 —	430 —	448 —	338 —	668 —	513 —	390 —	279 —	415 28	357 1	395 12	392 5	14 —	7 —
Regional Summary:																		
Northern ...	106	83	6	3	20	14	15	13	16	14	9	9	24	17	12	12	4	1
East and West Ridings ...	343	326	10	14	70	57	45	50	81	65	50	43	45	47	42	50	—	—
North Western ...	277	226	14	13	67	46	41	35	54	45	29	22	37	28	35	37	—	—
North Midland ...	253	205	6	6	36	39	35	31	48	44	50	21	46	38	31	26	—	—
Midland ...	154	110	5	9	23	18	26	16	43	28	17	11	19	12	21	14	—	2
Eastern ...	260	215	6	5	27	31	45	21	59	43	42	26	39	41	42	48	—	—
London and South Eastern ...	937	758	41	36	196	142	142	117	214	165	112	90	106	98	125	110	1	—
Southern ...	258	195	9	6	30	25	38	23	62	38	38	27	40	31	40	44	1	1
South Western ...	320	234	17	13	60	35	48	19	71	57	37	24	51	40	34	46	2	—
Wales ...	101	78	9	9	27	23	13	13	20	14	6	6	8	5	13	5	5	3
Acute Polioencephalitis																		
England and Wales { Civilians Non-civilians	280 3	199 —	8 —	11 —	44 —	21 —	33 —	33 —	66 —	34 —	41 —	23 —	35 1	24 —	52 2	51 —	1 —	2 —
Regional Summary:																		
Northern ...	11	6	—	—	2	—	1	1	2	2	3	—	2	2	1	1	—	—
East and West Ridings ...	42	23	1	1	11	2	5	7	9	8	6	2	5	1	5	2	—	—
North Western ...	29	31	3	3	4	6	3	3	6	6	8	6	3	3	2	4	—	—
North Midland ...	20	19	2	2	1	3	3	4	8	1	2	1	1	3	3	5	—	—
Midland ...	12	10	—	2	2	—	1	2	3	1	1	—	2	3	3	2	—	—
Eastern ...	18	10	1	—	2	1	3	1	5	1	—	1	2	1	5	5	—	—
London and South Eastern ...	99	66	1	2	15	7	13	12	21	9	13	11	13	7	23	18	—	2
Southern ...	15	17	—	—	2	1	—	1	2	5	3	1	2	1	5	6	1	—
South Western ...	25	8	—	—	2	1	2	—	8	—	4	—	5	2	4	5	—	—
Wales ...	9	9	—	1	3	—	2	2	2	1	1	1	—	1	1	3	—	—

*Including non-civilian cases of unknown age.

APPENDIX 28A—continued.

Area.	All Ages.		0—		5—		*15—		45—		65 and over.		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.

Enteric or Typhoid fever															
England and Wales { Civilians Non-civilians	142	136	11	9	25	23	68	60	30	30	8	12	—	2	—
Regional Summary :	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Northern ...	6	10	1	—	1	3	3	2	1	1	—	1	—	—	1
East and West Ridings ...	5	2	—	—	2	—	3	1	—	—	—	—	—	—	—
North Western ...	44	37	2	6	4	4	18	18	15	7	5	2	—	—	—
North Midland ...	7	11	—	1	3	3	2	4	2	3	—	—	—	—	—
Midland ...	6	6	2	—	2	1	2	5	—	3	—	—	—	—	—
Eastern ...	7	20	—	1	1	1	4	7	2	—	—	8	—	—	—
London and South Eastern ...	31	30	3	—	5	10	16	14	6	5	1	—	—	1	—
Southern ...	28	13	3	1	5	—	16	5	3	6	1	1	—	—	—
South Western ...	7	5	—	—	2	—	3	4	1	1	1	—	—	—	—
Wales ...	1	2	—	—	—	1	1	—	—	—	—	—	—	—	—

Paratyphoid fevers															
England and Wales { Civilians Non-civilians	245	331	51	49	88	94	85	144	17	33	2	9	2	2	—
Regional Summary :	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—
Northern ...	45	76	5	5	12	19	25	34	2	14	—	2	1	1	2
East and West Ridings ...	11	6	—	2	5	—	4	2	2	1	—	1	—	—	—
North Western ...	88	125	27	27	38	43	18	49	5	5	—	1	—	—	—
North Midland ...	8	14	—	1	2	1	5	10	1	—	—	2	—	—	—
Midland ...	14	21	2	4	9	4	2	12	1	1	—	—	—	—	—
Eastern ...	7	8	—	1	2	1	5	5	—	—	—	—	—	—	—
London and South Eastern ...	51	64	9	7	18	22	18	27	5	7	1	1	—	—	—
Southern ...	8	11	5	2	—	3	3	4	—	1	—	1	—	—	—
South Western ...	7	3	1	—	1	—	4	1	—	2	—	—	1	—	—
Wales ...	6	3	2	—	1	1	1	—	1	1	—	—	—	—	—

*Including non-civilian cases of unknown age.

APPENDIX 28A—continued.

Area	All Ages.		0-		5-		*15-		45-		65 and over		Unknown.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Cerebro-spinal fever														
England and Wales { Civilians Non-civilians	547 8	387 —	291 —	184 —	129 —	97 —	92 8	70 —	24 —	21 —	6 —	6 —	5 —	9 —
Regional Summary:														
Northern ... { East and West Ridings ...	59 65	45 34	25 37	19 16	18 16	9 13	12 7	10 4	1 4	2 —	1 —	2 —	2 1	3 1
North Western ... { North Midland ...	98 31	76 26	66 13	46 17	14 13	9 4	15 4	15 3	3 —	5 2	— 1	— —	— —	1 —
Midland ... { Eastern ...	80 23	46 26	41 13	20 6	18 5	14 10	14 4	8 6	6 1	2 3	1 —	2 —	— —	— 1
London and South Eastern ... { Southern ...	111 22	79 14	63 10	36 7	24 6	23 2	18 4	12 3	4 1	5 2	2 1	1 —	— —	2 —
South Western ... { Wales ...	26 32	20 21	11 12	10 7	4 11	5 8	6 8	4 5	4 —	— —	— —	1 —	1 1	— 1
Erysipelas														
England and Wales { Civilians Non-civilians	3532 7	4727 1	53 —	58 —	120 —	120 —	1072 6	1334 1	1562 1	2131 —	682 —	1026 —	43 —	58 —
Regional Summary:														
Northern ... { East and West Ridings...	292 463	384 575	3 5	3 13	3 16	12 12	72 123	134 161	141 234	166 262	65 80	66 125	8 5	3 2
North Western ... { North Midland ...	541 283	684 371	7 2	5 4	20 10	24 6	174 81	179 84	240 121	319 197	100 67	150 76	— 2	7 4
Midland ... { Eastern ...	385 206	501 260	6 3	4 3	17 7	16 7	130 65	157 60	170 83	218 112	57 46	101 74	5 2	5 4
London and South Eastern ... { Southern ...	772 148	1141 236	12 4	14 4	29 6	31 3	255 39	325 63	333 55	507 103	137 36	250 55	6 8	14 8
South Western ... { Wales ...	231 211	335 240	8 3	5 3	6 6	5 4	62 71	98 73	105 80	147 100	45 49	75 54	5 2	5 6

*Including non-civilian cases of unknown age.

Area.	All Ages.		0-		5-		*15-		45-		65 and over.		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Dysentery														
England and Wales { Civilians Non-civilians	2146	2367	993	865	528	417	378	565	150	256	63	219	34	45
Regional Summary :														
Northern ...	159	231	76	69	40	51	21	43	9	24	2	30	11	14
East and West Ridings ...	188	199	91	62	50	41	36	67	6	14	2	8	3	7
North Western ...	775	814	457	428	168	110	107	164	28	63	15	48	—	1
North Midland ...	45	49	10	14	10	5	14	11	7	6	4	13	—	—
Midland ...	168	226	54	45	32	17	38	56	21	52	11	46	12	10
Eastern ...	106	134	29	21	29	33	31	54	12	14	2	11	3	1
London and South Eastern ...	370	405	186	161	74	49	75	104	25	45	8	42	2	4
Southern ...	91	75	16	7	42	23	25	34	6	15	1	5	1	1
South Western ...	93	81	30	15	13	28	19	24	17	7	13	4	1	3
Wales ...	151	153	44	43	70	60	12	18	19	16	5	12	1	4
Smallpox														
England and Wales { Civilians Non-civilians	9	8	—	1	2	—	6	4	1	2	—	1	—	—
Regional Summary :														
Northern ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Western ...	3	1	—	—	2	—	1	1	—	—	—	—	—	—
North Midland ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Midland ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
London and South Eastern ...	4	2	—	—	—	—	3	1	1	—	—	1	—	—
Southern ...	—	1	—	—	—	—	—	1	—	—	—	—	—	—
South Western ...	1	4	—	1	—	—	1	1	—	2	—	—	—	—
Wales ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—

*Including non-civilian cases of unknown age.

APPENDIX 28A—continued.

Area.	All Ages.		0—		5—		*15—		45—		65 and over.		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis lethargica														
England and Wales { Civilians Non-civilians	24	25	12	5	2	4	9	8	—	6	—	2	1	—
Regional Summary:														
Northern ...	3	1	3	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings ...	3	2	1	—	—	1	2	1	—	1	—	—	—	—
North Western ...	2	5	—	—	—	—	2	2	—	2	—	—	—	—
North Midland ...	2	3	1	1	—	1	1	1	—	—	—	1	—	—
Midland ...	3	1	2	—	—	—	1	—	—	—	—	—	—	—
Eastern ...	4	4	4	2	—	1	—	1	—	—	—	—	—	—
London and South Eastern ...	4	5	1	1	2	1	1	1	—	2	—	—	—	—
Southern ...	—	1	—	—	—	—	—	—	—	1	—	—	1	—
South Western ...	2	2	—	1	—	—	1	1	—	—	—	—	—	—
Wales ...	1	1	—	—	—	—	1	1	—	—	—	—	—	—
Acute pneumonia														
England and Wales { Civilians Non-civilians	18857	15529	4064	3249	2462	1905	4479	3619	4820	3381	2903	3243	129	132
Regional Summary:														
Northern ...	1976	1497	564	445	233	187	489	317	464	294	211	239	15	15
East and West Ridings...	2829	2327	724	589	330	269	624	478	684	517	457	467	10	7
North Western ...	2945	2409	807	680	383	279	646	544	711	472	386	422	12	12
North Midland ...	1452	1123	258	221	186	148	384	293	372	235	236	214	16	12
Midland ...	2263	1687	390	316	283	217	577	407	632	371	374	362	7	14
Eastern ...	1081	904	170	123	149	118	258	228	290	198	198	219	16	18
London and South Eastern ...	3646	3256	640	492	537	374	881	793	998	809	573	772	17	16
Southern ...	644	584	96	85	98	85	156	120	166	134	120	150	8	10
South Western ...	1035	922	195	115	147	117	259	242	256	197	168	238	10	13
Wales ...	986	820	220	183	116	111	205	197	247	154	180	160	18	15

*Including non-civilian cases of unknown age.

APPENDIX 29.—Cases of Certain Infectious Diseases Notified, 1949. } England and Wales, Standard Regions.

Notified cases among non-civilians are excluded from this table, except in the England and Wales totals,
See explanatory notes on page vi.

Area.	Typhoid fever.	Paratyphoid fevers.	Cerebro-spinal fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Erysipelas.	Ophthalmia neonatorum.	Dysentery.	Measles.	Acute poliomyelitis and polioencephalitis.	Acute encephalitis lethargica.	Ac. pneumonia (primary and influenza).	Puerperal pyrexia.†
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
(a) Numbers Originally Notified.														
ENGLAND AND WALES (including Port Health Districts)														
Total (including non-civilians) ...	402	756	1619	72002	103074	4982	8405	2225	4875	386231	6975	56	34732	4789
Civilians (excluding Port Health Districts) ...	368	750	1610	71528	103059	4960	8393	2225	4850	386049	6908	56	34570	4789
Port Health Districts (all cases) ...	31	3	1	21	7	9	3	—	19	64	15	—	23	—
Non-civilians (excluding Port Health Districts) ...	3	3	8	453	8	13	9	—	6	118	52	—	139	—
Regional Summary:														
Northern ...	25	142	207	4256	8496	529	683	82	444	28136	258	5	3530	371
East and West Ridings...	11	27	154	8908	9890	476	1053	120	393	39990	836	5	5170	468
North Western ...	114	322	288	14141	18098	1471	1265	342	1696	47262	717	6	5365	839
North Midland ...	24	24	112	6804	8407	141	657	139	100	27652	546	6	2574	285
Midland ...	24	42	236	6763	14085	823	912	820	420	41049	356	5	3968	358
Eastern ...	26	21	58	3976	6396	70	469	67	238	28634	568	9	1988	288
London and South Eastern ...	81	132	309	16516	21921	903	1952	327	895	95614	2214	10	6954	1414
Southern ...	41	18	41	2589	5038	67	383	146	172	33304	508	1	1228	219
South Western ...	18	13	92	3378	6011	207	569	69	175	29996	675	5	1971	383
Wales ...	4	9	113	4197	4717	273	450	113	317	14412	230	4	1822	164
(b) Final Numbers after Correction.														
ENGLAND AND WALES (excluding Port Health Districts)														
Total (including non-civilians) ...	280	579	942	70646	102809	1881	8267	2229	4519	385871	5967	49	34538	4724
Civilians ...	278	576	934	70186	102801	1874	8259	2229	4513	385753	5918	49	34386	4724
Non-civilians ...	2	3	8	460	8	7	8	—	6	118	49	—	152	—
Regional Summary:														
Northern ...	16	121	104	4153	8497	252	676	82	390	28138	206	4	3473	365
East and West Ridings...	7	17	99	8701	9866	176	1038	119	387	39989	734	5	5156	460
North Western ...	81	213	174	13852	18016	456	1225	341	1589	47159	563	7	5354	830
North Midland ...	18	22	57	6734	8382	52	654	139	94	27609	497	5	2575	282
Midland ...	12	35	126	6692	14048	344	886	821	394	41051	286	4	3950	336
Eastern ...	27	15	49	3943	6395	54	466	67	240	28614	503	8	1985	275
London and South Eastern ...	61	115	190	16071	21837	328	1913	334	775	95529	1860	9	6902	1413
Southern ...	41	19	36	2584	5041	45	384	145	166	33277	485	1	1228	218
South Western ...	12	10	46	3338	6023	65	566	69	174	29975	587	4	1957	383
Wales ...	3	9	53	4118	4696	102	451	112	304	14412	197	2	1806	162

Smallpox cases notified.—Original: England and Wales 22 (14 imported); East and West Ridings 1; North Western 3 (1 imported); North Midland 2 (1 imported); London and South Eastern 7 imported; Southern 1 (imported); South Western 5 (1 imported); Wales 1 imported; Port Health Districts 2. Final: England and Wales 17 (11 imported); North Western 3 (1 imported); North Midland 1 imported; London and South Eastern 6 imported; Southern 1 imported; South Western 5 (1 imported); Wales 1 imported.

†See note at end of Table 29, page 352.

APPENDIX Y.—Estimated Resident Civilian Population, 1949, of areas as constituted after change of boundary during the year. (Supplementary to Table 17).

There were no changes of boundary during the year 1949.



The Registrar General's Annual Statistical Review

The Statistical Review is normally published in three volumes, (Medical Tables, Civil Tables, and Text). The following statement gives details of volumes relating to 1938 onwards.

1938/1939	Text volume covering the two years	4s. 6d. (4s. 9d.)
1940	Part I Medical	<i>Out of Print*</i>
	Part II Civil	<i>Out of Print*</i>
1941	Part I	<i>Out of Print*</i>
	Part II	1s. 6d. (1s. 8d.)
1942	Part I	5s. (5s. 5d.)
	Part II	1s. 6d. (1s. 8d.)
1943	Part I	5s. 6d. (5s. 10d.)
	Part II	
1944	Part I	5s. 6d. (5s. 11d.)
	Part II	2s. (2s. 2d.)
1945	Part I	<i>Out of Print*</i>
	Part II	2s. 6d. (2s. 8d.)
1940/1945	Text, Vol. I Medical, covering the six years	6s. 6d. (6s. 11d.)
	Vol. II Civil,	<i>In the Press.</i>
1946	Part I	6s. (6s. 4d.)
	Part II	2s. 6d. (2s. 9d.)
1947	Part I	6s. (6s. 5d.)
	Part II	3s. (3s. 3d.)
1946/1947	Text, Vol. I Medical, covering the two years	<i>In the Press.</i>
	Vol. II Civil,	<i>In preparation</i>
1948	Part I	7s. (7s. 5d.)
	Part II	4s. (4s. 4d.)
1949	Part I	7s. 6d. (8s.)
	Part II	<i>In the Press.</i>

* These volumes may be referred to in most public libraries or in the library of the General Register Office, Somerset House, London, W.C.2.

(Prices in brackets include postage)

Published by
HIS MAJESTY'S STATIONERY OFFICE

Obtainable from the Sales Offices shown overleaf
or through any bookseller

Crown Copyright Reserved

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2.

429 Oxford Street, LONDON, W.1.

P.O. Box 569, LONDON, S.E.1.

13a Castle Street, EDINBURGH, 2.

1 St. Andrews Crescent, CARDIFF.

39 King Street, MANCHESTER, 2.

Tower Lane, BRISTOL, 1.

2 Edmunds Street, BIRMINGHAM, 3.

80 Chichester Street, BELFAST.

or from any Bookseller.

1951

Price 7s. 6d. net.